FZ1512AX



Prepared according to Global Harmonized System (GHS) standards.

1	Substance/Product Identification	
	The Lubrizol Corporation 29400 Lakeland Boulevard Wickliffe, Ohio 44092 Tel: (440) 943-4200	
Product Trade Name	FZ1512AX	
CAS Number	Not applicable for mixtures.	
Synonyms	None.	
Generic Chemical Name	Mixture.	
Recommended Use	Multipurpose.	
Restrictions on use	Not determined.	
Created Date	02 October 2013	
Preparation/Revision Date	02 October 2013	
Transportation Emergency Phone	FOR TRANSPORT EMERGENCY call CHEMTREC: (+1) 703-527-3887 (outside the U.S.), 1-800-424-9300 (in the	
No.	U.S.)	
MSDS No.	23707518-1503750-0111321-102103	
2	Hazards Identification	
Appearance	Brown liquid.	
Odor	Mild	
Classification	Hazardous to the aquatic environment (acute hazard) category 3 Hazardous to the aquatic environment (chronic hazard) category 3	
Target Organs	Not determined.	
Signal Word	Not determined.	
Hazard statement	Harmful to aquatic life. Harmful to aquatic life with long lasting effects.	
Other Hazards	None identified.	
Precaution(s)	Avoid release to the environment.	
.,		

See Section 11 for complete health hazard information.

3	Composition/Information on Ingredients
Hazardous Ingredients	

ıgı

Comp	CAS No.	Percentage (by wt.)	Carcinogen
Zinc alkyldithiophosphate	84605-29-8	From 1 to 4.9 percent	N/E

4	First Aid Measures	
F		
Eyes	Flush with water at least 30 minutes. Get medical attention if eye irritation develops or persists.	
Skin	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.	
Inhalation	Remove exposed person to fresh air if adverse effects are observed.	
Ingestion	DO NOT INDUCE VOMITING. Get immediate medical attention.	
Advice for the protection of first-aid	When providing first aid always protect yourself against exposure to chemicals or blood born diseases by wearing gloves,	
providers	masks and eye protection. After providing first aid wash your exposed skin with soap and water.	
Additional Information	Note to physician: Treat symptomatically.	
5	Fire Fighting Measures	

FZ1512AX		
Extinguishing Media	CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.	
Unsuitable Extinguishing Media	Not determined.	
Firefighting Procedures	Recommend wearing self-contained breathing apparatus.	
Unusual Fire & Explosion Hazards	Elevated temperatures can lead to the formation of irritating fumes and vapors. See section 10 for additional information.	
6	Accidental Release Measures	
Personal precaution, protective equipment and emergency	Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing. Ventilate area if spilled in a confined space or other poorly ventilated area.	
procedures		
Environmental precaution and protective procedures.	Take precautions to avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.	
Methods for clean-up and removal	Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.	
7	Handling and Storage	
Dumning Tomporature	Ambient	
Pumping Temperature Maximum Handling Temperature	60 °C, 140 °F	
Handling Procedures	Keep containers closed when not in use. Do not discharge into drains or the environment, dispose to an authorized waste	
francing r roccures	collection point. Use appropriate containment to avoid environmental contamination. Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations.	
Maximum Storage Temperature	45 °C, 113 °F	
Storage Procedures	Take precautions to avoid release to the environment. Odorous and toxic fumes may form from the decomposition of this product if stored at temperatures in excess of 113 deg F (45 deg C) for extended periods of time or if heat sources in excess of 250 deg F (121 deg C) are used. See section 10 for incompatible materials.	
Maximum Loading Temperature	Not determined.	
8	Exposure Controls/Personal Protection	
Exposure Limits		
Exposure Linus	EU	
	Not applicable.	
	UK	
	Not applicable.	
	Ireland	
	Not applicable.	
	India Not applicable.	
	Cyprus Not applicable.	
Other Exposure Limits	Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH	

Engineering ControlsTWA of 5 mg per cubic meter.Engineering ControlsMaterial should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.

Personal Protective Equipment	
Respiratory Protection	Use half mask respirator with an organic vapor cartridge if exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
Eye Protection	Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.
Gloves Procedures	Nitrile.
Clothing Recommendation	Long sleeve shirt is recommended. Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction. Launder contaminated clothing before reuse.
Hygiene Measures	Wash thoroughly after handling this product.
9	Physical and Chemical Properties

FZ1512AX

Upper Flammable Limit	Not determined.
Lower Flammable Limit	Not determined.
Autoignition Point	Not determined.
Decomposition Temperature	Not determined.
Explosion Data	Material does not have explosive properties.
Vapor Pressure	Not determined.
pH	Not determined.
Specific Gravity	0.87 (15.6 °C)
Bulk Density	Not determined.
Water Solubility	Insoluble.
Percent Solid	Not determined.
Percent Volatile	Not determined.
Volatile Organic Compound	Not determined.
Vapor Density	Not determined.
Evaporation Rate	Not determined.
Water/Octanol Coefficient	Not determined.
Odor	Mild
Odor Threshold	Not determined.
Appearance	Brown liquid.
Viscosity	63 Centistokes (40 °C)
	11 Centistokes (100 °C)
Boiling Point	Not determined.
Boiling Point Range	Not determined.
Pour Point Temperature	Not determined.
Melting / Freezing Point	Not determined.

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.

10	Stability and Reactivity
Stability.	Material is normally stable at norm termonotum and amonum. See the Handling and Storege Section for further details
Stability	Material is normally stable at room temperature and pressure. See the Handling and Storage Section for further details.
Decomposition Temperature	Not determined.
Incompatibility	Oxidizing agents.
Polymerization	Will not occur.
Thermal Decomposition	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide and
	alkyl mercaptans and sulfides may also be released.
Conditions to Avoid	High temperatures.
11	Toxicological Information

-- ACUTE EXPOSURE --

Eye Irritation	Not expected to cause eye irritation. Based on data from components or similar materials.
Skin Irritation	Not expected to be a primary skin irritant. Based on data from components or similar materials. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
Respiratory Irritation	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. Based on data from components or similar materials.
Dermal Toxicity	The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.
Inhalation Toxicity	No data available to indicate product or components may be a toxic inhalation hazard.
Oral Toxicity	The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials.
Dermal Sensitization	No data available to indicate product or components may be a skin sensitizer.
Inhalation Sensitization	No data available to indicate product or components may be respiratory sensitizers.
Aspiration Hazard	Not determined.
	CHRONIC EXPOSURE
Chronic Toxicity	No data available to indicate product or components present at greater than 1% are chronic health hazards.
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present at greater than 0.1% that may cause reproductive

FZ1512AX		
	toxicity.	
Teratogenicity	No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.	
	ADDITIONAL INFORMATION	
Other	No other health hazards known.	
12	Ecological Information	
	ENVIRONMENTAL TOXICITY	
Freshwater Fish Toxicity	The acute LC50 is 10 - 100 mg/L based on component data.	
Freshwater Invertebrates Toxicity	Chronic effects expected at 10 - 100 mg/L based on component data.	
Algal Inhibition	Not determined.	
Saltwater Fish Toxicity	Not determined.	
Saltwater Invertebrates Toxicity	Not determined.	
Bacteria Toxicity	Not determined.	
Miscellaneous Toxicity	Not determined.	
	ENVIRONMENTAL FATE	
Biodegradation	At least 25% of the components in this product show moderate biodegradation based on OECD 301-type test data.	
Bioaccumulation	Less than 1.0% of the components potentially bioconcentrate, based on octanol/water coefficients.	
Soil Mobility	Not determined.	
Notes	None known.	
13	Disposal Considerations	
Disposal Considerations	All disposal practices must be in accordance with local, regional, national and international regulations. Do not dispose in landfill.	
Contaminated Containers or Packaging	Dispose of packaging or containers in accordance with local, regional, national and international regulations.	
14	Transport Information	

1.1	Transport Information
ICAO/IATA I	Not regulated.
ICAO/IATA II	Not regulated.
IMDG	Not regulated.
IMDG EMS Fire	Not applicable.
IMDG EMS Spill	Not applicable.
IMDG MFAG	Not applicable.
MARPOL Annex II	Not determined.
USCG Compatibility	Not determined.
DOT NAERG	Not applicable.

Review classification requirements before shipping materials at elevated temperatures.

15	Regulatory Information	

-- Global Chemical Inventories --

USA	All components of this material are on the US TSCA Inventory or are exempt.
Other TSCA Reg.	None known.
EU	To obtain information on the REACH compliance status of this product, please visit Lubrizol.com/REACH, or e-mail us at REACH_MSDS_INQUIRIES@Lubrizol.com
Japan	All components are in compliance with the Chemical Substances Control Law of Japan.
Australia	All components are in compliance with chemical notification requirements in Australia.
New Zealand	All components are in compliance with chemical notification requirements in New Zealand.
Canada	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.
Switzerland	All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.
Korea	All components are in compliance in Korea.
Philippines	All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of

FZ1512AX

Revision Indicators	This MSDS has no revisions since 2 October 2013						
	0		1		0		
HMIS Codes	Health		Fire Rea		eactivity	activity	
	1	1		0	N/E		
US NFPA Codes	Health	Fire		Reactivity	Special		
Preparation/Revision Date	02 October 2013						
Created Date	02 October 2013						
Issuing Department	Product Safety and	Compliand	e Departmer	nt (440-943-1200)			
16	Other Information	ı					
Miscellaneous Regulatory Information	Not determined.						
		(Other / Inter	rnational			
Italian Registration Number	Not Registered						
Swiss Registration Number	Not Registered						
Danish Registration Number	Not Registered						
Norwegian Registration Number	Not Registered						
Swedish Registration Number	Not Registered						
Finnish Registration Number	Not Registered						
U.S. Fuel Registration	Not applicable.						
		F	Product Reg	istrations			
Cal. Prop. 65	maximum impurity		-		state of California to ca	use cancer and/or birth defects based	
Cal Barry (5	This was dead as weaking		- State Regu		tete of Collifermin to co	····	
CLITCLA Findur ubus Substances							
CERCLA Hazardous Substances	Reactivity Hazard None known.		No				
	Fire Hazard		No				
	Chronic Hazard		No				
SARA 311 Classifications	Acute Hazard No						
SARA Section 313	From 1 to 4.9 percent zinc compounds; contains 0.3% as Zn.						
SARA Ext. Haz. Subst.	This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.						
				al Regulations			
Information							
Miscellaneous Regulatory	Not determined.						
Taiwan	All components of this product are listed on the Taiwan inventory.						
China	1990 (R.A. 6969). All components of this product are listed on the Inventory of Existing Chemical Substances in China.						