

VOLUME XX

Behrent's

Performance Warehouse



PERFORMANCE PARTS



Photo by SDS Photography

TOLL FREE 877-372-2348 • BEHRENTS.COM



Harry Behrent, President
hbehrent@behrents.com • Extension: 113



Sales Dept.

Our Top Notch sales staff are filled w/racers, NO order takers. They have great knowledge about Oval Track, Drag Race, Hot Rodding, and etc...

Behrent's Performance Warehouse is very excited about the release of the 2020 catalog which includes over 100 vendors and over 10000 products. Many revisions were made by our knowledgeable staff to provide you with the go-to source for performance parts. Our Safety section was updated with the newest products from our existing vendors plus brand new products from our newest vendor, Stilo. Our Northeast-Mod section has been expanded to ensure all the newest products and trick setups are listed and easily located for quick reference. The Index has been reconfigured to include individual vendors for a more effective look up. We've also added a brand-new section of Behrent's gear and apparel to keep you in the latest styles available.

Shop 24/7 and check out our website www.behrents.com for a complete array of products from all of our vendors. Like us on Facebook, follow us on Instagram and Twitter to keep up with the latest and greatest news from Behrent's. Another great way to stay current is to make sure you are signed up for our email blasts for promotions and releases on the newest products. If you need our latest catalog, you can simply request one right on line.

As always Behrent's would like to thank you for your continued business and support. We do our best to provide you with the best customer service possible. Are you building a new car? Ask our Knowledgeable sales staff about our Wholesale and Racer programs. Do you have a special order? No problem, Behrents can simply ship directly to you from the manufacturer. Need parts in a hurry? We offer multiple shipping options to get you what you need and you can always take advantage of our free shipping over \$100.00 shipping program (some restrictions do apply) on standard ground shipments. Good luck in 2020!

JEFF




Jeff Behrent, Vice President
jbehrent@behrents.com • Extension: 127

Store Hours:


Mon: 8:30-7:00
Tue: 8:30-7:00
Wed: 8:30-5:30
Thurs: 8:30-5:00
Fri: 8:30-5:00
Sat: 9:00-1:00



Jeff Heotzler's knowledge of racing comes from 30+ years of experience in the sport. He is an expert when it comes to engine and chassis setup. Recently inducted into the Northeast Dirt Modified Hall of Fame. jheotzler@behrents.com • Extension: 120




Jon Lynch has over 10+ years of experience in automotive parts. As one of our Sales Managers, Jon has a strong work ethic which helps him strive to make sure our customers get the best care possible. jlynch@behrents.com • Extension: 119



Winter Mead raced a Crate Sportsman at OCSF and Accord Speedway for a number of years. Now she races go karts, motocross, and quads on her time off. Winter is in our sales department. wmead@behrents.com • Extension: 118



John Criscione has over 17 years of experience in the motorsport industry as a northeast dirt modified crew member along with 5 years of racing experience in the crate modified, open sportsman and small block modified divisions. His knowledge and experiences are key components in ensuring top notch customer service. jcriscione@behrents.com • Extension: 117



Behrent's is always looking for good help in our sales staff or shipping department. The right person can receive 401-K, health benefits, and a great working environment.

Controller



Chris Diaz is the controller at Behrent's Performance Warehouse. She handles accounting, inventory control, payroll administration, human resources, and other duties. cdiaz@behrents.com • Extension: 128



Art Dept.



Rich Prisco is our Graphic Designer/Multimedia Designer. He manages and designs our catalogs, websites, social media sites like Facebook, Instagram, Twitter, does print ads, trade show posters, and other computer graphic stuff. He also helps out in sales. rprisco@behrents.com • Extension: 130



Joan Behrent is pictured here with "the kids", Thumper, Flower, Bambi, Daisy, and Tesco. Joan works in accounting. Behind every good man is a good woman...


Shipping Dept.




Garry Sloat raced his DIRT car from '80 to '94. Garry is the head of our shipping department. He takes great pride to make sure our customers get quality service. He is our warehouse manager. gsloat@behrents.com • Extension: 131



Art Elston used to race this DIRT Sportsman. Art has worked at Behrent's for a number of years and has great racing knowledge. He works in the fabrication shop, rebuilds transmissions, and helps in shipping.



Steven Couser works in our shipping department and also helps out in receiving. When not at work, Steven spends most of his time working on dirt race cars or goes hunting/fishing.



Jesse Babcock is in charge of receiving, inventory control in the warehouse, and on busy days Jesse helps out in our shipping department.



Customer Info.

Prices are subject to change without notice. We only accept Visa, Mastercard, and Discover. No C.O.D.'s or checks. For your security we only ship to the billing address.

We will accept returns within 30 days of shipping date, and gladly refund the purchase price. Shipping charges are not refundable. We can't accept returns without original invoice. Any part which, in our opinion, appears to be used or mis-handled will not be eligible for exchange or refund. All returned parts must be in clean, resellable condition! We reserve the right to charge up to a 15% restocking fee on returned items. We can't accept returns on custom ordered parts. We can't be responsible for typographical errors. All orders are shipped UPS ground unless otherwise arranged.

Proposition 65 Warning: These products contain chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Table of Contents

Safety Equipment	5-30
Seats Section	31-33
Gauges Section	34-37
Electrical Systems	38-40
Batteries Section	41-43
Plumbing Section	44-53
Oil Systems Section	54-57
Cooling Section	58-63
Steering Section	64-67
Ignition Section	68-81
Air Induction Section	82-84
Fuel Delivery Section	85-98
Exhaust Section	99-102
Internal Engine Section	103-109
Gasket Section	110-113
Suspension Section	114-129
Brakes Section	130-142
Shock / Springs Section	143-150
Tools & Shop Equipment	151-167
Wheels Section	168-169
Northeast DIRT Section	170-187
602 Crate Motor Section	188-191
Transmission Section	192-197
Drive Train Section	198-199
Sprint Car Section	200-207
Drag Racing Section	208
Fluids Section	209-213

2020 Line Card



Shop Online at www.behrents.com

Come Visit Our Booth at:

Northeast Racing Products Show

<http://northeastracingproducts.com>

NY State Fair Grounds

581 State Fair Blvd, Syracuse, NY 13209

PRI Show

<http://www.performanceracing.com/tradeshow/>

Indiana Convention Center

100 S Capitol Ave, Indianapolis, IN 46225

Motorsports Race Car & Trade Show

<http://www.motorsportstradeshow.com>

Greater Philadelphia Expo Center


100 Station Ave, Oaks, PA 19456

Motorsports Expo


<https://nysfair.ny.gov/event/motorsports-expo/>

NY State Fair Grounds

581 State Fair Blvd, Syracuse, NY 13209



Shipping Methods



Orders placed by 4pm go out the same day! Fed Ex Ground Delivery available on Saturday!

APPAREL



Behrent's Racing Centennial Apparel

Three yarns form the perfect easy going look. 4.5-ounce, 50/25/25 poly/combed ring spun combed cotton/rayon, 32 singles. Tear-away label. 1X1 rib knit neck. Shoulder to shoulder taping Tri-Blend fabric infuses each garment with unique character. Please allow for slight color variations. Due to the heat sensitivity of tri-blend fabrics, special care must be taken throughout the printing process.

*Larger sizes are slightly higher.

Shirts.....BSC013.....\$20.00

SweatshirtsBSC014.....\$25.95

New

FRONT



BACK



T-SHIRTS



New Behrent's

Three yarns form the perfect easy going look. 4.5-ounce, 50/25/25 poly/combed ring spun combed cotton/rayon, 32 singles. Tear-away label. 1X1 rib knit neck. Shoulder to shoulder taping Tri-Blend fabric infuses each garment with unique character. Please allow for slight color variations. Due to the heat sensitivity of tri-blend fabrics, special care must be taken throughout the printing process.

CARE INSTRUCTIONS

Machine wash cold with like colors. Only non-chlorine bleach. Tumble dry low. Warm iron if necessary.

*Larger sizes are slightly higher.

BSC011.....\$15.95

SWEATSHIRTS



Behrent's

8-ounce, 50/50 cotton/poly. Double-needle stitching at waistband and cuffs. Double-lined hood with dyed-to-match drawcord. 1x1 rib knit cuffs and waistband with spandex. Front pouch pocket. Due to the nature of 50/50 cotton/poly neon fabrics, special care must be taken throughout the printing process.

*Larger sizes are slightly higher.

BSC012.....\$25.95

JACKETS



New

Behrent's Winter Jackets

The perfect gift for this holiday season. Great jacket for the cold winter months.

*Larger sizes are slightly higher.

Men'sBSC0301.....\$94.95

Women'sBSC0401.....\$94.95

HATS



Mesh Snapback

Black Mesh Snapback Hat

5-Panel, Structured Crown Height: Mid Profile. 35 % Cotton/ 65% Polyester Blend. 100% Polyester Mesh Back. Pre-curved Contrast Stitch Visor. Plastic Snapback Adjustable Closure.

BSC0512.....\$18.95

Flex Fit

Black Flex Fit Hat

Mid-profile cotton twill cap is structured fitted. Made from cotton/spandex.

S/M.....BSC0520.....\$19.95

L/XL.....BSC0521.....\$19.95

Velcro

Black Velcro Structured Hat

Six-panel twill cap with structured velcro closure, 100% cotton twill. VelcroBSC0511.....\$14.95

Velcro

Charcoal Velcro Unstructured Hat

Garment washed cap with unstructured velcro closure, made from cotton.

VelcroBSC0510.....\$15.95

Custom Race Suits

Starting at \$999



K1 Custom Suits

SFI 5 Nomex Auto Racing Suit - 2-Layer
The latest in our evolutionary 2-layer automotive race suit design. Manufactured utilizing advanced Nomex materials providing drivers with the highest level of fire protection, breathability, comfort and professional modern appearance. The 360-degree, full floating sleeves, as well as both crotch and lower back stretch panels provide full range of motion while driving.

INCLUDED

• Unlimited Embroidery

- Custom Sizing
- 360 Degree Arm Gussets
- Lower Back Stretch Panel
- Crotch Stretch Panels
- Premium Knit Nomex Inner Lining
- Choice of Quilting Stitch Color
- Choice of Leg Design (Boot Cut or Cuffed)
- Standard Meta Para - Aramid Nomex Outer Shell

OPTIONAL

- Design Fee
- Premium Nomex Outer Shell
- Premium Fluorescent Nomex
- Safety-X Inner Lining
- D-Ring Arm Restraints
- Knit Nomex Side Stretch Panels
- "RACEceiver" Inner Pocket



Starting at \$1299



Impact Custom Suits

Impact's custom firesuits are made in the USA and are the culmination of over 50 years of race safety experience and continual research and development. Hand-crafted from the finest Nomex materials imported from Europe, our full-custom suit is tailored to fit you perfectly. With many colors to choose from, your custom suit can be made in one of our standard styles or your very own custom design and can be embroidered with all of your sponsor and series logos as needed. Available in one-piece or two-piece variations, our suits are manufacturer certified to stringent SFI specifications and can be rated to an SFI 3.2A/5 with either 2 or 3 layers or SFI3.2A/15 or 20 with our exclusive multi-layer drag suit. **HAND-CRAFTED IN THE USA!!!**

- Manufacturer certified to comply with the SFI Foundation's 3.2A Specifications
- Available in 1 or 2 piece suits in SFI 5, 15 or 20 ratings.
- Custom fit your personal measurements.
- We use only high-quality imported European Nomex.
- Many colors to choose from.
- 360 degree floating arm gussets and expandable back gusset some standard.
- 3 different choices of collar types: banded, wrap-around or extra long drag wrap-around
- Custom embroidery available.



Starting at \$1299



Simpson Custom Suits

Simpson Race Products makes custom suits fast and by the thousands each year. Custom made to order racing suits are designed to your specifications and require 14 different measurements to ensure a custom fit.

Suit Includes

- Choice of collar (Branded, Soft Knit, Wrap Around)
- Zippered breast patch pocket
- Epaulets
- Name embroidery (standard type face on belt: Script)
- Inset front pockets
- Colored rib cuffs (Red, White, Blue, Black)
- SFI tag

Less is more with our newest SFI 20 drag racing suit, the Pro Lite Ultra. Experience exceptional breathability and lightweight comfort without sacrificing protection. Custom in every way, our suits move with the racer allowing maximum comfort behind the wheel. Our exclusive materials provide strategic stretch without bulkiness, for a sleek presentation. Simpson is the official safety partner to John Force Racing, providing top quality gear for NHRA Funny Car champions John Force and Robert Hight and all of the JFR athletes.



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Call Us at 845-651-7389 for More Details!

HELMETS

SIMPSON

Voyager 2

Snell SA 2015 Rated. The Voyager 2 is a re-design for one of our customer favorites, featuring our largest eye port for excellent field of vision. The helmet interior included contrast stitching and branding. Frontal head restraint ready. Radio communications may be added. Colors: White, gloss black +30 matte black. Recommended for: Multi-use. Circle track, Dirt track, Drag, Karting, Off Road and Road Racing. Sizes XS-L. Replacement Shields: SIM89400A

SIM610.....**\$349.95**



Tear-Offs
RAC10209C



Diamondback

Manufactured USA. Snell SA 2015 Rated. Defined "Wave Eliminators" increase functionality from an aerodynamics aspect. Recessed eye port offers a 100% shield seal. Frontal Head Restraint Ready. Radio communications available. Side pipe air option available. Recommended for: Multi-use helmet. Circle track, dirt track, Drag, Karting, Off Road and Road Racing. Sizes 7-1/8 - 7-3/4. Replacement Shields: SIM1020-12: Clear StandardSIM629.....**\$599.95**

Carbon Fiber.....SIM629C.....**\$1,299.95**

Speedway RX

Manufactured in the USA. Snell SA2015. Classic "RX" styling with defined Wave Eliminators for increased aerodynamics. Radio communications may be added. Frontal head restraint ready. Colors: white, gloss black. +30 matte black, blue, red, safety orange, silver and pearl white. Recommended for: Multi-use helmet. Circle track, dirt track, Drag, Karting, Off Road and Road Racing. Sizes 7-1/8 - 7-3/4. Replacement Shields: SIM1020-12: Clear

SIM651.....**\$599.95**



Tear-Offs
RAC10204C

BANDITS

Bandit

Snell SA 2015 rated. Classic flagship Bandit design remains true to Simpson's heritage for distinct style and helmets you can trust to do their job. Colors: White, Gloss Black +30 Matte black. Recommended for: Multi-use helmet. Circle track, dirt track, Drag, Karting, Off Road and Road Racing. Sizes: XS-XXL Replacement Shields: SIM89400A

SIM620.....**\$399.95**



Tear-Offs
RAC10204C

Carbon Bandit

Snell SA 2015 Certified. Classic Bandit flag ship design, improved aerodynamics through design innovation. 1/3 lbs. lighter than composite Bandit helmet. Radio communications available. Side pipe option available. Includes helmet bag. Frontal Head Restraint ready. Recommended for: Multi-use helmet. Circle track, Dirt track, Drag, Karting, Off Road and Road Racing. Sizes: XS-XXL. Replacement Shields: SIM89400A: Clear

SIM620C.....**\$799.95**



Tear-Offs
RAC10204C

Super Bandit

Manufactured USA Snell SA 2015 rated. Classic flagship Bandit design remains true to Simpson's heritage for distinct style and helmets you can trust to do their job. Colors: white, gloss black. +30 matte black, blue, red, safety orange, silver and pearl white. Recommended for: Multi-use helmet. Circle track, Dirt track, Drag, Karting, Off Road and Road Racing. Sizes 7-1/8 - 7-3/4. Replacement Shields: SIM89400A: Clear

SIM621.....**\$499.95**



Tear-Offs
RAC10204C

Drag Bandit

Manufactured USA. Snell SA 2015 rated. Bandit design remains true to Simpson's heritage for distinct style and helmets you can trust to do their job. Frontal Head Restraint Ready. Drag Sock is SFI.10 rated. Colors: white, gloss black. +30 matte black, blue, red, safety orange, silver and pearl white. Recommended for: Drag Racing. Sizes 7-1/8 - 7-3/4. Replacement Shields: SIM89400A

SIM622.....**\$699.95**



Tear-Offs
RAC10204C

SIZE CHART

SIMPSON

To work it's best, a helmet must fit properly. Measure around your head, just above your ears and eyebrow.

Helmet Sizing Chart

INCHES	20	21	22	23	24	25
CENTIMETERS	51	53	55	57	61	64
HAT SIZE	6 1/4 - 6 1/2	6 1/2 - 6 3/4	6 3/4 - 7	7 - 7 1/8	7 1/8 - 7 1/4	7 1/4 - 7 1/2
HELMET	XS	SM	MD	LG	XL	XXL

VUDOS

EV1 Vudo

Manufactured in the USA. Snell SA2015 Certified. The Vudo EV1 features a chin bar that offers excellent coverage. Shield pivot system opens and closes with ease. A recessed eye port offers 100% shield seal. Radio communications available. Includes a helmet bag. Colors: white, gloss black. +30 matte black, blue, red, safety orange, silver and pearl white. Recommended for: Multi Use: Stock Car, Dirt Track, Off Road and Road Racing. Sizes 7-1/8 - 7-3/4. Replacement Shields: SIM1010-17: Clear

SIM663.....**\$799.95**



Tear-Offs
RAC10209C

Carbon EV1 Vudo

Snell SA 2015 helmets meet Snell's latest and most stringent safety standards. In addition to the strict testing for high impact crashes that Snell certified helmets are subjected to, new tougher requirements have been added for Snell SA 2015 certification that also include low velocity and low lateral testing. Additionally, SA 2015 helmets must now be equipped with FIA 8858-2010 compliant M6 terminal mounts for frontal head restraints. A helmet that is Snell SA 2015 has passed "Low Velocity" impact testing. Sizes: 7-1/8 - 7-5/8. Replacement Shields: SIM1010-17: Clear

SIM663C.....**\$1,299.95**



HELMET DRYER

Helmet Dryer

Newest antibacterial multi-equipment dryer circulates air in a temp controlled environment to safely dry helmets, gloves & footwear. The truth is cheek pads and liners degrade over time from perspiration and bacteria. Keep your equipment in peak condition longer by stopping mold and mildew before it starts. • Temp & timer settings • Simple design easily accommodates multiple styles & sizes • Anti-bacterial, eliminates odors and controls bacteria growth • Dual dryer ports • 110 volt • Displays Celsius or Fahrenheit

SIM97000BK..**\$129.95**



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

HELMET COLORS

White
No Charge



Black
No Charge



Matte Black
+\$30



Metallic Blue
+\$30



Red
+\$30



Safety Orange
+\$30



Metallic Silver
+\$30



Metallic Pearl
+\$30



SHARKS

Speedway Shark

Manufactured in the USA Snell SA 2015 Certified. The Speedway Shark helmet has defined wave eliminators that increase functionality from an aerodynamics aspect. Radio Communications available. Frontal head restraint ready - Includes helmet bag. Colors: white, gloss black, +30 matte black, blue, red, safety orange, silver and pearl white. Recommended for: Multi-use helmet. Dirt track, Circle Track, Drag, Karting, Off Road and Road Racing. Sizes 7-1/8 - 7-3/4. Replacement Shields: SIM1010-17 SIM670.....**\$799.95**



ACCESSORIES

**Pivot Kits**

For 101, 102, & 103 (2010 Snells)
 Voyager 2 SeriesSIM99014..**\$12.95**
 For Voyager, Model (410).....SIM99022..**\$12.95**
 For Devil Ray.....SIM99013..**\$12.95**
 For Carbon Bandit.....SIM99016..**\$12.95**
 For Bandit and Super Bandit ..SIM99002..**\$12.95**
 Rubber Kit.....SIM99005..**\$12.00**
 For Venator.....SIM99018..**\$12.95**

**Aluminum Posts**

Anodized, CNC machined mounting posts. The smooth edges help to provide snag free and tearless removal of tearoff layer. Comes with hardware. RAC9900..**\$12.95**



Tear Offs are on Page 8!

**Acrysol Shield Cleaner**

Acrysol Shield Cleaner is the only cleaner that should be used on Simpson Venator helmet shields and all Stilo helmet shields. It should be applied using a standard paper towel. Micro Fiber cloths should not be used. This product also works for cleaning all other Simpson shields without damaging the anti-fog, anti-scratch, or colored coatings (mirror, iridium). Will not damage shield coatings. Safe to use on most painted or plastic surfaces. Should be used with a regular paper towel and not a micro fiber cloth. No lingering odor. No film residue.



STIYA0640**\$19.95**

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

FRESH AIR HELMETS

**Air Inforcer Shark**


Made in the USA Snell 2015 rated. Design features include a stylish top cap designed for better pipe placement and a low profile for multiple roof/driver height. Recessed eye port offers a 100% shield seal - Radio communications available. Includes helmet bag. Frontal head restraint ready. Colors: white, gloss black, +30 matte black, blue, red, safety orange, silver and pearl white. Recommended for: Multi-use helmet. Circle track, Dirt track, Off Road and Road Racing. Sizes: 7-1/8 - 7-3/4. Replacement Shields: SIM1010-17: Clear SIM677**\$829.95**

**Air Inforcer Vudo**

Manufactured in the USA Snell SA2015 Certified. Design features include a stylish top cap with molded in hose adapter for better air flow and strength. Recessed eye port with 100% shield seal. Frontal head restraint ready. Radio communications are available -Includes a helmet bag. Colors: white, gloss black, +30 matte black, blue, red, safety orange, silver and pearl white. Recommended for: Multi-use helmet. Circle Track, Dirt Track, Off Road and Road Racing. Sizes: 7-1/8 - 7-3/4. Replacement Shields: SIM1010-17: Clear SIM662**\$829.95**

**Carbon Fiber Air Inforcer****Vudo**

Manufactured in the USA Snell SA 2015 Certified. Made from exceptionally lightweight, Auto Clave Molded Carbon Fiber. 1/3 lbs. lighter than composite Air Inforcer Vudo. Design features include a stylish top cap with a molded in hose adapter for better air flow and strength. Recessed eye port offers a 100% shield seal. Radio communications are available. Includes padded helmet bag. Frontal Head Restraint ready. Recommended for: Multi-use helmet. Circle track, Dirt track, Drag, Karting, Off Road and Road Racing. Sizes: 7-1/8 - 7-3/4. Replacement Shields: SIM1010-17: Clear SIM662C**\$1,299.95**

**Snell 2010 & Newer**

	Clear	Smoke	Iridium	Amber	Silver Mirror
Shark & Vudo	1010-17	1011-17	1013-17	1012-17	1014-17
XBandit, Diamondback, & RX	1020-12	1021-12	1023-12	1022-12	1024-12
SW Voyager, Voyager Evolution	1030-12	1031-12	1033-12	1032-12	1034-12
Bandit, Super Bandit	89400A	89401A	89402	89403A	89406A
Devil Ray	84300A	84301A	84303A	84304A	84306A*...\$69.95*
Venator	84500A	84501A	84503A	84502A	84504A
Voyager 2	88800A	88801A	88803A	88802A	88804A

If you need a new shield and are not sure what helmet it is, just check out the top left side of the shield. It is inscribed right in the shield.



FRESH AIR KITS

**Tornado Helmet Fan**

All Billet Construction. Totally Rebuildable. Multi Position Mount for 1-1/4" Tubing. Bolts up in only a few minutes. No Drilling or Brackets. Stainless Steel Hardware. Weather tight quick disconnect plug. 7 foot Lead wires. Helmet Hose included. BRP9153..**\$181.44**

**"Storm Series" Helmet Blowers**

Increased CFM from the standard 3" version. Helps control fogging for drivers with different breathing patterns. Standard 1-1/4" mounts or optional deck / dzus mount. Larger filter and standard hose all included. BRP9300..**\$284.07**

**Replacement Wire Harness for BRP9300**

BRP9300I..**\$33.42**

**Mini Helmet Air System**

Self-contained, 12-volt fan with reusable filter moves approx 40-60 CFM of air depending on system voltage. An RF connector allows easy unrestricted helmet removal. A 14" wire is permanently attached to the fan and accepts the 24" pigtail (included). Pigtail has simple red (+) & black (-) wire hook-ups. ALL13012.....**\$79.99**

**Helmet Vent Hose 4ft**

Hose is 4' long and used to complete the connection between a driver air system and helmets equipped with a 1-1/4" barbed intake port. It is black and constructed of a thinner more pliable material which is less restrictive to the driver. ALL13021.....**\$39.99**

**Heavy Duty On/Off Switch w/Rubber Cover**

QUA360-1210.....**\$8.95**

**Replacement Filter**

Luber-finer air filters capture harmful particles that can damage expensive engines. Cleaner air can help increase engine efficiency and lead to greater fleet uptime. Remove 99.99%** of airborne contaminants. Meet form, fit and function characteristics for the application.



Air Filter for Parker Pumper...LUBLAF-73..**\$16.85**

TEAR OFFS

Racing Optics Tear Offs

RAC10201C	...11 1/2"	...straightSimpson Voyager/Side Pro Elite/ universal straight
RAC10203C	...11 1/2"	...bananaSimpson Matrix/ Jr Shark/ HJC auto racing helmet/ OMP/ Zamp pre 2013
RAC10204C	...11 1/2"	...nose notchSimpson RX/Super Bandit/Diamond Back/Raider
RAC10205C	...12 3/8"	...bananaBell GTX/Vortex/ BR-1/ M4/ K-1/ Sport / 276/ 281/ 288 shield/ Pyrotec/ G-Force/ Racequip/ RCI/ Champion
RAC10206C	...11 1/2"	...bananaBell Dominator.3/ GTX.3/ GP.3/ HP.3 with SE03/SE05 shield
RAC10208C	...12 1/8"	...bananaBell Dominator.2/GTX.2/ GP.2/ GP.2 Youth/ Star GP/ Star Infusion/M.8/287 shield/ Zamp FS.2/ RJS
RAC10209C	...12 3/4"	...bananaSim Shark/ VUDO/ Invader/ Valor/ Sting Ray/ Devil Ray/ K-10/ EV1, Voy Evolution/ Voyager 2/ Impact Air Draft/ Super Sport/ Spider/ EuroSport /1320
RAC10210C	...13"	...bananaSimpson Venator, Sparco RF-5W
RAC10211C	...12 1/4"	...nose notchBell Vador/ RaceQuip Vesta 15
RAC10216C	...11 1/2"	...vent cut-outsArai with vent cut-outs pre 2011
RAC10217C	...11 1/2"	...no cut outsArai GP-5W/ Shoei bike X-11/ Bell Star bike/ HJC bike AR-10/ Stand 21
RAC10218C	...12 3/4"	...no cut outsArai GP-6/ GP-6S/ GP-6PED/ SK-6
RAC10230C	...11 7/8"	...bananaImpact Vapor/Air Vapor/Charger/Super Charger- Scorpion EXO-R2000
RAC10231C	...11 1/2"	...nose notchImpact Champ/Nitro/Super Cyclone
RAC10235C	...12 7/8"	...bananaBell HP7/ RS7 with SE07 shield and Zylon Visor strip- small tabs
RAC10237C	...12 7/8"	...bananaBell RS7/ HP7 with SE07 shield/ large tabs for dirt racing
RAC10245C	...12 3/4"	...no cut outsArai GP-6/ GP-6S with F1 Zylon visor strip
RAC10252C	...12"	...bananaStilo ST5 w/ large tabs
RAC10258C	...11 1/4"	...straightStilo ST4
RAC10259C	...12"	...bananaStilo ST5 w/ small tabs
RAC10285C	...12 1/2"	...vent cut-outsArai Corsair X/ RX-7V
RAC10287C	...12 1/4"	...bananaBell Star 2016



Clear Tear-Offs 10 Laminated

(3 Stacks per Sleeve)...\$29.95

It features our patented laminated tearoff technology, is a 2 mil thick, 10-layer tearoff stack that is great for all dirt racing applications. Each sleeve contains 3 stacks of 10 tearoffs. For a total of 30 tearoffs per sleeve. Optical grade Mylar tearoffs laminated into stacks increase visibility by allowing more light transmission by reducing the amount of reflected light tearoff between layers.

Racing Optics Perimeter-Seal Tear Offs with Adhesive Gasket

The best tearoff system in the world just got better. The new Racing Optics Perimeter Seal Stack has an adhesive band that seals up against your visor. This new seal completely eliminates dirt, dust, wind, water and scratching of your visor. Now you can see clearly for the entire race no matter what the conditions and run that expensive shield all season long. The new Racing Optics Perimeter Seal uses the same 10 layer XStack and you can install multiple Stacks to create a 30 layer Sealed Stack! They are packaged with 3 sets of 10 layers or 30 tearoffs per sleeve."

\$35.95

RAC10203CP	...11 1/2"	...bananaSimpson Matrix/ Jr Shark/ HJC auto racing helmet/ OMP/ Zamp pre 2013
RAC10204CP	...11 1/2"	...nose notchSimpson RX/Super Bandit/Diamond Back/Raider
RAC10205CP	...12 3/8"	...bananaBell GTX/Vortex/ BR-1/ M4/ K-1/ Sport / 276/ 281/ 288 shield/ Pyrotec/ G-Force/ Racequip Pro15
RAC10206CP	...11 1/2"	...bananaBell Dominator.3/ GTX.3/ GP.3/ HP.3 with SE03/SE05 shield
RAC10208CP	...12 1/8"	...bananaBell Dominator.2/GTX.2/ GP.2/ GP.2 Youth/ Star GP/ Star Infusion/ 287 shield/ Zamp FS.2/ RJS
RAC10209CP	...12 3/4"	...bananaSimpson Shark/ VUDO/ Invader/ Valor/ Sting Ray/ Devil Ray/ K-10 Voyager Evolution/ Voyager 2/ Impact Air Draft/ Super Sport/ Spider/Wizard/EuroSport/1320
RAC10210CP	...13"	...bananaSimpson Venator, Sparco RF-5W
RAC10218CP	...12 3/4"	...no cut outArai GP-6/ GP-6S/ GP-6PED/ SK-6
RAC10230CP	...11 7/8"	...bananaImpact Vapor/Air Vapor/Charger/Super Charger/Draft/1320- Scorpion EXO-R2000
RAC10231CP	...11 1/2"	...nose notchImpact Champ/Nitro/Super Cyclone
RAC10237CP	...12 7/8"	...bananaBell RS7/ HP7 with SE07 shield/ large tabs for dirt racing
RAC10252CP	...12"	...bananaStilo ST5 with large tabs for dirt racing
RAC10259CP	...12"	...bananaStilo ST5 with small tabs



EZ Tear Shield Mounted

It provides a shield for the folded tearoffs to keep you from grabbing them by accident. It protects the folded tabs and guides your hand to the top tearoff so you can get the full benefit of every single tearoff and ultimately keep your vision clear so you can focus on the racing and not fumbling with tearoffs. It is universal and attaches between the lens and the tearoff post and adjusts to accommodate the tearoff tabs on all brands of helmets and tearoffs.

PULEZTS101BK.....Black.....\$19.99
PULEZTS101W.....White.....\$19.99



Arm Restraints

A must for Sprint, Midget and Off Road racing. Features padded arm bands & steel hardware. Easy release allows quick entry & exit from driver's compartment. Meets SFI 3.3. Black, Blue, & Red.
Separate.....SIM36000.....\$39.95
Junior.....SIM3600J.....\$34.95
Y-Straps.....SIM36001.....\$44.95



Neck Support

Reduces neck fatigue for any racer. Removable knit Nomex sleeve. One size with adjustable speedfit fasteners. For all types of racing. SFI tag included, SFI 3.3 approved. Black, Blue, and Red
SIM23022.....\$39.95

Reverse Stitch Shift Boot Cover SFI 48.1

Simpson leads the way in racing safety once again with our reinforced shift boot cover, equipped with an innovative top seal Kevlar strap and D-Ring fastener designed to control the spread of a fire from underneath the car into the cockpit areas. SFI 48.1 approved. Nomex. Reverse Stitching Nomex thread seam. Kevlar interior for added protection. Base: 7.25" x 6.25". Black only.
SIM36012.....\$79.95

Harness Pads

Attaches with speedfit to shoulder harness or lap belt. Tighten down your belts in comfort. Colors: Red, Blue, Black
SIM23020.....\$49.95



NETS



Window Nets

24" x 24" square or
18" x 24" rectangle. Red, Blue, Black
Square Net.....SIM36003...\$99.95
Rectangular Net...SIM36002...\$99.95

Sprint Window Nets

1" webbing with quick release buckle.
Midget/Sprint...SIM36005...\$99.95
Champ Car.....SIM36006...\$99.95

JB Cage Net

1" webbing with quick release buckle. Designed for use in conjunction with window net. Do not use separately!
SIM36020BK...\$69.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



TRANSPONDERS

X2 Transponder Car

You can see, analyze and share your training and race results through your personal MYLAPS account. With the additional Direct Power upgrade you can connect your transponder to your car's battery.

X2 Transponder & X2 Transponder Holder. Comes standard as rechargeable, Direct Power upgrade available.

X2 RaceKey. The X2 RaceKey is here to help you manage your subscription and charge your transponder.

X2 RaceKey Mt. The X2 RaceKey Mount comes with the Direct Power upgrade. It helps you mount your RaceKey onto your dashboard and connect it to your X2 Transponder.

Cabling USB cable, 12V cable & CAN cable (Direct Power only). The RaceKey helps you activate your transponder and manage your subscription.

X2 Rechargeable Unit w/Subscription
2 Year Subscription...AMB10R602 **\$239.00**

X2 Transponder Wired Unit w/Subscription
2 Year Subscription...AMB10R612 **\$303.99**




Transponder Holder (Red)

Holder Only.....AMBBX260-HOLDER.....**\$7.00**

Transponder Holder

The mount you need to securely install your Car or Kart X2 Transponder onto your vehicle.

Holder Only...AMBX2-HOLDER...**\$8.56**



TR2 Transponder Car NEW

MYLAPS
SPORTS TIMING

World leading standard in accuracy. MYLAPS standard reliability. Compatible with all MYLAPS decoder platforms (X2 & TranX). Rechargeable Transponder only - 5 hour charging for a full 5 days of racing. Flexibility with 1, 2, & 5 year subscription options. Unlimited warranty with an active subscription. Easy mounting using the TR2 Holder. Charging through TR2 Charge Cradle. Online access your practice and race results via Speedhive platform.

- **NEW:** Improved subscription management with the Speedhive App using Bluetooth
- **NEW:** Buy and Sync subscription for any Transponder with the Speedhive App
- **NEW:** Up to date and easy to understand battery status in the Speedhive app
- **NEW:** Up to date subscription status in the Speedhive app
- **NEW:** Multi Language Quick Start Guide - 7 Languages (EN, NL, DU, ES, FR, JA, CH)
- **NEW:** Improved led diagnostics
- **NEW:** Improved reliability

Transponder Car 2 Year Subscription...AMB10R902.....**\$239.00**



TR2 Charge Cradle

AMB40R505.....**\$call**

TR2 Holder

Holder Only
AMB40R506.....**\$call**



NOMEX UNDERWEAR



Memory Fit Nomex Underwear

Memory fit fire retardant underwear for racers. This unique memory fit fabric becomes softer with each washing and will quickly become your favorite underwear for added race protection.

- SFI 3.3 Certified • Made in the USA
- Nomex blend provides added fire protection
- Anti-microbial treated
- No bulk, unique memory stretch provides built in comfort, while retaining shape
- Contrast stretch stitching for definition

TopSIM20123**\$129.95**
Bottom.....SIM20124**\$129.95**

Memory Fit Nomex Head Socks

SFI 3.3 Certified. Made in the USA. Nomex blend provides added fire protection. Anti-microbial treated. No bulk, unique memory stretch provides built in comfort, while retaining shape. Contrast stretch stitching for definition.

Single White...SIM23050W.....**\$79.95**
Dual WhiteSIM23051W.....**\$79.95**
Dual Black.....SIM23051K.....**\$79.95**



Nomex Socks

Extra Plush

Knitted from extra-plush Nomex. Natural or Black. One size fits all

SIM23027**\$29.95**



Helmet Restraint

Fatigue reducing helmet strap. Quick attachment and adjustment. Durable steel hardware, helmet "D-ring" installation. Colors: Black, Blue, Red
SIM36007(color).....**\$14.95**



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Carbon-X Underwear

CarbonX Ultimate Underwear is made from double jersey interlock knit comprised of a patented blend of high-performance fibers. It is inherently flame resistant, will not burn, melt, or ignite when subjected to direct flame.

- Designed to deliver the ultimate in base layer thermal protection
- TPP rating of 13 cal/cm2 and zero seconds after flame
- LW, patented blend of high performance fibers
- Double jersey interlock knit
- Long or short sleeve crew neck top
- Colors: Black only • Size: S - XXL (XXL Available with 15% Upcharge **\$114.95**)

Top.....SIM20600**\$99.95**
BottomSIM20601**\$99.95**



Carbon-X Head Socks

CarbonX Ultimate Underwear is made from double jersey interlock knit comprised of a patented blend of high-performance fibers. It is inherently flame resistant, will not burn, melt, or ignite when subjected to direct flame.

- Colors: Black only

Single Eyeport .SIM23000C..**\$79.95**
Dual Eyeport.....SIM23003C..**\$79.95**



Carbon-X Helmet Skirt

It is made from double jersey interlock knit comprised of a patented blend of high-performance fibers. It is inherently flame resistant, will not burn, melt, or ignite when subjected to direct flame.

StandardSIM23012C..**\$99.95**
Contoured.....SIM23013C..**\$99.95**
Larger Opening...SIM23014C..**\$99.95**




Carbon-X Socks

CarbonX socks are knitted from patented CarbonX yarn and flame-resistant super washed merino wool. Socks feature reinforced tow and heel and a cushioned insole.

- 19" Length • Colors: Black only
- One Size Fits All

SIM23029C..**\$44.95**



Nomex

Head Socks

Knitted from extra-plush Nomex. Single or dual eyeport. Colors: Black and Natural

Single..SIM23000..**\$79.95**
DualSIM23003..**\$79.95**



FIA Nomex

Head Socks

It features a frontal design utilizing a dual layer of Nomex for increased protection. Colors: Natural Single Eyeport .SIM23004W..**\$79.95**
Dual Eyeport.....SIM23005W..**\$79.95**



Nomex Head Skirt

Single layer 12 oz. Nomex. Keeps dust & debris out. Attaches easily with speedfit system. Black only

Standard.....SIM23012BK..**\$99.95**
Contoured.....SIM23013BK..**\$99.95**
Larger Opening .SIM23014BK..**\$99.95**



Ladies Nomex Sports Bra

This comfortable tank style sports bra provides ladies with a safe alternative to unisex undergarments. Underwire, hooks and fabrics in conventional bras have no place on the race track, and are dangerous to race in. Proper support and fire protection is available. The ample design of our sports bra will give you the confidence you need to unzip that suit when you need to cool off without worrying about revealing too much skin.

- Made of fire retardant CarbonX® soft knit.
- SFI 3.3 approved
- Soft knit eliminates chaffing
- Color: Graphite Gray

SmallSIM20606S**\$79.95**
Medium SIM20606M.....**\$79.95**
Large.....SIM20606L.....**\$79.95**
X-Large SIM20606X**\$79.95**



FIRE SUITS - 2 LAYER **SIMPSON**

Helix 2 Layer

It is a part of our DNA strand of high performance racing products. DNA products are designed with athletic performance enhancing features engineered to reduce weight and driver restrictions. SFI.5 Rated. DuPont Nomex fabric. 270 degree arm and back gussets. Knee and Inner Thigh Stretch Panels. Lower back stress relief panel. Upper back ventilation port. No bulk, weight saving patch pockets and embroidered trim and logo. Color: Black/Grey or Red/Grey. Adult S-XXL. Youth XS-XL.

Adult	Black/Grey	Red/Grey
S	SIMHX02121	SIMHX03121
M	SIMHX02221	SIMHX03221
L	SIMHX02321	SIMHX03321
XL	SIMHX02421	SIMHX03421
2XL	SIMHX02521	SIMHX03521

Youth	Black/Grey	Red/Grey
YXS	SIMHXY2021	
YS	SIMHXY2121	
YM	SIMHXY2221	
YL	SIMHXY2321	
YXL	SIMHXY2421	

Adult and Youth Available

\$399.00



Sportsman Elite III 2 Layer

Updated styling for the Sportsman Elite III features top and bottom full contrast. The Sportsman Elite suits are a great value with stylish and functional features including straight leg cuffs, 360° arm gussets and 3-point epaulets. SFI.5 Rated. Colors: Black/Grey, Red/Grey, Blue/Grey.

	Black	Red	Blue
S	SIM1602111	SIM1603111	SIM1604111
M	SIM1602211	SIM1603211	SIM1604211
L	SIM1602311	SIM1603311	SIM1604311
XL	SIM1602411	SIM1603411	SIM1604411
XXL	SIM1602511	SIM1603511	SIM1604511

\$599.00

\$688.85



Now available in Jacket and Pants

Qualifier Suit 2 Layer SFI-5

It is LW and extremely breathable and features our softest rib knit lining. The Qualifier has pre-curved floating sleeves and straight leg cuffs with a two-tone modern design. Satin Twill with soft rib knit lining. Straight cut leg. 360° Full arm gusset. Ultra-soft knit cuffs.

	Black/Grey	Red/Grey	Blue/Grey
S	SIMQ102111	SIMQ103111	SIMQ104111
M	SIMQ102211	SIMQ103211	SIMQ104211
L	SIMQ102311	SIMQ103311	SIMQ104311
XL	SIMQ102411	SIMQ103411	SIMQ104411
XXL	SIMQ102511	SIMQ103511	SIMQ104511

\$829.95



Driving Suit STD. 19 SFI-5

SFI 5 racing suit features woven satin/twill fabric with vertical quilting and zippered patch style breast pocket.

Double Layer Suits.....\$479.00 (XXL....\$550.85)

	Black	Red	Blue
Small	SIM0402111	SIM0403111	SIM0404111
Medium	SIM0402211	SIM0403211	SIM0404211
Large	SIM0402311	SIM0403311	SIM0404311
X-Large	SIM0402411	SIM0403411	SIM0404411
XX-Large	SIM0402511	SIM0403511	SIM0404511

Double Layer Jackets...\$289.00 (XXL....\$332.35)

	Black	Red	Blue
Small	SIM0402112	SIM0403112	SIM0404112
Medium	SIM0402212	SIM0403212	SIM0404212
Large	SIM0402312	SIM0403312	SIM0404312
X-Large	SIM0402412	SIM0403412	SIM0404412
XX-Large	SIM0402512	SIM0403512	SIM0404512

Double Layer Pants.....\$239.00 (XXL....\$274.85)

	Black	Red	Blue
Small	SIM0402113	SIM0403113	SIM0404113
Medium	SIM0402213	SIM0403213	SIM0404213
Large	SIM0402313	SIM0403313	SIM0404313
X-Large	SIM0402413	SIM0403413	SIM0404413
XX-Large	SIM0402513	SIM0403513	SIM0404513



FIRE SUITS - 1 LAYER **SIMPSON**

Legend II Suit 1 Layer SFI-1

An affordable SFI.1 rated tailored firesuit. FR Cotton suit includes a wrap-around collar. 360 degree full arm gussets, straight leg cuffs and front pockets.

	Black/Black	Gray/Black
S	SIML202171	SIML205171
M	SIML202271	SIML205271
L	SIML202371	SIML205371
XL	SIML202471	SIML205471

\$199.95



Driving Suit STD. 6 SFI-1

SFI 1 racing suit features 3 stripe design with woven satin/twill fabric and zippered patch style breast pocket.

Single Layer Nomex Suits.....\$319.00

	Black	Red	Blue
Small	SIM0302111	SIM0303111	SIM0304111
Medium	SIM0302211	SIM0303211	SIM0304211
Large	SIM0302311	SIM0303311	SIM0304311
X-Large	SIM0302411	SIM0303411	SIM0304411
XX-Large	SIM0302511	SIM0303511	SIM0304511

Jacket and Pants are available.



Youth Legend II Suit 1 Layer SFI-1

SFI-1 with SFI Tag

The Youth Legend II Suit is an affordable SFI.1 rated firesuit tailored to the needs of the racer. We have added a new distinctive styling and an attractive color combination.

This entry level FR Cotton suit includes a wrap-around collar and three point epaulets with Simpson branding. We have also included vertical quilting, 360 degree full arm gussets, straight leg cuffs and front pockets. Sizes: Youth XS - Youth XL

SIMLY2.....\$129.95



FIRE SUITS - SFI 15 & SFI 20

SFI-15 & SFI-20 Std Suit Signature Knit Only Nomex

Simpson's Drag suits features Signature knit fabric with vertical quilt, built in arm restraints, and full arm gussets.

SFI-20	SFI-15
Suits - Black	Suits - Black
S.....SIM4802131..\$1749.00	S.....SIM4902131..\$1549.00
M.....SIM4802231..\$1749.00	M.....SIM4902231..\$1549.00
L.....SIM4802331..\$1749.00	L.....SIM4902331..\$1549.00
XL.....SIM4802431..\$1749.00	XL.....SIM4902431..\$1549.00
XXL.....SIM4802531..\$2011.35	XXL.....SIM4902531..\$1781.35
Jacket - Black	Jacket - Black
S.....SIM4802134..\$1080.00	S.....SIM4902134..\$960.00
M.....SIM4802234..\$1080.00	M.....SIM4902234..\$960.00
L.....SIM4802334..\$1080.00	L.....SIM4902334..\$960.00
XL.....SIM4802434..\$1080.00	XL.....SIM4902434..\$960.00
XXL.....SIM4802534..\$1242.00	XXL.....SIM4902534..\$1104.00
Pants - Black	Pants - Black
S.....SIM4802133..\$719.00	S.....SIM4902133..\$639.00
M.....SIM4802233..\$719.00	M.....SIM4902233..\$639.00
L.....SIM4802333..\$719.00	L.....SIM4902333..\$639.00
XL.....SIM4802433..\$719.00	XL.....SIM4902433..\$639.00
XXL.....SIM4802533..\$826.85	XXL.....SIM4902533..\$734.85



Simpson Fire Suit Standard Size Chart

Size	Chest	Waist	Hip	Inseam	Neck	Height	Weight
Small	30-34	26-30	33-37	31	14.5	5'5" to 5'7"	115 to 130
Medium	34-38	30-34	37-41	32	15.5	5'7" to 5'10"	140 to 165
Large	38-42	34-38	41-45	33	16.5	5'10" to 6'2"	175 to 200
X-Large	42-46	38-42	45-49	34	17.5	5'11" & over	210 to 225
XX-Large	46-50	42-46	49-53	35	18.5	5'11" & over	235 to 250

Junior Simpson Standard Size Chart

Size	Chest	Waist	Hip	Inseam	Neck	Height	Weight
Small	31-33	24-26	29-31	23	12	4'1" to 4'5"	60 to 75
Medium	33-36	26-28	31-33	24	13	4'5" to 5'0"	75 to 90
Large	36-38	29-31	34-36	26	13	5'0" to 5'4"	90 to 105
X-Large	39-41	32-34	38-40	28	14	5'4" to 5'6"	105 to 120

Proposition 65 Warning: These products contain chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



GLOVES

SIMPSON

Super Sport Glove SFI 3.3/1 (1 Layer)

The Super Sport is an entry level racing glove that protects and performs. Changed Inside Seam. This is an SFI 3.3/1 certified glove of Nomex construction. This is an SFI 3.3/1 certified glove of Nomex construction with leather palm and silicone graphics. Color: Black. Sizes S-XL.

SIMSS...\$79.95

Impulse SFI 3.3/5 (2 Layer)

The Impulse Professional racing glove provides protection and grip in all the right areas. Inside Seam. SFI 5 Rated Racing Glove with Nomex construction. Exceptionally soft palm constructed of goat leather. Colors: Red, Black, and White. Sizes XXS-XXL.

SIMIM...\$99.95

Predator SFI 3.3/5 (2 Layer)

Meets SFI 3.3/5. Includes SFI tag. The Predator Glove is constructed of Nomex, the fabric of choice for protective gear. Nomex's reduced heat transfer capabilities bring an unmatched level of protection. The Predator also features an extra long bunch free gauntlet and knock out style that is sure to get you noticed. Colors: Black and White. Sizes S-XL.

SIM20800...\$139.95

Competitor SFI & FIA Approved (2 Layer)

Meets SFI 3.3/5 & FIA requirements. Nomex construction; distinctive white trim out. Silicon palm and touch points for superior grip and limited bunching. Colors: Red, Black, White, and Pink. Sizes S-XL. (XXL in black only)

SIM21300...\$149.95

Wheeler Glove SFI 3.3/5 (2 Layer)

Certified to SFI 3.3/5 standard, the aggressively styled Wheeler Racing Glove features minimal seam construction and optimized levels of grip via a newly designed leather palm and fingers. Fire-resistant aramid fiber main construction Mid length gauntlet with convenient pull tab Color: Black or Red. Sizes S-XL.

SIMWG...\$149.95

DNA Gloves SFI 3.3/5 (2 Layer)

It is a high performance driving glove using knit Nomex® that conforms to each individual driver's hands for a unique custom fit. SFI 3.3/5 certified, the DNA glove features external seams, tapered and pre-curved fingers, pre-curved palm, exclusive DNA design silicone palm and finger grips, strategically placed knuckle and wrist bone padding and performance inspired style lines. Wear the DNA for unmatched comfort and performance. Black/Blue, Black/Red, and Black/White. Size S-XL.

SIMDG...\$189.95

Young Gun Youth Glove SFI 3.3/5 (2 Layer)

Double layer Nomex knit construction with an SFI 3.3/5 rating. The Young Gun is super stylish and super protective. Available in kids sizing Small, Medium and Large. Color: Black with White and Silver accents.

SIMYGY...\$79.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

SHOES

SIMPSON

High Top w/SFI Tag

High-top design made of satin suede leather and FR inner fleece lining is SFI 3.3/5 approved. Fleece Nomex lining. Satin suede toe, heel & lace guard reinforcements. Triple layer anterior toe area for added wear protection. Non-slip, super-sensitive PU sole with posi-grip traction. Sizes: 3-14 Black. Blue & Red only available in sizes 7-11.5 including 1/2 sizes.

SIM28000...\$109.95

Midtop w/SFI Tag

The Midtop shoes is SFI 3.3/5 certified. A single speed-fit closure locks away laces. Achilles relief cut for maximum flexibility. Fleece FR lining. Satin suede toe, heel and lace guard reinforcements. Triple layer anterior toe layer for added wear protection. Non-slip, super sensitive PU sole with posi-grip traction. Attractive Black and Gray two tone design.

SIMMT000...\$109.95

Adrenaline w/SFI Tag

Meets SFI 3.3/5 and includes SFI Tag. Single Speedfit closure. Low cut Achilles support for maximum flexibility. Fleece Nomex lining. Satin suede toe, heel and lace guard reinforcements. Triple layer anterior toe area for added wear protection. Non-slip, super-sensitive PU sole with posi-grip traction. Black Only. Sizes: 4-14. Including 1/2 Sizes.

SIMAD000...\$139.95

Adrenaline Youth w/SFI Tag

Meets SFI & includes SFI tag. youth 1-3 black, NOT including 1/2 sizes

SIMAD...\$109.95

Stealth Sprint w/SFI Tag

SFI 3.3/5 certified and includes SFI Tag. New improved softer leather. High-top design with Simpson's easy to clean leather upper. Simpson's exclusive EnviroGuard lace cover hinges at the tonguebase with full-length speedfit closures on each side. Fleece Nomex lining with flat seams & athletic insert. Super smooth leather toe, lace, and heel guard reinforcements. Type R polyurethane sole with posi-grip pattern. Seven hole lace-up with dual speedfit closure and lace guard. Adjustable wrap-around ankle support. Sloping Achilles heel design. Sizes: 4-14 including 1/2 sizes

SIMSP...\$149.95

Fire Resistant Laces

Size: 48". Colors: Black Only. Fire Resistant Laces for your Racing Shoes.

SIMFRLACES...\$4.95

Shoe Sizing Conversion Chart

Shoe Sizing Conversion Chart			
Men	Women		
	6.58	9.5.....11.5
4.....5.5	79	10.....12
4.5.....6	7.59.5	10.5....12.5
5.....6.5	810	11.....13
5.5.....7	8.510.5	11.5....13.5
6.....7.5	911	12.....14

"Fire Suit Cleaner"**Trial Wash Kit (4 oz. Wash and 4 oz. Spot Cleaner)**

It effectively cleans Nomex fabric in std washing machines. It is expressly designed to remove the unique oils, fuel, and soils that are often encountered in the racing environment. Plus it contains an antimicrobial agent to inhibit the growth of bacterial odors, so you'll feel fresh longer.

Trial Wash KitSIMMLWTK44...\$9.95

Molecule Wash 16 Oz

Effectively cleans Nomex fabric in standard washing machines 16 oz. Wash Kit.....SIMMLWA16...\$19.95

Helmet Cleaners

Cleaner and Polish in one spray designed to keep helmets clean, shining & protected.

Safe to use on all finishes & visors. 4 oz.....SIMMLHCP4...\$5.95

Refresher to keep the inside of helmet clean. 4 oz.....SIMMLHFR4...\$5.95**Anti-Fog** to keep the inside of visor clear. 4oz.....SIMMLHAF4...\$5.95**Rain Repel** on outside of visor. 4 oz.....SIMMLHRR4...\$5.95**Apex Kart Jacket**

Our ripstop CarbonX sleeve provides heat protection and reinforcement in an area that is prone to heat and stress.

Sizes S-XXL. Colors Red & Black. **NOT Fire Resistant**

Black Red

S.....SIM0102182...SIM0103182...\$179.95

M.....SIM0102282...SIM0103282...\$179.95

L.....SIM0102382...SIM0103382...\$179.95


XL.....SIM0102482...SIM0103482...\$179.95

XXL.....SIM0102582...SIM0103582...\$206.94

MOLECULE



5-POINT STD LATCH & LINK SEAT BELTS



SIM29061



SIM29063



SIM29064



SIM29065



SIM29066

Latch & Link

Drop forged alloy steel with cadmium plating. Standard 3" military specification webbing on shoulder and lap belts with heat cut and sealed ends. Pull up or pull down adjusters. V-type or Individual shoulder harnesses. Adjusters include anti-slip springs. No left side adjuster option available. Floor mount, bolt-in seat belts, or wrap around. **Add R, BK, or BU at the end of the part # for color. R=Red, BK=Black, and BU=Blue.**

Std Latch and Link

62" Seat Belt		Pull Up	Bolt In	SIM29061	\$129.95
62" Seat Belt	Hans Shoulders	Pull Up	Bolt In	SIM29061-30010	\$129.95
55" Seat Belt		Pull Down	Bolt In	SIM29063	\$129.95
55" Seat Belt	Hans Shoulders	Pull Down	Bolt In	SIM29063-30010	\$129.95
55" Seat Belt	Wrap Around	Pull Down		SIM29064	\$129.95
55" Seat Belt	Wrap - Hans	Pull Down		SIM29064-30010	\$129.95
55" Seat Belt	Roll Bar V Harness	Pull Down	Bolt In	SIM29065	\$129.95
Sprint Car	No Right Side Adj.	Pull Down		SIM29066	\$129.95
Sprint Car	No Right Side Adj. Hans	Pull Down		SIM29066-30010	\$129.95
Sprint Car	No Right Side Adj. w/Short Sew Pattern	Pull Down		SIM29075	\$129.95
Sprint Car	No Right Side Adj. Hans w/Short Sew Pattern	Pull Down		SIM29075-30010	\$129.95

Add "P" to the end of Part # for Platinum Series (+\$10)

SFI 16.1 Sport Latch & Link



The Simpson SFI 16.1 Sport Latch and Link belt system features polyester construction for maximum protection and minimum elongation. This belt system is affordable and configured to be adaptable to many race cars. SFI 16.1 Sport L&L, Pull Down SIM29043...\$109.95



Sprint Car Ratchet Belts

16.1 Latch & Link Ratchet Seat Belts

For when the ride is especially rough and you want to keep those belts tightened down. Ratchet belts are available in left side or right side, with Alum or Steel adjusters. These belts from our Platinum Plus line are manufactured at North Carolina facility. In other words, like all Simpson belts, made in the USA! Black Only.

w/ Steel Adjs, Left side fixed, Right side Ratchet	SIMSB.51201	\$329.95
w/ AL Adjs, Right-side Ratchet	SIMSB.51202	\$379.95
w/ Steel Adjs, Left-side Ratchet	SIMSB.51203	\$329.95
w/ AL Adjs, Left-side Ratchet	SIMSB.51204	\$379.95



5-POINT CAMLOCK SEAT BELTS



SIM29102



SIM29104



SIM29110



SIM29114

Camlock Lever Technology

Try our new lever Camlock/Clip system redesigned to be 15% lighter. A unique internal release mechanism is engineered to eject belts clip quickly. Our belts clips are interchangeable with rotary camlock. These systems feature a sleek matte black finish.

Add R, BK, or BU at the end of the part # for color. R=Red, BK=Black, and BU=Blue.

Camlock

Formula Car 6-Way	Pull Up	Bolt-In	SIM29114	\$279.95
62" Seat Belt Floor Mount	Pull Up	Bolt-In	SIM29102	\$249.95
55" Seat Belt	Pull Up	Bolt-In	SIM29104	\$249.95
55" Seat Belt Roll Bar V Harness	Pull Down	Bolt In	SIM29108	\$249.95
55" Seat Belt	Pull Down	Bolt In	SIM29110	\$249.95
55" Seat Belt Hans Shoulder	Pull Down	Bolt In	SIM29110-30010	\$249.95
55" Seat Belt Wrap Around	Pull Down	Bolt In	SIM29112	\$249.95

Add "P" to the end of Part # for Platinum Series (+\$10)

5 Point Drag Camlock

Drag Racing 5-Way Seat Belt covered with Nomex
SIM29116...\$279.95

Add "P" to the end of Part # for Platinum Series
SIM29116P...\$289.95



SIM29116

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



5-POINT STD LATCH F/X SEAT BELTS



Latch F/X

Compact integrated latch, link, and adjuster reduces size by 30%. Drop forged construction reduces weight by 30% V-type or individual shoulder harnesses. Adjusters include anti-slip spring. No left side adjuster option available. Add R, BK, or BU at the end of the part # for color. R=Red, BK=Black, and BU=Blue.


Latch F/X

62" Seat Belt	Wrap Around	Pull Down	SIM29072	\$129.95
62" Seat Belt	Wrap Around	Hans Pull Down	SIM29072-30010	\$129.95
62" Seat Belt		Pull Down	Bolt-InSIM29073	\$129.95
62" Seat Belt	Hans Shoulders	Pull Down	Bolt-InSIM29073-30010	\$129.95
62" Seat Belt	Roll Bar V Harness	Pull Down	Bolt-InSIM29074	\$129.95

Add "P" to the end of Part # for Platinum Series (+\$10)



SIM29073



Which style do I need?

Std Latch and Link

Compact latch and link assembly, lap belt adjusters are located in between the latch assembly and the anchor point.

Latch F/X

Full size latch assembly, adjusters are located on the latch assembly, preventing interference with the seat.

SFI 16.5 SEAT BELTS



Rotary Series Camlock

Pull Down	Bolt-in BlackSIM29118SO	...	\$249.95
Pull Up	Bolt-in BlackSIM29119SO	...	\$249.95



SIM29118SO

Approved SFI 16.5

Also available in black platinum.

Latch & Link Series

Pull Down	Bolt-in BlackSIM29054SO	...	\$159.95
Pull Up	Bolt-in BlackSIM29055SO	...	\$159.95



SIM29073SP

Rotary Series Camlock w/2" Uppers

Pull Down	Bolt-in BlackSIM29828SO	...	\$249.95
Pull Up	Bolt-in BlackSIM29829SO	...	\$249.95

Latch FX Series

Pull Down	Bolt-in BlackSIM29073SO	...	\$159.95
Pull Down	Bolt-in PlatinumSIM29073SP	...	\$164.95

6-POINT HARNESS



Latch and Link (Pull Down, Bolt-in)

SIM290636 **\$143.75**

Latch F/X

SIM290736HK **\$143.50**



SIM290636

Latch and Link (2" Harness, Pull Down, Bolt-in)

SIM290636H **\$143.75**

Latch F/X

SIM290736H **\$143.50**



SIM290636H

QUARTER MIDGET SEAT BELTS

Quarter Midget Seat Belts

Wrap around seat belt pull down individual harness wrap around. Add R, BK, or BU at the end of the part # for color. R=Red, BK=Black, and BU=Blue.

Roll Bar Wrap around HarnessPull DownSIM29025	\$99.95
Individual Harness Bolt inPull DownSIM29026	\$99.95
Roll Bar Wrap around HarnessPull UpSIM29025BKPU	\$99.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



HELMETS



The 1320

It features a wide eyeport for a panoramic view. 2 adjustable forehead vents are used both to cool the head and defog the shield. Sizes: S-XL. Standard Colors are Silver, White, Gloss Black, and Flat Black. SA2015.

Std.....IMP14515..\$349.00



Champ

It features a radical chinbar design that extends coverage over the mouth & nose and acts as a breath deflector. The expanded eyeport works in every racing cockpit and on every racing bike. Sizes available are S-XL. Std colors are Silver, Black & white are available. SA2015.

IMP13015.....\$569.00



Charger

It features a unique wrap-around eyeport for wide angle panoramic vision. This computer designed interior features an active memory foam in the liner and cheekpads that adjust and customize the fit every time you put the helmet on. Sizes available are S-XXL. Std colors are Silver, Black & White. SA2015.

IMP14015.....\$519.00



Phenom

The Phenom SS helmet line is a result of over 40 years of research and development experience, including wind tunnel testing. The new range was designed to meet the requirements of the new FIA 8859-2015 & the New Snell SA2015 ratings. Using a proprietary Carbon-Kevlar composition, the shells offer greater strength at a lighter weight than helmets manufactured from traditional fiberglass composites. The helmets have also been wind-tunnel tested to maximize exterior vent placement and flow, while reducing buffeting in open cockpit applications. Impact also introduces a new size: Medium/Large. This M/L size takes advantage of using the smaller shell which is lighter and more compact. Sizes: S-XL. Std colors are Flat Black. SA2015.

Std...IMP17515..\$750.00



Ultralightweight

Draft TS

It offers an exceptional range of front and peripheral vision. The extended wicker bill captures downward airflow to reduce helmet lifting and buffeting while our "Intelligent Gray Matter" liner (a variable-density, single-piece helmet liner) is upholstered with fire retardant soft-knit Nomex for the ultimate in comfort. Adult Sizes: XS-XL. SA2015.

Draft TS.....IMP19715...\$815.00

Carbon Fiber.....\$1,500.00



Ultralightweight

Vapor

It is the result of extensive 3D modeling to create a specially designed Ripple Effect aerodynamic boundary layer to stabilize the helmet under high speed airflow, so this is the perfect open-wheel helmet. Constructed of super lightweight Carbon-Kevlar tri-weave, a composite taken from the aerospace industry, the Vapor also includes Impact's Gray Matter helmet liner, Impact's standard eyeport with a three-position detent 1/8" polycarbonate shield, interchangeable sizing cheekpads with dual D-ring closure. Sizes: S-XL. Std colors are Silver, Flat/Gloss Black, white, & carbon fiber are available. SA2015.

Std...IMP12515..\$815.00

Carbon Fiber..\$1,500.00

Tear-Offs
RAC10230C



Ultralightweight

Vapor LS

It features Impact's lightweight tri-weave construction and is loaded with features. Aggressive chin-bar styling provides for additional room for the microphone while integrated vents offer cooling, fog-free. A wide-angle, wrap-around eyeport, a Kevlar® chin strap with dual D-ring closure, and a 1/8" polycarbonate shield with exceptional visual acuity finish off the newest addition to Impact's line of Made in the USA helmets. Sizes: S-XL. Std colors are Silver, Flat/Gloss Black, white, and carbon fiber are available. SA2015.

Std...IMP12915..\$815.00

Carbon Fiber..\$1,500.00

Tear-Offs
RAC10230C



Adult Helmet Sizing Chart

X-Small	6 3/4" to 6 7/8"	20 5/8" to 21"
Small	6 7/8" to 7"	21 5/8" to 22"
Medium	7 1/8" to 7 1/4"	22 1/2" to 22 3/4"
Large	7 3/8" to 7 1/2"	23 1/4" to 23 5/8"
X-Large	7 5/8" to 7 3/4"	24" to 24 1/2"

Silver

White

Gloss Black

Flat Black

Carbon Fiber



\$20 More

\$\$\$ More

ACCESSORIES

Cheek Pads

If your helmet fits tight or loose in the cheek area.

Charger/Champ/Vapor

IMP11111121Thin Pad.....\$39.95

IMP11111122Standard Pad..\$39.95

IMP11111123Thick Pad.....\$39.95

1320/1320 Air/Air Draft

IMP11111131Thin Pad.....\$39.95

IMP11111132Standard Pad..\$39.95

IMP11111133Thick Pad.....\$39.95

Mini Champ/Mini Vapor

IMP11111141Thin Pad.....\$39.95

IMP11111142Standard Pad..\$39.95

IMP11111143Thick Pad.....\$39.95

Velocity

IMP11111151Thin Pad.....\$39.95

IMP11111152Standard Pad..\$39.95

IMP11111153Thick Pad.....\$39.95



Mud-X Cleaner

Cleans and shines plastic, polycarbonate, chrome, fiberglass, paint, vinyl and leather. Leaves an invisible coating that protects surfaces and repels dirt, dust, fingerprints, smudges and bugs. Excellent for helmet shields.

ALL78232.....\$12.99



Shield Bags

Hold up to 2 shields in our handy shield carrying case that comes with a soft, yet sturdy material outside and an optical quality cloth inside to separate the two.

IMP81500010...\$10.00



Pivot Kits

Made of metal.

IMP10000000..\$14.95



Shield Foam Kits

It features a Nomex outer layer for added fire protection.

1/4".....IMP10000025.....\$25.00


1/8".....IMP10000026.....\$25.00



Breath Deflector

It is designed to direct breath down and away from the face shield to reduce fogging.

IMP10000012...\$30.00



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



FRESH AIR HELMETS



The 1320 Top Air

Same value-packed options as the 1320 helmet but with the addition of fresh air comfort circulated through air port channels directed onto the visor, minimizing fog and contaminants while also providing fresh air and cooling comfort. It is a custom handcrafted fiberglass shell manufactured to Impact's exacting standards providing racers with an affordable Made in the USA helmet. Sizes: XS-XL. Colors are Silver & Flat Black. SA2015.

Top Air...IMP14815...**\$419.00**

Tear-Offs
RAC10209C



The 1320 Side Air

Same value-packed options as Impact's 1320 helmet but with the addition of fresh air comfort circulated through air port channels directed onto the visor, minimizing fog and contaminants while also providing fresh air and cooling comfort. It is a custom handcrafted fiberglass shell manufactured to Impact's exacting standards providing racers with an affordable Made in the USA. Sizes: XS-XL. Colors are Silver and Flat Black. SA2015.

Side Air...IMP14715...**\$399.00**

Tear-Offs
RAC10209C



Tear-Offs
RAC10230C

Super Charger

It features a new air induction design we call the Head Dress. It utilizes fortified Speed Channels to emphasize airflow across the shield. Adult sizes: XS-XXL. Std colors are Silver, Black and white are also available. SA2015.

Top Air.....IMP17015...**\$569.00**

Side Air.....IMP17915...**\$569.00**



Air Draft

It utilizes Impact's new solution to air induction that provides air conditioning, anti-fog and a system to reduce air contamination inside the helmet. Plus the latest in tech, performance and function resulting in this handmade ultra lightweight helmet. Sizes: S-XL. Std colors are Silver. Flat/Gloss Black, white, & carbon fiber are available. SA2015.

Top Air.....IMP19315...**\$869.00**

Side Air.....IMP19615...**\$869.00**

Carbon Fiber.....**\$1,599.00**



Air Draft OS20

It is offered in the Carbon-Kevlar tri-weave composite. The tri-weave composite is available in four standard colors including silver, white, and two different blacks - flat and glossy. Std width removable cheek pads are included however a variety of cheek pads ranging from thin to thick are available. With the Air Draft OS20 offered in helmet sizes from XS to XL and customizable cheek pad thicknesses. Like Impact by MasterCraft Safety's full line of helmets, the Air Draft OS20 manufactured in USA. Adult sizes: XS-XL. SA2015.

Std...IMP19915...**\$869.00**

Carbon Fiber...**\$1,599.00**



Replacement Air Adapters for

Fresh Air Impact Helmets

Made of plastic.

Round.....IMP10000030

Oval.....IMP10000031



Air Vapor

It provides air conditioning, anti-fog and a system to reduce air contamination inside the helmet. SFI/FIA and Snell Approved. Sizes: S-XL. Std colors are Silver, Flat/Gloss Black, white & carbon fiber are available. SA2010.

Top Air.....IMP16015...**\$869.00**

Side Air.....IMP16115...**\$869.00**

Carbon Fiber.....**\$1,599.00**



Tear-Offs
RAC10209C

Air Vapor SC

It offers an aggressive chin bar design providing more room for the microphone while increasing driver comfort and reducing fog. It also features a tapered lower design allowing for additional clearance between the helmet and the frontal head restraint devices. The Air Vapor SC offers a truly customized fit with a interchangeable, variable-density cheek pads. Made in the USA helmets. Adult Sizes: XS-XL. SA2015.

Top Air.....IMP16915...**\$869.00**

Top Air Carbon Fiber.....**\$1,599.00**



Nitro

A self contained air filtration system that functions solo to purify inhaled air, or in conjunction with onboard bottle air systems. SNELL & SFI/FIA approved. Sizes: S-XL. Std colors are Silver, Flat/Gloss Black, white, and carbon fiber are available. SA2015.

IMP18015...**\$1,219.00**

Carbon Fiber...**\$1,899.00**



Tear-Offs
RAC10231C



Anti Fog Shields

Helmet Types

	Clear	Light Smoke	Dark Smoke	Amber	Yellow Chrome	Blue Chrome	Chrome
Vapor/Air Vapor/Vapor SC/Charger/Super Charger/Draft	IMP12199901	IMP12199902	IMP12199903	IMP12199904	IMP12100905	IMP12100906	IMP12100908
Champ/Nitro/Drag Champ	IMP13199901	IMP13199902	IMP13199903	IMP13199904	IMP13100905	IMP13100906	IMP13100908
Air Draft/Draft TS/SS/SS Air							
Spider/1320/Fueler	IMP19399901	IMP19399902	IMP19399903	IMP19399904	IMP19300905	IMP19300906	IMP19300908
Mini Champ	IMP11499901	IMP11499902	IMP11499903	N/A	IMP11400905	IMP11400906	IMP11400907
Mini Vapor	IMP11399901	IMP11399902	IMP11399903	N/A	IMP11300905	IMP11300906	IMP11300907

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Axis 2 Layer Suit SFI-5

Axis is an Aramid fiber fabric which is a true fire rated fabric. The performance is very good, and it fairly light. I would even venture to say it's the lightest suit on the market at this price point. These will also be manufacture in Indy, so they are a true Made in the USA suit. We kept the stitching pattern simple, and the pockets are patch sewn, so the suit does not cannibalize sales of the Racer, which has a higher sheen fabric, V-stitching and inset pockets.



Axis 2 Layer Driving SFI-5 Driving Suits			
Black	Black/Blue	Black/Red	Black/Gray
S.....IMP23019310..IMP23019306..IMP23019307..IMP23019313			
M.....IMP23019410..IMP23019406..IMP23019407..IMP23019413			
L.....IMP23019510..IMP23019506..IMP23019507..IMP23019513			
XL.....IMP23019610..IMP23019606..IMP23019607..IMP23019613			
XXL.....IMP23019710..IMP23019706..IMP23019707..IMP23019713			\$429.00
XXXL.....IMP23019810..IMP23019806..IMP23019807..IMP23019813			\$529.00

Racer 2 Layer Suit SFI-5

Soft and breathable Gabardine Nomex III finish fire resistant shell lined with cool and comfortable 360° floating sleeve full arm gusset. Expandable knit lower back lumbar panel and wide athletic shoulder silhouette aids in movement. Straight leg cuffs. Ribbed fire resistant wrist and ankle cuffs. Banded collar and adjustable waist belt.



Racer 2 Layer Driving SFI-5 Driving Suits			
Black	Black/Blue	Black/Red	Black/Gray
S.....IMP24219310..IMP24219306..IMP24219307..IMP24219313			
M.....IMP24219410..IMP24219406..IMP24219407..IMP24219413			
L.....IMP24219510..IMP24219506..IMP24219507..IMP24219513			
XL.....IMP24219610..IMP24219606..IMP24219607..IMP24219613			
XXL.....IMP24219710..IMP24219706..IMP24219707..IMP24219713			\$599.00
XXXL.....IMP24219810..IMP24219806..IMP24219807..IMP24219813			\$699.00

Racer 2 Layer Driving SFI-5 Driving Jackets			
Black	Black/Blue	Black/Red	Black/Gray
S.....IMP22519310..IMP22519306..IMP22519307..IMP22519313			
M.....IMP22519410..IMP22519406..IMP22519407..IMP22519413			
L.....IMP22519510..IMP22519506..IMP22519507..IMP22519513			
XL.....IMP22519610..IMP22519606..IMP22519607..IMP22519613			
XXL.....IMP22519710..IMP22519706..IMP22519707..IMP22519713			\$335.00
XXXL.....IMP22519810..IMP22519806..IMP22519807..IMP22519813			\$435.00

Racer 2 Layer Driving SFI-5 Driving Pants			
Black	Black/Blue	Black/Red	Black/Gray
S.....IMP23315310..IMP23319306..IMP23319307..IMP23319313			
M.....IMP23315410..IMP23319406..IMP23319407..IMP23319413			
L.....IMP23315510..IMP23319506..IMP23319507..IMP23319513			
XL.....IMP23315610..IMP23319606..IMP23319607..IMP23319613			
XXL.....IMP23315710..IMP23319706..IMP23319707..IMP23319713			\$310.00
XXXL.....IMP23315810..IMP23319806..IMP23319807..IMP23319813			\$410.00

Adult Standard Firesuit Sizing

Size	Height	Weight (lbs.)	Chest	Waist	Hips	Torso	Inseam
Adult S	5'4" to 5'6"	130 to 150	38"-40"	29"	33"	27"	31"
Adult M	5'6" to 5'8"	150 to 170	42"-44"	32"	36"	28"	31"
Adult L	5'8" to 5'10"	170 to 190	46"-48"	36"	40"	29"	32"
Adult XL	5'10" to 6'1"	190 to 210	50"-52"	39"	44"	31"	33"
Adult XXL	6' to 6'2"	220 to 240	54"-56"	44"	47"	32"	33"

The Paddock 2 Layer SFI-5

Paddock is manufactured from 3 layers of flame-retardant treated cotton and surpasses the SFI 3.2A/5 standard. The multi-layer quilted construction adds valuable seconds of protection against direct flame and heat transfer while adding durability and comfort. Offered with a boot cut pant leg and available as a one-piece overall or two-piece jacket and pant combo. Colors: Black Only



Paddock 2 Layer Driving SFI-5 Driving Suits Black		
Suit	Jacket	Pants
S.....IMP21100310..IMP21110310..IMP21120310		
M.....IMP21100410..IMP21110410..IMP21120410		
L.....IMP21100510..IMP21110510..IMP21120510		
XL.....IMP21100610..IMP21110610..IMP21120610		
XXL.....IMP21100710..IMP21110710..IMP21120710		
XXXL.....IMP21100810..IMP21110810..IMP21120810		
	\$160.00	\$160.00

Phenom 2 Layer SFI-5

Made in the USA craftsmanship to achieve a stylish, comfortable suit. Hand-crafted from lightweight sateen Nomex® the Phenom DS is both FIA homologated, and certified to the SFI 3.2-A/5 specification. This allows the suit to be used in more series than conventional FIA homologated, or SFI certified only suits. The Impact Phenom DS also features V-stitch quilting for exceptional thermal performance; a 180 degree belt, and inset pockets for superior comfort!



Phenom 2 Layer Driving SFI-5 Driving Suits			
Black/Blue	Black/Gray	Black/Red	Gray/Black
S.....IMP25215306..IMP25215313..IMP25215307..IMP25215308			
M.....IMP25215406..IMP25215413..IMP25215407..IMP25215408			
L.....IMP25215506..IMP25215513..IMP25215507..IMP25215508			
XL.....IMP25215606..IMP25215613..IMP25215607..IMP25215607			
XXL.....IMP25215706..IMP25215713..IMP25215707..IMP25215707			\$799.00
XXXL.....IMP25215806..IMP25215813..IMP25215807..IMP25215808			\$899.00

Carbon6 Firesuit

Impact's Carbon 6 suit blends exceptional form and function with many of the must-have attributes commonly found only in custom suits. Manufacturer certified to comply with the SFI Foundations 3.2A/5 Spec. Functional Back & Auxiliary Gusset. Anatomical Stretch Crotch. 360 degree full-floating arm gussets. Inset front pants pockets. With emphasis on driver comfort, Impact incorporated breathable anatomical stretch paneling in strategic areas for increased range of motion providing a superior performance fit. Hand-crafted from lightweight sateen Nomex the Impact Carbon 6 features V-stitch quilting for exceptional thermal performance. Deep inset pockets and bootcut cuffs finish this exclusive two-layer SFI 3.2A/5 rated suit.



Black/Blue.....Black/Red.....Black/Gray		
S.....IMP23000306..IMP23000307..IMP23000313		
M.....IMP23000406..IMP23000407..IMP23000413		
L.....IMP23000506..IMP23000507..IMP23000513		
XL.....IMP23000606..IMP23000607..IMP23000613		
XXL.....IMP23000706..IMP23000707..IMP23000713..		\$999.00

Alpha Gloves FIA Approved

Designed with a unique parabolic pattern and single piece palm, eliminates troublesome seams and fabric bunching from the palm area. The Impact Alpha also includes a completely external seam construction reducing pressure points and abrasion while the elastic zig zag gauntlet closure ensures the gloves stay comfortably in place. Featuring our exclusive lightweight fire-retardant Ultra-Grip treatment and anatomically correct pre-curved patterning on the fingers, the Impact Alpha glove provides superior steering wheel grip, even during the most extreme racing environments.

Adult Sizes: S/M/L/XL Size Black. Colors: Black Only.

IMP39000.....\$169.95



Axis Gloves FIA Approved (Adult) & Mini Axis Gloves (Child)

It features a single-piece palm with suede insert panels for the ultimate in driver comfort and steering wheel grip. The Impact Axis glove also includes external seam construction, reducing pressure points and abrasion while the elastic zig-zag gauntlet closure ensures the gloves stay comfortably in place. Adult Sizes:

S/M/L/XL Size. Colors: Black Only

Adult.....IMP35500.....\$129.95

Child.....IMP38500.....\$94.95



G6 Gloves SFI 3.3/5 Approved

Manufactured from soft-knit fire retardant aramid fiber, Impact's G6 glove features 3/4 finger seams for a perfect fit and optimal steering wheel input. Internal stitch construction and form-fitting suede inserts offer superior grip while the elastic zig-zag gauntlet closure ensure the gloves stay comfortably in place providing max protection against flame and heat transfer. Adult Sizes: S-XXL Colors: Black Only

IMP34200.....\$85.00



Phenom Shoe SFI 3.3/5 Approved

Featuring a very soft, tanned calf leather exterior, the Phenom RS provides the ultimate in comfort, while resisting mud and dirt build up. Using our next generation, preformed anatomical sole made of pure lightweight rubber. Velcro strap closure and Speed Laces ensure the ultimate in support and adjustability. Black or White.

IMP4500.....\$259.00



Axis Shoe SFI 3.3/5 Approved

Designed with Impact's exclusive high-grip fluted sole, the Axis shoe offers superior cooling and optimized pedal precision. Reinforced side panels protect high-abrasion areas and the interior is finished with a fire retardant lining for improved safety and comfort.

Adjustable hook and loop ankle strap closure ensure the laces remain in place while also providing a customized fit. Colors: Black Only


IMP410.....\$100.00



Alpha Shoe SFI 3.3/5 Approved

Manufactured from an ultra-plush aramid interior and durable yet soft and easy-to-clean exterior, the Alpha is engineered to withstand direct flame and heat transfer. Designed using lightweight materials, the form-fitting anatomical construction of the Impact Alpha footwear offers exceptional pedal response and maximum range of motion. Colors: Black Only

IMP400.....\$180.00




Quarter Midgets Suits SFI 3.2A-5

It is constructed of a fire resistant shell fabric designed to allow for a growing racer. 1-piece suit w/plenty of extra seam allowance to let-out as the young racer grows. Adjustable waist belt. Machine washable. Color: Black. Sizes are Youth SM thru Youth XL.

• Has built in arm restraints.

IMP21400.....\$399.00



Youth Standard Firesuit Sizing

Youth S	4'1" to 4'4"	50 to 65	27"-29"	23"	26"	19"	22"
Youth M	4'3" to 4'7"	70 to 90	28"-30"	25"	27"	21"	25"
Youth L	4'5" to 4'9"	80 to 100	34"-36"	27"	31"	23"	27"
Youth XL	4'7" to 4'11"	90 to 120	35"-37"	28"	32"	25"	29"



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



5-Point Latch and Link System

It includes choice of individual shoulder harness, 60" latch & link lap belts & single anti-sub belt.

Individual Shoulder Sets

Pull Down Lap 2 Integrated Adjusters
IMP59111111\$149.95

Pull Down Lap 2 Integrated Adjusters
w/2" Hans Shoulder
IMP59111111-59888888\$184.95

**2" Latch & Link System
Quarter Midget
/Jr. Dragster**

- Single 5-Point Sub Belt
- Pull Up

IMP52116661.....\$109.99

**2" Cam-Loc System
Quarter Midget/Jr.
Dragster**

- Single 5-Point Sub Belt
- Pull Up

IMP57346661.....\$149.95

**Anchor Hardware**

IMP50000011 .3-Bar Adjuster.....\$3.00
IMP50000021 .Bolt-in Anchor.....\$3.00
IMP50000031 .Clip-in Anchor.....\$5.00
IMP50000041 .Eye Bolt Anchor..\$7.00

**Arm Restraints**

Padded arm bands with webbed leashes & 2 adjustments for both arm circumference & leash length. Meets SFI requirements. Color: Black.
IMP75000910...\$60.00

**Neck Support w/SFI**

High density compression foam increases in resistance the more it is compressed. This compression cycle helps control head and neck roll.

Adult Black ...IMP74500010.....\$39.00

Child Black ...IMP74501010.....\$39.00

**Helmet Skirt**

Available as a do-it-yourself hook and loop attachment, our helmet skirt is manufactured from a soft knit Nomex providing added protection from heat transfer while also reducing dirt and debris from entering the helmet. The 2-layer skirt is available in our std or tapered-in design. The tapered-in design allows the skirt to be tucked into the driving suit more easily while reducing interference between the skirt and frontal head restraint device.



2-Layer Velcro Attachment - StandardIMP10000016\$75.00

2-Layer Velcro Attachment - Tapered.....IMP10000022\$75.00

K1 Helmet Skirt

K1 RaceGear Helmet Skirts are a great way to keep excess dirt and debris from entering your helmet. K1 RaceGear Helmet Skirts are made from DuPont Nomex for added fire protection. Easy Velcro strip installation. Aids in cooling air inside the helmet (if cooling system is used). One size fits all.

K1-26-NHS\$45.00

**Nomex Neck Collar**

K1 Nomex Auto Racing Neck Collar: Helmet Support Nomex by DuPont Our K1 RaceGearCar Racing Neck Brace was designed with driver comfort in mind. Featuring an anatomically designed rear helmet support to provide comfort and safety while driving. It is machine washable with a zipper for easy removal of the padding. Easy access to remove padding Provides additional protection to Neck Machine Washable Anatomical Design.

K1-25-NNB-N-A.....\$45.00

**SFI 15 & SFI-20 Team Drag 2-Piece Firesuit**

SFI Foundation's 3.2A/15 Specification. Fire-retardant outer layer with cool, comfortable proprietary multi-layer inner. 360 degree full-floating arm gussets. Comfortable ribbed arm and ankle cuffs (will tuck into your race shoes/boots) for a tight seal and fit. Front patch pants pockets. Available in Black/Red, Black/Gray, and Black/Blue.

IMP29300(size) SFI-15 Jacket\$629.50

IMP29400(size) SFI-15 Pants\$599.00

IMP29600(size) SFI-20 Jacket\$678.00

IMP29700(size) SFI-20 Pants\$651.00

SFI 15
SFI-20

DRAG RACING SAFETY**Holeshot 20 Drag Glove**


Meets SFI .20. 20% lighter than the competition. Meets SFI 20. Newly developed Nomex technology with conforming stretch for improved dexterity. Made in the USA/Black only. Sizes S-XL.
SIM37015.....\$319.95

**RT-20 Drag Shoe SFI 20 NEW**

Simpson's SFI 20 drag racing shoe is back and better than ever. The RT is for top competition drag racing teams who need the ultimate in shoe fire protection but are still looking for that lightweight advantage. John Force Racing trusts Simpson and you can too. Designed for high level fire protection and extremely comfortable fit. SFI 3.2A/20 rating, TPP 80 (40 Seconds to 2nd Degree Burn). Low cut back to ensure easy in and out of shoe. Laces covered for safety and avoiding getting hooked to bars or cockpit equipment. High quality black leather with contrasting Simpson logo embroidery. Velcro strap to ensure firm grip over ankle. Hand pull tabs for easy on. Carbon-X interior. Ultra-thin oil-resistant and anti-static sole. Sizes: 6-14 (includes half sizes). Color: Top Speed Black.
SIMRT.....\$399.95

**Holeshot 20 Drag Boots**

50% lighter than standard drag boots. No side zipper to maneuver. Newly developed Nomex material stretches over the shoe for improved fit. Made in the USA. SFI .20 rating Colors: Black only Shoe Sizes: S (5-1/2 to 7), M (7 to 8-1/2), ML (8-1/2 to 10), L (10 to 11-1/2), XL (11-1/2 to 13)
SIM37021.....\$399.95

**10' Sky Jacker Drag Chute**

Handmade Crossform design delivers reliable and durable performance for cars up to 200 mph. Complete with nylon pack and pilot chute. Colors: Black, Red, or Blue.
SIM42020(color) ..\$429.95

**Redlined Drag Glove SFI 3.3/20 Certified**

Innovation, technology and design have come together to create Impact's newest drag glove offering both comfort and performance. Designed specifically for the drag-strip and featuring superior fire protection with its SFI rating of 3.3/20 and a TPP of over 100, the Impact Redline glove offers an anatomically correct pre-formed shape and suede insert panels on the palm and fingers allow maximum comfort and grip. The zig-zag elastic gauntlet ensures the gloves stay comfortably in place over the fire suit. Adult Sizes S-XXL. Colors: Black Only.
IMP37500.....\$249.95

**Redline Drag Shoe 3.3/20**

Impact's Redline SFI 3.3/20 series high top is the ultimate in drag racing protection. Ideal for nitro and alcohol-powered racecars, the Redline features an ultra-plush meta-aramid interior offering an unparalleled level of defense against direct flame and heat transfer. Manufactured from exceptionally lightweight soft-suede exterior, Impact's Redline is designed with an ultra-thin, oil-resistant, and anti-static sole providing superior pedal sensitivity. Featuring a vapor permeable inner sole liner for improved moisture wicking, the Redline also offers a deep Achilles cut-out for maximum range of motion and finishes.
IMP49107010.....\$425.00

**Drag/Nitro Over-Boot**

Our Impact Top Fuel/Top Alcohol Over-Boot, which fits securely over Impact race shoes, is made with Nomex inner & outer and is designed with a full toe to calf zipper & overlock hook and loop extra-length cover. Black only.
IMP4900\$249.00

**Pro Stock Chutes**

The 8' crossform chute is used for 200+ mph cars and comes in an 4-point configuration w/pack and pilot chute. The 10' model is designed with an 8-point configuration and includes both pack and pilot chute. Colors: Black/Red/Blue
8'IMP77008.....\$429.00
10' ..IMP77010.....\$465.00

**Nylon Nitro Chute**

Designed with 200-300+ mph cars in mind. Made to deploy quickly and consistently. The science of parachute design considers: flight stability, deployment force, flow-through, attachment points and packing. Colors: Black/Red/Blue
Complete Set...IMP77013...\$499.00



HELMETS



Tear-Offs
RAC10205C

Sport

The Sport is designed for entry level racers who demand value and quality at an affordable price. The Sport incorporates classic Bell design styling, standard size eye opening, comfortable interior fit and a lightweight composite shell. The all-purpose Sport offers closed face protection, a wide range of features, full ventilation and is a perfect choice for racers on a budget or enthusiasts just entering the sport. • Snell SA2015 Homologation

• 281 3 mm SRV Shield (SRV-2 Pivot Sys) – Clear Shield

Size ..White	Matte Black
S.....BEL1424001.....	BEL1424011
M.....BEL1424002.....	BEL1424012
L.....BEL1424003.....	BEL1424013
XL.....BEL1424004.....	BEL1424014

\$399.95 \$399.95

Size ..Orange.....Edge

S.....BEL1424021.....	BEL1424031
M.....BEL1424022.....	BEL1424032
L.....BEL1424023.....	BEL1424033
XL.....BEL1424024.....	BEL1424034

\$499.95 \$499.95

K.1 Pro

The K.1 Pro is a multi-use, full-feature helmet with superior ventilation, aero styling and Bell's aggressive chin bar design and front chin gurney (Duckbill). The K.1 Pro is a great helmet for open wheel racers, closed car racers and kart racers who demand superior features including light weight, excellent fit and multiple ventilation options. It can be used in an open wheel configuration with air intake (included) & w/a closed car configuration w/top forced air insert (sold separately). The K.1 Pro is available in std colors & the Circuit Graphic in Red or Blue.

• 287 3mm SRV (SRV-1 Pivot Sys) – Clear Shield
• Sizes S (57) to XL (61+) Snell SA2015 Homologation

Size ..White	Matte Black
XXS.....BEL1420001.....	BEL1420011
XS.....BEL1420002.....	BEL1420012
S.....BEL1420003.....	BEL1420013
M.....BEL1420004.....	BEL1420014
L.....BEL1420005.....	BEL1420015
XL.....BEL1420006.....	BEL1420016

\$499.95 \$499.95

Size ..Red.....Blue

S.....BEL1420023.....	BEL1420033
M.....BEL1420024.....	BEL1420034
L.....BEL1420025.....	BEL1420035
XL.....BEL1420026.....	BEL1420036

\$599.95 \$599.95

Tear Off Posts

The alum tall dual hole tearoff posts kits are now available, the new post features two holes so that the post can be used on the SRV shield or the SE shields. Each set of posts will come with a detailed instruction card for both style shields.

BEL2030043**\$15.95**

Helmet Size Chart

Size.....Inches	Hat Size.....CM
4XS.....20-1/16"	6-3/8.....51
3XS.....20-1/2" to 20-7/8"	6-1/2 to 6-5/8.....52-53
2XS.....21-1/14" to 21-5/8"	6-3/4 to 6-7/8.....54-55
XS.....22"	7.....56
S.....22-3/8"	7-1/8.....57
M.....22-3/4" to 23-1/4"	7-1/4 to 7-3/8.....58-59
L.....23-5/8"	7-1/2.....60
XL.....24 to 24-3/8"	7-5/8 to 7-3/4.....61-62
2XL.....24-3/4" to 25-1/4"	7-7/8 to 8.....63-64
3XL.....25-5/8" to 26"	8-1/8 to 8-1/4.....65-66
4XL.....26-3/8" to 26-3/4"	8-3/8 to 8-1/2.....67-68

BR-1

Fresh Air Compatible

The BR.1 is the first model in the industry that can be used as a traditional helmet, side air forced air or top air forced air model. By utilizing an innovative kit system, racers can now customize the BR.1 to adapt to different forms of racing or seat configurations. It features an aero front chin gurney (duckbill) and comes standard with rear facing Venturi airflow vents installed for dirt track forms of racing. **Top Air & Side Air kits are sold separately with multiple nozzle options.**

• 281 3mm SRV Shield (SRV-2 Pivot Sys) – Clear Shield

• Snell SA2015 Homologation

Size..White	Matte Black
S.....BEL1421001.....	BEL1421011
M.....BEL1421002.....	BEL1421012
L.....BEL1421003.....	BEL1421013
XL.....BEL1421004.....	BEL1421014

\$499.95

GP.3

It combines traditional F1 styling, versatile air intake system and lightweight carbon composite shell with leading-edge aerodynamic performance. It is a great option for open wheel, formula racers and karters who demand professional features, performance and comfort. The GP.3's improved shield integration, double screen anti fog (DSAF) visor, rubber gasket seal and manual lever closable air intake vents provide maximum ventilation and clear vision in the most demanding racing environments.

• SE03 3MM DSAF Shield (SV SE03/05 Pivot Sys) –
• Snell SA2015 & FIA8859-2015 Homologation

Size.....White.....Matte Black

7-1/8".....BEL1313001.....	BEL1313011
7-1/4".....BEL1313002.....	BEL1313012
7-3/8".....BEL1313003.....	BEL1313013
7-1/2".....BEL1313004.....	BEL1313014
7-5/8".....BEL1313005.....	BEL1313015
7-3/4".....BEL1313006.....	BEL1313016

\$699.95

Size.....Carbon

-(7-1/8") -BEL1206001
7-1/8".....BEL1206002
7-1/4".....BEL1206003
7-3/8".....BEL1206004
+(7-3/8") BEL1206005
7-1/2".....BEL1206006
7-5/8".....BEL1206007
7-5/8"+ BEL1206008

\$999.95

Vador

It is a complete design departure for Bell, incorporating a sinister blunt nose design and fighter pilot style shield. Features include a lightweight composite shell, comfortable interior fit and rear facing vents to prevent dust and dirt from entering the helmet. The Vador also incorporates Bell's fire retardant rubber eyeport gasket for improved visor seal and natural breath deflector integrated into the chin bar. Designed primarily for use in drag racing, karting and dirt track racing.

• 289 3MM SRV Shield (SRV-1 Pivot Sys) – Clear Shield
• Sizes S (57) to XL (61+)

• Snell SA2015 Homologation

Size ..White	Matte Black
S.....BEL1422001.....	BEL1422011
M.....BEL1422002.....	BEL1422012
L.....BEL1422003.....	BEL1422013
XL.....BEL1422004.....	BEL1422014

\$499.95

Breath Deflector

Designed to direct breath down and away from the face to minimize fogging. Keeps dust out. Simple installation and removal. Fits all Bell SA2010 rated helmets.

BEL2110001**\$19.95**



Add on Air Kits for BR.1 Helmet

Description ..White.....Black

Top Air Kit.....BEL2070041.....BEL2070042

Side Air Kit.....BEL2070039

Side Plate Kit BEL2070033.....BEL2070034.....**\$39.95**

Forced Air Adapter (Straight).....BEL2070066.....**\$9.95**

Forced Air Adapter (90°).....BEL2070067.....**\$12.95**

Pivot Kits & Eyeport Foam Kit

SRV-1 Pivot Kit (287 SRV).....BEL2020021.....**\$17.95**

SRV-2 Pivot Kit (all others).....BEL2020031.....**\$17.95**

Eyeport Foam Kit V.10.....BEL2080002.....**\$12.95**

M.8

The M.8 is the next evolution in Bell's legendary M series design concept incorporating traditional styling, enhanced visibility and versatile features allowing the helmet to be used in all forms of racing.

The M.8 provides outstanding comfort and features including a lightweight composite shell, Comfort-Plus interior, superior ventilation with manual lever air intake vents and a large eye opening. The M.8 is a great choice for racers who want a LV, multi-purpose helmet with a wider field of vision (especially for those who wear eye glasses) & updated Bell styling & performance. • Snell SA2015 Homologation

• SRV-8 3mm SRV Shield (SRV-1 Pivot Sys)

Size.....White.....Matte Black

XXS.....BEL1419001.....	BEL1419011
XS.....BEL1419001.....	BEL1419012
S.....BEL1419003.....	BEL1419013
M.....BEL1419004.....	BEL1419014
L.....BEL1419005.....	BEL1419015
XL.....BEL1419006.....	BEL1419016
2XL.....BEL1419007.....	BEL1419017
3XL.....BEL1419008.....	BEL1419018
4XL.....BEL1419009.....	BEL1419019

\$499.95

Size.....Carbon

-(7-1/8") BEL1208001
7-1/8".....BEL1208002
7-1/4".....BEL1208003
7-3/8".....BEL1208004
7-1/2".....BEL1208005
7-5/8".....BEL1208006

7-3/4".....BEL1208007.....**\$949.95**

GTX.3

It features a lightweight carbon composite shell and sleek aero styling including, front chin bar gurney and integrated rear wing for enhanced aerodynamic performance at higher speeds. The versatile GTX.3 provides industry-leading performance, professional features and is an ideal choice for racers competing in open wheel, open compartment, formula, karting and dirt track forms of racing.

• SE03 3MM DSAF Shield (SV SE03/05 Pivot Sys)

• FIA8859-2015 Homologation

Size ..White.....Matte Black

7-1/8".....BEL1314001.....	BEL1314011
7-1/4".....BEL1314002.....	BEL1314012
7-3/8".....BEL1314003.....	BEL1314013
7-1/2".....BEL1314004.....	BEL1314014
7-5/8".....BEL1314005.....	BEL1314015
7-3/4".....BEL1314006.....	BEL1314016..... \$699.95

Size.....Carbon

-(7-1/8") BEL1207001
7-1/8".....BEL1207002
7-1/4".....BEL1207003
7-3/8".....BEL1207004
7-1/2".....BEL1207005
7-5/8".....BEL1207006

7-3/4".....BEL1207007.....**\$999.95**

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Dominator.2

The legendary Dominator is the most innovative, popular and successful open wheel helmet that Bell has ever produced. The Dominator.2 incorporates the latest tech and updates while retaining the aggressive and distinctive Dominator styling, this helmet is designed for open wheel, dirt track and kart racers who demand aerodynamic stability, outstanding comfort and fit plus superior ventilation.

- 287 3mm SRV (SRV-1 Pivot Sys) – Clear Shield
- Sizes 7 1/8 (57) to 7 5/8+ (61+)
- Available in White or Matte Black
- Snell SA2015 Homologation



Tear-Offs
RAC10208C

Size ...WhiteMatte Bk
 7-1/8" .BEL1312001 .BEL1312011
 7-1/4" .BEL1312002 .BEL1312012
 7-3/8" .BEL1312003 .BEL1312013
 7-1/2" .BEL1312004 .BEL1312014
 7-5/8" .BEL1312005 .BEL1312015
 7-3/4" .BEL1312006 .BEL1312016...**\$799.95**

RS7

Based on the HP7 design and featuring a lightweight carbon composite shell using Bell's high-pressure proprietary molding system, the RS7 uses an innovative shell and shield design to improve acoustic comfort, aerodynamic performance and energy absorbing capacities. The RS7 double screen anti fog (DSAF) visor and rubber gasket seal ensures air, water and dust will not enter the eyepoint.

- SE07 3MM DSAF Shield (SV SE07 Pivot Sys) - Clear
- Sizes 7 1/8 (57) to 7 5/8+ (61+)
- Available in White or Matte Black
- Snell SA2015 • FIA8859-2015 Homologation



Tear-Offs
RAC10237C

Size....WhiteMatte Bk
 6-3/4" .BEL1310001 .BEL1310011
 6-7/8" .BEL1310002 .BEL1310012
 7" .BEL1310003 .BEL1310013
 7-1/8" .BEL1310004 .BEL1310014
 7-1/4" .BEL1310005 .BEL1310015
 7-3/8" .BEL1310006 .BEL1310016
 7-1/2" .BEL1310007 .BEL1310017
 7-5/8" .BEL1310008 .BEL1310018
 7-3/4" .BEL1310009 .BEL1310019...**\$799.95**



RS7 Carbon

SizeNo Bill.....Bill
 6-3/4" .BEL1204021 .BEL1204001
 6-7/8" .BEL1204022 .BEL1204002
 7" .BEL1204023 .BEL1204003
 -(7-1/8") .BEL1204024 .BEL1204004
 7-1/8" .BEL1204025 .BEL1204005
 7-1/4" .BEL1204026 .BEL1204006
 7-3/8" .BEL1204027 .BEL1204007
 +(7-3/8") .BEL1204028 .BEL1204008
 7-1/2" .BEL1204029 .BEL1204009
 7-5/8" .BEL1204030 .BEL1204010
 +(7-5/8") .BEL1204031 .BEL1204011...**\$1329.95**



HP7 Carbon

The FIA8860 homologated, Carbon Fiber HP7 has been developed through close collaboration with leading F1 drivers and teams and as aerodynamically sleek, lightweight and efficient as possible for the intense demands of open-wheel, open-cockpit forms of racing that compete at higher speeds.

- SE07 3MM DSAF Shield (SV SE07 Pivot Sys) Clear
- Sizes 7 1/8 Minus (57-) to 7 5/8 Plus (61+)
- Carbon Finish • Snell SA2015 Homologation
- FIA8860-2015 Homologation

SizeBillNo Bill
 6-7/8" .BEL1101001 .BEL1101021
 -(7") .BEL1101002 .BEL1101022
 7" .BEL1101003 .BEL1101023
 +7" .BEL1101004 .BEL1101024
 -(7-1/8") .BEL1101005 .BEL1101025
 7-1/8" .BEL1101006 .BEL1101026
 7-1/4" .BEL1101007 .BEL1101027
 7-3/8" .BEL1101008 .BEL1101028
 +7-3/8" .BEL1101009 .BEL1101029
 7-1/2" .BEL1101010 .BEL1101030
 7-5/8" .BEL1101011 .BEL1101031
 +7-5/8" .BEL1101012 .BEL1101032...**\$3499.95**



Tear-Offs
RAC10237C

Sport EV

The Sport EV, an extended vision helmet with an extra-large eye opening has been designed for the entry level racer who demands value and quality at an affordable price. The all-purpose Sport EV incorporates classic Bell design styling, a wide range of features and is a perfect choice for racers who prefer a wide eyepoint or who wear eyeglasses.

- White or Matte Black
 - 288 3 mm SRV Shield (SRV-1 Pivot Sys)
 - Sizes S (57) to XL (61+)
 - Snell SA2015 Homologation
- Size .WhiteMatte Black**
 S .BEL1423001 .BEL1423011
 M .BEL1423002 .BEL1423012
 L .BEL1423003 .BEL1423013
 XL .BEL1423004 .BEL1423014...**\$399.95**



Tear-Offs
RAC10205C

Sport Mag

The Bell tradition of building high quality open face helmets with classic styling lives on in the Sport Mag. The Sport Mag helmet is designed for racers who enjoy the feel of an open face helmet and demand value and quality at an affordable price.

- Sizes S (57) to XL (61+) • Snell SA2015 Homologation
 - Available in White, Gloss Black, Safety Orange
- SizeWhite.....Black**
 S .BEL1426001 .BEL1426011
 M .BEL1426002 .BEL1426012
 L .BEL1426003 .BEL1426013
 XL .BEL1426004 .BEL1426014
 2XL .BEL1426005 .BEL1426015
 3XL .BEL1426006 .BEL1426016
 4XL .BEL1426007 .BEL1426017...**\$299.95**



JUNIOR HELMETS

GP.2 Youth

It is a fantastic choice for young racers who demand great styling, superior features, lightweight and excellent fit in a smaller configuration. It is built specifically for children and younger racers who need a youth helmet that is fire retardant.

- 287 3MM SRV Shield (SRV-1 Pivot System)
 - SFI 24.1 (2015) Youth Homologation
- Size .SilverFlat Black**
 4XS .BEL1425021 .BEL1425011
 3XS .BEL1425022 .BEL1425012
 2XS .BEL1425023 .BEL1425013
 XS .BEL1425024 .BEL1425014



Tear-Offs
RAC10208C

\$299.95 \$299.95

Size .WhiteOrange
 4XS .BEL1425001 .BEL1425031
 3XS .BEL1425002 .BEL1425032
 2XS .BEL1425003 .BEL1425033
 XS .BEL1425004 .BEL1425034

\$299.95 \$299.95

HP5 Touring

It is intended for racers in closed car environments who use an external cooling system (not included) and want the added protection of the FIA8860 std. The ultra-versatile HP5 Touring can be used as an all-purpose helmet, with visor peak for closed car racing and with available side and top forced air attachments making it flexible and adaptable to multiple forms of racing.

- SE05 3MM shield (SV SE03/05 Pivot Sys) – Clear Shield
- Snell SA2015 Homo • FIA8860-2015 Homologation

Size.....Carbon Fiber
 -(7-1/8") .BEL1102001
 7-1/8" .BEL1102002
 7-1/4" .BEL1102003
 7-3/8" .BEL1102004
 +(7-3/8") .BEL1102005
 7-1/2" .BEL1102006
 7-5/8" .BEL1102007
 +(7-5/8") .BEL1102008

\$2399.95



KC7-CMR

An ultra-lightweight youth karting helmet based on the HP7 design platform. The sleek, aerodynamic design features an advanced ventilation system with 14 intake and extraction channels that can be used with or without air intake covers to maximize cooling. The RS7 double screen anti fog (DSAF) visor and rubber gasket seal ensures water will not enter the eye opening in rain conditions.

SizeWhite.....Green Graphic
 6-1/2" .BEL1311001
 6-5/8" .BEL1311002
 6-3/4" .BEL1311003 .BEL1311011
 6-7/8" .BEL1311004 .BEL1311012
 7" .BEL1311005 .BEL1311013
 7-1/8" .BEL1311006 .BEL1311014
 7-1/4" .BEL1311007 .BEL1311015
 7-3/8" .BEL1311008 .BEL1311016...**\$499.95**



Tear-Offs
RAC10208C

Helmet Shields



Type	Clear	Amber	Light Smoke	Dark Smoke	Chrome Blue	Chrome Gold	Chrome Silver
287 SRV- K.1 Pro, Star GP, Star Infusion, Dominator.2	\$59.95	\$59.95	\$59.95	\$59.95	\$79.95	\$79.95	\$79.95
GPX.2, GP.2, GP.2 Youth	BEL2010171	BEL2010174	BEL2010172	BEL2010173	BEL2010175		BEL2010176
276 SRV- Vortex GT, K.1 Sport	BEL2010151	BEL2010154	BEL2010152	BEL2010153	BEL2010155	BEL2010157	BEL2010156
281 SRV- M.4, Sport, BR.1	BEL2010161	BEL2010164	BEL2010162	BEL2010163	BEL2010165		BEL2010166
288 SRV- Infusion EV/Sport EV	BEL2010181	BEL2010184	BEL2010182	BEL2010183	BEL2010185	BEL2010187	BEL2010186
289 SRV- Vador	BEL2010191	BEL2010194	BEL2010192	BEL2010193	BEL2010195	BEL2010197	BEL2010196
Price	\$79.95	\$79.95	\$79.95	\$79.95	\$79.95	\$69.95	\$79.95
M.8 SA2015 (SRV-8) 3mm	BEL2010201	BEL2010204	BEL2010202	BEL2010203	BEL2010205		BEL2010206

Type	Clear	Yellow	Light Smoke	Dark Smoke	Blue Mirror	Gold Mirror	Silver Mirror
Price	\$79.95	\$79.95	\$79.95	\$79.95	\$79.95	\$79.95	\$79.95
HP7/RS7 Carbon/RS7 Ult(SE07)	BEL2010041	BEL2010044	BEL2010042	BEL2010043	BEL2010047	BEL2010046	BEL2010045
GP3/GTX.3 (SE03)	BEL2010001	BEL2010004	BEL2010002	BEL2010003	BEL2010007	BEL2010006	BEL2010005

HELMETS




ST5 GT Composite Snell 2015

The Stilo ST5 is the new generation of full face helmet from Stilo. The cutout for the eyepoint on all ST5 helmets is taller than the previous ST4 and has a special visor to accommodate the larger opening. The ST5 GT carries a Snell 2015 certification which satisfies almost all racing sanctioning bodies' requirements for helmet certifications. Available with integrated Electronics, Air Supply and Hydration or any combination of the three, this helmet offers flexibility while maintaining a clean cabin. There are no wires or hoses hanging down below the helmet - everything integrates seamlessly with the shell of the helmet. Features an M6 nut integrated into the shell for interfacing with Head and Neck Restraints. The helmet comes with a full size clear visor.

Silver Flat Black

XS/54 ...STIAA0700AF2M54 ...STIAA0700AF2M540401
S/55 ...STIAA0700AF2M55 ...STIAA0700AF2M550401
M/57 ...STIAA0700AF2M57 ...STIAA0700AF2M570401
L/59 ...STIAA0700AF2M59 ...STIAA0700AF2M590401
L+/60 ...STIAA0700AF2M60 ...STIAA0700AF2M600401
XL/61 ...STIAA0700AF2M61 ...STIAA0700AF2M610401
2XL/63 ...STIAA0700AF2M63 ...STIAA0700AF2M630401
3XL/64 ...STIAA0700AF2M64 ...STIAA0700AF2M640401
\$942.00 **\$942.00**

White w/Blue Interior

XS/54 ...STIAA0700AF2M540102
S/55 ...STIAA0700AF2M550102
M/57 ...STIAA0700AF2M570102
L/59 ...STIAA0700AF2M590102
L+/60 ...STIAA0700AF2M600102
XL/61 ...STIAA0700AF2M610102
2XL/63 ...STIAA0700AF2M630102
3XL/64 ...STIAA0700AF2M640102
\$942.00

ST5 GT Carbon Snell 2015

The ST5 GT Carbon Helmet is an evolution from the ST4 GT. The cutout for the eyepoint on all ST5 helmets is taller than the previous ST4 and has a special visor to accommodate the larger opening. The ST5 GT carries a Snell 2015 certification which satisfies almost all racing sanctioning bodies' requirements for helmet certifications. Available with integrated Electronics, Air Supply and Hydration or any combination of the three, this helmet offers flexibility while maintaining a clean cabin. There are no wires or hoses hanging down below the helmet - everything integrates seamlessly with the shell of the helmet.

XS/54 ...STIAA0700AF1M54
S/55 ...STIAA0700AF1M55
M/57 ...STIAA0700AF1M57
L/59 ...STIAA0700AF1M59
L+/60 ...STIAA0700AF1M60
XL/61 ...STIAA0700AF1M61
2XL/63 ...STIAA0700AF1M63
3XL/64 ...STIAA0700AF1M64
\$1915.00

Tear-Offs
RAC10252C
With Large Tabs

RAC10259C
With Small Tabs

HELMET ACCESSORIES

Helmet Size Chart

Size	CM	Inches	US Hat Size	Shell
XS (54cm)	53-54	.21 - 21-1/4	6-5/8 - 6-3/4	Small
S (55cm)	55-56	.21-5/8 - 22	6-7/8 - 7	Small
M (57cm)	57-58	.22-3/8 - 22-3/4	7-1/8 - 7-1/4	Small
L (59cm)	59-60	.23-1/4 - 23-5/8	7-1/4 - 7-1/2	Small
L+ (60cm)	60-61	.23-1/4 - 23-5/8	7-1/4 - 7-1/2	Large
XL (61cm)	61-62	.24 - 24-3/8	7-5/8 - 7-3/4	Large



So you can have that custom fit for your Stilo racing helmet.

20MM ...STIYA0825MM20**\$75.00**
25MM ...STIYA0825MM25**\$75.00**
33MM ...STIYA0825MM33**\$75.00**
35MM ...STIYA0825MM35**\$75.00**

Stilo Helmet Bag

To help protect your new Stilo Helmet. Designed to carry one helmet with hans device attached. Constructed of nylon and neoprene.

STIYY0016**\$119.00**

Top Air System Kit

For sizes from XS 54 to L 59.
STIYA0834**\$119.00**

For sizes from XL 60 to 3XL 64.
STIYA0857**\$119.00**

Stilo Helmet Shields

Anti-fog and anti-scratch visors. Note to preserve the applied anti fog inside treatment, visors should not be cleaned with water based products.

ClearSTIYA0800**\$129.00**
Smoke MediumSTIYA0801**\$129.00**
Smoke DarkSTIYA0802**\$129.00**
Mirror MediumSTIYA0803**\$169.00**
Mirror DarkSTIYA0804**\$169.00**
Iridium Blue MediumSTIYA0805**\$169.00**
Iridium Blue DarkSTIYA0806**\$169.00**
Iridium Red MediumSTIYA0807**\$169.00**
Iridium Red DarkSTIYA0808**\$169.00**
Yellow MediumSTIYA0809**\$169.00**
Yellow DarkSTIYA0810**\$169.00**
AmberSTIYA0813**\$169.00**
Double Glazed - ClearSTIYA0814**\$169.00**
Double Glazed - YellowSTIYA0815**\$169.00**



Acrysol Shield Cleaner

Acrysol Shield Cleaner is the only cleaner that should be used on Simpson Venator helmet shields and all Stilo helmet shields. It should be applied using a standard paper towel. Micro Fiber cloths should not be used. This product also works for cleaning all other Simpson shields without damaging the anti-fog, anti-scratch, or colored coatings (mirror, iridium). Will not damage shield coatings. Safe to use on most painted or plastic surfaces. Should be used with a regular paper towel and not a micro fiber cloth. No lingering odor. No film residue.

STIYA0640**\$19.95**

ST5 Front Spoiler

Stabilizes areodynamic vibrations at high speed.

STIYA0823**\$49.00**

Rear Spoiler

Designed for multiple fitments with dedicated fixation tape.

STIYA0623**\$54.00**

ST5 Peaks

The peak can be lowered allowing good visibility to the driver even when the sun is low on the horizon. The peak can be fitted alone or with visors.

STIYA0862**\$225.00**

Sun Screen ST5 Short Visors

High optical quality flipup visor.

STIYA0816**\$129.00**

Stilo to Raceceiver Adapter

STIAC0810SL**\$60.00**

US Adapter Helmet to Nascar 3c Longer Version

STIAC0225**\$60.00**

Stilo Mic Speakers

STIAE0210**\$135.00**

Stilo Passive Noise Attenuating Removeable Earmuffs

STIYA0002**\$26.00**

Anti Fog Deflector Kit

STIYA0873**\$25.00**

Stilo ST5 Visor Locking System

STIYA0818**\$42.00**

Stilo Electronic Wrench Set

STIYY0024**\$95.00**

ST5 Long Chin Flap

STIYA0699**\$20.00**

ST5 Fitment Adjusting Pad For Crown

10....STIYA0828MM10.....**\$9.00**
13....STIYA0828MM13.....**\$9.00**
15....STIYA0828MM15.....**\$9.00**

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



ST5 FN Zero FIA8860-2018 w/PA

The ZERO helmets are the lightest 8860 helmets available anywhere in the world, thanks to the new shell made from a specific quality of high-tensile carbon. These helmets are homologated to FIA 8860-2018. Includes: Hans Post, Helmet Bag, and Ear Cups.



Tear-Offs
RAC10252C
With Large Tabs

RAC10259C
With Small Tabs

XS/54 ...STIAA0710AG3R54
S/55STIAA0710AG3R55
M/57STIAA0710AG3R57
L/59STIAA0710AG3R59
L+/60STIAA0710AG3R60
XL/61STIAA0710AG3R61
2XL/63...STIAA0710AG3R63
3XL/64...STIAA0710AG3R64
\$5495.00

ST5 GT Zero FIA8860-2018 w/PA

The ZERO helmets are the lightest 8860 helmets available anywhere in the world, thanks to the new shell made from a specific quality of high-tensile carbon. These helmets are homologated to FIA 8860-2018. Includes Hans Post, Helmet Bag, and Ear Cups.



Tear-Offs
RAC10252C
With Large Tabs

RAC10259C
With Small Tabs

XS/54 ...STIAA0700AG3R54
S/55STIAA0700AG3R55
M/57STIAA0700AG3R57
L/59STIAA0700AG3R59
L+/60STIAA0700AG3R60
XL/61STIAA0700AG3R61
2XL/63...STIAA0700AG3R63
3XL/64...STIAA0700AG3R64
\$5495.00

ST5FN ABP Zero FIA8860-2018

ABP is the acronym for: Advanced Ballistic Protection. The ABP replaces the current zylon panel required by FIA in the previous generation of FIA 8860-2010 helmets, integrating a stronger protection into the front part of the helmet shell. A brand new test was specifically introduced to test the area, based on military ballistic specifications with a projectile shot at a 250 km/h speed. ST5FN ABP is the first helmet to be certified to this new standard, offering a higher safety degree while maintaining dimensions and weight! (Includes: Front Spoiler, Rear Spoiler, Earcups



Tear-Offs
RAC10252C
With Large Tabs

RAC10259C
With Small Tabs

XS/54 ...STIAA0710AG3S54
S/55STIAA0710AG3S55
M/57STIAA0710AG3S57
L/59STIAA0710AG3S59
L+/60STIAA0710AG3S60
XL/61STIAA0710AG3S61
2XL/63...STIAA0710AG3S63
3XL/64...STIAA0710AG3S64
\$5995.00

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

ST5 GT FIA8860-2018 W/PA

The FIA 8860 Helmet homologation standard is meant to standardize helmet specifications for professional racing series. Most racers will not need helmets that conform to these extremely stringent regulations. Please check your rules to see if you need an 8860 helmet.



Tear-Offs
RAC10252C
With Large Tabs

RAC10259C
With Small Tabs

XS/54 ...STIAA0700AG1R54
S/55STIAA0700AG1R55
M/57STIAA0700AG1R57
L/59STIAA0700AG1R59
L+/60STIAA0700AG1R60
XL/61STIAA0700AG1R61
2XL/63...STIAA0700AG1R63
3XL/64...STIAA0700AG1R64
\$2999.00

ST5 FN Carbon FIA8860-2018 W/PA

The Naked line of helmets (designated "FN") takes the concept of lightness further by eliminating the integrated accessory ports on the side of the helmet. This gives absolutely the lightest Full-face Formula style helmet in the world at just 2.58 pounds. The FIA 8860 Helmet homologation standard is meant to standardize helmet specifications for professional racing series. Most racers will not need helmets that conform to these extremely stringent regulations. Please check your rules to see if you need an 8860 helmet.



Tear-Offs
RAC10252C
With Large Tabs

RAC10259C
With Small Tabs

XS/54 ...STIAA0710AG1R54
S/55STIAA0710AG1R55
M/57STIAA0710AG1R57
L/59STIAA0710AG1R59
L+/60STIAA0710AG1R60
XL/61STIAA0710AG1R61
2XL/63...STIAA0710AG1R63
3XL/64...STIAA0710AG1R64
\$2999.00

WRC DES Composite Snell 2015

The WRC DES Composite helmet has the same shape and fit as the WRC DES 8860 helmet, but without the extra thick 100% Carbon Fiber shell. It is formed in the same manner as the 8860, but with a Kevlar/Fiberglass mix which yields a competitively priced helmet without sacrificing strength and weight.



XS/54 ...STIAA0210BF2M55
S/55STIAA0210BF2M57
M/57STIAA0210BF2M59
L/59STIAA0210BF2M59
L+/60STIAA0210BF2M60
XL/61STIAA0210BF2M61
2XL/63...STIAA0210BF2M63
3XL/64...STIAA0210BF2M64
\$869.00

WRC DES Carbon Snell 2015

The WRC DES Composite helmet has the same shape and fit as the WRC DES 8860 helmet, but with the extra thick 100% Carbon Fiber shell. It is formed in the same manner as the 8860, but with a Kevlar/Fiberglass mix which yields a competitively priced helmet.



XS/54 ...STIAA0210BF1M54
S/55STIAA0210BF1M55
M/57STIAA0210BF1M57
L/59STIAA0210BF1M59
L+/60STIAA0210BF1M60
XL/61STIAA0210BF1M61
2XL/63...STIAA0210BF1M63
3XL/64...STIAA0210BF1M64
\$1799.00

ST5 FN Composite Snell 2015

The Stilo ST5 is the new generation of full face helmet from Stilo. The Formula line of helmets (designated "FN") takes the concept of lightness further by eliminating the integrated accessory ports on the side of the helmet. This gives absolutely the lightest Full-face Formula style helmet in the world.



Tear-Offs
RAC10252C
With Large Tabs

RAC10259C
With Small Tabs

XS/54 ...STIAA0710AF2M54
S/55STIAA0710AF2M55
M/57STIAA0710AF2M57
L/59STIAA0710AF2M59
L+/60STIAA0710AF2M60
XL/61STIAA0710AF2M61
2XL/63...STIAA0710AF2M63
3XL/64...STIAA0710AF2M64
\$912.00

ST5 FN Carbon Snell 2015

The Naked line of helmets (designated "FN") takes the concept of lightness further by eliminating the integrated accessory ports on the side of the helmet. This gives absolutely the lightest Full-face Formula style helmet in the world at just 2.58 pounds.



Tear-Offs
RAC10252C
With Large Tabs

RAC10259C
With Small Tabs

XS/54 ...STIAA0710AF1M54
S/55STIAA0710AF1M55
M/57STIAA0710AF1M57
L/59STIAA0710AF1M59
L+/60STIAA0710AF1M60
XL/61STIAA0710AF1M61
2XL/63...STIAA0710AF1M63
3XL/64...STIAA0710AF1M64
\$1995.00

ST5F Offshore Snell SA2015

The shell is made of combination of glass fiber and Kevlar (Multi Sandwich Fiber) Integrated intercom and connection plugs. Prepared to work with 2 or 4 channels Stilo intercoms. Auxiliary: Snell SA 2015 and FIA 8895-2015



Tear-Offs
RAC10252C
With Large Tabs

RAC10259C
With Small Tabs

XS/54 ...STIDA0702BF2M54
S/55STIDA0702BF2M55
M/57STIDA0702BF2M57
L/59STIDA0702BF2M59
L+/60 ...STIDA0702BF2M60
XL/61 ...STIDA0702BF2M61
2XL/63...STIDA0702BF2M63
3XL/64...STIDA0702BF2M64
\$1100.00





Champ Suit 2 Layer

It was manufactured utilizing advanced Nomex materials providing drivers with the highest level of fire protection, breathability, comfort and professional modern appearance. The 360-degree, full floating sleeves, as well as both crotch and lower back stretch panels provide full range of motion while driving. The Champ suit is lightweight and a perfect choice for auto racing venues and exceeds the stringent SFI 3.2A/5 & FIA 8856-2000 homo stds.



Black/Red **Black/Blue** **White/Red** **White/Blue**
 S.....K1-20-CHA-NR-S.....K1-20-CHA-NB-S.....K1-20-CHA-WR-S.....K1-20-CHA-WR-S
 M.....K1-20-CHA-NR-M.....K1-20-CHA-NB-M.....K1-20-CHA-WR-M.....K1-20-CHA-WR-M
 L.....K1-20-CHA-NR-L.....K1-20-CHA-NB-L.....K1-20-CHA-WR-L.....K1-20-CHA-WR-L
 XL.....K1-20-CHA-NR-XL.....K1-20-CHA-NB-XL.....K1-20-CHA-WR-XL.....K1-20-CHA-WR-XL
 2XL.....K1-20-CHA-NR-2XL.....K1-20-CHA-NB-2XL.....K1-20-CHA-WR-2XL.....K1-20-CHA-WR-2XL
 3XL.....K1-20-CHA-NR-3XL.....K1-20-CHA-NB-3XL.....K1-20-CHA-WR-3XL.....K1-20-CHA-WR-3XL
\$895.00.....**\$895.00**.....**\$895.00**.....**\$895.00**

Precision 2 Layer Suit Adult & Youth

Combining precision styling, fit and revolutionary design we have created a suit that not only offers almost zero restrictions to movement, but raises the competitive bar with it's ultra-lightweight outer shell, and unbeatable breathability at a fraction of the cost. This advanced, premium Nomex driver's suit is precisely the choice for racers across multiple segments of the motorsports industry.



Black/Gray
 5XS.....K1-20-PRY-NG-5XS.....**\$399.00**
 4XS.....K1-20-PRY-NG-4XS.....**\$399.00**
 3XS.....K1-20-PRY-NG-3XS.....**\$399.00**
 2XS.....K1-20-PRY-NG-2XS.....**\$399.00**
 XS.....K1-20-PRY-NG-XS.....**\$399.00**
Black/Blue **Black/Red** **Black/Orange**
 S.....K1-20-PR2-NB-S.....K1-20-PR2-NR-S.....K1-20-PR2-GO-S.....**\$699.00**
 M.....K1-20-PR2-NB-M.....K1-20-PR2-NR-M.....K1-20-PR2-GO-M.....**\$699.00**
 L.....K1-20-PR2-NB-L.....K1-20-PR2-NR-L.....K1-20-PR2-GO-L.....**\$699.00**
 XL.....K1-20-PR2-NB-XL.....K1-20-PR2-NR-XL.....K1-20-PR2-GO-XL.....**\$699.00**
 2XL.....K1-20-PR2-NB-2XL.....K1-20-PR2-NR-2XL.....K1-20-PR2-GO-2XL.....**\$699.00**
 3XL.....K1-20-PR2-NB-3XL.....K1-20-PR2-NR-3XL.....K1-20-PR2-GO-3XL.....**\$699.00**

GT 2 Layer Suit

The K1 GT auto racing suit is a Nomex®, SFI-rated fire suit that is perfect for auto racing venues. The GT suit has a TPP rating of 25.5 - a full 6 points higher than what is required by SFI! It's 2-layer design is both light weight and breathable.



Black/Teal **Black/Green** **Black/Orange**
 S.....K1-20-GT2-NB-S.....K1-20-GT2-NV-S.....K1-20-GT2-NO-S.....**\$595.00**
 M.....K1-20-GT2-NB-M.....K1-20-GT2-NV-M.....K1-20-GT2-NO-M.....**\$595.00**
 L.....K1-20-GT2-NB-L.....K1-20-GT2-NV-L.....K1-20-GT2-NO-L.....**\$595.00**
 XL.....K1-20-GT2-NB-XL.....K1-20-GT2-NV-XL.....K1-20-GT2-NO-XL.....**\$595.00**
 2XL.....K1-20-GT2-NB-2XL.....K1-20-GT2-NV-2XL.....K1-20-GT2-NO-2XL.....**\$595.00**
 3XL.....K1-20-GT2-NB-3XL.....K1-20-GT2-NV-3XL.....K1-20-GT2-NO-3XL.....**\$595.00**

Victory 1 Layer Suit

It is constructed of Proban fire retardant cotton material with Hydro Oleo treatment to repel fluids. This unique material has been designed to allow air to pass through to keep cool, yet maintain full fire protection for the driver. This suit includes full 360 degree arm gussets to provide optimal mobility and the Crotch Stretch Panel allows the driver to easily slip in and out of the vehicle without the worry of pulled seams.



Black.....K1-20-VIC-N-S.....**\$215.00**
 M.....K1-20-VIC-N-M.....**\$215.00**
 L.....K1-20-VIC-N-L.....**\$215.00**
 XL.....K1-20-VIC-N-XL.....**\$215.00**
 2XL.....K1-20-VIC-N-2XL.....**\$215.00**
 3XL.....K1-20-VIC-N-3XL.....**\$215.00**



Triumph 2 - 1 Layer Suit

Meeting stringent SFI 3.2A/1 certification standards, our K1 single layer race suit is an ideal fire suit for a variety of racing classes, including dirt track and oval racing leagues such as Midgets, Quarter Midgets, Bandoleros, Sprint Cars, Legends, and Thunder Roadsters as well as sports car racing classes such as SCCA Solo and ProSolo.



Suit **Jacket** **Pants**
 S.....K1-20-TR2-NW-S.....K1-21-TR2-NW-S.....K1-22-TR2-NW-S
 M.....K1-20-TR2-NW-M.....K1-21-TR2-NW-M.....K1-22-TR2-NW-M
 L.....K1-20-TR2-NW-L.....K1-21-TR2-NW-L.....K1-22-TR2-NW-L
 XL.....K1-20-TR2-NW-XL.....K1-21-TR2-NW-XL.....K1-22-TR2-NW-XL
 2XL.....K1-20-TR2-NW-2XL.....K1-21-TR2-NW-2XL.....K1-22-TR2-NW-2XL
 3XL.....K1-20-TR2-NW-3XL.....K1-21-TR2-NW-3XL.....K1-22-TR2-NW-3XL
\$105.00.....**\$105.00**.....**\$99.00**

Flex Gloves

SFI 3.3/5 • FIA 8856-2000

Complying with both FIA 8856-2000

& SFI 3.3/5 homologation stds. Featuring a seamless, pre-curved palm and finger design that naturally flows with the contour of the hand, the palm of the Flex glove is strategically engineered with an ultra-grip, fire resistant silicon surface for improved flexibility, grip and comfort. **Colors: Black (NG), Red (RG), White (GW), Flo Blue (FB), Flo Green (FV), and Flo Yellow (FY).** **Sizes: S-XL.**
 K1-23-FLX-(Color)-(Size).....**\$115.99**



Track 1 SFI 3.3/5

Certified to SFI 3.3/5 standards, the NEW Track 1 Nomex gloves incorporate the latest, innovative materials and premium design features at an entry level cost. Pre-curved fingers and palm help reduce fatigue while driving. New strategically positioned silicone printing throughout glove for weight savings & improved grip. Pre-Curved fingers w/ external stitching. Elastic cuff opening for ease and secure fit. Minimal externally stitched seams to eliminate discomfort and pressure points while driving.

Colors: Black (N), Blue (B), or Red (R). **Sizes S-XL.**

K1-23-TR1-(Color)-(Size).....**\$79.00**



K1 Precision Nomex Tech Layers

The K1 Precision line of Nomex Tech Layers combines the three most important features drivers look for in protective underwear. Cost, comfort and added protection. This durable, soft knit underwear is crafted with flat, interlock stitching for comfort and performs excellent under any driving suit with it's moisture wicking properties.

Tops - Long Sleeve ..K1-26-PLS-N-(size) ..**\$99.00**

Tops - Short Sleeve..K1-26-PSS-N-(size) ..**\$99.00**

Bottoms.....K1-26-PRP-N-(size) ..**\$87.00**



K1 Single Layer Nomex Headsock

Our single-layer, fire-resistant Nomex balaclava is a great head sock for both karters and auto racers. Constructed from single-layer Nomex for enhanced breathability and comfort, and featuring a reverse stitched design for a closer and less obtrusive fit, our fire-resistant balaclava head sock is a great addition for individuals who regularly compete while wearing a helmet.

WhiteK1-26-SLH-W**\$39.00**

Black.....K1-26-SLH-N**\$39.00**



K1 Premier - Nomex Fire Socks

Nomex fabric, which both absorbs and wicks moisture away from the body and provides invaluable protection against heat and fire, provides the racer with everything that he or she could want in a fabric. It is lightweight and comfortable, yet durable enough to withstand extreme temperatures.

Black.....K1-26-NSO**\$22.00**



K1 GTX-1 Shoe SFI 3.3/5

The GTX-1 is a mid-top design constructed with soft calf skin leather and strategically placed perforated vents for superior comfort and breathability. The lightweight, pre-formed rubber sole is designed to offer drivers excellent pedal feel without sacrificing durability.

Sizes: 6.5-14 Black/Black, White/Black, Red/Black
 K1-24-GTX-(size).....**\$229.00**



K1 Champ Shoe SFI 3.3/5

Our K1 Champ Nomex race shoes are specifically designed to meet the needs of auto racers, and are SFI 3.3/5 certified to meet competition eligibility. Constructed from high quality Nomex, leather and rubber, the Champ is a useful and comfortable racing shoe that not only provides superb pedal feel, but also protection against fire. **Sizes: 6.5-14**

Black/White
 K1-24-CHP-GN-(size).....**\$155.00**



Nomad Gear Bag

It is designed to be the most functional, fully loaded travel bag available to racers and teams. The thoughtful design features incorporated in the Nomad bag allows for abundance of race gear and personal item storage on trips to the local track, across the globe, or wherever your travels take you.

K1-33-NOM**\$199.99**



HELMETS

G-FORCE
RACING GEAR

Revo

The new REVO is built with a Strategically Reinforced Composite Shell engineered specifically for the SNELL SA2015 specs. This SRC Shell is coated with a deep gloss white, gloss black or matte black paint. Across the chinbar and crown of the helmet, you will see the polished aluminum grill guards of the Siphon12 Ventilation Network, a system of 6 intake ports, 2 forehead ports and 4, rearward exhaust ports designed to move heated out of the helmet. Sizes: XS- XXL. Colors, BK, WH, MB. SA2015.

RevoGFO3410.....\$299.99

Revo Carbon

It provides a premium fit and style option to the helmet line with a carbon finish. The new Revo Carbon is built with a reinforced Carbon Composite Shell engineered for Snell SA15 specs. Composite Shell is coated with a deep gloss clear for a brilliant shine. Across the chinbar and crown of the helmet, you will see the polished aluminum grill guards of the Siphon12 Vent Network, a system of 6 intake ports, 2 forehead ports & 4, rearward exhaust ports designed to move heated out of the helmet. The bottom of the Helmet is more contoured to today's helmet restraint devices and is lined with a rubber gasket made for easy use & cleaning.

Revo Carbon.....GFO3411BK.....\$474.99

GF1

GF1 open face helmet is based on classic design with modern features. The GF1 is both lightweight and durable due to a fiberglass composite shell. The driver will notice a lighter feel and less neck strain when wearing the GF1 helmet. The G-79 interior impact liner is produced using the proprietary, Conehead Technology. Sizes: S-XXL. Colors: BK, WH, Snell SA2015/

GF1GFO3121.....\$179.99

Helmet Sizing Chart

Size	Hat	Inches
X-Small	6-5/8" to 6-3/4"	20-7/8" to 21-1/4"
Small	6-7/8" to 7"	21-5/8" to 22"
Medium	7-1/8" to 7-1/4"	22-3/8" to 22-3/4"
Large	7"-3/8" to 7-1/2"	23-1/8" to 23-1/2"
X-Large	7-5/8" to 7-3/4"	23-7/8" to 24-1/4"
XX-Large	7-7/8" to 8"	24-3/4" to 25-1/8"



Adult Helmet Shields

Profit for GF3 (Clear)GFO8601\$34.99
 Profit for GF3 (Smoke)GFO8602\$34.99
 Profit for GF3 (Mirror Smoke)GFO8603\$34.99
 Profit for GF3 (Amber)GFO8604\$39.99
 Profit for GF3 (Blue Mirror)GFO8605\$39.99
 Profit for GF3 (Light Smoke)GFO8606\$34.99
 Revo (Clear)GFO8701\$54.99
 Revo (Smoke)GFO8702\$64.99
 Revo (Mirror Smoke)GFO8703\$64.99
 Revo (Amber)GFO8704\$64.99
 Revo (Blue Mirror)GFO8705\$64.99

Pivot Kits

SA 2015: GF3.. GFO3016.....\$14.99

GF 235 RaceGrip Mid Top Shoes

Full leather construction with double-stitch seams. Rubberized sole for long life and good pedal feel. Ankle padding for comfort and fit. Comfort fit insoles for superior arch support. The shoe is lined with fire-retardant cotton to keep your feet cool in hot racing conditions and extra comfort is provided by a Race-Grip innersole with arch support. Manufactured from a high grip rubber compound and low-profile beveled sole that keeps the shoe from catching on the pedals. SFI 3.3/5 Black, Blue, & Red. Size: 3-14. GFO0235...\$69.99



GLOVES

G5 Gloves Adult & Child

They are designed for those who require the stringent SFI-5 requirements while giving the racer the lightweight feel and flexibility of the G1 RaceGrip glove. Premium quality Nomex and premium leather are used along with a reinforced leather palm, leather reinforced knuckle pad, and adjustable Velcro wrist closure. The G5 gloves are lined with a flame retardant fabric that wicks moisture away from your hands while maintaining that unique RaceGrip feel. SFI 3.3/5 RATING. Color: Black, Blue, Red, & Orange. Size: XXS-XXL & Child S-M.

GFO4101...\$39.99


GF6 Gloves

Adult

They were designed to be the new standard in functionality in an affordable glove. This SFI 3.3/5 rated, a flame retardant outer knit layer, supple leather palm and a Velcro adjuster to snug the fit. This allows for less weight and bulk on the hands that all users will appreciate. They use CrossHatch stitching for durability. With a mid-level price point the G6 is set to be the first choice for an SFI 3.3/5 Glove. Colors Black, Blue, or Red. Size S-XXL.

GFO4106...\$59.99


G7 Silicone Infused Glove SFI 3.3/5

The all new G7 Race Glove was designed to offer the first Silicone Infused glove at a minimal price. This SFI 3.3/5 rated, professional driver's glove is made with a flame retardant base knit layer, Silicone Infused palm and a simple elastic wrist to snug the fit.

This allows for less weight and bulk on the hands that all users will appreciate. It uses CrossHatch stitching for durability. Sold in black with gray colors and all come with the black and red silicone for grip. With a mid-level price point the G7 is set to be the first choice for a high grip glove. Sold in Black and Gray design with Red accents. Size: S-XXL.

GFO4107...\$69.99


Latch & Link Seat Belts

G-FORCE
RACING GEAR

Individual Shoulder

- SFI 16.1 RATING
- Adj Length • Shoulder: 26" - 50"
- Pull-Up Lap: 38" - 80"
- Pull-Down Lap: 38" - 67"
- Sub-Strap: 7" - 25"



Pull Down: BlackGFO6000BK\$69.99
 Pull Down: Red/Blue..GFO6000RD/BU..\$74.99

Camlock Seat Belts

Individual Shoulder

- SFI 16.1 RATING
- Adj Length • Shoulder: 26" - 50"
- Pull-Up Lap: 38" - 80"
- Pull-Down Lap: 38" - 67"
- Sub-Strap: 7" - 25"

Pull Down: Black.....GFO7000BK\$149.99
 Pull Down: Red/Blue..GFO7000RD/BU..\$154.99



Junior Racer

- SFI 16.1 RATING
- Black, Blue, and Red.
- Adj Length • Shoulder: 19" - 35"
- Pull-Down Lap: 18.5" - 49"
- Sub-Strap: 6" - 15.5"

Pull-Up.....GFO6460...\$69.99




FIRE SUITS

G-FORCE
RACING GEAR

2 Lyr Suit GF525

SFI 3.2A/5 Rating. Pyrovatex Fabric. TPP rating of 21. Black, Red, and Blue. Size S-3XL (4XL Pants & Jackets). It has a SFI 3.2A/5 rating. The SFI 3.2A/5 tag is included and has been moved to the left arm cuff so that tech inspectors can easily see the certification. The multi layers of this suit have been produced with a proprietary blend of Pyrovatex fabric & classified materials to achieve the TPP rating of 21. The inner layer of the GF-525 is a comfortable bend that wicks moisture from the skin while providing a breathable feel. Has Boot Cuff.

Suit.....GFO4525...\$264.99
JacketGFO4526...\$164.99
Pants.....GFO4527...\$144.99
Pyrovatex Fabric
3.2A/5 Rating


1 Layer Suit GF145

SFI 3.2A/1 Rating. Pyrovatex Fabric. TPP rating of 10. Black, Red, and Blue. Adult Size: S-3XL. Child Size: S-L. The GTex construction that has been used in all G-Force Racing Gear suits has been utilized to manufacture the GF-145 at specs that exceed the SFI 3.2A/1 specifications. The SFI 3.2A/1 tag is included and has been moved to the left arm cuff so that tech inspectors can easily see the certification. The single layer of this suit is made with Pyrovatex fabric to achieve the TPP rating of near 10. Boot Cuff on all.

Suit.....GFO4145...\$109.99
Pyrovatex Fabric
3.2A/1 Rating

Adult & Child

1 Lyr Suit GF125

SFI 3.2A/1 Rating. Pyrovatex Fabric. TPP rating of 10. Black, Red, and Blue. Size S-3XL (4XL Pants & Jackets). GTex construction is utilized to manufacture the GF-125 at specs that exceed the SFI 3.2A/1 specifications. SFI 3.2A/1 tag is included. The single layer of this suit is made with Pyrovatex fabric to achieve the TPP rating of near 10. Boot Cuff on all.

Suit.....GFO4125...\$109.99
Jacket.....GFO4126...\$69.99
Pants.....GFO4127...\$59.99
Pyrovatex Fabric
3.2A/1 Rating


Sizing Chart for Driving Suit

Size	Chest	Waist*	Hip	Inseam	Sleeve**	Neck
CHILD (S)	27-29"	21-24"	26-28"	18-19"	20-21"	10.5-11.5"
CHILD (M)	30-32"	24-26"	30-32"	21.5-22.5"	23-24"	11.5-12.5"
CHILD (L)	33-34"	26-28"	33.5-34.5"	24"	26.5-27.5"	12-13"
S	36-38"	29-32"	35-37"	29-30"	28-29"	13-14"
M	38-41"	32-35"	38-40"	30-31"	30-32"	13.5-15"
L	42-46"	38-40"	42-44.5"	32-33"	33-34"	15-16.5"
XL	46-49"	41-43"	45-48"	32.5-33.5"	34-35"	16-17.5"
XXL	50-54"	44-48"	50-52.5"	32.5-33.5"	35-37"	17.5-19"
XXXL	70.5"	70"			41.5"	24-25"

* Measure at your normal beltline

** Measure from the back of the neck at the ctr to your wrist; arm bent 90° angle at the elbow

Nomex Underwear

Flame-retardant underwear is essential for providing the last line of defense in a fire. The soft knit is hypoallergenic and more comfortable on the skin than the old standby. The double stitching provides added durability. SFI 3.3 RATING • Size: S-XXL

TopGFO4160...\$69.99
Bottom...GFO4161...\$69.99


Socks

Made from soft knit Nomex material, our socks give the driver or crew member hypoallergenic coverage with a soft texture feel. Sometimes a drivers shoe is just not enough and socks provide an extra layer of protection. Size: S-XXL

GFO4140...\$19.99


HEAD AND NECK RESTRAINT SYSTEMS

Hybrid Sport

It is a great head restraint device for those racing on a budget. The Hybrid Sport with its new light-weight design and Dupont carbon /polymer construction provides maximum comfort and maneuverability with superior strength. All of Simpson's Hybrid Series head restraints are designed for easily exiting the car without danger of being entangled in other gear by offering the lower profile of any comparable devices. The device comes with optional patented SAS(Seatbelt Anchor System)for even greater coverage in flips and barrel rolls. When the worst happens, you'll have the same great protection every time.

- Available with patent pending multi-tether system to enhance side to side movement
- DuPont carbon polymer construction • QR Tethers and D-Ring kit as standard.
- Sleek, modern profile with defined wings for seatbelt containment
- The Seatbelt Anchor System is encouraged for drivers in markets such as Sprint cars and provides more stability to the driver in flips and barrel rolls.
- Dual End tethers and M6 Anchors or Post Clip Tethers & Post Anchors, Additional \$65.
- Seat Belt Anchor System is available with all tether systems. Additional \$40.



Hybrid Sport

Size.....	QR + D-Ring.....	PA
Child (4-6 yrs old).....	SIMHS.XSC.11.....	\$429.00...SIMHS.XSC.11.PA...\$494.00
Child (7-9 yrs old).....	SIMHS.CHD.11.....	\$429.00...SIMHS.CHD.11.PA...\$494.00
Youth (9-12 yrs old).....	SIMHS.YTH.11.....	\$429.00...SIMHS.YTH.11.PA...\$494.00
X-Small.....	SIMHS.XSM.11.....	\$599.00...SIMHS.XSM.11.PA...\$664.00
Small.....	SIMHS.SML.11.....	\$599.00...SIMHS.SML.11.PA...\$664.00
Medium.....	SIMHS.MED.11.....	\$599.00...SIMHS.MED.11.PA...\$664.00
Large.....	SIMHS.LRG.11.....	\$599.00...SIMHS.LRG.11.PA...\$664.00
X-Large.....	SIMHS.XLG.11.....	\$599.00...SIMHS.XLG.11.PA...\$664.00

Hardware

QR + D-Ring.....	SIMSFI.DRK.....	\$27.00
PA.....	SIMPA.HAK.....	\$70.00
M6 Hemet Anchor SFI 38.1 Certified.....	SIMM61.HAK.....	\$70.00
M6 Hemet Anchor SFI 38.1 Certified SAH.....	SIMM61.HAK.SAH.....	\$65.00

*Add SAS for Seat Belt Anchor System



JR. Sizes	Smallest Adjustment	Largest Adjustment
X-Small Child (4-6 yrs old)	22"	26"
Child (7-9 yrs old)	22"	26"
Youth (9-12 yrs old)	26"	30"
Adult Sizes	Smallest Adjustment	Largest Adjustment
X Small	32"	36"
Small	36"	40"
Medium	40"	44"
Large	44"	48"
X-Large	48"	52"




NecksGen Rev2Lite

The REV 2 LITE is the ultimate head and neck restraint. Weighing in at only 1.2 lbs. / 550 grams, the REV2 LITE carries the same level of protection and certifications as the NecksGen Original and REV devices. The REV2 LITE has all the same features as the REV, but adds a clever new adjustable tether system, rubber grip friction pads to help you feel locked in your seat better, higher belt guides to keep everything locked in place and for multiple impact situations. The shoulder pads are improved, and as an exclusive new feature, the REV2 LITE comes with free recertifications.

NecksGen Unit

NecksGen "REV" Device - Medium.....	NECNG501.....	\$569.00
NecksGen "REV" Device - Large.....	NECNG502.....	\$569.00

Sizing the REV is fairly simple if you use this handy chart. Remember that fitment is based on personal preference, and sizing isn't necessarily limited to the measurements shown. If your neck is wider than the inside dia of the device shown, the device could still fit, and will function properly, but some comfort will be sacrificed. If you are on the edge between a medium and a large but have narrow shoulders, go with the medium.



NecksGen Rev

NecksGen's commitment to keeping racers safe by providing the most technologically advanced, Frontal Head Restraints (FHR) on the market! This radical departure from conventional designs, exemplifies simplicity and un-needed mass to provide the user with the utmost comfortable and light-weight device, without compromising safety. The device has been tested by SFI laboratories and is certified to be manufacturer's compliant to the SFI 38.1 specification, making it approved for use by most sanctioning bodies.



NecksGen "REV" Device Unit

Small.....	NECNG23.....	\$399.00
Medium.....	NECNG21.....	\$499.00
Large.....	NECNG20.....	\$499.00

Quick Release Hardware.....	NECNG27.....	\$79.00
Replacement Pad w/velcro.....	NECNG261.....	\$39.15



Sizing the REV is fairly simple if you use this handy chart. Remember that fitment is based on personal preference, and sizing isn't necessarily limited to the measurements shown. If your neck is wider than the inside dia of the device shown, the device could still fit, and will function properly, but some comfort will be sacrificed. If you are on the edge between a medium and a large but have narrow shoulders, go with the medium.



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Hans III

The HANS III represents the third generation of injection molded HANS devices and features a contemporary approach to reducing weight. Using an all new design and polymer, the device features a hollow collar that substantially minimizes weight. Engineered reinforcements ensure an exceptionally strong structure that provides the same level of safety as every HANS device. The reduced mass guarantees the lightest and most comfortable injection molded HANS ever.

Size ...Post AnchorQuick Click Release
 M.....HANDK14237.311SFI..\$449.00...HANDK14237.411SFI..\$449.00
 L.....HANDK14247.311SFI..\$449.00...HANDK14247.411SFI..\$449.00



hans

**Hans Sport III (Youth)**

The SFI 38.1 certified. HANS III Youth features a hollow collar that substantially minimizes weight and is engineered for the growing young racer. Reinforcements ensure an exceptionally strong structure that provides the same level of safety as every HANS device.

Size/Anchor/Tether2010 Snell Helmets.....2015 Snell Helmets
 20Y/Post Anchor/SlidingHANDK16217.321SFI..\$399.00...HANDK16217.311SFI..\$399.00
 20Y/Quick Click/Sliding.....HANDK16217.421SFI..\$399.00...HANDK16217.411SFI..\$399.00

Hans Pro Ultra Carbon Fiber Lightweight

Size/Anchor/Tether2010 Snell Helmets2015 Snell Helmets
 20M/Post Anchor/Sliding.....HANDK13235.32SFI..\$979.00...HANDK13235.31SFI..\$979.00
 20L/Post Anchor/Sliding.....HANDK13245.32SFI..\$979.00...HANDK13245.31SFI..\$979.00


20M/Quick Click/SlidingHANDK13235.42SFI..\$979.00...HANDK13235.41SFI..\$979.00
 20L/Quick Click/Sliding.....HANDK13245.42SFI..\$979.00...HANDK13245.41SFI..\$979.00

Snell SAH2010 helmets have a threaded insert (nutwasher) bonded directly inside the helmet shell. Anchors for these helmets are sold without nutwashers. These anchors use an indexing collar instead of a post and include a tool to orient or index the anchor from the outside of the helmet shell.

hans

**HANS DEVICE SIZING CHART**

Neck size is the starting point for fitting a HANS Device



hans



hans

You may fit several sizes - comfort is the deciding factor

*Note: Sizes Small and Super Small available in Pro carbon models only

Hans Post Collar Anchor

hans

Professional Series

With Aluminum Base

SAH Helmet.....HANAK1131.12\$55.00
 SA Helmet.....HANAK1132.12\$65.00




Nutwasher Backing Nuts Set of 2

HANK9115\$20.00



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

**Quick Click Attachment**

Fits SAH Helmet

A.) SAH Helmet...HANAK1141.2 \$70.00
 Without Nut Washer

Fits SA Helmet

B.) SAH Helmet...HANAK1142.2 \$80.00

Padding (Socks Only)

Gel Padding Kit..HANK902_(color)..\$60.00

Foam Pad

K9005-Black, K9007 - Blue,
 K9024 - Red, K9008 - Blue.

**Sliding Tether for Post Collar Anchor**

Sport II (Shown).....HANTK1131.3\$40.00
 Adjustable, Pro Ultra.....HANTK1231.4\$40.00
 Hans IIIHANTK1431.7\$40.00

**Sliding Tether for Quick-Click Anchor**

Sport II (Shown).....HANTK1141.3\$20.00
 Adjustable, Pro Ultra.....HANTK1241.4\$20.00
 Hans IIIHANTK1441.7\$20.00



RADIOS



Fusion+ (Plus) 1600 Driver Scanner Only

It is preprogrammed with 1,600 channels for frequencies between 450-470 MHz, and will allow you to manually scan through the channels, 1 or 100 at a time, to the channel that you want to monitor. Or you have the option of finding a driver's channel by simply following the easy to read channel chart. Channel charts are updated weekly and are available on our website or at trackside locations. It is designed to listen to one driver at a time. You can save your favorite driver to the default channel. It utilizes the industry std 3.5 mm jack, allowing the use of a headset. Each RACEceiver Fusion 1600 package contains a RACEceiver, holster, one AAA battery. It is a must for drivers since it allows race officials to broadcast directly to drivers for safety and efficiency purposes without having the drivers talk back.

RCVY1600\$99.95

RACEceiver Element NEW

Water and Dust Resistant

The Raceceiver Element is Water and Dust Resistant with an internal, rechargeable battery. For Safety and Efficiency. Race officials broadcast directly to drivers. Allowing faster line-ups and restarts. Instant notifications of track conditions. Coaches provide instant feedback. Improving skills and overall performance. Motivating with supportive statements for good performance. Just plug the included USB charging cable into a power source, a full charge should take about 4 hours. You'll be all set for the entire evening. The Raceceiver Element has the same preprogrammed 1600 UHF channels or frequencies that all Raceceivers have so it can be used at tracks where the Raceceiver is mandated. And because it is Water Resistant, it can be used in wet environments, for a variety of different sports! The Element comes with a USB charge cord, holster, and cushioned zip pouch. Keep everything together and protected.

RCVEL16R.....\$129.95




Ace 1600

w/ built in Driver Splitter

It is made to use with a 2-way radio. It has 2 audio ports and takes the audio from the 2-way radio and routes it through the Ace and out so that the driver only has to use one earpiece to listen to both audio sources. It will reduce the volume of the audio from the 2-way radio when the officials are using the frequency and talking to the field, making it much easier to hear the instructions coming from the officials. It comes with a fully enclosed holster, AAA battery, instructions and a 36 mm male to male coiled cord. You may need an addition adapter depending on your 2-way radio set up.

RCVSD1600.....\$109.95



LAPceiver A.L.T. (Audible Lap Timer)

w/ IR Beacon Transmitter

Transponder Mode This mode works with a Timing and Scoring System and the transponder that you have on your car. The transponder sends a signal to the Timing and Scoring System that your track is using and a LapCeiver transmitter connected to that system sends the same signal to the LapCeiver A.L.T. You can input the serial number of up to 5 transponders into the LapCeiver A.L.T., one in each of the 5 memory banks. Each memory bank will hold up to 500 laps.

Infra-Red (IR) Mode This mode works with an IR transmitter that is set up across the track. When your car passes through the beam, the Infra-Red Detector, mounted on your car and connected to the LapCeiver A.L.T., detects the beam. It then sends it to the LapCeiver A.L.T., triggering the timing, which shows up on the display. In this mode you use one memory bank at a time. You see your times on the track and you can try different driving styles or different lines to get the quickest times. Times are stored and can be recalled once you are back in the pits.

Audible Lap Timer.....RCVLAP-IRT-101PK\$199.50

Lap TimerRCVLAP\$call

Beacon TransmitterRCVIRT-101PK\$call



Audible Alert

The Audible Alert wires into the warning lights or sending unit in your race car, sending an audible beep, beep, beep to your ear, through your earpiece, when the oil pressure, water temp, etc., light comes on. The Audible Alert can be used alone or with your RACEceiver or 2-way radio using the helmet splitter that is included in the package. The Mute button allows you to silence the alert for 60 seconds. When the condition is cleared, the alert will reset.

RCVAWI-02\$62.95



Clear Case Replacement Enclosed Holder

RCVCASE.....\$7.50



Rookie Driver Earpiece

It is a mid-level stereo earpiece that has terrific sound quality. And it comes with 3 sizes of replaceable rubber tips for a more custom fit. The cord is designed to fall down one side of the body depending on the side you are wearing your audio device.

RCVML100.....\$24.95

Semi Pro Driver Earpiece - Dual

This stereo earpiece has all the features and performance that you expect from more expensive earpieces. The professional high quality speaker has low distortion and high impedance for clarity. It has a braided cord for durability and foam covers for noise reduction and comfort. It comes with 2 sizes of foam replacements for your convenience.

RCVDE2\$49.95



Replacement Foam Kit

Per pair. Foam replacements for your Semi-Pro or old style Professional Driver earpieces. These do not work with the new Custom Molded Earpiece. We have two different sizes of foam replacements. This is the med size, they will work for older drivers or for those with larger ears.

RCVDE2-FOAM.....\$3.61



Fully Enclosed Car Box

The in-car box was created for those drivers who would like to mount the RACEceiver inside the car. This Box will house your RACEceiver and mount easily inside your car on the roll bar or where you choose. Designed only for the RACEceiver 1600.

RCVECB1600.....\$9.95



Volume Control

Allows you easy access to controlling the volume while using your RACEceiver or other handheld devices.

RCVVOLUME.....\$5.49



Helmet Speakers

The soft, padded speakers attach to the inside of your helmet by Velcro pads (included). They have a long section of cable which connects via the jack. The helmet speakers have a standard 3.5mm jack and will work with any MP3, GPS or music device that has this size input.

RCVHS100\$29.95



Element USB Charger Cable

Use this USB Cable to charge your New Element! One end fits the audio port of the Element and the other end fits any standard USB port.

RCVUSBCORD\$5.99



Rubber Holster with Clip

You can slide either the Element or the Fusion+ inside of the holster and the rubber grips it securely. It's black in color and you cannot see the display when using this with the RACEceiver. Remember to lock your buttons, so the volume or channel doesn't get changed accidentally. It comes with a clip for your convenience.

RCVHD16R\$12.90



RADIO BOXES



Sturdy Aluminum Radio Mounting Box

Premium aluminum radio box with 1.75" roll tube mounting bracket to properly secure a two-way radio in a racecar. Includes black padded fabric insert to protect your 2-way radio.

RAERB-4...\$39.95



Radio Box

The swivel mount keeps your box vertical on nearly any bar and Joe's quality protects your investment from damage and vibration in a lightweight package that mounts in seconds. Boxes measure 5" x 3-3/4" x 2-1/2".

1-1/2" clamp ..JOE11312...\$69.95

1-3/4" clamp ..JOE11314...\$69.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Motorola MagOne Stingray System

Short Track 2-Man System
* Helmet not included.

Complete 2 Man System
RAERE840.....\$899.95

- For the Car:**
- Motorola BPR40 Radio
 - RE4302 Legacy Harness
 - RE503 Legacy PTT Switch
 - RB-3 Radio Mounting Kit

- For the Crew Chief:**
- Motorola BPR40 Radio
 - RE005 Legacy Headset
 - RE3736 Radio Interface Cable

- For the Driver:**
- RE1 Foam Earmolds
 - RE705 Legacy Flex Boom Helmet Kit



Motorola Stingray Extra Crew

- Motorola BPR40 Radio
- RE005 Legacy Headset
- RE3736 Radio Interface Cable
- RaceBELT

RAERE841\$399.95



CAR HARNESS



Universal Harness

Our best selling radio wiring harness is highlighted by our high quality jacketed shielded wire. It also features heavy duty industry std helmet and push to talk connectors. Single Radio Harness. Universal Port For Use With Any 5-PIN Radio Headset Cable. 3 Conductor Helmet Connector.

RAERE4005.....\$99.95

Legacy Harness

Fits Kenwood/Reliant

Our best selling radio wiring harness is highlighted by our high quality jacketed shielded wire. It also features heavy duty industry std helmet and push to talk connectors. Single Radio Harness. Kenwood 2-PIN Radio Connector. 3 Conductor Helmet Connector.

RAERE4909.....\$119.95

Legacy Harness

This Legacy stock car harness will work with the following radios: GP300, SP50, P110, P1225, GTX, CP150, CP200, CT150, CT250, CT450, PR400, GP2000, GP308, GP68, SP10, SP21, GP350 (requires a HLN9482 adapter)

RAERE4302.....\$119.95

Splitter Cord

Share your scanner and the excitement! Our 1/8" 2-way splitter fits most popular scanners.

RAERE-66\$11.95

Belt Clip - Switch

This plastic belt clip holds your SWITCH device so you can enjoy hands free racing.

RAESWITCH-CLIP..\$9.95

Standard Flex Boom (features Std MIC)

Stock car, Nascar style 3-conductor helmet kit, comes complete with flex boom mounted noise cancelling mic and straight cord. Includes installation kit and instructions.

RAERE705\$109.95

Compact Flex Boom

RaceTRAC legacy stock car flex boom helmet kit. Noise Canceling Mic. High quality, American made stock car, Nazca style 3-conductor helmet kit, comes complete with standard flex boom mounted noise cancelling mini mic and straight cord.

RAERT605\$179.95

SWITCHES

Receiver - Switch Miniature UHF, for Fans

It is amazingly compact (3" L x 1 3/4" W x 3/4" D), durable and delivers superior audio quality over any device in its category. It features 2 programmable and scannable preset channels, a crisp LCD screen, audio-in and audio-out ports, and adjustable volume. Switch allows you to quickly navigate between your 2 favorite channels (favorite driver, radio broadcast, officials).

RAESWITCH.....\$89.95

Receiver - Switch-R Miniature UHF, for Professional Racers

For Professional Racer Use Only - Doesn't scan and meets series requirements of not scanning between channels. Racing Electronics is proud to introduce SWITCH-R, the most advanced micro-receiver available for competitors. SWITCH-R is amazingly compact (3" L x 1 3/4" W x 3/4" D), durable and delivers superior audio quality over any device in its category. SWITCH-R features two programmable preset channels, a crisp LCD screen, audio-in and audio-out ports, and adjustable volume. For competitors, SWITCH-R routes your two-way radio through the input while connecting your earbuds to the output, allowing one earpiece to hear both audio sources.

RAESWITCH-R.....\$99.95

PUSH TO TALK SWITCH

Push to Talk (PTT) Switches

RaceTRAC Hole Mount thru the Wheel. Our high quality, American made push to talk switch is designed to mount through a 5/8" hole in your steering wheel for easy access. This button is features the industry standard 3-pin harness connector.

RAERT403\$89.95

David Clark PTT

This high quality David Clark brand push-to-talk switch is equipped with hook-and-loop closure for steering wheel attachment. This button features the industry standard 3-pin harness connector.

RAERT603.....\$149.95

RaceTRAC Platinum PTT

This high quality push-to-talk switch is equipped with hook-and-loop closure for steering wheel attachment and features a industry standard 3-pin harness connector.

RAERE703.....\$89.95

Legacy PTT

This push-to-talk switch is equipped with hook-and-loop closure for steering wheel attachment and features a industry std 3-pin harness connector....

RAERE503..\$59.95

EAR MOLDS



Foam Race Mold

Our most popular foam ear molds are great for drivers or fans! Just roll the high quality foams between your fingers, fit them down into your ears, and enjoy great sound quality without any bulky headset! 18" cord, with 1/8" mono male jack. One size fits all. These foam earmolds are great for fans or drivers. Just roll these high quality ear foams between your fingers and fit down into your ears and you will be able to hear great without any bulky headset.

RAERE1\$99.95

Semi Custom Race Mold

These earmolds are great for the super speedway race-fan or the Friday night racer. Comfortable and clear. Highest Quality! Our standard size ear molds are perfect for plugging into your helmet or over the wall kit, one size fits most. Premium quality 18" or 36" mono cable, with 1/8" male jack.

RAERE2.....\$119.95

Replacement Foam Covers

Foam replacement pieces, 1 pair for your RE1 or RE1-XL ear molds.

RAEBUNS1..\$2.95

ANTENNAS

Thick Roof Mount

9' Cable • BNC Style Connector
High quality, American made UHF thick roof mount antenna kit with 9' cable, designed for use with metal, fiberglass and carbon fiber roofs and includes aluminum ground plane disc. Requires radio specific antenna adapter, not included.

RAERT711-U\$89.95

Roof Mount

9' Cable. BNC Style Connector
UHF roof mount antenna with 9' cable, designed for use with metal roofs. Requires radio specific antenna adapter, not included.

RAERE511-U\$69.95

Car Antennas

3db Phantom Antenna
High quality, American made UHF Phantom 3DB roof mount antenna with 9' cable, designed for use with metal roofs. Requires radio specific antenna adapter, not included.

RAERT311-U\$99.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

HELMETS

RaceQuip



PRO15

It is a Snell SA2015 rated full face auto racing helmet that incorporates contemporary styling with modern production techniques. The Fiber Reinforced Polymer (FRP) shell is hand laid to achieve a balance between light weight and affordability. Reinforced M6 threaded HANS/HNR inserts are mated to the shell along with an expanded polystyrene (EPS) liner. HANS or other Head & Neck Restraint device anchor posts (not included) can be easily attached to the outside of the helmet using the installed M6 threaded inserts. Gloss White, Gloss Black, Gloss Steel, Flat Black, and Hot Pink in sizes XXS - 3XL from \$219.95 ea.

PRO15 Full Face.....RQP273XXY.....\$219.95

Replace XX with = 00 Black, 11 for White, 66 for Gloss Steel, 88 for Hot Pink, 99 for Flat Black, or 35 for Carbon Graphic.

Replace Y with = 0 for XXS, 1 for XS, 2 for SM, 3 for MED, 5 for LRG, 6 for XL, 7 for XXL, and 8 for 3XL.

VESTA15

RaceQuip's all new VESTA15 full face Snell SA-2015 helmet is a bold departure from traditional auto racing helmet styling. The VESTA15 incorporates contemporary design with modern production techniques to achieve a balance between light weight and affordability. This innovative new helmet model features a hand laid Fiber Reinforced Polymer (FRP) shell and a uniquely shaped chin bar to support a scalloped faceshield design. The FRP used for shell construction is a premium high strength Fiberglass. HANS/Head and Neck Restraint device anchor posts (not included) can be easily attached to the outside of the helmet using the installed M6 threaded inserts. A wide eyepoint provides good peripheral vision and allows the use of personal eyewear. Available in Pearl White, Gloss Black, & Flat Black in sizes S - 2XL.

VESTA15 Full Face.....RQP283XXY.....\$349.95

Replace XX with = 00 Black, 11 for White, 66 for Gloss Steel, 88 for Hot Pink, 99 for Flat Black, or 35 for Carbon Graphic.

Replace Y with = 0 for XXS, 1 for XS, 2 for SM, 3 for MED, 5 for LRG, 6 for XL, 7 for XXL, and 8 for 3XL.

SA2015 Vesta 15 Carbon Fiber

RaceQuip's Vesta 15 Carbon Fiber Snell SA-2015 helmets are unique and opposite from traditional auto racing helmet styling. These innovative new helmets feature a uniquely shaped chin bar to support a scalloped faceshield design. Fire Retardant Paint and Interior. Sizes S-2XL.

RQP921390.....\$599.95

YOUTH HELMETS

PRO Youth SFI 24.1

The Fiber Reinforced Polymer (FRP) shell is hand laid to achieve a balance between LW and affordability. HANS or other Head and Neck Restraint device anchor posts (not included) can be easily attached to the outside of the helmet using the installed M6 threaded inserts. Includes extra padding to fit sizes ranging from 51 - 53cm / 20" - 20 7/8"

PRO Youth SFI 24.1....RQP223XX93.....\$219.95

Replace XX with = 00 Black, 11 for White, 66 for Gloss Steel, 88 for Hot Pink, 99 for Flat Black, or 35 for Carbon Graphic.

Replace Y with = 0 for XXS, 1 for XS, 2 for SM, 3 for MED, 5 for LRG, 6 for XL, 7 for XXL, and 8 for 3XL.



FRESH AIR HELMETS

PRO15 Side Air

The RaceQuip PRO15 Side Air is a Snell SA2015 rated full face auto racing helmet that incorporates contemporary styling with modern production techniques. The Fiber Reinforced Polymer (FRP) shell is hand laid to achieve a balance between light weight and affordability. Reinforced M6 threaded HANS/HNR inserts are mated to the shell along with an expanded polystyrene (EPS) liner. Forced air is plumbed into the left side of the helmet through a standard 1.250" barbed fitting so air flows across the faceshield from left to right. Available in Gloss White and Flat Black in sizes Small - 2XL.

PRO15 Side Air.....RQP293XXY.....\$269.95

Replace XX with = 00 Black, 11 for White, 66 for Gloss Steel, 88 for Hot Pink, 99 for Flat Black, or 35 for Carbon Graphic.

Replace Y with = 0 for XXS, 1 for XS, 2 for SM, 3 for MED, 5 for LRG, 6 for XL, 7 for XXL, and 8 for 3XL.



PRO15 Top Air

The RaceQuip PRO15 Top Air Helmet is a Snell SA2015 rated full face auto racing helmet that incorporates contemporary styling with modern production techniques. The features are the same as that of the PRO15 Side Air helmet but with a top air inlet. Forced air is plumbed under the shell of the helmet through a standard 1.250" barbed fitting and then flows across the faceshield. Gloss White & Flat Black in sizes S-2XL.

PRO15 Top Air.....RQP263XXY.....\$279.95

Replace XX with = 00 Black, 11 for White, 66 for Gloss Steel, 88 for Hot Pink, 99 for Flat Black, or 35 for Carbon Graphic.

Replace Y with = 0 for XXS, 1 for XS, 2 for SM, 3 for MED, 5 for LRG, 6 for XL, 7 for XXL, and 8 for 3XL.



Helmet Sizing Chart

Size	Inches	Hat Size
Youth	20 to 20-7/8"	6-3/8 to 6-5/8"
XXS	20 to 20-1/2"	6-3/8 to 6-1/2"
XS	20-7/8 to 21-1/4"	6-5/8 to 6-3/4"
S	21-5/8 to 22-1/16"	6-7/8 to 7"
M	22-7/16 to 22-7/8"	7-1/8 to 7-1/4"
L	23-1/4 to 23-5/8"	7-3/8 to 7-1/2"
XL	24 to 24-3/8"	7-5/8 to 7-3/4"
2XL	24-13/16 to 25-3/16"	7-7/8 to 8"
3XL	25-1/2 to +	8-1/8 to +

Youth / Adult Arm Restraints

A must for anyone who drives an open cockpit car, RaceQuip Arm Restraints are manufactured using premium polypropylene webbing and high grade steel hardware. Our std arm restraint design utilizes 2" webbing for the cuffs and 1" webbing for the tethers that are attached to the cuffs. The cuffs are adj from 7" to 15" and the tethers adjust in length out to 15" so these can be used for youth and adult racers.



Std 2" Black.....RQP391002.....\$199.95

RaceQuip Adult Suit Sizing Chart

Size	Small	Medium	Medium-Tall	Large	XLarge	2XLarge	3XLarge	4XLarge	5XLarge
Height	5'6"-5'8"	5'8"-5'10"	5'10"-6'	6'-0"	6'-2"	6'-2"-6'4"	6'4"-6'6"	6'4"-6'6"	6'4"-6'6"
Weight	125-155	140-185	150-195	165-220	200-245	225-275			
Waist	30-32"	34-36"	34-36"	36-38"	40-42"	44-46"	48-52"	54-56"	58-62"
Inseam	28"	29"	30"	30"	31"	32"	33"	33"	33"
Chest	34-36"	38-40"	38-40"	42-44"	46-48"	50-52"	54-56"	58-60"	62-64"
Shoulders	17"	18"	18"	19"	20"	21"	23"	24"	25"
Sleeve	31-32"	33-34"	33-34"	34-35"	36"	37"	38"	38"	38"

Kids Suit Sizing Chart

Size	KXXS	KXS	KXSM	K.SML	K.MED	K.LRG	K.XLG	K.XXL
Kid Size	4-5	5-6	6-8	8-10	10-12	12-14	14-16	
Inseam	19	20	21	22	23	24	25	
Sleeve	21	23	24	26	27	29	31	
Chest	29	31	33	36	38	40	42	
Waist	21	23	25	27	29	31	33	
Height	<45	45-48	48-52	52-56	56-60	60-62	62-64	
Weight	<45	45-55	55-68	68-75	75-90	90-105	105-120	

FIRE SUITS

120 Series Pyrovatex SFI-5 Suits, Jackets & Pants

The RaceQuip 120 series multi-layer suit is made up of a shiny outer layer of durable Pyrovatex FRC, backed by a layer of Nomex, then lined by a soft layer of Pyrovatex FRC. This Nomex and Pyrovatex layered construction offers the maximum combination of overall flame and heat protection. The treatment process leaves the exterior surface shiny and supple. Since the Pyrovatex treatment is absorbed into the cotton fibers at the molecular level, with proper care, the garment will retain its flame retardant properties beyond the useful life of the garment.

SFI-5 Multi Layer 1 Pc Suit ..RQP120XXY ..\$259.95+

SFI-5 Multi Layer JacketRQP121XXY ..\$149.95+

SFI-5 Multi Layer Pants.....RQP12200Y ..\$139.95+

XX = 00 Black, 10 for Red, 02 for Blue.

Y = 2 for SM, 3 for MED, 4 for MED TALL, 5 for LRG, 6 for XL, 7 for XXL, 8 for 3XL, 9 for 4XL, & 0 for 5XL.



110 Series Pyrovatex SFI-1 Suits, Jackets, & Pants

The RaceQuip 110 series single-layer suit is made from Pyrovatex FRC material. Pyrovatex offers the maximum combination of overall flame and heat protection, durability and comfort for the price. This FRC material retains the softness and breathability of cotton and will wick away moisture from the skin. Since the Pyrovatex treatment is absorbed into the cotton fibers at the molecular level, with proper care, the garment will retain its flame retardant properties beyond the useful life of the garment.

SFI-1 Single Layer 1 pc Suit ..RQP110XXY ..\$99.95+

SFI-1 Single Layer Jacket.....RQP111XXY ..\$59.95+

SFI-1 Single Layer Pants.....RQP11200Y ..\$59.95+

XX = 00 Black, 10 for Red, 02 for Blue.

Y = 2 for SM, 3 for MED, 4 for MED TALL, 5 for LRG, 6 for XL, 7 for XXL, 8 for 3XL, 9 for 4XL, and 0 for 5XL.



195 Series SFI-1 Pro-1 Single Layer Youth Racing Suit

Exceeds SFI 3.2A/1 Rating. Single-Layer Pyrovatex® FRC Construction. TPP Rating of 11. Fresh, Stylish Design. Black with Contrasting Arm & Leg Stripes. Black Wrist and Ankle Cuffs. Internal Bag Pockets. Two-way Brass YKK Zipper. Pleated Back Panel for Flexibility. Sizes Kids 2XSM - Kids 2XL.



SFI-1 1 Layer 1 Pc Suit.....RQP195XXY ..\$99.95+

SFI-1 1 Layer Jacket.....RQP196XXY ..\$59.95+

SFI-1 1 Layer Pants.....RQP19700Y ..\$49.95+

XX = 00 Black, 10 for Red, 02 for Blue.

Y = 2 for SM, 3 for MED, 4 for MED TALL, 5 for LRG, 6 for XL, 7 for XXL, 8 for 3XL, 9 for 4XL, and 0 for 5XL.

LATCH & LINK

RaceQuip**5-Point SFI 16.1
Latch & Link
Harness Set**

Exceeds SFI 16.1 Rating (SFI Tags Affixed). NOT D.O.T. / FMVSS Certified for On Highway Use. Premium 3" Polyester Webbing. Twin Individual Shoulder Belts. Double Adjustable for Ease of Installation. Drop-Forged Steel Hardware (no bolts)

- Pull Down Style Lap Belt
- 5 Point Design - Single 2" Crotch Sub Strap
- 3" Hardware Ends Installed
- Wrap Around or Bolt-in Mounting
- Shoulders Adjust from 20" to 62"
- Lap Belt Adjusts 20" to 60"
- Available in Black, Red, Blue, Yellow, Orange, Purple, Platinum, Green and Pink

Black.....RQP711001**\$79.95**

**4-Point V-Type
Latch & Link
Harness Set**

Exceeds SFI 16.1 Rating (SFI Tags Affixed). NOT D.O.T. / FMVSS Certified for On Highway Use. Premium 3" Polyester Webbing. Double Adjustable for Ease of Installation. Drop-Forged Steel Hardware (no bolts)

- "V" Style Single Mount Shoulder Belts
- Pull Down Style Lap Belt
- 4 Point Design - Single 2" Crotch Strap
- 3" Hardware Ends Installed
- Wrap Around or Bolt-on ends (ex. Shoulder)
- Shoulders Adjust from 26" to 40"
- Lap Belt Adjusts 20" to 60"
- Available in Black.

Black.....RQP713003**\$89.95**

LATCH & LINK FOR HANS

RaceQuip**5-Point
HANS/HNR
Latch & Link
Harness Set**

Exceeds SFI 16.1 Rating (SFI Tags Affixed). NOT D.O.T. / FMVSS Certified for On Highway Use. Premium 3" Polyester Webbing. Twin Individual Shoulder Belts. Double Adjustable for Ease of Installation. Drop-Forged Steel Hardware (no bolts)

- 2" Shoulder Accommodates HNR / HANS Device
- Pull Down Style Lap Belt
- 5 Point Design - Single 2" Crotch Sub Strap
- 3" Hardware Ends Installed
- Wrap Around or Bolt-in Mounting
- Shoulders Adjust from 20" to 62"
- Lap Belt Adjusts 20" to 60"
- Available in Black, Red, and Blue

This harness set has narrow shoulder belts to better fit a head & neck restraint (HNR) like a HANS device.

Black.....RQP717007**\$89.95**

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

CAMLOCK STD & WITH HANS

**Sportsman SFI 16.1 5pt Camlock**

Lightweight Aluminum Alloy Cam Buckle. Exceeds SFI 16.1 Rating (SFI Tags Affixed). NOT D.O.T. / FMVSS Certified for on Highway Use. Wide Engagement Cone For Easy Snap In. Precise Spring Pressure for a Positive Feel. 45° (right or left) Unlatch Movement Mitigates Accidental Opening. Heavy-Duty Drop-Forged 3" Steel Hardware Ends Installed (no bolts). Premium 3" Polyester Webbing. Transverse Mono Filament Woven for Increased Strength and Smoother Edges.

- 5 Point Design - Single 2" Crotch Strap
- Pull Down or Up Lap Belt Adjusters Available
- Cam Buckle Stays Affixed to Right Side Lap Belt
- Wrap Around or Bolt-in Mounting
- Shoulder Belt Adjustment Length is 25" to 72"
- Lap Belt is Adjustable from 30" to 70"
- Available in Black, Red, and Blue

SFI Camlock 5PT Pull Down Lap Belts
Black.....RQP741001**\$149.95**

SFI Camlock 5PT Pull Down Lap Hans Belts
Black.....RQP745005**\$179.95**

QTR MIDGET BELTS

**SFI 16.2 Youth 5-pt Jr. Dragster /
Quarter Midget Belt Set**

Exceeds SFI 16.2 Rating (SFI Tags Affixed). NOT D.O.T. / FMVSS Certified for On Highway Use. Premium 2" Polyester Webbing. Designed for Youth Body Mass and Speeds - Not For Adult Use!!! 2" Drop Forged Steel Hardware Ends Installed (No Bolts). Double Adjustable for Ease of Installation

- Pull Up Style Lap Belt
- 5 Point Design - Single 2" Crotch Strap
- Wrap Around or Bolt-on Mounting
- Shoulders Adjust from 15" to 40"
- Lap Belt Adjusts 22" to 60"
- Available in Black, Red, Blue, Purple, and Pink

Black.....RQP709009**\$79.95**

GLOVES

**355 - SFI-5
2 Layer Race Glove**

Soft double layer Nomex SFI-5 rated glove. The high grip black suede reinforced leather palm gives this glove a unique look and feel from the other gloves in the line. The knuckle pad and palm reinforcements attach to the Nomex(R) back in a way that promotes flexibility. Available in black, red, or blue in sizes XS - 3XL or Kid's sizes S - L.

SFI-5 Double LayerRQP355XXY**\$49.95**

SFI-5 Double Lyr YouthRQP355009Y**\$49.95**

351 - SFI-1**1 Layer Race Glove**

The grey suede leather palm adds a premium look and extra grip to this affordable SFI rated glove. The knuckle pad and palm reinforcements attach to the Nomex back in a way that promotes flexibility. Available in black, red, or blue in sizes Small - XL.

SFI-1 Single LayerRQP351XXY**\$39.95**

UNDERWEAR

**SFI Rated Underwear, Hoods,
and Nomex Socks**

RaceQuip SFI 3.3 rated long underwear is knit from a blend of aramid and FRC fabrics to achieve a comfortable fire retardant garment. The properties of this unique fabric structure create a lightweight garment that performs like Nomex yet is much more cost effective. The Fire Retardant Cotton (FRC) component of the fabric promotes a soft and supple lightweight feel. The top is a long sleeve design with cuffs at the wrists and a mock turtle neck collar and the bottom is a long-john style. Socks are made from 100% Nomex and available in shoe size 6 to 15. All items exceed SFI 3.3 certification and have an SFI tag sewn in place.

SFI 3.3 FR Underwear Top/Bottom

Top.....RQP42199X**\$59.95**

Bottom.....RQP42299X**\$59.95**

SFI 3.3 FR Hood Socks

SFI 3.3 FR 1 Layer Hood
RQP433991**\$24.95**

SFI 3.3 FR 2 Layer Hood
RQP433992**\$39.95**

SFI 3.3 FR Socks

RQP411992...Small 6-7
RQP411993...Medium 8-9
RQP411995...Large 10-11
RQP411996...XLarge 12-13
RQP411997...2XLarge 14-15
\$24.95

SHOES

**SFI Rated
Euro Carbon-L
Shoes**

This lightweight flexible design incorporates durable construction features like a reinforced lace area and double-stitched seams. The high traction molded rubber sole rolls up the back of the shoe to provide extra support for your heel while driving. We've added Carbon-L wear pads on both sides of the toe for added protection and durability in the high heat/high wear areas. These shoes feature a soft suede leather outer layer that uses contrasting stitching and European styling to give the shoe a unique look. Meets or exceeds SFI 3.3/5 rating. Available in black, sizes 1-20

Euro Carbon-L Shoe (Half Sizes 1-20)

RQP30500YYY**\$89.95+**

All shoes are Black, replace YYY with 3 digit size like 080, 085, 090, 100, 105, 110, 115, 120, etc.

**SFI Rated
Race Shoes**

These shoes feature a soft suede leather outer layer coupled with a flame retardant Pyrovatex liner and padded ankles. The unique Achilles flex opening in the back of the shoe allows easy foot extension for full-throttle action. The durable construction features a reinforced lace area, double-stitched seams and a molded rubber sole that rolls up the back of the shoe to provide extra support for your heel while driving. Exceeds SFI 3.3A/5 rating. Available in black, sizes 8-13.

RQP30300YYY**\$69.95**

All shoes are Black, replace YYY with 3 digit size like 080, 085, 090, 100, 105, 110, 115, 120, etc.

BAGS

**Raceway Helmet Bag**

Designed for your Helmet, Head & Neck Device and Extra Shields. Carry on compatible. Sturdy 600d poly construction. Padded, lined and vented main compartment. Side accessory compartment and ID Window. Padded grab handle and removable shoulder strap. Heavy duty hardware. Rugged protective bottom with skids. Iconic Simpson harness patches. Simpson red accent zippers. Race inspired checkered graphics. Dimensions: 20" L x 11" W x 13" H
SIM23304\$54.95

**Speedway Bag**

It can hold your helmet, a head and neck restraint, suit, shoes, gloves and more. Padded, lined and ventilated main compartment. Interior mesh organizer compartment. Wet/Dry side compartments. ID window, padded grab handles and removable shoulder straps. Race inspired checker graphics, iconic Simpson harness patch and logo accent zippers complete the look. Dimensions 27" L x 13" W x 15" H
SIM23301\$89.95

**Super Speedway Bag**

Comfortably holds helmet, Head and Neck device, 2 suits, 2 shoes, 2 gloves and everything else you need for a day at the track. Heavy duty trolley system and smooth rolling polyurethane wheels. Large padded and lined main compartment, separate top compartment. Separate helmet storage compartment. Exterior pockets and compressions straps. ID Window and multiple grab handles. Heavy duty hardware. Race inspired checker graphics, iconic Simpson harness patch and logo accent zippers complete the look. Dimensions 33.5" L x 18" W x 16.5" D
SIM23303\$199.95

**Pit Pack**

It has plenty of Simpson style is designed to hold every-thing you need to keep you organized for a day at the track. A laptop pocket with external access. Mesh drink holder. Multiple accessory pockets and an organizer front pocket. Padded back panel and shoulder straps. Size: 18" L x 13" W x 10" D.
SIM23307\$59.95

**Dual Shield Bag**

It is designed to hold 2 shields with separation between. It can be machined washed. Microfiber is excellent for cleaning them.
SIM23900.....\$5.99

**Padded Helmet Bag**

A double-lined tear resistant nylon outer-shell and soft faux shearing liner keeps your gear safe while two easy-to-carry handles make transporting your helmet to and from the track a breeze. The Impact helmet bag offers a full length zipper and extra space for easy helmet stowage and integrated pockets provide for miscellaneous accessories.
IMP71000915....\$52.00

**Super Race Bag**

It offers 3 separate compartments and is designed to hold your helmet, suit, head and neck restraint, gloves, shoes and accessories. Constructed of heavy-duty nylon with webbed handle and a removable shoulder strap, the Gear Bag has one large main compartment and two 3/4 zip side pockets and reinforced base to help the bag keep its shape during loading & carrying. 27" long x 12" wide x 11" deep.
IMP72000010....\$49.00

**Gear Bag**


Super bag with built-in wet storage is perfect for boots or dirty clothes. Expandable side pocket for gloves and two front pockets for tear offs, log books, rule books, and more. 24" L x 12" W x 14" H....GFO1005...\$39.99

**GF Helmet Bag**

It is an improvement on a tested design. It has taken the standard fleece lined bag and upsized it for more space. Store your helmet with a head and neck device in this bag for safe keeping.
GFO1006...\$19.99

**Angle Front Net**


Similar to the standard G-Force Racing Gear Ribbon Window Nets with the addition of webbing to match the angle of the A-pillar of the race car. Measures: 18" x 26". Colors: Black, Blue, Red, White, Yellow, Orange, Purple, Green, and Silver.
GFO4134...\$24.99

**Ribbon Window Net**

G-Force Racing Gear Ribbon Window Nets are all jig built to ensure consistent dimensions. 1" wide webbing and double overlap construction provide a strong, durable net. Measures: 18" x 23". Colors: Black, Blue, Red, White, Yellow, Orange, Purple, Green, and Silver.
GFO4131...\$17.99

**Sprint Car/Quarter Midget Window Net**

Our exclusive 5-point mounting system allows the driver to accurately locate the position of the cage net and limit the vertical movement. Colors: Black, Blue, Red, White, Yellow, Orange, Purple, Green, and Silver.
GFO4130...\$14.99

**SFI Rated Mesh Window Net**

• Measures: 17" x 21.5" • Color: Black
GFO4135BK...\$24.99

**Roll Bar Padding Soft**

Fire retardant. Offset design gives more padding towards driver and fits closer to interior finish. Available in three (3) foot lengths. Fire retardant high density foam. NOT TO BE USED OVER DRIVERS HEAD or for HEAD PROTECTION. Use part# 99031 or SFI Rated padding for these areas.

Black.....KIR99001 ..\$5.95
Red.....KIR99002 ..\$5.95
Blue.....KIR99003 ..\$5.95
Yellow.....KIR99004 ..\$5.95
Orange.....KIR99005 ..\$5.95
Purple.....KIR99006 ..\$5.95
Gray.....KIR99007 ..\$5.95

**SFI 45.1 Hi-Density Roll Bar Padding**

3' lengths. Fire retardant high density foam. U-shaped design velcros on. Black.

1/2" thickJAZ690-003-01\$30.52
3/4" thickJAZ690-002-01\$30.95
1" thickJAZ690-001-01\$39.28

**SFI Roll Bar Padding**

It is ideal for tight areas and has a unique, compact design that provides driver protection to a specific area. Each size has peel and stick backing for easy installation, meets SFI 45.1 specs and is sold in 3' long sections (black only). 5/8" Thick SFI Mini Roll Bar Padding, Fits 1-1/4" To 1-3/4" O.D. Tubing.
ALL14112....\$26.99


**Hi-Density Roll Bar Padding**

Fire retardant high density foam. 1" Thick padding. U-shaped design. Self adhesive. 3' lengths

7/8" to 1-3/8" tubing
SFI 45.1...Black..KIR99021 ..\$28.09

1-1/2" to 1-7/8" tubing
SFI 45.1...Black..KIR99011 ..\$26.95
SFI 45.1...Red....KIR99012 ..\$24.58
SFI 45.1...Blue...KIR99013 ..\$24.58

Blue...KIR99033 ..\$13.05

**Tie Wraps**

3/16" tie wraps, 50 per pack. (BK) Black, (DB) Dk. Blue, (G) Green, (GR) Gray, (O) Orange, (P) Purple, (R) Red, (Y) Yellow, (W) White.
TIE 12 ().....\$5.70

**GF Backpack**

It is perfect for the local track visit or a multi-state journey. Designed by former crew members and drivers, this pack fits the need of most any application. 8 separate compartments are standard in this pack, 1 long side pocket, 2 short side pockets, 1 laptop backside sleeve, 1 hand held device pocket, 1 bottom edge pocket, 1 shallow front pocket and 1 main deep pocket are std. Adjustable shoulder straps and even a port for your headphones make this the bag to travel with.
GFO1007...\$49.99



DIRT MODIFIED & MIDGETS

79 Series 10° Layback Containment Seat

10 degree layback. Constructed from TIG welded .080" 5052 grade aluminum. Additional MIG welding adds strength. Contoured elongated bottom for added thigh and hip support. Right side leg extension built in, left side cut back for easy entry, exit. Designed to accommodate all head and neck restraints. Unique design allows up to 2" of energy absorbing padding on bottom. Cover comes fully padded with 1/2" energy absorbing padding. Rib and reinforced Shoulder supports have extra 1/2" energy absorbing padding directly on seat.

Seat & Cover

14" ...KIR79140KIT **\$1295.00**
14.5" KIR79145KIT **\$1295.00**
15" ...KIR79150KIT **\$1295.00**
15.5" KIR79155KIT **\$1295.00**
16" ...KIR79160KIT **\$1295.00**
17" ...KIR79170KIT **\$1295.00**

Designed for:
Sprint Cars,
Dirt Modifieds

89 Series Intermediate 10° NE Modified, Sprint Car Seat

Smaller sizes fit Midgets & 600 Micros. Easily removable cover has additional 1/2" energy absorbing padding for extra lumbar support. 10° layback. Will fit all early style Sprint Chassis. Designed to accommodate all head & neck restraints. Constructed from TIG welded .100" 5052 grade alum. MIG welding adds strength. Contoured elongated bottom reinforced for added thigh & hip support. Energy absorbing padding on seat bottom. Rib & reinforced shoulder supports have extra 1/2" energy absorbing padding directly on seat. Right side leg extension built in, left side cut back for easy entry, exit. Included is A Frame Mt 1-1/4 C Plates Pair 99215.

Seat & Cloth Cover Combo

14" ...KIR89140KIT...\$769.00
15" ...KIR89150KIT...\$769.00
16" ...KIR89160KIT...\$769.00
17" ...KIR89170KIT...\$769.00
18" ...KIR89180KIT...\$789.00

Designed for:
Sprints &
North East
Dirt Modifieds

Brackets and Mounts

Rear Seat MountsKIR99208 ...\$35.49
A Frame Mt 1-1/4 C Plates Pair...KIR99215 ...\$26.39

56LW Series 10° Layback

Strategically placed flared openings to lighten and strengthen seat. TIG welded .100" 5052 grade aluminum. MIG welded inside for added strength. Offset aluminum extrusion around perimeter of seat for added rigidity. Progressive rib bead adds extra strength. Upholstery is double stitched around belt openings and all stress points. Multi-position lap belt openings for easy mounting. Submarine belt opening is standard. Machine plate added to reinforce shoulder belt openings. Seat back is double cross broke for added strength and comfort. High density foam on rib supports for added comfort.

Designed for:
Asphalt Midget
Dirt Midget
Sprints

Seat **Tweed Cover**
14" ...KIR56100LW **\$328.42** KIR58111LW **\$126.49**
15" ...KIR56300LW **\$328.42** KIR58311LW **\$126.49**
16" ...KIR56500LW **\$328.42** KIR58511LW **\$126.49**
17" ...KIR56700LW **\$328.42** KIR58511LW **\$126.49**

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

MINI SPRINTS

37 Series Micro Mini Sprint 10° Layback Containment Seat

Unique 3 part design for max vertical customization. Seat has 3" of vertical torso & shoulder height adjust. Head restraint has 2" of vertical adjustment, 1-1/2" of lateral adjust. Head restraint has 1/2" horizontal adjust so Right Head Pad can be moved. Head can be rotated down for additional peripheral vision. Works with all head & neck restraints. Comes w/99216, 1" C-Clamps for add head restraint support. 270 Micro Sprints use 40 Series Kit.

12" ...KIR37120KIT **\$600.82**
13" ...KIR37130KIT **\$639.00**
14" ...KIR37140KIT **\$639.00**
15" ...KIR37150KIT **\$639.00**
16" ...KIR37160KIT **\$639.00**

Designed for:
Micros
Mini Sprints

CHILD CONTAINMENT SEATS

34 Series Child Adjustable Containment Seat

Seat can be adjusted vertically to raise rib and shoulder supports. Head can be adjusted vertically and horizontally, can also be rotated to increase peripheral vision. Unique shoulder support cover design allows extra 1" shoulder width adjustment. Vertical and lateral adjustable head restraint uses molded high density energy absorbing impact pad to eliminate upholstery on head restraint. Kit comes with black cloth cover. Seat cover insert kit is included to reduce width for smaller kids.

12" ...KIR34120KIT **\$509.00**
14" ...KIR34140KIT **\$509.00**

CHILD SEATS

24 Series 8° Layback Child Seats

All of Kirkey smaller sized seats are designed and manufactured with the same care and attention to detail as our other professional racing seats.

Designed for:
Quarter Midgets

Seat	Vinyl Cover
10" ...KIR24900 \$113.75	KIR24901 \$94.70
11" ...KIR24100 \$113.75	KIR24101 \$97.40
12" ...KIR24200 \$113.75	KIR24201 \$99.65
13" ...KIR24300 \$113.75	KIR24301 \$94.70
14" ...KIR24400 \$113.75	KIR24401 \$99.65

Child Head Support

Right KIR00100C ...\$24.12
cover KIR00101C ...\$15.87
Left KIR00200C ...\$24.12
cover KIR00201C ...\$15.87



STREET STOCKS

88 Series Intermediate 18° Layback Containment Seat

Constructed from TIG welded .100" 5052 grade aluminum. Additional MIG welding adds strength. Contoured elongated bottom reinforced for added thigh and hip support. Rear Seat mount KIR99208.

Seat & Cover Combo

14" ...KIR88140KIT **\$769.00**
15" ...KIR88150KIT **\$769.00**
16" ...KIR88160KIT **\$769.00**
17" ...KIR88170KIT **\$769.00**
18.5" ...KIR88185KIT **\$789.00**

Designed for:
Dirt Late Model, Asphalt Late Models, Midwest Modifieds, Street Stock, Crate Late Models.

70 Series Std 20 Deg Layback Containment Seat

Our std 20° layback containment seat is designed for the low horse powered short track race car. Designed for short track racing. seat and cover combo \$499.59

Seat & Cover Combo

14" ...KIR70140KIT **\$509.00**
15" ...KIR70150KIT **\$509.00**
16" ...KIR70160KIT **\$509.00**
17" ...KIR70170KIT **\$509.00***

Designed for:
IMCA Modified
Street Stock

58 Series LW 20° Layback

Racers who want to save weight but demands the ultimate in comfort and safety.

Designed for:
Dirt Late Models
IMCA Modified
Street Stock

Seat	Tweed Cover
14" ...KIR58100LW \$328.42	KIR58111LW \$126.49
15" ...KIR58300LW \$328.42	KIR58311LW \$126.49
16" ...KIR58500LW \$328.42	KIR58511LW \$126.49
17" ...KIR58700LW \$328.42	KIR58511LW \$126.49

38 Series 20° Layback

Unique bottom design allows seat to be mounted in multiple layback angles without raising center of gravity in the race car. Front of seat raised for leg and thigh support. Seat comes std with lap belt openings, dbl shoulder belt openings & sub belt opening to works with all belts.

Designed for:
Dirt Late Models
IMCA Modified
Street Stock

Seat	Tweed Covers
14" ...KIR38140 \$163.98	KIR3814011 \$105.06
15" ...KIR38150 \$163.98	KIR3815011 \$105.06
16" ...KIR38160 \$163.98	KIR3816011 \$105.06
17" ...KIR38170 \$163.98	KIR3817011 \$105.06
18.5" ...KIR38185 \$178.91	KIR3818511 \$116.12
20" ...KIR38200 \$178.91	KIR3812011 \$call

Brackets and Mounts

3/16" Aluminum Rear Seat Mt...KIR99212 ...\$36.35
3/16" Aluminum Floor Seat Mt ...KIR99214 ...\$45.45

78 Series Intermediate 18° Deluxe Layback Containment Seat SFI 39.2

Seat passes SFI 39.2 Certification. Rear Seat mount available, (part # 99208).

Designed for:
Dirt Late Model,
IMCA, Legend,
Street Stock

Seat & Cover Combo
14" ...KIR78140KIT **\$1429.00**
15" ...KIR78150KIT **\$1429.00**
15.5" ...KIR78155KIT **\$1429.00**
16" ...KIR78160KIT **\$1429.00**
17" ...KIR78170KIT **\$1429.00**
18.5" ...KIR78185KIT **\$1524.00**



DRAG RACING

55 Series NEW Pro Street Drag 18°


The 55 Series seat has the same fit and feel as the 41 Series, slight changes to bottom allows this version to be mounted in a wide range of layback angle without raising center of gravity in the race car. Use of .100" thick alum throughout the seat has reduced weight up to 1/2 pound, (varies by size).



Seat	Cloth Cover
15"....KIR55150 \$151.35	KIR5515011 \$117.65
16"....KIR55160 \$151.35	KIR5516011 \$117.65
17"....KIR55170 \$151.35	KIR5517011 \$117.65
18.5"....KIR55185 \$166.48	KIR5518511 \$128.52
20"....KIR55200 \$166.48	KIR5520011 \$128.52

16 Series Econo 20° Drag

Designed for low horse power cars on small tracks. Seat side lowered for lap belts. MIG welded .125" thick 5052 grade aluminum. Progressive rib bead adds extra strength. Seat bottom is contoured to support lower back and hips. Submarine and shoulder belt opening is std. Rubber moulding around perimeter of seat. Extra thick, high density foam padding on bottom to support thighs. Extra padding added in rib area for safety and comfort. Upholstery is double stitched around belt openings and all stress areas.



Seat	Tweed Cover
15.5"....KIR16400 \$127.40	KIR16411 \$108.61
17.5"....KIR16800 \$127.40	KIR16811 \$108.61



ASPHALT

73 Series 15° Layback Full Containment Asphalt

Replaces 53 series seat. Reinforced vertically adj head restraint with SFI 45.2 high-impact padding. Pre-punched shoulder mounting locations for easy installation. No square corners on bottom. Molded rubber inserts for lap and sub belt openings. Black air knit cover. Contoured bottom foam on cover has built-in leg separator for high g-force cornering support.




Seat & Cover Combo
14"....KIR73140KIT \$1239.00
15"....KIR73150KIT \$1222.00
16"....KIR73160KIT \$1222.00
17"....KIR73170KIT \$1239.00
18"....KIR73180KIT \$1239.00

ROAD RACING

45 Series Deluxe 18° Layback Road Race Containment

For Drag Cars & Road Race Constructed from TIG welded .100" thick 5052 grade alum. MIG welded inside for added strength. Reinforced rib and shoulder restraints have high density padding for more protection & comfort. Shoulder and head restraint symmetrically designed for unobstructed peripheral vision and comfort. Designed to accommodate 6 point seat belts. Padded full cover for comfort and safety.

Air Knit Cover



Seat	Black Cloth Cover
15"....KIR45300 \$535.63	KIR45341 \$263.45
16"....KIR45500 \$535.63	KIR45541 \$263.45
17"....KIR45700 \$535.63	KIR45741 \$263.45
18"....KIR45900 \$535.63	KIR45941 \$254.20



KIR99203



KIR99201

Brackets and Mounts

Aluminum Floor Seat Mount.....KIR99203.....	\$69.07
Rear Seat Mount.....KIR99201.....	\$35.04

20 Series 20° Road Race Containment Seat

Our standard 20 Degree layback containment seat is designed for the low horse powered short track road race cars. Designed to give you more money. Designed for entry level road racing. Designed for entry level road racing. Available in sizes 14" to 17". Built in head and shoulder restraints. Designed to accommodate all head and neck restraints. Seat height can be adjusted 1" higher or 1" lower cover available in black cloth only.



Seat	Cloth Cover
14"....KIR71100 \$392.21	KIR71111 \$135.59
15"....KIR71300 \$377.90	KIR71311 \$126.40
16"....KIR71500 \$382.50	KIR71511 \$127.00
17"....KIR71700 \$386.00	KIR71711 \$127.40

65 Series Adjustable Road Race Seat

Kirkey's new versatile Adjustable Road Race Seat can be used for Kit Cars, Club Racing and even Drag Racing. Vertically adjustable 2-1/2" for customization. Bottom designed for multiple layback angles. (18 to 23 degrees). Extra padding throughout black air knit cover for added comfort. Cover designed to accommodate leg supports. (02100-02200). Uses 99212 (rear) and 99214 (bottom) seat mounts.



Seat and Cover
15".....KIR65150KIT\$439.00
16".....KIR65160KIT\$439.00
17".....KIR65170KIT\$439.00
18-1/2"....KIR65185KIT\$465.00



KIR99212



KIR99214

Brackets and Mounts

Aluminum Floor Seat Mount.....KIR99212.....	\$36.35
Rear Seat Mount.....KIR99214.....	\$45.45

STREET

55V Series Vintage Class Bucket Seat

Same fit as the 41V Series with slight changes to the bottom which allows it to be mounted in a wide range of layback angles without raising the center of gravity. The addition of punched flared holes reduces weight and gives the seat a true "Rat Rod" look.



Seat	Cover
15"....KIR55150V \$190.65	KIR5515001V \$126.95
16"....KIR55160V \$190.65	KIR5516001V \$126.95
17"....KIR55170V \$190.65	KIR5517001V \$126.95
18"....KIR55185V \$190.65	KIR5518501V \$126.95

JAZ SEATS



Mini Pro Stock

Perfect for drag sedans. 30.25" high and 18.75" wide. Provisions for 5-way belts built into seat and cover.



Bare Seat.....JAZ100-110-01	\$87.05
Vinyl CoverJAZ150-111-01	\$65.39

Pro High Back

Perfect for trucks or drag sedans. Deep bucket and lateral support. 34" high and 20.75" wide. Provisions for 5-way belts built into seat and cover.



Bare Seat.....JAZ100-140-01	\$94.80
Vinyl Cover (shown) .JAZ150-141-01	\$77.01

Turbo Pro

Designed for road racing and off road. Wrap around lateral support in shoulder and thigh area for high speed cornering. Molded in 5/16" x 18 threaded inserts. Compatible with 5 point harnesses. Black vinyl cover standard.



Bare seat.....JAZ100-150-01	\$94.80
Vinyl Cover (shown) .JAZ150-151-01	\$82.82

Accessories for Standard Seat

Head Support

tweed cover	
right KIR00100	\$24.12
cover KIR00111	\$15.87
left KIR00200	\$24.12
cover KIR00211	\$15.87

Shoulder Support

tweed cover	
right KIR00500	\$32.12
cover KIR00511	\$19.87
left KIR00600	\$32.12
cover KIR00611	\$19.87

Leg Support

tweed cover	
right KIR02100	\$36.26
cover KIR02111	\$16.73
left KIR02200	\$36.26
cover KIR02211	\$16.73



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



SEAT ACCESSORIES



Sprint/Midget Leg Protector

Lightweight alum formed to surround center steering unit. Fire retardant foam eliminates bulky cover. Formed .063" aluminum covered with neoprene foam wraps around steering box. Attaches to steering box. Protects your knees from sharp edges and fittings.

Sprint Leg Protector.....KIR99500\$65.95
Midget Leg ProtectorKIR99502\$65.95

Center Steering Leg Protector Attaches to Seat

Full containment knee guard. Keeps your knees from getting banged up in a crash. This padded aluminum knee guard bolts or dzuses directly to your seat which makes it easy to remove in a hurry. Lightweight and safe. Formed .063" Aluminum covered with neoprene foam formed to wrap around steering box. Longer sides than the 99500 allows this to be mounted to front of seat sides as well as steering box. Protects knees from sharp edges and fittings.

KIR99600.....\$65.95

Center Steer Padded Knee Guard

Fits Profile Steel and Alum, and GME Steel and Alum boxes. (may also fit others). Simple to install- 2 hose clamps install around box side tubes. Constructed from .100" Aluminum and TIG welded for strength. Completely padded for safety around the knees. Has clearance for large (2kw) inboard starter. Will clear Winters and Bert shifter linkages.

BRP9046...\$95.60

Sliding Seat Mounts

NHRA accepted. For use with Universal Mts. Designed for polyethylene and aluminum seats. Both styles can be adapted to work with other brands and types of seats. Universal style adjusts seats for height and angle. Sliding mounts feature locking mechanism on both tracks

JAZ450-011-03...\$43.56

Universal Mounts

NHRA accepted. Predrilled for 9 seat height and angle adjustments. Designed for polyethylene and aluminum seats. Both styles can be adapted to work with other brands and types of seats. Universal style adjusts seats for height and angle. Sliding mounts feature locking mechanism on both tracks.

JAZ450-010-09...\$33.17



KIR99212



KIR99214



Seat Brackets

Mounts seat to existing roll bar tubes. Specially designed for our road race seat, but can also be used with any seat. Rear mount for NEW 38 Series seat. Will also fit 09, 16, 36, 39, 41, 41V, and 47 series seats. Constructed using 3/16" high quality aluminum. Bolts to the rear of the seat and then connects to the roll cage. NEVER mount to sheet metal. Unique design allows bracket to be positioned in different layback angles. Some fabrication required.

Aluminum Floor Seat Mount...KIR99212.....\$36.35

Rear Seat Mount.....KIR99214.....\$45.45

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Seat Spacers

Bottom Seat Spacer
(pre-drilled and powder coated black)

1".....BRPCHA131.....\$18.97
1-1/2".....BRPCHA132.....\$18.97
2".....BRPCHA132-1.....\$18.97



Aluminum Seat Bracket

TEOT053...\$53.63



Window Net Mounts

Heavy duty latch style mount kit with mounting tabs. 29" long rod.

Round Style...JAZJAZ-908-03...\$48.56



Clamp-On Net Kit

Clamp-On Kit eliminates welding. Designed to clamp the ALL10219 Kit to chassis tubing.

Kit for 1-1/2" TubingALL10221\$42.99

Kit for 1-3/4" TubingALL10222\$42.99



Spring-Loaded Round Tube

It eliminates the latch release and provides easy entry and exit. Pushing against the handle releases or fastens window net. Complete with top spring tube, 3/4" flat alum for bottom of net, chassis mounting hardware, handle and instructions.

ALL10219.....\$28.99



Latch Type Round Bar

Lever latch release has a 7/16" round upper support rod for use with border style nets. Brackets are included.

ALL10217\$41.99



Latch Type Flat Bar

It is the lever latch release type used in most circle track or drag cars. 1" x 3/16" x 29" steel bar securely anchors the window net. Complete with mounting bracket.

Window Net Kit Latch.....ALL10218...\$46.99

Replacement Mounting Tabs...ALL99070...\$8.99

Molded Foam Seat Insert Kit

Our new molded foam seat insert kit is designed to add form fitting high-density padding to the bottom and lower lumbar of your current seat. Everything you need is included in the kit. Please note that this kit is designed to be used with a seat that fits the driver properly as is. If your seat is too large for you already you will need to purchase a second kit.

Kit includes all necessary materials:

- 2 containers of foam (Part A & B)
- 1/4" Foam Sheet
- 1 Roll Dbl-Sided Adhesive Gaffers Tape
- Foam Mixer • Electric Knife • Plastic Bag • Checklist
- Seat Cover Material

KIR99300.....\$254.00



Rear Seat Mount Aluminum for 73 & 91 Series

Rear mount for the 73 and 91 series. Attaches to the rear of the seat and then connects to the roll cage. Some fabrication required.

KIR99209.....\$63.65

High Density Foam Sheet

Foam Sheet -.5" peel and stick neoprene foam sheet - sheet size is 16" x 54" - ideal for adding extra padding where needed to your Kirkey seat.

KIR99401.....\$52.55

Leg Restraint Aluminum

For 38, 56, 58, 70, 71, 73, 78, 79, 88, and 89 Series.

Padded deluxe leg restraint can be bolted to 68- 69- 70- 71- 73 Series seats. This increases side support to the leg under heavy cornering and especially in case of a side impact. Comes with hardware to mount to seat. Restraint is made out of the same grade of aluminum as seat and can be ordered in any of the standard fabrics and colors listed with each seat. Substitute the last two numbers in the support part number with the appropriate fabric and color number.

Left SideKIR02200.....\$36.26

Right Side ...KIR02100.....\$36.26

Rear Seat Mount 3/16" Aluminum

for 70 & 71 Series Seat

Rear mount for the 70 and 71 series seats. Constructed using 3/16" high quality aluminum. Bolts to the rear of the seat and then connects to the roll cage. Never mount to sheet metal. Some fabrication required.

KIR99211.....\$36.35

Lumbar Support

Dense foam supports your lower back. Includes snaps and rivets for installation into your aluminum seat.


KIR99020.....\$16.99

Foam

Left Side Foam
KIRFOAM89HLS\$41.33

Right Side Foam
KIRFOAM89HRS....\$74.91

KIRFOAM89HLS





The same race-proven movements used in our original Sport-Comp gauges, this series add superior White LED through the dial lighting technology and glowing red pointers.

2-5/8" Digital Stepper Motor Gauges w/Peak & Warning

Fuel Pressure 0-15 PSI.....AUT7661	\$267.95
Fuel Pressure 0-100 PSI.....AUT7663	\$267.95
Nitrous Pressure 0-1600 PSI AUT7674	\$269.95
Oil Pressure 0-100 PSIAUT7653	\$269.95
Water Temp 100°-260° FAUT7655	\$197.95
Oil Temperature 140°-340° F.AUT7656	\$197.95




Born on the ovals of NASCAR and refined on road courses & drag strips around the world, Spek-Pro gauges are the most advanced instruments ever conceived. Bright 7 color LED lighting, configurable warning points, and peak recall make sure you stay focused on the task at hand. Pro Control outputs allow the gauges to control vehicle function at predetermined points. Digital stepper motor design & motorsport grade sending units provide superior accuracy.

5" Tach, 11,000 RPM, SPEK

Size: 2-1/16" (52.4mm)

Type: Digital Stepper Motor Range: 0-11,000 RPM. The patented air core meter movement, wound in house to exacting standards, can move the needle from 0 - 10,000 rpm in 333 milliseconds.

AUT239328.....\$366.95



2-1/16" Digital Stepper Motor Gauges

Fuel Pressure 0-15 PSI...AUTP315328	\$232.14
Oil Pressure 0-120 PSI ...AUTP325328	\$232.37
Oil Temp 100°-300° FAUTP322328	\$193.54
Water Temp 100°-300° F.AUTP346328	\$193.54



TEL TAC II Digital Tach

Self-contained digital tach with built-in memory recall. Compact 3-1/8" x 3-1/8" size is easy to mount. Extremely rugged allows it to perform in almost any racing environment. Tel Tac II recalls and displays the highest overall RPM for up to 30 minutes after the car is shut off. Tel Tac Oval Track Pro shows the highest overall RPM, the 4 lowest RPMs and the four highest RPMs from two laps. This allows you to tune your car correctly, not guess. Powered by common 9 volt battery. The tach works on 4, 6 and 8 cyl engines with either magnetos or distributors. This tach is not lighted.

TELTACH.....\$304.00



SPORT-COMP

5" Pedestal Mount Tach

8,000 RPM. w/ external amber shift light.....AUT3905..\$309.95

10,000 RPM w/Amber Light on ShieldAUT3903..\$309.95

10,000 RPM w/ Adj Redline Pointer.....AUT3900..\$210.95

Autogage

5" Monster Shift-Lite Tachs

With external Shift Lite

10,000 RPM...AUT233904...\$211.02

8,000 RPM.....AUT233905...\$209.92

Standard

10,000 RPM...AUT233902...\$213.61

PRO-COMP

5" Pedestal Mount Memory Tachs

Features Memory to recall highest RPM.

9,000 RPM...AUT6809...\$319.95

11,000 RPM.AUT6811...\$319.95

3-3/4" Pedestal Mount Tach

10,000 RPM. Features memory and with remote mounted memory switch. AUT6601..\$339.95

5" In-Dash Electric Tach

10,000 RPM. Features memory to recall highest RPM.

AUT6801..\$359.95



Oval Track Pro Digital Tach

Self-contained digital tach with built-in memory. Small, easy to mount. Memory display lasts 30 minutes after car is shut off. Powered by 9 volt battery. 3 1/8" x 31/8" dimensions. Works on 4-6-8 cylinder mags or distributors. Max. RPM reading: V8 up to 12,000 rpm 4 and 6 cylinder up to 15,000 rpm. Tel Tac Oval Track Pro shows the highest overall RPM, the four lowest RPM's and the four highest RPM's from 2 laps. This allows you to tune your car correctly, not guess.

TELOTP.....\$439.99



Wiring Harness

Wiring harness can be utilized for use of Tel Tac in multiple cars, or simply as a replacement harness.

TEL1001.....\$30.95



Mounting Cups 2-5/8" Autometer & Autogage

For use with all 2-5/8" Mechanical Temp and Pressure Gauges. Finding the perfect place to mount your AutoMeter gauge can be a challenge sometimes. Using AutoMeter's universal gauge cup, you can mount your gauge anywhere you see fit. The universal pedestal gauge cup can be mounted inside or outside of the cabin, on top, or under the dash. The possibilities are endless.

AUT3203Chrome.....\$39.95

AUT3204Black.....\$24.95

2-5/8" Pro-Comp Liquid-Filled

For use w/Liquid-Filled Pressure & Temp Gauges (except brake pressure). Finding the perfect place to mount your gauge can be a challenge sometimes. Using the universal gauge cup, you can mount your gauge anywhere you see fit. The universal pedestal gauge cup can be mounted inside or outside of the cabin, on top, or under the dash.

AUT5202Black.....\$28.95

Digital Pro Shift System Shift Light, Level 1

Size: 2 1/16" (52.4mm) • Range: 0-15k RPM (.5 - 6 Pulse Ignitions)

LED digital display. Single stage programmable "super-bright" shift light with user selectable dimming. Operates on most 4, 6, 8, 10, & 12 cyl engines with points, electronic, DIS and most 12V high perf racing ignitions. AUT4387.....\$199.95

ULTRA-LITE

5" In-Dash Tachs

Since 1957, AutoMeter has set the standard in performance, accuracy and durability with their legendary Tachometers. The patented air core meter movement, wound in house to exacting standards, can move the needle from 0 - 10,000 rpm in 333 milliseconds. An inaugural inductee to the Hot Rod Speed Parts Hall of Fame, no other tachometer on the market has had anything approaching its impact on professional racing. Built for a lifetime of service under the harshest conditions, this is the no compromise tach for no compromise builds.

10,000 rpm Dual Range w/Memory

AUT4499 ..\$359.95

10,000 rpm w/Memory

AUT4494 ..\$359.95

10,000 rpm for In-Dash Mounting

AUT4498..\$229.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Auto gage

Street & performance tachs & gauge consoles for the budget minded enthusiast.

**2-5/8" Mechanical Gauges**

Boost/Vacuum 30 IN. HG / 20 PSI	AUT2310	\$54.21
Fuel Pressure 0-15 PSI	AUT2311	\$53.91
Oil Pressure 0-100 PSI	AUT2312	\$54.24
Oil Temp 100°-340°F	AUT2314	\$59.35
Vacuum 30 IN. HG	AUT2317	\$52.85
Water Temp 100°-280°F	AUT2313	\$59.35
Water Temp 140°-280°F 6" Cap Water Res	AUT3431	\$107.95

2-1/16" Mechanical Gauges

Oil Pressure 0-100 PSI	AUT2332	\$40.17
Vacuum 30 IN. HG	AUT2337	\$45.18
Water Temp 100°-280°F	AUT2333	\$47.88

SPORT-COMP

An industry icon since the 1970's, our Sport-Comp gauges reinvented performance gauges as we know it. A clean, easy to read design, highly ruggedized movements built to withstand sportsman competition. A purpose built line of gauges designed and built to accomplish the singular mission of providing the most accurate information possible to the driver. At home on the street as they are on the track, the timeless design is the finishing touch to set off any serious build.

2-5/8" Mechanical Gauges

Blower Pressure 0-60 PSI	AUT3402	\$92.95
Boost/Vacuum 30 IN. HG / 20 PSI	AUT3401	\$92.95
Boost/Vacuum 30 IN. HG / 30 PSI	AUT3403	\$92.95
Fuel Pressure 0-15 PSI	AUT3411	\$77.95
Fuel Pressure 0-100 PSI	AUT3412	\$79.95
Fuel Pressure with Isolator 0-15 PSI	AUT3413	\$194.95
Oil Pressure 0-100 PSI	AUT3421	\$79.95
Oil Pressure 0-150 PSI	AUT3423	\$79.95
Oil Pressure 0-200 PSI	AUT3422	\$79.95
Oil Temp 140°-280°F 6" Tubing	AUT3441	\$109.95
Oil Temp 140°-280°F 12" Tubing	AUT3443	\$117.95
Transmission Temp 140°-280°	AUT3451	\$107.95
Vacuum 30 IN. HG	AUT3484	\$78.95
Water Temp 120°-240°F 6" Tubing	AUT3432	\$107.95
Water Temp 120°-240°F 12" Tubing	AUT3433	\$117.95
Water Temp 140°-280°F 6" Cap Water Res	AUT3431	\$107.95

2-1/16" Mechanical Gauges

Boost/Vacuum 30 IN. HG / 20 PSI	AUT3301	\$78.95
Boost/Vacuum 30 IN. HG / 30 PSI	AUT3303	\$78.95
Fuel Pressure 0-15 PSI	AUT3311	\$74.95
Fuel Pressure 0-100 PSI	AUT3312	\$74.95
Fuel Pressure with Isolator 0-15 PSI	AUT3313	\$189.95
Oil Pressure 0-100 PSI	AUT3321	\$77.95
Oil Pressure 0-150 PSI	AUT3323	\$77.95
Oil Pressure 0-200 PSI	AUT3322	\$77.95
Oil Temp 140°-280°F	AUT3341	\$102.95
Vacuum 30 IN. HG	AUT3384	\$74.95
Water Temp 120°-240°F 6" Tubing	AUT3332	\$102.95
Water Temp 120°-240°F 12" Tubing	AUT3333	\$107.95
Water Temp 140°-280°F	AUT3331	\$102.95
Transmission Temp 140°-280°	AUT3351	\$107.95

EXTREME ENVIRONMENT

They feature a waterproof design that is sealed front and rear for protection against the elements in exposed cockpits. These gauges have a smart full dial color change digital alarm circuit ensures visibility in any lighting condition.

2-1/16" Extreme Environment Gauges

Oil Temperature 100°-340°F	AUT9240	\$172.95
Oil Pressure 0-120 PSI	AUT9253	\$204.95
Water Temp 100°-300°F	AUT9255	\$172.95
Fuel Pressure 0-15 PSI	AUT9261	\$204.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

PRO-COMP

The most rugged gauges available, these tough liquid filled mechanical gauges have more than 20 years of race proven heritage in the most extreme conditions.

2-5/8" Mechanical Gauges

Blower Pressure 0-60 PSI	AUT5402	\$104.95
Blower Pressure w/Memory 0-60 PSI	AUT5403	\$154.95
Brake Pressure 0-2000 PSI	AUT5426	\$134.95
Boost/Vacuum 30 IN. HG / 20 PSI	AUT5401	\$104.95
Fuel Pressure 0-15 PSI	AUT5411	\$104.95
Fuel Pressure 0-100 PSI	AUT5412	\$104.95
Fuel Pressure with Isolator 0-15 PSI	AUT5413	\$214.95
Oil Pressure 0-100 PSI	AUT5421	\$102.95
Oil Pressure 0-200 PSI	AUT5422	\$102.95
Oil Temp 140°-280°F 6" Tubing	AUT5441	\$142.95
Oil Temp 140°-280°F 12" Tubing	AUT5443	\$152.95
Transmission Temp 140°-280°	AUT5451	\$139.95
Vacuum 30 IN. HG	AUT5484	\$102.95
Water Temp 120°-240°F 6" Tubing	AUT5432	\$142.95
Water Temp 120°-240°F 12" Tubing	AUT5433	\$142.95
Water Temp 140°-280°F 6" Cap Water Res	AUT5431	\$142.95
Temperature 140°-340°F	AUT5435	\$142.95

ULTRA-LITE

Born on the high speed ovals of NASCAR and refined in motorsport competition throughout the world, it's no surprise the Ultra-Lite gauges have become the most popular series in the Auto Meter line. The use of lightweight materials and engineered to near bulletproof standards, the matte brushed aluminum dial and bezel look clean and right at home in any application. More professional racers trust Ultra-Lites than any other gauge.

2-5/8" Mechanical Gauges

Blower Pressure 0-60 PSI	AUT4402	\$92.95
Brake Pressure 0-2000 PSI	AUT4426	\$124.95
Boost/Vacuum 30 IN. HG / 20 PSI	AUT4401	\$92.95
Boost/Vacuum 30 IN. HG / 30 PSI	AUT4403	\$92.95
Fuel Pressure 0-15 PSI	AUT4411	\$79.95
Fuel Pressure 0-100 PSI	AUT4412	\$79.95
Fuel Pressure with Isolator 0-15 PSI	AUT4413	\$194.95
Oil Pressure 0-100 PSI	AUT4421	\$84.95
Oil Pressure 0-150 PSI	AUT4423	\$84.95
Oil Pressure 0-200 PSI	AUT4422	\$84.95
Oil Temp 140°-280°F 6" Tubing	AUT4441	\$117.95
Transmission Temp 140°-280°	AUT4451	\$117.95
Vacuum 30 IN. HG	AUT4484	\$84.95
Water Temp 120°-240°F 6" Tubing	AUT4432	\$122.95
Water Temp 120°-240°F 12" Tubing	AUT4433	\$122.95
Water Temp 140°-280°F 6" Cap Water Res	AUT4431	\$117.95
Temperature 140°-340°F	AUT4435	\$122.95

2-1/16" Mechanical Gauges

Boost/Vacuum 30 IN. HG / 20 PSI	AUT4301	\$78.95
Boost/Vacuum 30 IN. HG / 30 PSI	AUT4303	\$78.95
Fuel Pressure 0-15 PSI	AUT4311	\$74.95
Fuel Pressure 0-100 PSI	AUT4312	\$74.95
Fuel Pressure with Isolator 0-15 PSI	AUT4313	\$194.95
Oil Pressure 0-100 PSI	AUT4321	\$77.95
Oil Pressure 0-150 PSI	AUT4323	\$77.95
Oil Pressure 0-200 PSI	AUT4322	\$77.95
Oil Temp 140°-280°F	AUT4341	\$102.95
Vacuum 30 IN. HG	AUT4384	\$74.95
Water Temp 120°-240°F 6" Tubing	AUT4332	\$102.95
Water Temp 120°-240°F 12" Tubing	AUT4333	\$117.95
Water Temp 140°-280°F	AUT4331	\$102.95
Transmission Temp 140°-280°	AUT4351	\$107.95

ULTRA-NITE

Glow in the dark dial faces provide limited duration visibility for night races while minimizing instrument weight. These products have no provisions for backlighting.

2-5/8" Mechanical Gauges

Fuel Pressure 0-15 PSI	AUT4511	\$84.95
Oil Pressure 0-100 PSI	AUT4521	\$84.95
Oil Pressure 0-150 PSI	AUT4523	\$92.95
Oil Temp 140°-280°F 6" Tubing	AUT4541	\$127.95
Water Temp 120°-240°F 6" Tubing	AUT4532	\$132.95
Water Temp 140°-280°F 6" Cap Water Res	AUT4531	\$122.95
Water Temp 140°-280°F 4" Cap Water Res	AUT4535	\$124.95

Glow In The Dark



AccuTech SMi Gauges

SMi Stepper motor gauges use a small electronic motor that only turns a tiny fraction of a rotation to drive the pointer. It is electronically controlled and is much more precise than the traditional mechanical instruments whose accuracy can be affected by many factors. Many professional race teams - NASCAR, etc. - are switching to this style of gauge for the improved accuracy (see the in-car cameras). Approved for use by IMCA.

Oil Pressure	0-100 psiLON46540	..\$153.62
Fuel Pressure	0-15 psiLON46535	..\$153.62
Fuel Pressure	0-100 psiLON46538	..\$153.62
Fuel Pressure	100-280 psiLON46545	..\$105.62
Water Temp	100-340 psiLON46548	..\$105.62
Oil Temp	100-340 psiLON46553	..\$105.62
Oil Temp	100-280 psiLON46550	..\$105.62

AccuTech Sportsman

Affordable economy steel case gauges. Solid brass CNC machined gears and industry std mechanisms. Viscous damped pointers for steady readings. Gauges come complete with back lights, temp manifold fittings, bkts & self-locking nuts. 2-5/8" mech gauges.

Fuel Pressure	0-15 psiLON46506	..\$35.21
Oil Pressure	0-100 psiLON46511	..\$30.80
Oil Temp	0-340 psiLON46521	..\$44.04
Water Temp	0-280 psiLON46516	..\$44.04



4 Gauge Alum Panel

w/ Sportsman Gauge OP,WT,OT,FP

Pointers are viscous dampened for steady readings. Gauges have CNC machined solid brass gears. Industry std fittings and connections. Pre-wired with "Fat" wiring and soldered heat-shrink terminals. Sharp looking aluminum panel...black anodized with clean, cool graphics. Warning lights and all senders are included. 2 5/8" mech gauges w/styled graphics and back lights. Black.....LON44435\$204.61



3 Gauge Aluminum Panel

w/ Sportsman Gauges OP,WT,OT

Pointers are viscous dampened for steady readings. Gauges have CNC machined solid brass gears. Industry std fittings and connections. Pre-wired with "Fat" wiring and soldered heat-shrink terminals. Sharp looking aluminum panel...black anodized with clean, cool graphics. Warning lights and all senders are included. 2 5/8" mech gauges w/styled graphics and back lights. Black.....LON44431\$170.20



3 Gauge Aluminum Panel

w/ Sportsman Gauges - OP,WT,FP

Pointers are viscous dampened for steady readings. Gauges have CNC machined solid brass gears. Industry standard fittings and connections. Pre-wired with "Fat" wiring and soldered heat-shrink terminals. Sharp looking aluminum panel...black anodized with clean, cool graphics. Warning lights and all senders are included. 2 5/8" mechanical gauges with NEW style graphics and back lights

Black.....LON44433\$170.20

Seals-it

Dashboard Gauge Grommet Seal

2-1/16"SEADB206-225	..\$8.95
2-5/8"SEADB206-275	..\$9.95



2 Gauge Aluminum Panel

w/ Sportsman Gauges - OP,WT

Pointers are viscous dampened for steady readings. Gauges have CNC machined solid brass gears. Industry standard fittings and connections. Pre-wired with "Fat" wiring and soldered heat-shrink terminals. Sharp looking aluminum panel...black anodized with clean, cool graphics. Warning lights and all senders are included. 2 5/8" mechanical gauges and back lights.

Black.....LON44430\$112.23




2 Gauge Sportsman

w. AccuTech SMi Tach - OP,WT

Much more accurate than traditional "air core" tachs. Maximum RPM recall - Just push the Recall button. 2 stage High RPM Warning light. Helps prevent over-revving of expensive motors. Can also be used as a 2 stage shift light. LED back light - Back light shows through the dial face PLUS the pointer is LED illuminated to make this the easiest tach to read.

Black.....LON44440.....\$292.37



Fuel Pressure Gauge 0-15 PSI

This conveniently small 1-1/2" gauge will fit almost anywhere. The gauge has 1/2lb increments with a range of 0-15 lbs. and has a 1/8" NPT male fitting.

MRG1561\$17.17



Thermocap - 16 PSI - Silver

Knowing your coolant temp can help to prevent burn injuries. The escaping hot coolant and steam may burn you. Reclamation valve works great with your coolant recovery system. Your radiator can reclaim coolant from your overflow bottle. Wide 30° to 270° F temp range. Calibrated in centigrade and Fahrenheit. Color-coded temp ranges.

MRG2471S.....\$34.37



Flip-up Start / Ignition Panel with Pilot Light

Panel includes both aircraft style flip-up and silicone rubber weatherproof ignition switch covers - easily changed to match your preference. Panel comes pre-wired for an easy installation - even easier with Heavy Duty Wiring Harness 44930. Panel can be mounted directly to your dash or to your roll bar with Mounting Brkts 22783 or 22787. Pre-wired with high insulation "Fat" wires and soldered terminals with heat shrink connections. Plugs into Longacre wiring harness P/N 44930. Mounts to 1-3/4" or 1-1/2" roll bar with Longacre Bolt-On Mounting Brackets P/Ns 22783 or 22787.

LON44863.....\$47.69



Flip-up Start / Ignition panel

w/ 2 acc & pilot lights

High capacity (40 amp at 12 volts) ignition switch with aircraft style cover and pilot light - Easy to turn off in an emergency from any angle, even with gloves. Will not turn off from vibration. Silicone rubber weatherproof ignition switch cover included - to keep out dirt and moisture. Starter button with weatherproof cover. 2 acc switches with silicone rubber switch covers and pilot lights. Great looking Alum Panel - black anodized with clean, modern graphics. Plugs into wiring harness LON44930. Mts to 1-3/4" or 1-1/2" roll bar w/Bolt-On Mounting Bkts LON22783 or LON22787

LON44867\$75.18



Mini Brake Balance Panel

See exactly what your balance is. Panel comes w/ (2) 1-1/2" 1500 psi liquid filled gauges & fittings with bleeders. Panel dimensions - 7" x 3-1/2"

Standard.....LON44124.....\$77.83



Battery Disconnect w/Panel 2 Terminal

Manual battery disconnect switch with a bright red handle. Easier to find in an emergency. Prevents battery drain. 175 amp continuous rating, 6-36 volt, 1000 peak. Great looking Aluminum Panel - black anodized with clean, modern graphics

LON45760.....\$41.23



Battery Disconnect Switch only 4 Terminal

Required in NASCAR, SCCA, NHRA. Manual battery disconnect switch with a bright red handle. Easier to find in an emergency. Prevents battery drain. 175 amp continuous rating, 6-36 volt, 1000 peak.

LON45780.....\$34.05



Weatherproof Battery Disconnect 4 Terminal

The back side of these switches are completely sealed and weatherproofed with a tough, waterproof polymer coating. Keeps out dirt, dust and moisture that can turn a critical switch into a useless dead end connection, possibly putting you out of a race. Battery disconnect required in NASCAR, SCCA, NHRA.

LON45788.....\$48.35



AccuTech Digital Tach

Ultra lightweight - only about 1-1/2 ounces. 3-1/2" x 1-1/2". State of the art electronics give you accuracy to within 10 RPM. Fast response. Easy to read. Easy recall. High RPM warning light to help prevent over revving of the engine. Uses CR2032 battery.

10,000 RPMLON44391\$192.02
19,000 RPMLON44402\$220.82



Water Pressure Warning Lite Kit

3.5-4.5 psi Alerts you to leaks in the cooling system. Prevents expensive engine damage. Kit includes sender, light, wire, and terminals

LON40141.....\$28.86



Sprint Car Battery pack complete kit

For low oil pressure warning light. Includes holder for LW 9V battery, low oil pressure switch (20 psi), warning light, heavy duty mag kill switch w/ weatherproof switch cover, wire and terminals.

LON45620.....\$39.07



Waterproof Switch Panels

Designed with the racer in mind, panels feature well marked switches and indicator lights. Units are completely wired for easy installation and include detailed instructions.

w/o Light ...ALL80160 ..\$42.99

With Light...ALL80162 ..\$48.99



Toggle Extensions

Push-on extensions are 1-7/8" long, offered in red or black and sold as a 2-pack.

Black Extensions (2-Pack)...ALL80168..\$3.69



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



GAUGE PANELS



Featuring
Auto Meter
Gauges



3 Gauge Panels

Oil Pressure, Water Temp, Oil Temp.
Ultra-NiteQUA300-2300\$140.00
Sport-Comp.....QUA300-3300\$238.63



Three Gauge Panels

Oil Pressure., Water Temp., Oil Temp.
QUA310-5300.....\$119.25

2 Gauge Panels

Oil Pressure
and Water Temp.
QUA310-5200..\$114.88



Silver Face Gauges

Fuel Pressure 0-15 psiQUA310-2004\$30.79
Oil Pressure 0-100 psiQUA310-2008\$30.45
Water Temp 100-280°QUA310-2012\$39.95
Oil Temp 100-340°QUA310-2016\$39.95

Terminal Block

4 locations with jumper...QUA360-1263..\$9.95
5 locations with jumper...QUA360-1261..\$9.95
6 locations with jumper...QUA360-1262..\$9.95

Magneto Signal Converter

Converts mag signal to work
w/standard ignition tach.
AUT9118...\$97.95

Black Aluminum Gauge Panel

For all 2-1/16" Autometer gauges.
2-Hole.AUT2237 \$21.95

For all 2-5/8" Aut gauges.
1-Hole.AUT3231 \$20.95
2-Hole.AUT3232 \$22.95
3-Hole.AUT3233 \$23.95

Temp Adapters

3/8" Brass NPT ...AUT2263...\$10.95
1/2" Brass NPT ...AUT2264...\$10.95
1/2" Alum. NPT....AUT2273...\$13.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

SWITCH PANELS

Just like Quantum's gauge panels, their switch panels feature soldered and heat shrunk connections. More reliability, less DNF's.

Ignition Switch Panel

A heavy duty rubber sealed push button for your starter and your choice a rubber sealed toggle, or flip cover safety switch. Toggle for magneto.QUA350-1505 \$26.51
Flip SwitchQUA350-1510 \$35.79
Flip Switch for mag.QUA350-1515 \$27.60

Starter button, 1 Ignition & 2 Accessory Switches, 3 Indicator Lights

A heavy duty rubber sealed push button for your starter, 3 rubber sealed toggles & 3 red indicator lights. Button, 3 Toggles w/ 3 Lights
QUA350-1555.....\$64.48

Starter Button, Ign & Acc. Switches w/ 2 Lights

A heavy duty rubber sealed push button for your starter & rubber sealed toggles each of which activates an red indicator light. Button, 2 Toggles w/ 2 Lights
QUA350-1570...\$48.89

Starter Button, Ignition Switch w/Light

A heavy duty rubber sealed push button for your starter and a rubber sealed toggle which activates an red indicator light. Toggle w/Light .QUA350-1530 ..\$36.89
For magQUA350-1535 ..\$27.53

Battery Disconnect Switch

A high amperage on/off switch for ignitions with or without alternator.

Without Alternator
QUA350-1540\$33.25
With Alternator
QUA350-1545\$33.02

Battery Disconnect Switch Handle

Battery Disconnect Red Handle with screw

QUA360-1241\$6.00

1 Standard Ignition,
1 Starter Button,
and 3 Std Accessory
QUA350-1630...\$55.87

1 Standard Ignition,
1 Momentary Starter,
and 3 Std Accessory
QUA350-1631..\$53.07

1 Flip Ignition,
1 Starter Button,
& 3 Accessory Switch
QUA350-1635...\$59.56

Clear LED Gauge Light
QUA310-2000\$5.00

Bulbs & Sockets

Bulb and Socket No. 168/4.9 Watt
AUT3211.....\$7.95

For use with 2-1/16" and 2-5/8" gauges (steel cases) Also used in some tachs and speedometers. Replacement Bulb 3 Watt
AUT3216\$5.95

For use with most gauges; and some tachs and speedometers. Bulb and Twist In Socket No. 86
AUT3219\$7.95

1 Starter Button,
1 Standard Ignition,
1 Accessory Switch,
and 2 Lites
QUA350-1570..\$48.89

1 Flip Ignition,
1 Starter Button,
1 Accessory Switch,
and 2 Lites
QUA350-1571..\$51.72

1 Starter Button,
1 Standard Ignition,
1 Parker Pumper,
and 3 Lites
QUA350-1572...\$50.97

1 Starter Button,
1 Standard Ignition,
2 Accessory Switch,
and 3 Lites
QUA350-1575..\$54.06

1 Flip Ignition,
1 Starter Button,
2 Accessory Switch,
and 3 Lites
QUA350-1576...\$57.55

1 Starter Button,
1 Std Ignition,
1 Parker Pumper,
1 Acc Switch, & 4 Lites
QUA350-1577...\$56.45

1 Standard Ignition,
and 1 Starter Button,
QUA350-1600..\$34.76

1 Flip Ignition,
and 1 Starter Button,
QUA350-1605..\$36.78

1 Standard Ignition,
1 Starter Button,
and 1 Std Accessory
QUA350-1610..\$39.55

1 Standard Ignition,
1 Momentary Starter,
and 1 Std Accessory
QUA350-1611..\$37.98

1 Standard Ignition,
1 Momentary Starter,
and 1 Dual Ignition
QUA350-1612..\$38.43

1 Flipping Ignition,
1 Starter Button,
and 1 Acc Switch
QUA350-1615..\$37.49

1 Standard Ignition,
1 Start Button,
and 2 Std Accessory
QUA350-1620..\$41.38

1 Standard Ignition,
1 Momentary Starter,
and 2 Std Accessory
QUA350-1621..\$43.43

1 Flip Ignition,
1 Starter Button,
& 2 Accessory Switch
QUA350-1625..\$40.54



GAUGES

845-651-7389 • www.behrents.com



Far Superior to Common Racing Designs

A stronger drive and more powerful 2.2 KW motor provide for your engine or vehicle. We recommend the TS100 series starters for engine or vehicle. We recommend the TS100 series starters for engines smaller than 420 CID and up to 14.5:1 compression.

Chevy 168T flexplate Std drive...MEZTS100...\$355.13

Chevy 153T flexplate Std drive...MEZTS101...\$355.13

The Engine Builder's Choice.

Engines exceeding 540 CI, 632, or even larger are the norm. If this fits your description then we've got the pre-scription. Our TS400 design features a powerful 2.2 KW motor and a drive assembly specifically designed for extreme starting conditions. Virtually all of the power transmitting components have been scrutinized to bring you reliability unmatched by any other manufacturer.

Chevy offset for 168T flexplate

Super Duty drive...MEZTS400...\$540.90

Chevy offset for 168 tooth flexplate or 153T flexplate

Super Duty drive...MEZTS400DP...\$540.90

The TST400 Starter

Fits BB and SBC engines. It requires that you use this in conjunction with part # FPT flexplate (139 tooth "ten pitch"). It is mandatory that the two "ten pitch" components be used together. The starter and flexplate combination will install exactly like a normal 12 pitch (std Chevy) combination but will provide a deeper and stronger gear set.

Chevy offset for 139 tooth 10 pitch flexplate

Super Duty drive...MEZTST400...\$540.90

Switches

On/Off Rocker Red Light...PAI80401...\$9.99

On/Off Rocker Amber Light...PAI80404...\$9.99

On/Off Rocker Blue Lighted...PAI80405...\$9.99

On/Off/On Rocker Red Light...PAI80403...\$9.99

Starter Button

Button w/Rubber Cover

PAI80503...\$12.99

Alternator Pulleys

Single groove 5" dia pulley slows alt for high revving racing apps. Fits GM & Ford alts with 21/32" shaft.

High grade cast alum...MOR64800...\$39.04

Machined billet alum...MOR64870...\$61.05

Alternator Mount Brackets

Designed to mt any GM Delcotron alt to SBC's & 90° V6.

Early heads need to be drilled & tapped.

MOR63825...\$66.39

Chevy 168 Tooth Flywheel

(Staggered Mount) Mastertorque

Weight: 10 lbs. • Torque @ peak HP: 180

POW9612...\$242.44

Ford SB 289, 302, 351 W & C A/T & 5 Sp MT

(3/4" Offset)

Mastertorque 10 lbs. • Torque @ peak HP: 180 •

Rated kw: 1.4

Natural...POW9603...\$230.84

XS Torque 8 lbs. • Torque @ peak HP: 200 • Rated

kw: 1.4

Natural...POW9503...\$265.64

Chrome...POW19503...\$370.04

Mopar, Chrysler, Dodge, Plymouth 65-87

Mastertorque 10 lbs. • Torque @ peak HP: 180 • Rated kw: 1.4

Natural...POW9613...\$213.44

XS Torque 8 lbs. • Torque @ peak HP: 200 • Rated

kw: 1.4

Natural...POW9513...\$265.64

Chrome...POW19513...\$393.24

'67-'69 Camaro/Nova Spacer Kit

It was designed for owners for '67-'69 Camaros that would like to install the 100 Amp Pro Series Kit POW8-881 but have a problem installing it with crossmembers. This spaces the crank pulley and bracket out 1", away from the crossmembers.

POW981...\$56.84



Mil-Spec Momentary On-Off Switch

2 Screw w/Rubber Cover

QUA360-1209MIL-SPEC...\$19.95

Mil-Spec On-Off Switch

2 Screw w/Rubber Cover

QUA360-1210MIL-SPEC...\$19.95

Mil-Spec On-On Switch

3 Screw w/Rubber Cover

QUA360-1213MIL-SPEC...\$21.40

Starter Button

w/Rubber Cover

QUA360-1225...\$10.28

#1 Seller



High Torque Starters

These Bsc starters are 35% smaller than OEM, yet have 50% more torque. Available in either 1.4Kw or 2.2Kw rating, both come with 3.75 reduction drive, & indexable mt so starter can be rotated, allowing for pan or header clearance. Dual bolt pattern fits either 153 or 168 tooth flywheel.

Fits straight bolt pattern blocks only!

HD Chevy 1.4Kw...STAR1000...\$149.95

HD Chevy 2.2Kw...STAR1002...\$161.95

NEW High Torque Starter

with Clockable Mount

HD Chevy 180ft/lbs

STAR1003...\$167.87



SBC Mini-Starter 1.4kw

It's smaller, lighter and has several mounting options. Perfect starter for circle track cars with clearance problems in the chassis or around header pipes. SBC 153 and 168T apps. Note: Also fits BBC.

ALL80520...\$159.99

Starter Solenoid

Ford-style solenoid is perfect for use with high torque racing starters. Flat base eases mounting, and a remote under hood starter switch or timing light hook-up can be easily adapted.

ALL76203...\$13.99

Big Switch w/Extension Kit

This industrial lever allows for remote mounting of the Big Stick. The kit includes a custom 15" aluminum rod, handle and the switch. The switch is activated by turning action.

FLAFR1003-4...\$156.57



Advanced Power System Starter

Gear reduction of 4.4:1 improves torque for great cranking. 3 horsepower motor provides power for high compression engines. Downsized design helps clearance issues with oil pans and exhaust.

MSD5095...\$296.95

Starter Saver w/Signal Stabilizer

Compact unit provides 10° or 20° of start retard to ease pressure on the starter & flywheel during cranking. Built-in LED monitors trigger input signals. Built-in signal stabilizer produces steady timing at all rpm. Must be used with an MSD Ignition Control, magnetic pickup trigger and only on V-8 applications.

MSD8984...\$138.95



Custom Lengths Available!



Battery Cables

Black

7" Cable...QUA802-0733BK...\$11.86

9" Cable...QUA802-0933BK...\$12.47

14" Cable...QUA802-1433BK...\$14.04

Red

20" Cable...QUA802-2053RDC...\$16.56

25" Cable...QUA802-2553RDC...\$18.00

37" Cable...QUA802-3733RDC...\$21.46

40" Cable...QUA802-4033RDC...\$22.32

52" Cable...QUA802-5233RDC...\$25.78



3/16" Double Ended Drill Bits (6)

3/16"...BSC90006...\$6.00

1/8"...BSC90007...\$5.25

Thru Firewall

Battery Connector

Black...QUA360-1250...\$9.97

Red...QUA360-1251...\$9.98

Battery Jumper

Terminals

QUA360-1255...\$26.95

GM/Delco 10dn, 10si, 12si Alt

Natural "OE" Look

Amperage Part #

80A...POW8003...\$137.92

100A...POW8002...\$150.68

140A...POW47294...\$185.48

Chrome "OE" Look

Amperage Part #

80A...POW17127...\$168.08

100A...POW17294...\$168.08

140A...POW37293...\$211.00

BBC SWP Alt Kits

26.772" Long, 10mm

Wide, Radius Tooth Belt

JON680-10 HD...\$16.89

SBC SWP Alt Kits

26.457" Long, 10mm

Wide, Radius Tooth Belt

JON672-10 HD...\$16.78



Combination Battery and Alternator Kill Switch

It is designed to completely shut down the battery and charging system in an emergency situation. Meets IHRA, NHRA & SCCA sanctioning body requirements

Rated Capacity: Battery - 2000 Amp Surge • 150 Amp Continuous • Alt - 120 Amp

FLAFR1013...\$91.04

The Little Switch - With Mounting Bkt

It is rated at 100 amps continuous service and 500 amps for 10 second.

Competition approved by IMSA,

ARCA, and SCCA.

• Prevents Battery Drain • Water Resistant

FLAFR1002...\$38.90

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Heavy Duty On/Off Switch w/Rubber Cover for Magneto

QUA360-1220.....\$15.00

Heavy Duty On/Off Switch w/Rubber Cover

QUA360-1210.....\$8.95

Toggle Switch 2 Position On/Off/On w/Rubber Cover

QUA360-1211.....\$11.95

Momentary On/Off Switch w/Rubber Cover

QUA360-1209MILSPEC..\$19.95

On/Off Switch w/Rubber Cover

QUA360-1210MILSPEC..\$19.95

Quantum Bulk Wire - High Temp

Colors...Gauge...Length

Red...#16.....25 ft...QUA360-1500...\$8.92

Red...#16.....100 ft...QUA360-1501...\$14.77

Red...#14.....25 ft...QUA360-1600...\$10.01

Red...#14.....100 ft...QUA360-1502...\$20.39

Red...#12.....100 ft...QUA360-1503...\$31.40

Red...#10.....100 ft...QUA360-1504...\$64.74

Yellow...#16.....25 ft...QUA360-1505...\$8.92

Yellow...#16.....100 ft...QUA360-1506...\$14.89

Black...#16.....25 ft...QUA360-1510...\$8.92

Black...#16.....100 ft...QUA360-1511...\$14.89

Green...#16.....25 ft...QUA360-1515...\$8.92

Green...#16.....100 ft...QUA360-1516...\$14.89

Orange...#16.....25 ft...QUA360-1520...\$8.92

Orange...#16.....100 ft...QUA360-1521...\$14.89

White...#16.....25 ft...QUA360-1525...\$8.92

White...#16.....100 ft...QUA360-1526...\$14.89

Blue...#16.....100 ft...QUA360-1531...\$14.89

Brown...#16.....100 ft...QUA360-1536...\$14.89

Black/White 2 pair Gray Covered
#16.....25 ft...QUA360-1540...\$10.76

Quantum Heavy Duty On/Off Switch with Flip Cover

QUA360-1205.....\$14.95

Heavy Duty On/Off Switch with Flip Cover for Magneto

QUA360-1215.....\$18.30

3 Wire Connector

For 2 speed motor like
Parker Pumper
QUA360-1265...\$5.95

Master Switch w/Rock Shield

No Mud or Rocks Allowed. Protect that master switch from mud and rocks. The constant beating these switches take can cause them to fail internally.

Total Power - Main Shut-Off. For Total Power with locating pin
BRP9467.....\$28.97

Rebco Style Main Power Shut-Off. For Rebco Style with flats on mounting thread
BRP9468.....\$28.97



Super Battery Disconnect

Red Knob, 500 Amp, 2 Pole
QUA360-1247...\$56.55

Starter Solenoid Four Pole

QUA360-1227...\$11.95

Starter Solenoid Three Pole

QUA360-1228...\$11.95



Oil Pressure Kit w/Light (red) 20 psi sender

Regular.....QUA320-1200.....\$22.85

Jumbo.....QUA320-1205.....\$24.08



Oil Temp Kit w/Light (blue) 275° sender

Regular.....QUA320-1230.....\$21.34

Jumbo.....QUA320-1235.....\$22.48



Water Temp. Kit w/Light (amber) 230° F sender

Regular.....QUA320-1220.....\$24.48

Jumbo.....QUA320-1225.....\$25.62



Fuel Pressure Kit w/Light white 4 psi sender

Regular.....QUA320-1240.....\$18.10

Jumbo.....QUA320-1245.....\$21.75

Regular Indicator Lights

Fits in 3/4" hole - 12 volt

Amber.....QUA320-1425

Blue.....QUA320-1430

White.....QUA320-1435

Red.....QUA320-1440

\$8.41

Jumbo Indicator Lights

Fits in 1" hole - 12 volt

Amber...QUA320-1400

Blue.....QUA320-1405

White.....QUA320-1410

Red.....QUA320-1415

\$14.50



Indicator Light

Fits in 1/2" hole - 12 volt

QUA360-1260...\$6.95

Oil Pressure Sender

20 psi...QUA320-1260...\$8.70

Fuel Pressure Sender

4 psi...QUA320-1255...\$7.98

Water Temp Sender

230° F...QUA320-1265...\$14.80

Oil Temp Sender

275° F...QUA320-1270...\$15.14



Push/Pull Battery Disconnect

18" long alum actuator, swing arm link, & necessary bushing & fasteners to mount to switch.

MOR74105.....\$66.39

Battery Disconnect Switches

Limited service (drag race without alt)

20 amp rating.....MOR74100...\$40.61

Heavy Duty (oval track, RVs, street applications, drag cars with alternators)...MOR74101...\$49.64

Battery Cable Terminal Kits

2 Battery Ends.MOR74175...\$20.21

2 Remote End.MOR74170...\$19.36

Battery Cable Kits

High Grade 2 gauge copper.

Ideal for moving battery to

rear for better weight distribution.

1.) 20' w/ 4 terminals.....MOR74005...\$106.43

2.) 20' w/4 term. 8' w/top post term. and 6" 12 gauge leads w/butt connectors, rubber lined clamps, grommets and shrink sleeving...MOR74055...\$146.52

Thru-Panel Battery Connector

Fits thru 1-1/4" hole. 1 per package.

MOR74145.....\$16.57

Quick Disconnect Battery Connector

Quick release half turn lock for easy charger hook-ups. 2 per pack...MOR74155...\$158.07

Battery Quick-Connect Plug

Instantly connect your car to charger or auxiliary battery.
MOR74200.....\$63.94

Remote Battery Jumper Terminals

2 per package. Color coded caps.
MOR74140.....\$45.63

Battery Terminal Disconnect Switch

Switch is rated at 100 amps for 12 or 24 DC use.

Switch.....MOR74103...\$17.12

Switch with Side Post...MOR74104...\$18.36

Starter Heat Shield

High temp insulation between 2 sheets of alum.

Small Tilton style starters

MOR74299.....\$36.75

Chevys w/ Delco starters

MOR74300.....\$36.75

Starter Button

35 amp, waterproof for dash or under-hood mounting. MOR74120...\$13.13

Toggle Switches

1-1/2" handle, momentary..MOR74124...\$20.29

1-1/2" handle, on/off.....MOR74125...\$12.08

11/16" handle, on/of.....MOR74126...\$8.69

Adj. Momentary Switch

15 amp rating is ideal for operating transbrakes.

Adj collar allows button travel to be preset

from .020 to .219" to adjust for reaction time.

MOR74123.....\$35.12

Universal Momentary Switch & Cable

Remote switch and cable for radio, trans brakes, line locks or nitrous. Button is normally open, short throw, mounts in 1/4" hole.

MOR74122...\$48.73

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

WIRING HARNESS

PAINLESS



12-Circuit Universal Harness GM Keyed Steering Column

It includes GM (column mounted) ignition switch plugs and a GM (column mounted) turn signal switch plug pre-terminated and ready to install. Also has pre-wired plugs for headlights and the dimmer switch.

PAI10101\$299.99

18-Circuit Universal Harness GM Keyed Steering Column

It allows you to add accessories to the basic wiring such as power windows, door locks, stereo, etc. This kit includes GM (column mounted) ignition switch plugs and a GM (column mounted) turn signal switch plug pre-terminated and ready to install. Also has pre-wired plugs for headlights and the dimmer switch.

PAI10201\$349.99



69-74 GM Muscle Cars

A pre-wired factory style bulkhead connector plugs into the fuse block through the firewall in the stock location. Easy-to-install, factory original, quick connect terminals are included for the in-dash printed circuit board. Pre-terminated plugs for the ignition and turn signal switches are included. 69-74 Nova, El Camino, Monte Carlo, Apollo, Chevelle, Cutlass, Skylark, Tempest and GTO.

PAI20102...\$589.99



12 Circuit 66-67 Chevy II / Nova Harness

This vehicle specific 12-circuit harness makes easy work of rewiring your Nova. Kit includes three harnesses: Main harness, Tail harness, Dome harness. The following connectors are already installed on the harness: Headlight switch, Headlight connectors, Fuel gauge connector, Dimmer switch, Brake switch, Heater switch, Blower resistor, Wiper switch, Backup switch, Horn, Dash light sockets, Warning light sockets. Includes: Alt pigtail with connector installed, Harness for factory air, 2 door jamb switches, High output alt kit, 50 amp Maxi Fuse.

PAI20110...\$587.99



12-Circuit Pro-Street Harness

Looking to operate your circuits through the factory switches and not a switch panel? This Pro-Street harness is for you. Contains all the features of the 12-circuit harness in the Drag Race Wiring Kit but with necessary pigtails to direct wire the start, ignition, fan, fuel pump, water pump & lighting circuits.

PAI50002\$435.99



Drag Race Wiring Kit

The 8-rocker switch control center plugs directly into the 12-circuit Pro Street harness making this the easiest and most complete way to wire a race car. Harness circuits include electric water pump, radio, electric fan, fuel pump, brake lights, headlights, tail lights, wipers, turn signals, flashers, horn and coil. The switch panel features heavy duty rocker switches to control start, ignition, fan, fuel pump one, fuel pump two, water pump, lights and one accessory.

PAI50003...\$679.99



5.0L Ford 86-93 Wiring Harness

Factory style replacement harness for this popular Ford EFI engine. Harness comes complete with factory connectors, terminals, color coded and plugs directly into the factory ECM. Harness is designed to mount ECM either on the firewall, underneath the dash or kick panel.

PAI60510...\$514.99



4 Switch

Fused Panel with all necessary wiring and hardware

Heavy duty LW non-reflective housing designed to mount to a roll bar using std metal hose clamps. Lighted rocker switches are color coded for quick visual reference. All circuits individually fused and easily accessible for quick testing & replacement. Kit comes complete with 18 feet of TXL wire using machine applied, vibration resistant, fully insulated terminals. Panel controls: Start, Ignition & 2 accessories.

PAI50301...\$251.99



6 Switch

Fused Panel

Heavy duty LW non-reflective housing designed to mount to a roll bar using std metal hose clamps. Lighted rocker switches are color coded for quick reference. All circuits individually fused and easily accessible for quick testing and replacement. All units come complete with 18 feet of TXL wire using machine applied, vibration resistant, fully insulated terminals. Kit controls: Start, ignition, fuel pump, electric fan/water pump and two accessories.

PAI50302...\$277.99



Fan-Thom

Electric Fan Relay

Designed as inexpensive protection for your electric fan. Provides constant voltage, protects from voltage and amperage spikes and keeps fan from feeding back through the system. An absolute necessity if adding an on/off switch to your electric fan circuit.

PAI30101...\$25.99



Fan Relay w/Thermostat

Designed as inexpensive protection for your electric fan. Provides constant voltage, protects from voltage and amperage spikes and keeps fan from back feeding through the system. The Fan-Thom II comes with a threaded thermostat that screws into the engine block or manifold for a professional installation. Thermostat thread size: 3/8"-18 NPT fitting. (on @ 195° • off @ 185°)..PAI30102...\$49.99 (on @ 185° • off @ 175°)..PAI30103...\$46.99



Universal Fuel Pump Relay

A relay will prevent voltage drops at the pump thus maintaining constant fuel pump pressure, and will prevent fuel pump amperage overloads from damaging the electrical system. It's a good idea to relay your fuel pump for the street and a must when you're racing.

PAI50102.....\$31.99



Electric Water Pump Relay

This relay kit provides constant voltage to maximize cooling efficiency and protect the main electrical system from damaging amperage overloads.

PAI50106...\$25.99



High Amp Alternator Shut Down Relay

This new kit, complete with 250 amp solenoid, will effectively handle alternator feedback of the highest amperage alternators. Eliminates engine run-on when the master disconnect is turned off.

PAI50105.....\$116.99



8-Circuit Race Car Harness

Machine pre-terminated fuse block and relays. Every circuit is protected with a fuse AND a 30-amp relay for maximum reliability. Kit: Start, ignition, electric water pump, electric fan, electric fuel pump #1, electric fuel pump #2, lights, & accessories. Comes w/18' of wire per circuit, terminals, wire ties, fusible link, rubber grommet, and easy to follow instructions. Designed to be used with our PAI50201 & PAI50202 non-fused switch panels.

PAI50001.....\$344.99



12-Circuit Universal Fuse Block

Use this OEM style pre-wired fuse block to replace your existing fuse block or as a starting point for custom wiring. All you have to do is terminate your circuit wire and attach it to the fuse block.

PAI30001\$126.99



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Battery Extender 6, 8, 12 16V/5A

Battery extenders keep your battery at full charge on a continuous basis. Batteries not kept at full charge become sulfated. Compatible with all Lead Acid Batteries: Std (Flooded), AGM, Gel Cell - 6v, 8v, 12v and 16v. Parasitic drain protection. Fully automatic "smart" charging enables energy efficient and safe charging via AutoMeter's advanced software and digital circuitry. The BEX series chargers are fully equipped with sophisticated circuitry that will safely charge and maintain batteries without overcharging. Charging lights will tell you what stage of charge your battery is currently taking. Your battery is ready to go when you need it. Ruggedized and Water Resistant. BEX series battery extenders are purpose built to resist water.

AUTBEX-5000.....\$74.95



Sealed Battery Box

Approved by NHRA & IHRA. Holds series 24 battery. Holes for cable and vent not drilled for custom installation. Doesn't include cable. Ideal for relocating a battery to the rear of any race, street or show vehicle with or without a rear firewall. Holds a Series 21, 24, 26, 34, 42, 54, 55, 56, 61, 62, 63, 85, 86 and 96R battery with either top-post or side-post terminals; Out-side Dims: 13-1/8" W, 11-1/8" D, 11-1/8" T. Fully approved for racing by NHRA, IHRA & SCCA. Includes all mounting hardware, rubber cable clamps & grommets. Black....MOR74051...\$73.27

Sealed Battery Box

Jaz Sealed Battery Case is a rotational molded plastic case that is resistant to battery acid. The case measures 10-1/2" long, 13" wide and 9-1/2" tall. Fits group 24 batteries with top or side post terminals.

- Completely sealed with gasket in lid
- Vent tube to carry battery gasses outside of vehicle
- NHRA & IHRA approved 3/8" hold down rods
- Mounting bracket and all hardware included
- Size: 10-1/2" L x 13" W x 9-1/2" H

JAZ700-500-01...\$87.70



Thru Firewall Battery Connector

Black .QUA360-1250 ..\$9.97
Red ...QUA360-1251 ..\$9.98

Battery Jumper Terminals

QUA360-1255...\$26.95

Remote Battery Jumper Terminals

2 per pkg. Color coded caps.
MOR74140\$45.63




Battery Terminal Disconnect Switch

Switch is rated at 100 amps for 12 or 24 DC use.

Bat Terminal Disc Switch
MOR74103\$17.12

Bat Terminal Disc Switch, Side Post
MOR74104\$18.36



Battery Box Kit - Trunk Mounted - for Up to 12" Long Batteries

Includes a plastic battery case molded from polyethylene, battery hold-down and brackets, 20' of 2 ga. stranded copper battery cable, 4 lugs, a pair of cable ends and related hardware. Case measures 12" x 6 3/4" x 10" high.
MRG6279...\$122.95



Master Disconnect Switch Universal

Mr. Gasket Master Disconnect Switch positively shuts off all of the current from the battery in the event of a short or accident. It includes an adhesive decal to show both on/off positions and detailed instructions for a safe installation. Continuous Amp Rating Of 20 Amps At 12 Volts. Momentary Rating Of 125 Amps At 12 Volts. Splices Into Battery Cable.
MRG6276\$42.40



Battery Boxes

Universal, lightweight steel battery boxes may be welded or bolted to the frame. Boxes are available in two sizes and include hold down hardware.

Full Size, 11-3/4" Wide x 7-1/4" Deep
ALL76100\$26.99

Short Style, 9-1/2" Wide x 7-1/4" Deep
ALL76101\$24.99

Lightweight Battery Box 11" x 7"

It is designed to be quickly bolted in. Box is 11" wide x 7" deep and includes 3/8" hold down hardware. Zinc plated for corrosion resistance.

ALL76102\$52.99

Charging Post Bracket

Securely mt charging posts on vehicles where battery is not easily accessible. Predrilled holes allow quick mounting to frame or body. Double-D hole design positions posts close together, but provides enough room for charging or jumper cable clamps. Charging posts sold separately.
ALL60064\$17.99

Drag Race Battery Box

It may be welded or bolted to any chassis. LW box is 7-1/4" wide x 10-1/4" deep, and includes hold down.

ALL76106\$44.99

S/S Drop-Out Battery Box

Designed for street rods and machines where battery mts under floor. Drop-out feature eases battery service & replacement, and complement underside. Box is 10-1/2" wide, 7" deep & 9-1/2" tall and will accept most std batteries.

ALL76105\$164.99

Combo Battery and Alternator Kill Switch

It is designed to completely shut down the battery and charging system in an emergency situation. Ideal for racing, vehicle storage, marine and RV apps. Prevents battery drain, theft, and reduces the risk of electrical fire. PushOff for emergency shut-down and color-coded to indicate operating position- ON or OFF, with a durable spring-loaded design. Meets IHRA, NHRA & SCCA sanctioning body requirements.

Rated Capacity: Battery - 2000 Amp Surge • 150 Amp Continuous • Alternator - 120 Amp
FLAFR1013\$91.04



Economy Battery Disconnect Switch

QUA360-1242....\$13.50

QUA360-1240

Heavy Duty Battery Disconnect Switch

Without AlternatorQUA360-1240 ..\$25.43
With AlternatorQUA360-1245 ..\$26.21

Weatherproof Battery Disconnect Switch 450 amps

QUA360-1240WP...\$34.59

Weatherproof Battery Disconnect Switch

w/Alt Terminals
QUA360-1245WP....\$36.53



Push/Pull Battery Disconnect

18" long alum actuator, swing arm link, and necessary bushing and fasteners to mount to switch.
MOR74105\$66.39

Battery Disconnect Switches

Limited service (drag race without alternator)
20 amp rating.....MOR74100\$40.61

Heavy Duty (oval track, RVs, street applications, drag cars with alternators).....MOR74101\$49.64

Battery Cable Terminal Kits

2 Battery Ends
MOR74175.....\$20.21

2 Remote End
MOR74170.....\$19.36

Battery Cable Kits

High Grade 2 gauge copper. Ideal for moving battery to rear for better weight distribution.

- 1.) 20' w/ 4 terminals.....MOR74005 ...\$106.43

- 2.) 20' w/4 term. 8' w/top post term. and 6" 12 gauge leads w/butt connectors, rubber lined clamps, grommets and shrink sleeving ...MOR74055 ...\$146.52

Thru-Panel Battery Connector

Fits thru 1-1/4" hole. 1 per package.
MOR74145.....\$16.57

Quick Disconnect Battery Connector

Quick release half turn lock for easy charger hook-ups. 2 per pack....MOR74155...\$158.07

Battery Quick-Connect Plug

Instantly connect your car to charger or auxiliary battery.
MOR74200.....\$63.94

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

S680 12 Volt AGM Battery

Good start up output, Over 1000 Amps will start most V8's. Weighs less than 17 lbs. Super compact - Can be mounted virtually anywhere. Includes SAE post terminals and protective metal case for under hood use.



Part #PriceWeightL x W x H

XSPS680\$159.74 ..16.2 lbs7.28 l x 3.19 w x 6.67 h...CA@32°F 300

S975 12 Volt AGM Battery

Weighs only 29 lbs. Thin width fits in between frame rails. Great for race cars and street rods with limited space. Popular drag, circle track, and off road racing application. Includes SAE post terminals and protective metal case for under hood use.



Part #PriceWeightL x W x H

XSPS975\$223.64 ..29.1 lbs7.83 l x 5.3 w x 6.67 h...CA@32°F 500

S1600 16 Volt AGM Battery

Lightest 16V battery! Test results have proven that they outperform other 16 V batteries weighing 10-20 lbs. more. Their cutting-edge lead acid battery tech produces more energy in a smaller space because each cell is compressed before insertion into the case.



Part #PriceWeightL x W x H

XSPS1600\$362.09 ..30.80 lbs10.28 l x 7.24 w x 6.75 h...CA@32°F 500

S925 12 Volt AGM Battery

Weighs less than 27 lbs. Low height fits in compact battery trays and under seats. Great for race cars and street rods with limited space. Mounts directly into GM group 34 applications when using part # 527 adapter kit. Includes SAE post terminals and protective metal case for under hood use.



Part #PriceWeightL x W x H

XSPS925\$212.99 ..26.83 lbs6.65 l x 7.08 w x 5.07 h...CA@32°F 550

S1200 12 Volt AGM Battery

Weighs only 36 lbs. Compact design, fits in almost any factory battery location. Great for race cars and street machines with higher amp loads. Enough power to crank the biggest performance engines. Includes SAE post terminals and protective metal case for under hood use.



Part #PriceWeightL x W x H

XSPS1200\$255.59 ..36.23 lbs7.97 l x 6.73 w x 6.79 h...CA@32°F 725

S3400 12 Volt AGM Battery

Weighs only 47 lbs. Compact design, fits in almost any factory battery location. Great for race cars and street machines with higher amp loads. Enough power to crank the biggest performance engines. Includes SAE post terminals and protective metal case for under hood use.



Part #PriceWeightL x W x H

XSPS3400\$362.09 ..47 lbs10.28 l x 6.75 w x 7.24 h...CA@32°F 1000A

D1600 16 Volt AGM Battery

Strongest 16 volt battery available. AGM battery technology. Longer life. Superior cranking. Fast charge capability. Vibration resistant. Rugged ABS case. Includes SAE post terminals and 3/8" bolts.



Part #PriceWeightL x W x H

XSPD1600\$362.09 ..46.00 lbs10.24 l x 6.75 w x 7.2 h...CA@32°F 675

16V AGM Battery Charger

16V AGM compatible. 20A max output. 2 charging modes. LED indicators and ammeter to monitor status. 6' heavy duty cables w/clamps. Built-in cooling fan for reliability. Compact size, only 16 lbs. Constant current/constant voltage.



XSP1004...\$255.55

12V/16V AGM Intelli Charger

12 volt and 16 volt AGM compatible. 25A Max output. 3 charging modes. LED indicators and ammeter to monitor status. 6' heavy duty cables w/clamps. Built-in cooling fan for reliability. Compact size, only 24 lbs. Constant current/constant voltage.



XSP1005...\$364.30

NOCO**1.1A Smart Battery Charger**

1.1 Amp 6V and 12V battery charger and maintainer. Charges lead-acid and lithium-ion batteries up to 40 amp-hours. Recovers deeply discharged batteries down to 2-volts. Spark-proof technology and reverse polarity protection. Built-in battery desulfator to recover worn-out batteries. Safely monitors battery actively with zero overcharge. Suitable for start-stop and CAN-BUS vehicle systems. Advanced diagnostics indication for damaged batteries.



NOCG1100\$45.49

7.2A Smart Battery Charger

7.2 Amp 12V and 24V battery charger and maintainer. Charges lead-acid and lithium-ion batteries up to 230 amp-hours. Recovers deeply discharged batteries down to 2-volts. Spark-proof technology and reverse polarity protection. Built-in battery desulfator to recover worn-out batteries. Safely monitors battery actively with zero overcharge. Suitable for start-stop and CAN-BUS vehicle systems. Advanced diagnostics indication for damaged batteries. Progressive repair mode for heavily sulfated 12V batteries. Constant power supply for changing a car battery or powering 12V devices.



NOCG7200\$103.95

7.2A Smart Battery Charger

26 Amp 12V and 24V automatic battery charger and maintainer. Charges lead-acid and lithium-ion batteries up to 500 amp-hours. Recovers deeply discharged batteries down to 2-volts. Spark-proof technology and reverse polarity protection. Built-in battery desulfator to recover worn-out batteries. Safely monitors battery activity with zero overcharge. Advanced diagnostics indication for damaged batteries. Progressive repair mode for heavily sulfated 12V batteries. Power supply for changing a car battery or powering 12V devices. Jump charge engine starting for dead batteries. Charge 16V AGM and lithium-ion batteries.



NOCG26000\$223.95

Plus 1000A Lithium Jump Starter

A lithium battery jump starter rated at 1,000 Amps (7,000 Joules). Spark-proof connections and reverse polarity protection. Recharges USB devices, like smartphones, tablets, and more. 100 lumen LED flashlight with multiple modes, including SOS. Jump starts gas engines up to 6 liters, and diesel up to 3 liters. Provides up to 20 jump starts on a single charge.



NOCGB40\$112.95

HD 2000A Lithium Jump Starter

A lithium battery jump starter rated at 2,000 Amps (15,700 Joules). Spark-proof connections and reverse polarity protection. Recharges USB devices, like smartphones, tablets, and more. Power 12V devices anywhere, like tire inflators, power inverters, and more. Jump starts gas engines up to 8 liters, and diesel engines up to 6 liters. Provides up to 40 jump starts on a single charge.



NOCGB70\$215.95

Battery Boxes

Fully ventilated to release battery gasses safely. Locking tabs to fasten the cover securely to the battery case. Meets Coast Guard (USCG) Code of Federal Regulations 183.420. Meets American Boat and Yacht Council (ABYC) E-10.7.

**Group 24 Battery Box**

Impact and UV resistant, plus heavy-duty carrying handles.

NOCBM300BK\$10.30

Group 24-31 Battery Box

Adjustable divider to accommodate various battery sizes.

NOCBM318BK\$12.37

**12000MAH USB Battery Pack****Water-Resistant Portable Charger**

A 56-watt power adapter for rapidly recharging NOCO. Genius Boost Ultra Safe Lithium Jump Starters. Charges five times faster than using a traditional 2-amp. USB wall or car chargers. Compatible with NOCO Genius Boost Ultra Safe Lithium. Jump Starter models GB70, GB150, & GB500. A high-frequency, high-efficiency power supply engineered for efficient energy transfer. Includes a 56-watt power adapter, plus cord sets for Australia, Europe, North America, and United Kingdom.



NOCXGC4\$45.49

12000MAH USB Battery Pack**Water-Resistant Portable Charger**

12,000mAh portable charger and power bank. Water-resistant rubberized outer layer for any environment. Add 60-hours of talk-time and 400-hours of audio playback. Pass-through technology allows simultaneous charging. LED power indicators for charging status or current battery life. Recharge an iPhone, iPad, iWatch, Beats Headphones, GoPro and more.



NOCXGB12\$61.01

Eyelet Terminal Connector

Permanently mt a battery connection to any battery. Built-in fuse protection for increased safety. More ways to charge with plug-n-play accessory changes. Rugged, watertight connector for extreme environments.



Lie-flat design for seamless installations

With M6 (1/4-inch) hole sizeNOCGC002\$10.30

With M10 (3/8-inch) hole sizeNOCGC008\$11.33

NOCO

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Advanced AGM Lightweight

Batteries have always presented the same problems of weight, safety, and cost. In racing, aerospace, and advanced technology industries, weight and safety present the two biggest challenges. Braille Battery's solution is developing lighter, more powerful batteries to suit the needs of these markets. Braille Battery's Advanced AGM batteries have allowed for more power, safer design and less overall weight than the batteries they replace, as the performance leader in the 12 volt sealed AGM (lead-acid) marketplace.



Part #	Price	Weight	L x W x H	PCA	Ah	Positive
BRLB106	\$149.99	6.9 lbs.	5.8" x 3.4" x 4.2"	.527	10	Left
BRLB129	\$159.99	9.5 lbs.	5.8" x 3.4" x 5.1"	.813	12	Left
BRLB14115	\$169.99	11.5 lbs.	5.8" x 3.4" x 5.8"	.904	15	Left
BRLB2015	\$199.99	15 lbs.	6.8" x 3.4" x 6.1"	1.067	20	Right
BRLB2317	\$199.99	17 lbs.	6.8" x 4" x 6.1"	1.191	23	Left
BRLB2317RP	\$199.99	17 lbs.	6.8" x 4" x 6.1"	1.191	23	Right
BRLB2618	\$219.99	18.5 lbs.	8.1" x 3.5" x 6.3"	1.168	26	Right
BRLB3121	\$229.99	21 lbs.	6.6" x 5.2" x 6.8"	1.380	31	Right



Lightweight Carbon Fiber AGM

Patent Pending Carbon Case Design Made for Extreme Temperatures and Vibration. More Reliability and Performance in High Temperatures. Exclusive Appearance & Design. Hand Selected Premium Products for the Highest Performing Advanced AGM Product.



Part #	Price	Weight	L x W x H	PCA	Ah	Positive
BRLB106C	\$274.99	6.9 lbs.	5.8" x 3.4" x 4.2"	.527	10	Left
BRLB14115C	\$299.99	11.5 lbs.	5.8" x 3.4" x 5.8"	.904	15	Left
BRLB2015C	\$324.99	15 lbs.	6.8" x 3.4" x 6.1"	1.067	21	Right
BRLB3121C	\$374.99	21 lbs.	6.6" x 5.2" x 6.8"	1.380	31	Right



Long Lasting Endurance Series

Original equipment replacement that have the highest cranking power and the longest run times (Amp/Hr Ratings) in their class. These batteries offer the AGM internal racing technology developed for our Advance AGM and Carbon Fiber batteries.



Part #	Price	Weight	L x W x H	PCA	Ah	Positive
BRLB6034	\$299.99	41 lbs.	10.1" x 6.3" x 7.75"	2132	60	Left
BRLB7548	\$339.99	45 lbs.	10.9" x 6.8" x 7.5"	2390	75	Right
BRLB10049	\$399.99	58 lbs.	13.9" x 6.8" x 7.5"	2856	100	Right



Micro • Lite LW Lithium-ion

Carbon Composite Casings* with CNC Precision Cell Top Design Contain Ultra-Light-weight Lithium-Ion Chemistries Hand Selected and Built by a Braille Factory Technician in the USA. High Current Interconnects, Proprietary Sine-Wave Balancing and High Amp Brass Terminals are just some of the Exotic Technologies for Professionals and Enthusiast that Demand the Best.



Part #	Price	Weight	L x W x H	PCA	Ah	Positive
BRLMLF1T	\$399.99	1 lbs.	7" x 1.3" x 2.3"	.150	9	Left
BRLML9C	\$949.99	3.7 lbs.	5.8" x 3.4" x 4.25"	.693	36	Left/Right
BRLML14C	\$1249.99	4.5 lbs.	5.75" x 3.4" x 5.8"	.827	42	Left
BRLML20C	\$1499.99	6.1 lbs.	6.8" x 3.4" x 6"	1.152	48	Right
BRLML30C	\$1999.99	9.3 lbs.	6.6" x 5.2" x 6.88"	1.658	84	Right
BRLB128L	\$1999.99	8.8 lbs.	10" x 3.25" x 6.5"	1.482	90	Right



Light & Strong Super 16V Lithium

Braille's exclusive 16 volt Lithium technology offers more starting performance and stable voltages per pound than any option available on the market. Sealed Safe Design in popular sizes that are mountable in any position.



Part #	Price	Weight	L x W x H	PCA	Ah	Positive
BRLB168L	\$1899.99	8 lbs.	10" x 3.25" x 6"	1925	60	Left
BRLB169L	\$899.99	8.9 lbs.	10" x 3.25" x 6"	950	75	Left



Race Lithium-ion Intensity Carbon

Race Winning Lithium Technology Designed for the Enthusiast and the Professional. Tremendous Weight Savings, Original Equipment Direct Replacement Sizing and Superior Starting. Excellent Off-Season Storage Perform. Brass Terminals, and High Amp Design. RoHS, Environmentally Friendly and DOT Approved. Custom Design Available.



Part #	Price	Weight	L x W x H	PCA	Ah	Positive
BRLI34CE	\$1549.99	9.7 lbs.	10.4" x 6.3" x 5.5"	1320	75	Left/Right
BRLI34CX	\$1599.99	10.2 lbs.	10.4" x 6.8" x 7.7"	1320	75	Left/Right
BRLI34CS	\$2499.99	17.5 lbs.	10.4" x 6.8" x 7.7"	2500	145	Left/Right
BRLI48CE	\$1599.99	10 lbs.	11" x 6.8" x 5.5"	1340	75	Right
BRLI48CX	\$1649.99	10.5 lbs.	11" x 6.8" x 7.7"	1340	75	Right
BRLI48CS	\$2479.99	18 lbs.	11" x 6.8" x 7.7"	2520	150	Right
BRLI49CE	\$1999.99	13.9 lbs.	13.9" x 6.8" x 5.5"	2020	114	Right
BRLI49CX	\$2099.99	14.4 lbs.	13.9" x 6.8" x 7.7"	2020	114	Right
BRLI49CS	\$3499.99	21.5 lbs.	13.9" x 6.8" x 7.7"	3150	189	Right

Electronic Battery Charger

2 amp trickle battery chargers are a safe, reliable way to extend the life of your Braille battery or any type of 12 V battery in your shop or home. 12 V charger. 2 amp hour. 3-LED indicator. Reverse polarity protection. Race & alligator quick-connects, perfect for race cars, street cars, & motorcycles.

BRL1232\$99.99

16V High Frequency AGM IntelliCharger, 15A

They are compact, yet versatile chargers that will get you all charged up. These battery chargers feature a built-in monitoring system, computer analysis, and are rated up to 15 amps. Available in 12, 14, and 16 V versions.

XSPHF1615.....\$234.89

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Super 16TM Lithium B169L Battery Charger

Lighter. Stronger. Faster. Easy Install: Direct Group 34 Drop In Replacement. **Lighter:** 40 lbs Lighter than Equal Capacity. **Safer:** Sealed Safe Design. **Efficient:** Stable Voltage Output. **Greener:** Modular Design For Service or Repair. **Reliable:** Longer Cycle Life, Better shelf Life.

BRLB168LC.....\$1999.99

Voltage Class: 16 volts

Full Charge Range: 17.4-17.6 volts

Pulse Cranking Amps @ 80F: 950

Nominal Capacity (C/5 rate): 25 AH

Lead-Acid Equivalent Cap: 75 Lithium AH (LAH)

Life Cycle @ 80% DOD: Up to 1000 cycles

Life Cycle @ 10% DOD: Up to 5000 cycles

Battery charger: Braille 1632L - "Super 16" 2 amp lithium

Rapid Recharge: Braille 16310L - "Super 16" 10 amp lithium

Max Charge Voltage @ 70F: Up to 20.5 volts • Recommended Charge Voltage: 18.25 Volts





Swivel-Seal Hose Ends

size	straight	30°	45°	45° Low Profile	60°
-6 Blue/Red	EAR800106.....\$8.42	EAR803106.....\$24.32	EAR804606.....\$22.31	EAR804506.....\$24.88	EAR806106.....\$22.31
-6 Black	EARAT800106.....\$8.95	EARAT803106.....\$24.32	EARAT804606.....\$28.34	EARAT804506.....\$31.93	EARAT806106.....\$22.31
-8 Blue/Red	EAR800108.....\$10.55	EAR803108.....\$28.99	EAR804608.....\$27.51	EAR804508.....\$29.75	EAR806108.....\$27.51
-8 Black	EARAT800108.....\$11.97	EARAT803108.....\$28.99	EARAT804608.....\$27.51	EARAT804508.....\$36.34	EARAT806108.....\$27.51
-10 Blue/Red	EAR800110.....\$14.25	EAR803110.....\$32.81	EAR804610.....\$30.66	EAR804510.....\$37.04	EAR806110.....\$30.66
-10 Black	EARAT800110.....\$14.15	EARAT803110.....\$32.81	EARAT804610.....\$32.72	EARAT804510.....\$37.04	EARAT806110.....\$30.66
-12 Blue/Red	EAR800112.....\$19.67	EAR803112.....\$41.43	EAR804612.....\$37.58	EAR804512.....\$45.59	EAR806112.....\$37.58
-12 Black	EARAT800112.....\$19.56	EARAT803112.....\$43.56	EARAT804612.....\$39.26	EARAT804512.....\$55.48	EARAT806112.....\$37.58
-16 Blue/Red	EAR800116.....\$29.62	EAR803116.....\$50.16	EAR804616.....\$45.12	EAR804516.....\$66.89	EAR806116.....\$45.12
-16 Black	EARAT800116.....\$31.62	EARAT803116.....\$54.46	EARAT804616.....\$50.18	EARAT804516.....\$80.49	EARAT806116.....\$45.12

Swivel-Seal hose ends have a unique nipple & cutter design, a design aerospace proven for 45+ years. Tightening the ferrule pulls the hose into a sharp cutter providing an unsurpassed seal. Most common uses for the Swivel-Seal are fuel lines & remote oil filter or dry sump lines.

Use with Pro-Lite 350 or Perform-O-Flex



Swivel-Seal & Auto-Fit Sockets

size	Blue/Red
-4	EAR898043.....\$4.32
-6	EAR898063.....\$3.22
-8	EAR898083.....\$4.32
-10	EAR898103.....\$5.40
-12	EAR898123.....\$5.40
-16	EAR898163.....\$10.87
-20	EAR898203.....\$18.51
-24	EAR898243.....\$40.02
Black	
-4	EARAT898043.....\$3.83
-6	EARAT898063.....\$3.06
-8	EARAT898083.....\$3.90
-10	EARAT898103.....\$4.67
-12	EARAT898123.....\$5.88
-16	EARAT898163.....\$10.35
-20	EARAT898203.....\$17.71
-24	EARAT898243.....\$38.83



size	90°	90° Low Profile	120°	150°	180°
-6 Blue/Red	EAR809106.....\$21.54	EAR809006.....\$23.12	EAR812006.....\$25.80	EAR815006.....\$26.03	EAR818006.....\$25.99
-6 Black	EARAT809106.....\$28.34	EARAT809006.....\$28.34	EARAT812006.....\$28.34	EARAT815006.....\$28.34	EARAT818006.....\$28.34
-8 Blue/Red	EAR809108.....\$27.75	EAR809008.....\$29.75	EAR812008.....\$30.08	EAR815008.....\$30.12	EAR818008.....\$29.43
-8 Black	EARAT809108.....\$30.53	EARAT809008.....\$30.53	EARAT812008.....\$30.53	EARAT815008.....\$30.53	EARAT818008.....\$30.53
-10 Blue/Red	EAR809110.....\$31.27	EAR809010.....\$36.01	EAR812010.....\$34.72	EAR815010.....\$32.71	EAR818010.....\$33.79
-10 Black	EARAT809110.....\$32.72	EARAT809010.....\$32.72	EARAT812010.....\$32.72	EARAT815010.....\$32.72	EARAT818010.....\$32.72
-12 Blue/Red	EAR809112.....\$37.58	EAR809012.....\$42.74	EAR812012.....\$41.65	EAR815012.....\$41.69	EAR818012.....\$40.34
-12 Black	EARAT809112.....\$39.26	EARAT809012.....\$39.26	EARAT812012.....\$39.26	EARAT815012.....\$39.26	EARAT818012.....\$39.26
-16 Blue/Red	EAR809116.....\$46.13	EAR809016.....\$63.58	EAR812016.....\$61.09	EAR815016.....\$60.79	EAR818016.....\$63.26
-16 Black	EARAT809116.....\$50.18	EARAT809016.....\$54.54	EARAT812016.....\$50.18	EARAT815016.....\$50.18	EARAT818016.....\$50.18



Auto-Fit Hose Ends

size	straight	45°	90°	120°	150°	180°
-4 Blue/Red	EAR300104.....\$8.85	EAR304604.....\$20.10	EAR309104.....\$20.10	EAR312004.....\$25.10	EAR315004.....\$25.10	EAR318004.....\$24.75
-4 Black	EARAT300104.....\$9.76	EARAT304604.....\$22.56	EARAT309104.....\$22.49	EARAT312004.....\$26.84	EARAT315004.....\$28.06	EARAT318004.....\$28.06
-6 Blue/Red	EAR300106.....\$7.59	EAR304606.....\$18.51	EAR309106.....\$18.51	EAR312006.....\$18.51	EAR315006.....\$18.51	EAR318006.....\$18.51
-6 Black	EARAT300108.....\$9.77	EARAT304608.....\$20.69	EARAT309108.....\$20.69	EARAT312008.....\$20.69	EARAT315008.....\$20.69	EARAT318008.....\$20.69
-8 Blue/Red	EAR300108.....\$9.77	EAR304608.....\$20.69	EAR309108.....\$20.69	EAR312008.....\$20.69	EAR315008.....\$20.69	EAR318008.....\$20.69
-8 Black	EARAT300110.....\$11.96	EARAT304610.....\$22.87	EARAT309110.....\$22.87	EARAT312010.....\$22.87	EARAT315010.....\$22.87	EARAT318010.....\$22.87
-10 Blue/Red	EAR300112.....\$17.42	EAR304612.....\$27.23	EAR309112.....\$27.23	EAR312012.....\$27.23	EAR315012.....\$27.23	EAR318012.....\$27.23
-10 Black	EARAT300116.....\$25.07	EARAT304616.....\$37.06	EARAT309116.....\$37.07	EARAT312016.....\$37.06	EARAT315016.....\$37.06	EARAT318016.....\$37.06
-12 Blue/Red	EAR300120.....\$58.42	EAR304620.....\$87.29	EAR309120.....\$87.30	EAR312020.....\$87.29	EAR315020.....\$87.29	EAR318020.....\$87.29
-12 Black	EARAT300120.....\$62.49	EARAT304620.....\$101.95	EARAT309120.....\$101.95	EARAT312020.....\$110.95	EARAT315020.....\$110.95	EARAT318020.....\$112.95
-16 Blue/Red	EAR300124.....\$105.95	EAR304624.....\$127.95	EAR309124.....\$127.95	EAR312024.....\$127.95	EAR315024.....\$127.95	EAR318024.....\$127.95
-16 Black	EARAT300124.....\$105.95	EARAT304624.....\$145.95	EARAT309124.....\$145.95			

Use with Pro-Lite 350 or Perform-O-Flex



Auto-Mate Hose Ends

size	straight	45°	90°	120°	150°	180°
-4 Blue/Red	EAR700104.....\$8.67	EAR704604.....\$20.97	EAR709104.....\$17.97	EAR712004.....\$20.09	EAR715004.....\$20.09	EAR718004.....\$20.09
-4 Black	EARAT700104.....\$8.68	EARAT704604.....\$21.33	EARAT709104.....\$21.33	EARAT712004.....\$22.96	EARAT715004.....\$22.96	EARAT718004.....\$22.96
-6 Blue/Red	EAR700106.....\$8.41	EAR704606.....\$20.97	EAR709106.....\$17.97	EAR712006.....\$20.09	EAR715006.....\$20.09	EAR718006.....\$20.09
-6 Black	EARAT700106.....\$8.40	EARAT704606.....\$21.33	EARAT709106.....\$21.33	EARAT712006.....\$22.85	EARAT715006.....\$22.85	EARAT718006.....\$22.85
-8 Blue/Red	EAR700108.....\$8.31	EAR704608.....\$21.85	EAR709108.....\$20.09	EAR712008.....\$20.43	EAR715008.....\$20.43	EAR718008.....\$20.43
-8 Black	EARAT700108.....\$8.37	EARAT704608.....\$22.85	EARAT709108.....\$22.85	EARAT712008.....\$28.55	EARAT715008.....\$28.55	EARAT718008.....\$28.55
-10 Blue/Red	EAR700110.....\$11.90	EAR704610.....\$25.39	EAR709110.....\$24.32	EAR712010.....\$24.32	EAR715010.....\$24.32	EAR718010.....\$24.32
-10 Black	EARAT700110.....\$11.90	EARAT704610.....\$25.39	EARAT709110.....\$25.01	EARAT712010.....\$33.69	EARAT715010.....\$33.69	EARAT718010.....\$33.69
-12 Blue/Red	EAR700112.....\$16.50	EAR704612.....\$26.44	EAR709112.....\$28.57	EAR712012.....\$28.57	EAR715012.....\$28.57	EAR718012.....\$28.57
-12 Black	EARAT700112.....\$18.36	EARAT704612.....\$33.18	EARAT709112.....\$33.18	EARAT712012.....\$37.49	EARAT715012.....\$37.49	EARAT718012.....\$37.49
-16 Blue/Red	EAR700116.....\$27.13	EAR704616.....\$34.92	EAR709116.....\$34.92	EAR712016.....\$34.92	EAR715016.....\$34.92	EAR718016.....\$34.92
-16 Black	EARAT700116.....\$26.63	EARAT704616.....\$42.53	EARAT709116.....\$42.53	EARAT712016.....\$50.89	EARAT715016.....\$50.89	EARAT718016.....\$50.89



Ultra-Pro Series Hose Ends

size	straight	45°	90°	120°	150°	180°
-6 Black	EAR620106.....\$9.97	EAR624606.....\$26.65	EAR629606.....\$17.36	EAR621206.....\$26.65	EAR621506.....\$26.65	EAR621806.....\$26.65
-8 Black	EAR620108.....\$11.07	EAR624608.....\$27.77	EAR629608.....\$17.36	EAR621208.....\$27.77	EAR621508.....\$27.77	EAR621808.....\$27.77
-10 Black	EAR620110.....\$12.19	EAR624610.....\$28.89	EAR629610.....\$19.41	EAR621210.....\$28.89	EAR621510.....\$28.89	EAR621810.....\$28.89
-12 Black	EAR620112.....\$14.42	EAR624612.....\$37.04	EAR629612.....\$23.50	EAR621212.....\$37.04	EAR621512.....\$37.04	EAR621812.....\$37.04
-16 Black	EAR620116.....\$22.21	EAR624616.....\$44.46	EAR629616.....\$27.60	EAR621216.....\$44.46	EAR621516.....\$44.46	EAR621816.....\$44.46
-20 Black	EAR620120.....\$38.90	EAR624620.....\$74.52	EAR629620.....\$33.74	EAR621220.....\$74.52	EAR621520.....\$43.96	EAR621820.....\$74.52

Ultra-Pro Replacement Olives

Size	
-6	EAR629063.....\$3.22
-8	EAR629083.....\$4.32
-10	EAR629103.....\$4.32
-12	EAR629123.....\$5.40
-16	EAR629163.....\$6.50

Ultra-Pro Series 350 Braided Hose

size	6'	10'	20'	33'
-6	EAR680606.....\$58.94	EAR681006.....\$97.04	EAR682006.....\$197.95	EAR683306.....\$323.95
-8	EAR680608.....\$65.23	EAR681008.....\$108.95	EAR682008.....\$218.95	EAR683308.....\$360.95
-10	EAR680610.....\$85.36	EAR681010.....\$140.95	EAR682010.....\$284.95	EAR683310.....\$467.95
-12	EAR680612.....\$105.95	EAR681012.....\$175.95	EAR682012.....\$349.95	EAR683312.....\$576.95
-16	EAR680616.....\$144.95	EAR681016.....\$241.95	EAR682016.....\$481.95	EAR683316.....\$791.95
-20	EAR680620.....\$185.95	EAR681020.....\$307.95	EAR682020.....\$611.95	EAR683320.....\$1008.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Perform-O-Flex SS Braided Hose

size	3'	6'	10'	20'	33'
-4	EAR403004..\$26.14	EAR406004..\$47.99	EAR410004..\$77.47	EAR420004..\$153.95	EAR433004..\$248.95
-6	EAR403006..\$29.41	EAR406006..\$54.52	EAR410006..\$89.46	EAR420006..\$174.95	EAR433006..\$286.95
-8	EAR403008..\$32.71	EAR406008..\$62.17	EAR410008..\$101.95	EAR420008..\$200.95	EAR433008..\$328.95
-10	EAR403010..\$35.98	EAR406010..\$68.72	EAR410010..\$113.95	EAR420010..\$221.95	EAR433010..\$363.95
-12	EAR403012..\$39.25	EAR406012..\$75.28	EAR410012..\$124.95	EAR420012..\$243.95	EAR433012..\$398.95
-16	EAR403016..\$50.17	EAR406016..\$97.10	EAR410016..\$161.95	EAR420016..\$317.95	EAR433016..\$520.95
-20	EAR403020..\$68.71	EAR406020..\$135.95	EAR410020..\$221.95	EAR420020..\$437.95	
-24	EAR403024..\$84.75	EAR406024..\$159.95	EAR410024..\$264.95	EAR420024..\$529.95	

Pro-Lite 350 Braided Hose

size	3'	6'	10'	20'	33'
-4	EAR350304..\$26.14	EAR350604..\$49.08	EAR351004..\$79.63	EAR352004..\$157.95	EAR353304..\$254.95
-6	EAR350306..\$29.43	EAR350606..\$55.62	EAR351006..\$90.56	EAR352006..\$176.95	EAR353306..\$290.95
-8	EAR350308..\$32.71	EAR350608..\$62.17	EAR351008..\$101.95	EAR352008..\$200.95	EAR353308..\$327.95
-10	EAR350310..\$35.98	EAR350610..\$68.72	EAR351010..\$113.95	EAR352010..\$223.95	EAR353310..\$363.95
-12	EAR350312..\$39.25	EAR350612..\$75.28	EAR351012..\$124.95	EAR352012..\$244.95	EAR353312..\$398.95
-16	EAR350316..\$49.08	EAR350616..\$94.94	EAR351016..\$157.95	EAR352016..\$309.95	EAR353316..\$507.95
-20	EAR350320..\$68.72	EAR350620..\$135.95	EAR351020..\$223.95	EAR352020..\$440.95	EAR353320..\$723.95

While designed for street & marine applications, Super Stock hose ends have found favor with racers because of their reliability and ease of use. Simply push the sleeve onto the hose, and push onto the barbed fitting. For use as fuel and oil lines, remote filter or cooler. Only for use with Super Stock hose. Not for use with any stainless steel braided line.

DO NOT Use with Perform-O-Flex or Pro-Lite 350

ONLY works with Super Stock!



Super Stock Hose Ends

size	straight	45°	90°	120°	180°	Male Pipe Thread (NPT)
-4 Blue/Red	EAR700145.....\$5.57	EAR704645.....\$17.97	EAR709145.....\$17.97	EAR712045.....\$17.97	EAR718045.....\$20.75	EAR720142.....\$8.42 (1/8)
-4 Black	EARAT700145.....\$6.13	EARAT704645.....\$19.93	EARAT709145.....\$19.61	EARAT712045.....\$21.31	EARAT718045.....\$21.69	EARAT720142.....\$8.42 (1/8)
-6 Blue/Red	EAR700167.....\$5.57	EAR704667.....\$17.97	EAR709167.....\$17.97	EAR712067.....\$17.97	EAR718067.....\$21.99	EAR720164.....\$11.79 (1/4)
-6 Black	EARAT700167.....\$6.13	EARAT704667.....\$19.61	EARAT709167.....\$19.61	EARAT712067.....\$21.79	EARAT718067.....\$22.88	EARAT720164.....\$11.05 (1/4)
-8 Blue/Red	EAR700109.....\$5.58	EAR704609.....\$21.15	EAR709109.....\$20.09	EAR712009.....\$24.32	EAR718009.....\$24.21	EAR720186.....\$11.79 (3/8)
-8 Black	EARAT700109.....\$6.51	EARAT704609.....\$22.88	EARAT709109.....\$22.88	EARAT712009.....\$23.97	EARAT718009.....\$23.97	EARAT720186.....\$11.94 (3/8)
-10 Blue/Red	EAR700111.....\$7.85	EAR704611.....\$25.39	EAR709111.....\$24.32	EAR712011.....\$24.32	EAR718011.....\$31.12	EAR720111.....\$14.79 (1/2)
-10 Black	EARAT700111.....\$8.68	EARAT704611.....\$26.15	EARAT709111.....\$26.15	EARAT712011.....\$25.07	EARAT718011.....\$31.07	EARAT720111.....\$14.79 (1/2)
-12 Blue/Red	EAR700113.....\$13.81	EAR704613.....\$29.62	EAR709113.....\$28.57	EAR712013.....\$28.57	EAR718013.....\$35.39	EAR720113.....\$15.85 (3/4)
-12 Black	EARAT700113.....\$13.06	EARAT704613.....\$30.53	EARAT709113.....\$27.24	EARAT712013.....\$27.24	EARAT718013.....\$27.24	EARAT720113.....\$15.85 (3/4)
-16 Blue/Red	EAR700113.....\$13.81	EAR704613.....\$29.62	EAR709113.....\$28.57	EAR712013.....\$28.57	EAR718013.....\$35.39	EAR720113.....\$15.85 (1)
-16 Black	EARAT700113.....\$13.06	EARAT704613.....\$30.53	EARAT709113.....\$27.24	EARAT712013.....\$27.24	EARAT718013.....\$27.24	EARAT720113.....\$15.85 (1)

Super Stock Hose - Black

A high quality synthetic rubber reinforced by a full coverage braided fabric sheath. Rated at 250psi and 250° F. Suitable for fuel, oil or water. Use only with Super Stock hose ends.

Bulk (Sold by Foot)	10'	20'	33'
EAR780004..\$4.32	N/A	N/A	N/A
EAR780006..\$4.10	EAR781006..\$44.70	EAR782006.....\$86.21	EAR783306..\$139.95
EAR780008..\$4.81	EAR781008..\$52.35	EAR782008.....\$100.95	EAR783308..\$163.95
EAR780010..\$5.97	EAR781010..\$63.26	EAR782010.....\$124.95	N/A
EAR780012..\$7.41	N/A	N/A	N/A

Super Stock Hose - Blue

Bulk (Sold by Foot)	10'	20'	33'
EAR790004..\$4.32	N/A	N/A	N/A
EAR790006..\$4.09	EAR791006..\$44.70	EAR792006.....\$86.19	EAR793306..\$139.95
EAR790008..\$5.21	EAR791008..\$55.62	EAR792008.....\$108.95	EAR793308..\$175.95
EAR790010..\$6.29	EAR791010..\$66.55	EAR792010.....\$124.95	N/A
EAR790012..\$7.38	N/A	N/A	N/A

Speed-Seal Hose Ends

Straight	Aluminum	Aluminum Black	Steel	Stainless
-3	EAR600133..\$12.22	EARAT600133..\$13.19	EAR600103..\$8.42	EAR600193..\$14.79
-4	EAR600134..\$13.67	EARAT600134..\$14.61	EAR600104..\$9.49	EAR600194..\$18.72

Low Profile 45°	Aluminum	Aluminum Black	Steel	Stainless
-3	EAR604533..\$37.92	EARAT604533..\$40.08	EAR604503..\$25.39	EAR604593..\$51.56
-4	EAR604534..\$38.17	EARAT604534..\$40.88	EAR604504..\$26.44	EAR604594..\$51.77

Non Adjustable Tube 45°	Aluminum	Aluminum Black	Steel	Stainless
-3	EAR604633..\$	EARAT604633..\$24.00	EAR604603..\$12.22	EAR604693..\$34.69
-4	EAR604634..\$26.24	EARAT604634..\$25.35	EAR604604..\$13.70	EAR604694..\$37.79

Non Adjustable Low Profile 90°	Steel	Stainless
-3	EAR608903..\$20.61	EAR608993.....\$32.52
-4	EAR608904..\$23.77	EAR608994.....\$35.52

Adjustable Low Profile 90°	Steel	Stainless
-3	EAR609103..\$14.79	EAR609193..\$34.69
-4	EAR609104..\$15.32	EAR609194..\$40.51

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Flame Guard

Non-asbestos insulating sleeve.

Size	Red	Price	Black	Price
3/8 ID	EAR730006..\$5.39		EAR570006..\$5.40	
1/2 ID	EAR730008..\$6.50		EAR570008..\$6.84	
3/4 ID	EAR730010..\$8.67		EAR570010..\$8.75	
1 ID	EAR730012..\$9.77		EAR570012..\$9.81	
1 1/4 ID	EAR730014..\$10.87		EAR570014..\$10.87	
1 1/2 ID	EAR730016..\$11.96		EAR570016..\$11.96	

Replacement Super Stock Sleeves

Size	Red	Black
-4	EAR798045.....\$2.13	EARAT798045..\$2.14
-6	EAR798067.....\$2.13	EARAT798067..\$2.14
-8	EAR798009.....\$2.13	EARAT798009..\$2.14
-10	EAR798011.....\$2.13	EARAT798011..\$2.14
-12	EAR798013.....\$2.13	EARAT798013..\$2.14

Inner Support Spring for Super Stock Hose

The inner support spring is to be used with Super Stock Hose to prevent collapse when in suction service or when very bend must be made.

Hose #.4' Length'

10	EAR770410..\$11.79
12	EAR770412..\$11.79

Inner Support Spring

#...4' Length'	12	16
6	EAR773406..\$11.79	EAR773416..\$11.79
8	EAR773408..\$11.79	
10	EAR773410..\$11.79	



Cushioned Tubing Hose Clamps

Alum Finish	Fits Tube or Hose O.D.	Pkg.	Qty	Price
EAR171003	3/16" ----	10		\$14.47
EAR171004	1/4" ----	10		\$14.47
EAR171005	5/16" ----	10		\$14.47
EAR171006	3/8" ----	10		\$14.47
EAR171008	1/2" (-6)	5		\$10.55
EAR171010	5/8" (-8)	5		\$10.55
EAR171012	3/4" (-10)	5		\$10.55
EAR171016	1" (-12)	5		\$10.55





Male Pipe Threads

Thread Hose

Size	Size	straight	
1/8	6	EAR820162.....	\$13.27 Blue/Red
1/4	6	EAR820106.....	\$13.84 Blue/Red
1/4	6	EARAT820106.....	\$15.13 Black
3/8	6	EAR820166.....	\$16.34 Blue/Red
3/8	6	EARAT820166.....	\$18.26 Black
3/8	8	EAR820108.....	\$16.76 Blue/Red
3/8	8	EARAT820108.....	\$18.29 Black
1/2	8	EAR820188.....	\$21.37 Blue/Red
3/8	10	EAR820111.....	\$21.37 Blue/Red
1/2	10	EAR820110.....	\$21.37 Blue/Red
1/2	10	EARAT820110.....	\$23.85 Black
1/2	12	EAR820113.....	\$32.96 Blue/Red
3/4	12	EAR820112.....	\$27.24 Blue/Red

Thread Hose

Size	Size	45°	
1/8	6	EAR824562.....	\$32.96 Blue/Red
1/4	6	EAR824506.....	\$32.96 Blue/Red
3/8	6	EAR824566.....	\$32.96 Blue/Red
3/8	8	EAR824508.....	\$39.92 Blue/Red
1/2	8	EAR824588.....	\$39.94 Blue/Red
3/8	10	EAR824511.....	\$34.96 Blue/Red
1/2	10	EAR824510.....	\$42.81 Blue/Red
1/2	12	EAR824513.....	\$52.07 Blue/Red
3/4	12	EAR824512.....	\$52.07 Blue/Red

Thread Hose

Size	Size	90°	
1/8	6	EAR829062.....	\$32.96 Blue/Red
1/4	6	EAR829006.....	\$30.64 Blue/Red
1/4	6	EARAT829006.....	\$33.36 Black
3/8	6	EAR829066.....	\$32.40 Blue/Red
3/8	6	EARAT829066.....	\$35.67 Black
3/8	8	EAR829008.....	\$35.28 Blue/Red
3/8	8	EARAT829008.....	\$41.22 Black
1/2	8	EAR829088.....	\$36.44 Blue/Red
3/8	10	EAR829011.....	\$38.76 Blue/Red
1/2	10	EAR829010.....	\$38.76 Blue/Red
1/2	10	EARAT829010.....	\$43.14 Black
1/2	12	EAR829013.....	\$52.42 Blue/Red
3/4	12	EAR829012.....	\$52.42 Blue/Red

Male AN Threads

Male Size	Thread (AN)	Hose Size	Straight Flare/O'Ring	
9/16-18	(AN-6)	6	EAR840106.....	\$12.60 Blue/Red
9/16-18	(AN-6)	6	EARAT840106.....	\$13.83 Black
3/4-16	(AN-8)	8	EAR840108.....	\$16.17 Blue/Red
3/4-16	(AN-8)	8	EARAT840108.....	\$18.15 Black
7/8-14	(AN-10)	10	EAR840110.....	\$16.94 Blue/Red
7/8-14	(AN-10)	10	EARAT840110.....	\$19.53 Black
1/16-12	(AN-12)	12	EAR840112.....	\$23.71 Blue/Red
1/16-12	(AN-12)	12	EARAT840112.....	\$22.69 Black

Male Size	Thread (AN)	Hose Size	45° O'Ring Only	
7/16-20	(AN-4)	6	EAR844564.....	\$37.04 Blue/Red
1/2-20	(AN-5)	6	EAR844565.....	\$37.04 Blue/Red
9/16-18	(AN-6)	6	EAR844506.....	\$36.28 Blue/Red
3/4-16	(AN-8)	6	EAR844568.....	\$39.92 Blue/Red
9/16-18	(AN-8)	8	EAR844586.....	\$36.28 Blue/Red
3/4-16	(AN-8)	8	EAR844508.....	\$39.92 Blue/Red
7/8-14	(AN-10)	8	EAR844581.....	\$39.92 Blue/Red
3/4-16	(AN-8)	10	EAR844509.....	\$43.71 Blue/Red
7/8-14	(AN-10)	10	EAR844510.....	\$43.71 Blue/Red
1/16-12	(AN-12)	10	EAR844511.....	\$53.82 Blue/Red
7/8-14	(AN-10)	12	EAR844513.....	\$53.82 Blue/Red
1/16-12	(AN-12)	12	EAR844512.....	\$53.82 Blue/Red

Male Size	Thread (AN)	Hose Size	90° O'Ring Only	
7/16-20	(AN-4)	6	EAR849064.....	\$36.28 Blue/Red
1/2-20	(AN-5)	6	EAR849065.....	\$36.28 Blue/Red
9/16-18	(AN-6)	6	EAR849006.....	\$36.28 Blue/Red
9/16-18	(AN-6)	6	EARAT849006.....	\$35.66 Black
3/4-16	(AN-8)	6	EAR849068.....	\$36.28 Blue/Red
9/16-18	(AN-8)	8	EAR849086.....	\$40.88 Blue/Red
3/4-16	(AN-8)	8	EAR849008.....	\$40.88 Blue/Red
3/4-16	(AN-8)	8	EARAT849008.....	\$41.22 Black
7/8-14	(AN-10)	8	EAR849081.....	\$40.88 Blue/Red
3/4-16	(AN-8)	10	EAR849009.....	\$44.69 Blue/Red
7/8-14	(AN-10)	10	EAR849010.....	\$44.69 Blue/Red
7/8-14	(AN-10)	10	EARAT849010.....	\$44.53 Black
1/16-12	(AN-12)	10	EAR849011.....	\$53.82 Blue/Red
7/8-14	(AN-10)	12	EAR849013.....	\$53.82 Blue/Red
1/16-12	(AN-12)	12	EAR849012.....	\$53.82 Blue/Red
1/16-12	(AN-12)	12	EARAT849012.....	\$59.61 Black

LS Steam Vent Adapters

Replace the rigid hard lines with these adjustable outlet, O-ring seal adapters that converts to -3 or -4 AN plumbing. Earl's Steam tube adapters are the most adjustable and lowest profile available.

-4 Single Out (2)	EARLS9804..	\$40.34
-4 Dual Out (2)	EARLS9805..	\$51.26
-4 Single (1) & -4 Dual Out (1)	EARLS9806..	\$43.61
-3 Single Out (2)	EARLS9807..	\$40.34
-3 Dual Out (2)	EARLS9808..	\$51.26
-3 Single (1) & -3 Dual Out (1)	EARLS9809..	\$43.61

Speed-Flex SS Braided / Teflon Hose

We recommend -3 lines for brakes because they produce higher pressure with little fluid displacement. Clutch systems on the other hand require less pressure, but more displacement of fluid, so we recommend -4 lines for them. Use only with Speed-Seal hose ends.

size	10'	20'
-3	EAR610003.....	\$37.06
-4	EAR610004.....	\$46.89
	EAR620003.....	\$70.91
	EAR620004.....	\$89.46

Power Steering Hose Ends

size	Part #
-6 Straight	EAR130106 ... \$9.96
-6 45°	EAR134606 ... \$21.15
-6 90°	EAR139106 ... \$20.67

Power Steering Hose

size	Part #	
6' of -6	EAR130606...	\$55.53
10' of -6	EAR131006 ...	\$85.05
20' of -6	EAR132006...	\$162.95



AN to AN Bulkhead Fittings / Aluminum

size	straight	45°	90°	Bulkhead Tee	Tee on the run	Nut
-3 Blue	EAR983203 \$6.51	EAR983703..... \$9.99	EAR983303..... \$8.68	EAR983403..... \$17.43	EAR980403 \$13.91	EAR592403* \$4.11
-3 Black	EARAT983203..... \$6.51	EARAT983703..... \$10.61	EARAT983303..... \$10.61	EARAT983403..... \$17.43	EARAT592403* \$4.11
-4 Blue	EAR983204 \$5.63	EAR983704..... \$8.68	EAR983304..... \$7.41	EAR983404 \$13.67	EAR980404 \$14.18	EAR592404* \$4.11
-4 Black	EARAT983204..... \$6.08	EARAT983704..... \$9.52	EARAT983304..... \$8.20	EARAT983404..... \$14.15	EARAT592404* \$4.11
-6 Blue	EAR983206 \$6.25	EAR983706..... \$11.97	EAR983306..... \$10.22	EAR983406 \$15.98	EAR980406 \$14.40	EAR592406* \$4.11
-6 Black	EARAT983206..... \$6.58	EARAT983706..... \$17.43	EARAT983306..... \$10.61	EARAT983406..... \$15.25	EARAT592406* \$6.18
-8 Blue	EAR983208 \$7.80	EAR983708..... \$16.33	EAR983308..... \$14.79	EAR983408 \$20.11	EAR980408 \$	EAR992408..... \$3.77
-8 Black	EARAT983208..... \$8.56	EARAT983708..... \$18.52	EARAT983308..... \$15.80	EARAT983408..... \$19.61	EARAT992408..... \$19.61
-10 Blue	EAR983210 \$11.63	EAR983710..... \$20.21	EAR983310..... \$19.39	EAR983410 \$19.75	EAR992410..... \$4.01
-10 Black	EARAT983210..... \$12.64	EARAT983710..... \$20.98	EARAT983310..... \$20.98	EARAT983410..... \$20.70	EARAT992410..... \$3.33
-12 Blue	EAR983212 \$15.38	EAR983712..... \$29.80	EAR983312..... \$29.97	EAR983412 \$38.55	EAR992412..... \$3.80
-12 Black	EARAT983212..... \$15.80	EARAT983712..... \$28.34	EARAT983312..... \$31.67	EARAT983412..... \$38.55	EARAT992412..... \$3.49
-16 Blue	EAR983216 \$29.63	EAR983316..... \$43.63	EAR992416..... \$6.77
-16 Black	EARAT983216..... \$31.67	EARAT983316..... \$43.63	EARAT992416..... \$7.19








AN to AN Bulkhead Fittings / Steel

size

straight

45°

90°

Bulkhead Tee

Tee on the run

Nut

-3

EAR963203.....\$7.60

EAR963703.....\$7.19

EAR963303.....\$7.19

EAR963403.....\$7.19

EAR960403.....\$26.59

EAR502403*.....\$7.22

-4

EAR963204.....\$7.19

EAR502404*.....\$7.22

*2 per package

AN to AN Bulkhead Fittings / Steel

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Pipe Thread to AN Adapters

Pipe Thread to AN Adapters Straight

Size	NPT	Aluminum Blue	Aluminum Black	Steel
-3	1/8	EAR981603...\$3.23	EARAT981603...\$3.31	EAR961603...\$3.06
-3	1/4	EAR981643...\$5.41	EARAT981643...\$6.51	
-4	1/8	EAR981604...\$3.30	EARAT981604...\$3.61	EAR961604...\$2.21
-4	1/4	EAR981644...\$4.33	EARAT981644...\$5.41	EAR961644...\$4.10
-4	3/8	EAR981646...\$5.41	EARAT981646...\$6.51	EAR961646...\$6.18
-6	1/8	EAR981662...\$4.33	EARAT981662...\$5.25	
-6	1/4	EAR981606...\$4.86	EARAT981606...\$4.33	
-6	3/8	EAR981666...\$4.85	EARAT981666...\$5.66	
-6	1/2	EAR981668...\$6.34	EARAT981668...\$6.54	
-8	1/4	EAR981607...\$5.36	EARAT981607...\$5.36	
-8	3/8	EAR981608...\$4.54	EARAT981608...\$5.76	
-8	1/2	EAR981688...\$6.33	EARAT981688...\$6.73	
-10	3/8	EAR981611...\$6.44	EARAT981611...\$6.77	
-10	1/2	EAR981610...\$6.44	EARAT981610...\$7.74	
-10	3/4	EAR981609...\$10.61	EARAT981609...\$10.85	
-12	1/2	EAR981613...\$11.15	EARAT981613...\$11.33	
-12	3/4	EAR981612...\$11.15	EARAT981612...\$11.75	
-16	3/4	EAR981615...\$19.25	EARAT981615...\$21.79	
-16	1	EAR981616...\$19.52	EARAT981616...\$22.73	
-20	1 1/4	EAR981620...\$28.66	EARAT981620...\$29.44	

Pipe Thread to AN Adapters - 45°

Size	NPT	Aluminum Blue	Aluminum Black	Steel
-3	1/8	EAR982303...\$9.06	EARAT982303...\$8.68	EAR962303...\$9.26
-4	1/8	EAR982304...\$9.04	EARAT982304...\$9.52	EAR962304...\$5.32
-4	1/4	EAR982344...\$10.34	EARAT982344...\$15.36	
-6	1/8	EAR982362...\$11.05	EARAT982362...\$20.67	
-6	1/4	EAR982306...\$9.06	EARAT982306...\$8.68	
-6	3/8	EAR982366...\$12.37	EARAT982366...\$11.97	
-6	1/2	EAR982368...\$19.39	EARAT982368...\$18.52	
-8	1/4	EAR982307...\$15.32	EARAT982307...\$17.19	
-8	3/8	EAR982308...\$10.70	EARAT982308...\$10.88	
-8	1/2	EAR982388...\$17.87	EARAT982388...\$16.91	
-10	3/8	EAR982311...\$17.60	EARAT982311...\$16.33	
-10	1/2	EAR982310...\$17.87	EARAT982310...\$16.33	
-10	3/4	EAR982309...\$24.84	EARAT982309...\$25.07	
-12	1/2	EAR982313...\$24.47	EARAT982313...\$24.61	
-12	3/4	EAR982312...\$24.32	EARAT982312...\$24.61	
-16	1	EAR982316...\$35.23	EARAT982316...\$37.07	

Pipe Thread to AN Adapters - 90°

Size	NPT	Aluminum Blue	Aluminum Black	Steel
-3	1/8	EAR982203...\$8.53	EARAT982203...\$8.68	EAR962203...\$8.01
-4	1/8	EAR982204...\$8.65	EARAT982204...\$8.68	EAR962204...\$5.30
-4	1/4	EAR982244...\$9.11	EARAT982244...\$8.68	
-6	1/8	EAR982262...\$10.58	EARAT982262...\$10.13	
-6	1/4	EAR982206...\$8.65	EARAT982206...\$8.68	
-6	3/8	EAR982266...\$12.50	EARAT982266...\$10.88	
-6	1/2	EAR982268...\$19.22	EARAT982268...\$17.43	
-8	1/4	EAR982207...\$14.19	EARAT982207...\$15.39	
-8	3/8	EAR982208...\$10.96	EARAT982208...\$10.88	
-8	1/2	EAR982288...\$19.22	EARAT982288...\$16.33	
-10	3/8	EAR982211...\$18.75	EARAT982211...\$18.52	
-10	1/2	EAR982210...\$19.05	EARAT982210...\$17.60	
-10	3/4	EAR982209...\$23.23	EARAT982209...\$25.05	
-12	1/2	EAR982213...\$24.28	EARAT982213...\$21.79	
-12	3/4	EAR982212...\$24.84	EARAT982212...\$21.79	
-16	3/4	EAR982215...\$38.77	EARAT982215...\$34.89	
-16	1	EAR982216...\$38.77	EARAT982216...\$37.07	

Tee-Pipe Thread on Side

A	B	C	Aluminum Blue	Aluminum Black
-3	-3	1/8	EAR982503...\$10.70	EARAT982503...\$10.88
-3	-3	1/8	EAR962503...\$8.46 - Steel	
-4	-4	1/8	EAR982504...\$10.75	EARAT982504...\$10.88
-6	-6	1/4	EAR982506...\$12.08	EARAT982506...\$12.08
-8	-8	3/8	EAR982508...\$17.60	EARAT982508...\$17.60
-10	-10	1/2	EAR982510...\$20.14	EARAT982510...\$19.61
-12	-12	3/4	EAR982512...\$32.72	EARAT982512...\$32.72

Tee-Pipe Thread on Run

A	B	C	Aluminum Blue	Aluminum Black
1/8	-3	-3	EAR982603...\$10.88	EARAT982603...\$10.88
1/8	-3	-3	EAR962603...\$7.60 - Steel	
1/8	-4	-4	EAR982604...\$10.48	EARAT982604...\$10.88
1/4	-6	-6	EAR982606...\$11.74	EARAT982606...\$10.88
3/8	-8	-8	EAR982608...\$17.60	EARAT982608...\$17.43
1/2	-10	-10	EAR982610...\$20.11	EARAT982610...\$20.98
3/4	-12	-12	EAR982612...\$33.95	EARAT982612...\$31.62
1	-12	-12	EAR982616...\$53.86	EARAT982616...\$54.54

Proposition 65 Warning: These products contain chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Pipe Thread to Pipe Thread Adapters

NPT to NPT Adapters

Size	Male Alum. Blue	Male Alum. Black
1/8	EAR991101...\$4.33	EARAT991101...\$5.07
1/4	EAR991102...\$5.41	EARAT991102...\$6.19
3/8	EAR991103...\$9.68	EARAT991103...\$9.62
1/2	EAR991104...\$9.78	EARAT991104...\$11.58
3/4	EAR991106...\$11.97	EARAT991106...\$13.54

45° Elbow

Internal/External Pipe Thread

A	B	Aluminum Blue	Aluminum Black
1/8	1/8	EAR991501...\$9.78	EARAT991501...\$13.06
1/4	1/4	EAR991502...\$11.97	EARAT991502...\$15.25
3/8	3/8	EAR991503...\$14.15	EARAT991503...\$21.79

90° Elbow

Internal/External Pipe Thread

A	B	Aluminum Blue	Aluminum Black
1/8	1/8	EAR991401...\$7.60	EARAT991401...\$13.06
1/4	1/4	EAR991402...\$13.06	EARAT991402...\$15.25
3/8	3/8	EAR991403...\$16.33	EARAT991403...\$21.79

90° Elbow

Internal Pipe Thread

A	B	Aluminum Blue	Aluminum Black
1/8	1/8	EAR991601...\$10.96	EARAT991601...\$10.88
1/4	1/4	EAR991602...\$12.11	EARAT991602...\$16.33
3/8	3/8	EAR991603...\$15.42	EARAT991603...\$21.79

NPT Female Tee

Size	Aluminum Blue	Aluminum Black
1/8	EAR991701...\$10.88	EARAT991701...\$10.88
1/4	EAR991702...\$11.97	EARAT991702...\$14.15
3/8	EAR991703...\$16.33	EARAT991703...\$16.33

NPT Reducer Bushing

Female	Male	Aluminum Blue	Aluminum Black
1/8	1/4	EAR991201...\$5.25	EARAT991201...\$6.19
1/4	3/8	EAR991202...\$6.96	EARAT991202...\$7.92
1/8	3/8	EAR991203...\$6.38	EARAT991203...\$7.34
3/8	1/2	EAR991204...\$6.80	EARAT991204...\$7.92
1/4	1/2	EAR991205...\$8.16	EARAT991205...\$9.38
1/8	1/2	EAR991206...\$9.04	EARAT991206...\$10.28
1/2	3/4	EAR991207...\$9.99	EARAT991207...\$11.58
3/8	3/4	EAR991208...\$9.99	EARAT991208...\$11.58
1/4	3/4	EAR991209...\$12.06	EARAT991209...\$13.39
3/4	1	EAR991210...\$15.85	EARAT991210...\$17.17
1/2	1	EAR991211...\$15.61	EARAT991211...\$17.17
3/8	1	EAR991212...\$15.75	EARAT991212...\$17.17
3/4	1 1/4	EAR991213...\$26.15	EARAT991213...\$30.09

Metric Thread to an Adapter

Ftg Size	Thread	Aluminum Blue	Aluminum Black
-4	10 mm x 1	EAR9919BFB \$8.89	EARAT9919BFB \$8.44
-4	10 mm x 1.25	EAR9919BFC \$8.89	EARAT9919BFC \$8.15
-4	10 mm x 1.5	EAR9919BFD \$8.89	EARAT9919BFD \$8.44
-4	12 mm x 1	EAR9919BFE \$9.32	EARAT9919BFE \$8.82
-4	12 mm x 1.5	EAR9919BFG \$8.89	EARAT9919BFG \$8.44
-4	14 mm x 1.5	EAR9919BFH \$8.89	EARAT9919BFH \$8.44
-6	10 mm x 1.25	EAR9919DFC \$8.97	EARAT9919DFC \$8.51
-6	10 mm x 1.5	EAR9919DFD \$8.97	EARAT9919DFD \$8.51
-6	12 mm x 1.5	EAR9919DFG \$8.97	EARAT9919DFG \$8.51
-6	18 mm x 1.5	EAR9919DFK \$8.97	EARAT9919DFK \$8.51
-6	14 mm x 1.5	EAR9919DFH \$8.97	EARAT9919DFH \$8.51
-6	16 mm x 1.5	EAR9919DFJ \$8.97	EARAT9919DFJ \$8.51
-8	12 mm x 1.5	EAR9919EFG \$8.97	EARAT9919EFH \$8.51
-8	14 mm x 1.5	EAR9919EFH \$8.97	EARAT9919EFH \$8.51
-8	16 mm x 1.5	EAR9919EFJ \$8.97	EARAT9919EFJ \$8.51
-8	18 mm x 1.5	EAR9919EFK \$11.19	EARAT9919EFK \$10.31
-10	14 mm x 1.5	EAR9919FFH \$12.32	EARAT9919FFH \$11.34
-10	16 mm x 1.5	EAR9919FFJ \$12.32	EARAT9919FFJ \$11.34
-10	18 mm x 1.5	EAR9919FFK \$12.32	EARAT9919FFK \$10.96
-10	20 mm x 1.5	EAR9919FFL \$12.32	EARAT9919FFL \$11.34
-12	14 mm x 1.5	EAR9919GFH \$14.57	EARAT9919GFH \$11.34
-12	16 mm x 1.5	EAR9919GFJ \$18.27	EARAT9919GFJ \$16.82
-12	18 mm x 1.5	EAR9919GFK \$18.27	EARAT9919GFK \$16.82
-12	20 mm x 1.5	EAR9919GFL \$18.27	EARAT9919GFL \$16.82
-12	30 mm x 1.5	EAR9919GFR \$25.00	EARAT9919GFR \$24.27
-16	16 mm x 1.5	EAR9919HFJ \$25.00	EARAT9919HFJ \$24.27
-16	18 mm x 1.5	EAR9919HFK \$25.00	EARAT9919HFK \$23.45
-16	20 mm x 1.5	EAR9919HFL \$25.00	EARAT9919HFL \$24.27
-16	30 mm x 1.5	EAR9919HFR \$25.00	EARAT9919HFR \$23.45

Special Purpose**AN Port Adapter**

("O" Ring Seal) (Port End contoured for max. flow)

A	B	Aluminum Blue	Aluminum Black
-6 (AN 4) 7/16-20		EAR985064...\$8.68	EARAT985064...\$8.68
-6 (AN 5) 1/2-20		EAR985065...\$9.82	EARAT985065...\$10.88
-6 (AN 6) 9/16-18		EAR985006...\$8.68	EARAT985006...\$8.68
-6 (AN 8) 3/4-16		EAR985068...\$12.24	EARAT985068...\$12.77
-6 (AN 10) 7/8-14		EAR985061...\$29.26	EARAT985061...\$30.50
-8 (AN 6) 9/16-18		EAR985086...\$12.73	EARAT985086...\$12.82
-8 (AN 8) 3/4-16		EAR985008...\$10.88	EARAT985008...\$10.88
-8 (AN 10) 7/8-14		EAR985081...\$14.15	EARAT985081...\$14.15
-10 (AN 8) 3/4-16		EAR985009...\$13.66	EARAT985009...\$14.15
-10 (AN 10) 7/8-14		EAR985010...\$13.66	EARAT985010...\$14.15
-10 (AN 12) 1 1/16-12		EAR985011...\$18.52	EARAT985011...\$19.61
-12 (AN 10) 7/8-14		EAR985013...\$18.52	EARAT985013...\$19.61
-12 (AN 12) 1 1/16-12		EAR985012...\$18.52	EARAT985012...\$19.61
-16 (AN 16) 1 1/16-12		EAR985015...\$23.97	EARAT985015...\$27.24
-16 (AN 1) 1 5/16-12		EAR985016...\$23.97	EARAT985016...\$27.24

AN Tee Female Swivel on Side

A	B	C	Aluminum Blue	Aluminum Black
-3	-3	-3	EAR925103...\$36.03	EARAT925103 \$27.24
-4	-4	-4	EAR925104...\$17.46	EARAT925104 \$27.24
-6	-6	-6	EAR925106...\$20.70	EARAT925106 \$21.93
-8	-8	-8	EAR925108...\$31.59	EARAT925108 \$32.72
-10	-10	-10	EAR925110...\$37.07	EARAT925110 \$37.07
-12	-12	-12	EAR925112...\$42.67	EARAT925112 \$45.62

AN Tee Female Swivel on Run

A	B	C	Aluminum Blue	Aluminum Black
-3	-3	-3	EAR926103...\$35.87	EARAT926103 \$27.24
-4	-4	-4	EAR926104...\$19.15	EARAT926104 \$22.88
-6	-6	-6	EAR926106...\$20.70	EARAT926106 \$21.43
-8	-8	-8	EAR926108...\$31.67	EARAT926108 \$32.22
-10	-10	-10	EAR926110...\$36.03	EARAT926110 \$39.24
-12	-12	-12	EAR926112...\$46.71	EARAT926112 \$46.71

45° Female AN Swivel to Female AN Swivel - Tube

A	B	Aluminum Blue	Aluminum Black
-3	-3	EAR939203...\$15.59	EARAT939203 \$16.66
-4	-4	EAR939204...\$15.01	EARAT939204 \$15.62
-6	-6	EAR939206...\$15.01	EARAT939206 \$15.62
-8	-8	EAR939208...\$18.50	EARAT939208 \$18.66
-10	-10	EAR939210...\$23.13	EARAT939210 \$25.12
-12	-12	EAR939212...\$26.00	EARAT939212 \$29.54
-16	-16	EAR939216...\$34.07	EARAT939216 \$35.14

90° Female AN Swivel to Female AN Swivel - Tube

A	B	Aluminum Blue	Aluminum Black
-3	-3	EAR935103...\$16.33	EARAT935103 \$16.66
-4	-4	EAR935104...\$15.59	EARAT935104 \$15.85
-6	-6	EAR935106...\$15.01	EARAT935106 \$15.85
-8	-8	EAR935108...\$18.50	EARAT935108 \$18.93
-10	-10	EAR935110...\$23.13	EARAT935110 \$24.87
-12	-12	EAR935112...\$26.00	EARAT935112 \$29.54
-16	-16	EAR935116...\$34.07	EARAT935116 \$35.30

90° Male AN to Male Swivel AN (Or Metric)

("O" Ring Seal) (Port End contoured for max. flow)

A	B	Aluminum Blue	Aluminum Black
-6 7/16-20		EAR949064...\$17.32	EARAT949064 \$16.98
-6 1/2-20		EAR949065...\$17.32	EARAT949065 \$16.98
-6 9/16-18		EAR949006...\$17.97	EARAT949006 \$17.97
-6 3/4-16		EAR949068...\$20.83	EARAT949068 \$21.20
-6 12mm x 1.25		EAR949091...\$17.32	EARAT949091 \$17.97
-6 12mm x 1.5		EAR949092...\$17.32	EARAT949092 \$17.97
-6 7/8-20		EAR949093...\$20.83	EARAT949093 \$21.20
-6 9/16-24		EAR949094...\$16.98	EARAT949094 \$16.98
-6 5/8-18		EAR949096...\$20.44	EARAT949096 \$21.20
-8 9/16-18		EAR949086...\$39.69	EARAT949086 \$40.03
-8 3/4-16		EAR949008...\$25.22	EARAT949008 \$27.19
-8 7/8-14		EAR949081...\$31.92	EARAT949081 \$31.87
-8 7/8-20		EAR949083...\$31.92	EARAT949083 \$31.87
-10 3/4-16		EAR949009...\$34.66	EARAT949009 \$35.06
-10 7/8-14		EAR949010...\$34.66	EARAT949010 \$35.06
-10 1 1/16-12		EAR949011...\$35.57	EARAT949011 \$35.40
-12 7/8-14		EAR949013...\$41.78	EARAT949013 \$43.30
-12 1 1/16-12		EAR949012...\$41.78	EARAT949012 \$43.30

90° Male**AN to Male Swivel NPT**

A	B	Aluminum Blue	Aluminum Black
-3	1/8	EAR922103...\$23.88	EARAT922103 \$25.75
-4	1/8	EAR922104...\$19.65	EARAT922104 \$21.79
-4	1/4	EAR922144...\$20.70	EARAT922144 \$21.43
-6	1/4	EAR922106...\$16.17	EARAT922106 \$21.79
-6	1/8	EAR922162...\$21.62	EARAT922162 \$22.82
-6	3/8	EAR922166...\$24.28	EARAT922166 \$25.07
-8	1/4	EAR922107...\$24.28	EARAT922107 \$25.07
-8	3/8	EAR922108...\$24.28	EARAT922108 \$25.07
-8	1/2	EAR922188...\$32.39	EARAT922188 \$28.34
-10	1/2	EAR922110...\$34.41	EARAT922110 \$32.72
-10	3/8	EAR922111...\$34.41	EARAT922111 \$36.53
-12	3/4	EAR922112...\$41.51	EARAT922112 \$43.01
-12	1/2	EAR922113...\$41.51	EARAT922113 \$43.01

90° Female AN to Male Swivel NPT (or Metric)

A	B	Aluminum Blue	Aluminum Black
-3	1/8	EAR923103...\$36.62	EARAT923103 \$25.34
-4	1/8	EAR923104...\$25.08	EARAT923104 \$25.34
-4	1/4	EAR923144...\$25.08	EARAT923144 \$25.34
-6	1/4	EAR923106...\$24.28	EARAT923106 \$25.34
-6	1/8	EAR923162...\$24.28	EARAT923162 \$25.34
-6	3/8	EAR923166...\$24.28	EARAT923166 \$25.34
-8	1/4	EAR923107...\$27.92	EARAT923107 \$31.42
-8	3/8	EAR923108...\$27.92	EARAT923108 \$31.42
-8	1/2	EAR923188...\$31.67	EARAT923188 \$31.42
-10	1/2	EAR923110...\$41.51	EARAT923110 \$42.64
-10	3/8	EAR923111...\$41.51	EARAT923111 \$42.64
-12	1/2	EAR923113...\$50.11	EARAT923113 \$42.64
-12	3/4	EAR923112...\$50.11	EARAT923112 \$42.64
-6	12mm x 1.25	EAR923191...\$24.28	EARAT923191 \$29.34
-6	12mm x 1.5	EAR923192...\$24.28	EARAT923192 \$29.34

Special Purpose Adapters

(Female AN to male AN)

size	45° Aluminum Blue	45° Aluminum Black
-3	EAR924103...\$22.36	EARAT924103 \$25.25
-4	EAR924104...\$15.80	EARAT924104 \$17.04
-6	EAR924106...\$19.05	EARAT924106 \$19.02
-8	EAR924108...\$23.86	EARAT924108 \$26.95
-10	EAR924110...\$30.69	EARAT924110 \$35.79
-12	EAR924112...\$41.52	EARAT924112 \$43.01

Special Purpose Adapters

(Female AN to male AN)

size	90° Aluminum Blue	90° Aluminum Black
-3	EAR921103...\$21.79	EARAT921103 \$25.25
-4	EAR921104...\$15.25	EARAT921104 \$16.63
-6	EAR921106...\$15.25	EARAT921106 \$17.17
-8	EAR921108...\$21.79	EARAT921108 \$22.88
-10	EAR921110...\$28.34	EARAT921110 \$27.24
-12	EAR921112...\$35.99	EARAT921112 \$32.72
-16	EAR921116...\$49.19	EARAT921116 \$49.13

size 90° Steel

-3	EAR966303...\$7.19
-4	EAR966304...\$7.19

Adapter Fittings / Aluminum

*2 per package

size	straight union	tee	o-ring port plug
-3 Blue	EAR981503...\$4.33	EAR982403...\$8.68	EAR581403*...\$4.53
-3 Black	EARAT981503...\$6.28	EARAT982403...\$8.68	EAR581403*...\$4.85
-4 Blue	EAR981504...\$3.37	EAR982404...\$9.75	EAR581404*...\$5.54
-4 Black	EARAT981504...\$3.39	EARAT982404...\$9.75	EAR581404*...\$5.70
-6 Blue	EAR981506...\$5.41	EAR982406...\$9.75	EAR581406*...\$5.54
-6 Black	EARAT981506...\$5.41	EARAT982406...\$9.75	EAR581406*...\$5.70
-8 Blue	EAR981508...\$6.18	EAR982408...\$16.34	EAR981408...\$4.20
-8 Black	EARAT981508...\$6.18	EARAT982408...\$16.34	EAR981408...\$4.20
-10 Blue	EAR981510...\$8.26	EAR982410...\$20.70	EAR981410...\$6.30
-10 Black	EARAT981510...\$8.26	EARAT982410...\$20.70	EAR981410...\$6.30
-12 Blue	EAR981512...\$13.17	EAR982412...\$31.10	EAR981412...\$8.63
-12 Black	EARAT981512...\$13.17	EARAT982412...\$31.10	EAR981412...\$8.63
-16 Blue	EAR981516...\$22.56	EAR982416...\$52.60	EAR981416...\$11.15
-16 Black	EARAT981516...\$22.56	EARAT982416...\$52.60	EAR981416...\$11.15
-20 Blue	EAR981520...\$33.00		
-20 Black	EARAT981520...\$34.83		

Steel

-3	EAR962403...\$7.60
-4	EAR962404...\$7.60

Tee

-3	EAR962403...\$7.60
-4	EAR962404...\$7.60

Hose Barb to Pipe Thread Adapters / Aluminum


Hose	NPT	straight	45°	90°	Alum
1/4	1/8	EAR984004...\$5.32	EAR984404...\$20.41	EAR984204...\$15.16	Blue
1/4	1/8	EARAT984004...\$6.16	EARAT984404...\$20.41	EARAT984204...\$16.97	Black
3/8	1/4	EAR984006...\$5.52	EAR984406...\$20.59	EAR984206...\$18.29	Blue
3/8	1/4	EARAT984006...\$6.39	EARAT984406...\$20.59	EARAT984206...\$19.73	Black
1/2	3/8	EAR984008...\$8.83	EAR984408...\$20.88	EAR984208...\$18.69	Blue
1/2	3/8	EARAT984008...\$8.62	EARAT984408...\$20.78	EARAT984208...\$20.78	Black
5/8	1/2	EAR984010...\$13.09	EAR984410...\$25.54	EAR984210...\$20.11	Blue
5/8	1/2	EARAT984010...\$12.82	EARAT984410...\$25.54	EARAT984210...\$22.32	Black
3/4	3/4	EAR984012...\$19.39	EAR984412...\$39.89	EAR984212...\$28.75	Blue
3/4	3/4	EARAT984012...\$21.83	EARAT984412...\$39.89	EARAT984212...\$31.93	Black

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Straight AN Swivel to Male NPT

A	B	Aluminum Blue	Aluminum Black
-3	1/8	EAR916103...\$11.33	EARAT916103...\$11.66
-4	1/8	EAR916104...\$9.11	EARAT916104...\$9.52
-4	1/4	EAR916144...\$8.62	EARAT916144...\$9.67
-6	1/4	EAR916106...\$9.11	EARAT916106...\$9.52
-6	1/8	EAR916162...\$10.93	EARAT916162...\$11.55
-6	3/8	EAR916166...\$11.72	EARAT916166...\$12.54
-8	1/4	EAR916107...\$11.55	EARAT916107...\$12.54
-8	3/8	EAR916108...\$10.96	EARAT916108...\$12.59
-8	1/2	EAR916188...\$14.76	EARAT916188...\$15.04
-10	1/2	EAR916110...\$14.40	EARAT916110...\$16.58
-10	3/8	EAR916111...\$13.76	EARAT916111...\$15.04
-12	3/4	EAR916112...\$20.18	EARAT916112...\$24.04
-12	1/2	EAR916113...\$20.18	EARAT916113...\$24.04



90° Elbow

A	B	Aluminum Blue	Aluminum Black
-3	-3	EAR982103...\$15.86	EARAT982103...\$17.02
-4	-4	EAR982104...\$15.86	EARAT982104...\$17.02
-6	-6	EAR982106...\$15.86	EARAT982106...\$17.02
-8	-8	EAR982108...\$17.05	EARAT982108...\$18.16
-10	-10	EAR982110...\$19.38	EARAT982110...\$20.48
-12	-12	EAR982112...\$22.76	EARAT982112...\$21.53
-16	-16	EAR982116...\$33.29	EARAT982116...\$30.65



Flare Expanders Alum

A	B	Aluminum Blue	Aluminum Black
3	4	EAR9893034...\$11.49	EARAT9893034...\$12.79
4	6	EAR9893046...\$10.77	EARAT9893046...\$10.61
6	8	EAR9893068...\$10.89	EARAT9893068...\$11.84
8	10	EAR9893810...\$12.94	EARAT9893810...\$13.95
10	12	EAR9893102...\$16.17	EARAT9893102...\$17.91
12	16	EAR9893126...\$37.07	EARAT9893126...\$37.07



Carburetor / Power Steering Adapters


Carter/Edelbrock w/5/8-20 thread size

Adapter Size 9/16-24 hose end -6
Aluminum Blue...EAR991941...\$8.81
Aluminum Black...EARAT991941...\$call



Single Inlet Holley

Adapter Size 9/16-24 hose end -6
Aluminum Blue...EAR991942...\$9.20
Aluminum Black...EARAT991942...\$10.56



Dual Feed Holley

Adapter Size 7/8-20 hose end -6
Aluminum Blue...EAR991943...\$8.93
Aluminum Black...EARAT991943...\$9.44



Weber

Adapter Size 12 mm x 1.50 hose end -6
Aluminum Blue...EAR991944...\$8.93
Aluminum Black...EARAT991944...\$10.26



Dellorto/Solex/Mikuni

Adapter Size 12 mm x 1.25 hose end -6
Aluminum Blue...EAR991945...\$8.93
Aluminum Black...EARAT991945...\$11.67



5/16 inverted flare/power steering/fuel pump

Adapter Size 1/2-20 hose end -6
Aluminum Blue...EAR991946...\$7.41
Aluminum Black...EARAT991946...\$8.17
Steel...EAR961946...\$11.57



3/8 inverted flare/power steering /fuel pump

Adapter Size 5/8-18 hose end -6
Aluminum Blue...EAR991947...\$7.41
Aluminum Black...EARAT991947...\$8.17
Steel...EAR961947...\$11.57



Dual Feed Holley

Adapter Size 7/8-20 hose end -8
Aluminum Blue...EAR991948...\$9.49
Aluminum Black...EARAT991948...\$11.04



Rochester

Adapter Size 7/8-20 • hose end -6
Aluminum Blue...EAR991949...\$8.81



Rochester '75-up

Adapter Size 1-20 • hose end -6
Aluminum Blue...EAR991952...\$8.75



Weber

Adapter Size 10 mm x 1 • hose end -6
Aluminum Blue...EAR991953...\$9.06
Aluminum Black...EARAT991953...\$10.26



Carburetor, Power Steering, Fuel Pumps, Fuel Injection

Description	Aluminum Red	Aluminum Black
-8 AN Male to 3/4"-16 Male...EARAT991958...	\$10.85	EARAT991958...\$10.85
-6 AN Male to 3/4"-16 Male...EARAT991959...	\$10.06	EARAT991959...\$10.06



Flare Reducers

A	B	Aluminum Blue	Aluminum Black
-6	-4	EAR9892064...\$10.15	EARAT9892064...\$11.48
-8	-4	EAR9892084...\$11.97	EARAT9892084...\$11.60
-8	-6	EAR9892086...\$10.42	EARAT9892086...\$11.60
-10	-4	EAR9892104...\$13.54	EARAT9892104...\$14.59
-10	-6	EAR9892106...\$12.87	EARAT9892106...\$12.87
-10	-8	EAR9892108...\$13.26	EARAT9892108...\$13.26
-12	-6	EAR9892126...\$14.22	EARAT9892126...\$14.22
-12	-8	EAR9892128...\$13.60	EARAT9892128...\$16.33
-12	-10	EAR9892120...\$20.18	EARAT9892120...\$20.18
-16	-10	EAR9892160...\$25.07	EARAT9892160...\$25.07
-16	-12	EAR9892162...\$26.78	EARAT9892162...\$26.78
-20	-16	EAR9892206...\$47.61	EARAT9892206...\$47.61




AN Reducer

A	B	Aluminum Blue	Aluminum Black
-10	-8	EAR989404...\$20.78	EARAT989404...\$22.82
-12	-8	EAR989409...\$30.08	EARAT989409...\$31.27
-12	-10	EAR989410...\$30.08	EARAT989410...\$31.27
-16	-12	EAR989411...\$44.28	EARAT989411...\$44.28
-4	-3	EAR989443...\$11.97	EARAT989443...\$12.50
-6	-4	EAR989464...\$13.06	EARAT989464...\$13.06
-8	-6	EAR989486...\$14.15	EARAT989486...\$14.96




Union Reducer

A	B	Aluminum Blue	Aluminum Black
-4	-3	EAR991902...\$4.94	EARAT991902...\$5.23
-5	-4	EAR991903...\$6.58	EARAT991903...\$8.68
-6	-4	EAR991906...\$7.38	EARAT991906...\$6.33
-6	-5	EAR991907...\$7.51	EARAT991907...\$7.25
-8	-6	EAR991912...\$6.89	EARAT991912...\$7.31
-10	-6	EAR991914...\$9.76	EARAT991914...\$10.61
-10	-8	EAR991915...\$9.79	EARAT991915...\$10.61
-12	-6	EAR991918...\$14.63	EARAT991918...\$15.95
-12	-8	EAR991919...\$14.53	EARAT991919...\$15.95
-12	-10	EAR991920...\$14.63	EARAT991920...\$15.95
-16	-10	EAR991922...\$22.53	EARAT991922...\$23.91
-16	-12	EAR991923...\$19.61	EARAT991923...\$23.91
-20	-16	EAR991924...\$30.68	EARAT991924...\$30.58




Power Steering/Inverted Flare

Adapter Size 11/16-18 hose end -6
Aluminum Blue...EAR991950...\$7.14
Steel...EAR961950...\$11.57



Dellorto/cupped Banjo

Adapter Size 7mm banjo hose end -6
Aluminum Blue...EAR991951...\$10.88



Power Steering/Fuel Injection

O'Ring Seal 14mm x 1.5	
Aluminum Blue...	EAR991954...\$9.06
Aluminum Black...	EARAT991954...\$9.52
O'Ring Seal 16mm x 1.5	
Aluminum Blue...	EAR991955...\$9.06
Aluminum Black...	EARAT991955...\$10.26
Steel...	EAR961955...\$11.57
O'Ring Seal 18mm x 1.50 thread size	
Aluminum Blue...	EAR991956...\$9.06
Aluminum Black...	EARAT991956...\$10.26
Steel...	EAR961956...\$11.57



Fuel Injection Adapters

Dual Feed Holley/Remain w/7/8-20 thread size hose end -8
Blue Aluminum...EAR991957...\$9.43
Black Aluminum...EARAT991957...\$10.59

Fuel Injection Female O-Ring Seal w/Female 14mm x 1.5 thread size
Blue Aluminum...EAR9894DBH...\$7.86
Black Aluminum...EARAT9894DBH...\$8.32

Fuel Injection Female O-Ring Seal w/Female 16mm x 1.5 thread size
Blue Aluminum...EAR9894DBJ...\$7.86
Black Aluminum...EARAT9894DBJ...\$8.32

-8 AN Male Tee with -4 AN on Run

Blue Aluminum...EAR982484...\$25.93
Black Aluminum...EARAT982484...\$21.79

-6 AN Male to 9/16 Banjo


Blue Aluminum...EAR977606...\$10.88

-4 AN Male to 9/16 Banjo

Black Aluminum...EARAT977646...\$call

9/16 - 18 Bolt

Black Aluminum...EARAT997596...\$call



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Econ-O-Fit



Hose Clamp Covers

ID	Hose ID	Red	Blue
1/2	7/32	EAR900104.....	EAR900204...\$4.11
5/8	11/32	EAR900106.....	EAR900206...\$4.11
11/16	7/16	EAR900108.....	EAR900208...\$6.18
13/16	9/16	EAR900110.....	EAR900210...\$6.18
15/16	11/16	EAR900112.....	EAR900212...\$6.18

AN to AN Adapters

Female AN Tee ("O" Ring Seal)

A	B	C	Aluminum Blue	Aluminum Black
-4	-4	-4	EAR993804...\$13.14	EARAT993804...\$13.14
-6	-6	-6	EAR993806...\$13.14	EARAT993806...\$13.14
-8	-8	-8	EAR993808...\$16.75	EARAT993808...\$18.22
-10	-10	-10	EAR993810...\$23.72	EARAT993810...\$27.21
-12	-12	-12	EAR993812...\$32.37	EARAT993812...\$36.78



Adapter Fitting Straight Female Swivel

A/B	Aluminum Blue	Aluminum Black
-3/-3	EAR915103...\$8.68	EARAT915103...\$9.78
-4/-4	EAR915104...\$7.67	EARAT915104...\$8.30
-6/-6	EAR915106...\$7.67	EARAT915106...\$8.09
-8/-8	EAR915186...\$9.22	EARAT915186...\$9.69
-8/-8	EAR915108...\$9.13	EARAT915108...\$9.52
-10/-10	EAR915110...\$11.55	EARAT915110...\$12.54
-12/-12	EAR915112...\$16.18	EARAT915112...\$17.07
-16/-16	EAR915116...\$21.95	EARAT915116...\$23.55
-20/-20	EAR915120...\$50.18	EARAT915120...\$50.18

*2 per pkg

Tube Nuts

AN	Tube	Aluminum Blue	Aluminum Black
-3	3/16	EAR581803*...\$5.14	EARAT581803*...\$5.14
-4	1/4	EAR581804*...\$5.14	EARAT581804*...\$5.14
-6	3/8	EAR581806*...\$3.57	EARAT581806*...\$3.79
-8	1/2	EAR981808...\$2.19	EARAT981808...\$2.49
-10	5/8	EAR981810...\$3.87	EARAT981810...\$3.49

AN	Tube	Steel
-3	3/16	EAR561803*...\$4.11
-4	1/4	EAR561804*...\$6.18
-6	3/8	EAR561806*...\$7.22

Tube Sleeves

AN	Tube	Aluminum Blue	Aluminum Black
-3	3/16	EAR581903*...\$3.32	EARAT581903*...\$3.29
-4	1/4	EAR581904*...\$3.48	EARAT581904*...\$3.48
-6	3/8	EAR581906*...\$3.50	EARAT581906*...\$3.49
-8	1/2	EAR981908...\$1.95	EARAT981908...\$1.82
-10	5/8	EAR981910...\$2.19	EARAT981910...\$2.35

AN	Tube	Steel
-3	3/16	EAR561903*...\$3.15
-4	1/4	EAR561904*...\$3.15
-6	3/8	EAR561906*...\$3.15

AN Plug / Aluminum

size	Qty	Aluminum Blue	Aluminum Black
-3	2	EAR580603...\$3.16	EARAT580603...\$3.16
-4	2	EAR580604...\$3.36	EARAT580604...\$3.36
-6	2	EAR580606...\$3.87	EARAT580606...\$3.87
-8	1	EAR980608...\$3.01	EARAT980608...\$3.12
-10	1	EAR980610...\$3.66	EARAT980610...\$4.11
-12	1	EAR980612...\$5.70	EARAT980612...\$6.21
-16	1	EAR980616...\$7.47	EARAT980616...\$8.25
-20	1	EAR980620...\$24.87	EARAT980620...\$24.87

AN Thread Size

AN	Tube OD	Thread
-2	1/8	5/16-24
-3	3/16	3/8-24
-4	1/4	7/16-20
-5	5/16	1/2-20
-6	3/8	9/16-18
-8	1/2	3/4-16
-10	5/8	7/8-14
-12	3/4	1 1/16-12
-16	1	1 5/16-12
-20	1 1/4	1 5/8-12
-24	1 1/2	1 7/8-12
-28	1 3/4	2 1/4-12
-32	2	2 1/2-12

Aluminum Pressure Gauge Adapter

Inline adapters for direct or remote fuel pressure gauges. All 1/8 NPT in hex.

-8 male w/ 1/4 NPT female	EAR100191.....	\$24.36...Blue
-8 male w/ 1/4 NPT female	EAR100191.....	Scall...Black
-6 male to -6 male	EAR100192.....	\$10.88...Blue
-6 male to -6 male	EAR100192.....	\$11.81...Black
-6 male to 1/4 NPT	EAR100193.....	\$11.41...Blue
-6 male to 1/4 NPT	EAR100193.....	\$11.81...Black
-6 male to 3/8 NPT	EAR100194.....	\$13.05...Blue
-6 male to 3/8 NPT	EAR100194.....	\$13.74...Black
-6 male to -8 male	EAR100196.....	\$13.59...Blue
-6 male to -8 male	EAR100196.....	\$13.74...Black
-8 male to 1/4 NPT	EAR100197.....	\$12.63...Blue
-8 male to 1/4 NPT	EAR100197.....	\$13.74...Black
-8 male to 3/8 NPT	EAR100198.....	\$13.32...Blue
-8 male to 3/8 NPT	EAR100198.....	\$13.74...Black
-6 male to -6 female	EAR100199.....	\$14.14...Blue
-6 male to -6 female	EAR100199.....	\$14.96...Black
-8 male to -8 female	EAR100200.....	\$17.37...Blue
-8 male to -8 female	EAR100200.....	\$17.36...Black

Fuel Pressure Gauge

Direct mount 0-15 psi gauge is 1-1/2" dia. Both have 1/8 NPT on back.

Regular.....EAR100195...\$21.15
Liquid Filled...EAR100189...\$32.71

Pressure Gauge Adapters

-3 Male with 1/8 NPT Female
Blue Aluminum .. EAR100188.....\$16.32

Gauge Head Adapters

-4	Male -4 to female 1/8 NPT	
90°	EAR968604.....	\$5.35
Straight	EAR968704.....	\$6.18
-3	Male -3 to female 1/8 NPT	
90°	EAR968603.....	\$7.32
Straight	EAR968703.....	\$6.18

NPT Plug/Aluminum

1/16 Blue	EAR593201.....	\$6.80
1/16 Black	EARAT593201.....	\$6.85
1/8 Blue	EAR593202.....	\$6.04
1/8 Black	EARAT593202.....	\$6.05
1/4 Blue	EAR593203.....	\$6.04
1/4 Black	EARAT593203.....	\$6.05
3/8 Blue	EAR593204.....	\$7.16
3/8 Black	EARAT593204.....	\$7.16
1/2 Blue	EAR993205.....	\$4.30
1/2 Black	EARAT993205.....	\$4.49
3/4 Blue	EAR993206.....	\$5.13
3/4 Black	EARAT993206.....	\$6.01

AN Cap/Aluminum

-3 Blue	EAR592903.....	\$6.18
-3 Black	EARAT592903.....	\$6.18
-4 Blue	EAR592904.....	\$6.18
-4 Black	EARAT592904.....	\$6.18
-6 Blue	EAR592906.....	\$6.18
-6 Black	EARAT592906.....	\$6.18
-8 Blue	EAR992908.....	\$4.94
-8 Black	EARAT992908.....	\$5.73
-10 Blue	EAR992910.....	\$6.42
-10 Black	EARAT992910.....	\$6.38
-12 Blue	EAR992912.....	\$9.30
-12 Black	EARAT992912.....	\$9.20
-16 Blue	EAR992916.....	\$10.84
-16 Black	EARAT992916.....	\$11.52
-20 Blue	EAR992920.....	\$26.15
-20 Black	EARAT992920.....	\$23.56

NPT Plug Hex Head

1/8 Blue	EAR993301.....	\$3.55
1/8 Black	EARAT993301.....	\$3.55
1/4 Blue	EAR993302.....	\$4.10
1/4 Black	EARAT993302.....	\$4.08
3/8 Blue	EAR993303.....	\$4.97
3/8 Black	EARAT993303.....	\$4.08
1/2 Blue	EAR993304.....	\$6.05
1/2 Black	EARAT993304.....	\$5.70
3/4 Blue	EAR993306.....	\$7.16
3/4 Black	EARAT993306.....	\$6.73

Oil Pressure Fittings

-3 St. to 1/8 NPT	EAR968803.....	\$10.35
-4 St. to 1/8 NPT	EAR968804.....	\$10.35

In-Line Filter

Barb 5/16"-3/8"	EAR230103.....	\$39.16
-----------------	----------------	---------

Element Only

EAR230107.....	\$9.49
----------------	--------

In-Line Filter

-6 35 Micron	Fuel	EARAT230106.....	\$41.81
-8 35 Micron	Fuel	EARAT230108.....	\$42.13
-6 85 Micron	Fuel	EARAT230206.....	\$38.52
-8 85 Micron	Fuel	EARAT230208.....	\$47.08
-6 140 Micron	Fuel	EARAT230306.....	\$40.11
-8 140 Micron	Fuel	EARAT230308.....	\$50.44

Screen Type

In-Line Filters

-4	Oil	EAR230304.....	\$35.99
-10	Oil	EAR230310.....	\$47.62
-12	Oil	EAR230312.....	\$53.01
-16	Oil	EAR230316.....	\$66.41

Billet Fuel Filters

10 Micron -6 (100 GPH)	EAR230606.....	\$70.96
40 Micron -6 (100 GPH)	EAR230616.....	\$70.96
100 Micron -6 (100 GPH)	EAR230626.....	\$70.96
10 Micron -8 (175 GPH)	EAR230608.....	\$82.62
40 Micron -8 (175 GPH)	EAR230618.....	\$82.62
100 Micron -8 (175 GPH)	EAR230628.....	\$82.62

Check Valves

Reinforced Viton with Alum Support 150 PSI Max .5 PSI to seal (One Way or Non-Return Valves)

-4	EAR251004.....	\$74.15
-6	EAR251006.....	\$74.15
-8	EAR251008.....	\$74.15
-10	EAR251010.....	\$90.05

Compression Sleeves

1/4"	EAR165040.....	\$3.06
5/16"	EAR165050.....	\$3.06
3/8"	EAR165060.....	\$3.06
1/2"	EAR165080.....	\$4.11
5/8"	EAR165100.....	\$4.11

AN Union / Steel

AN size	Tube Size	
-3	3/16	EAR961503...\$5.95
-4	1/4	EAR961504...\$3.54

Fuel Shut-Off Valve

Inlet	Outlet	
3/8 NPT	-8	EAR230502...\$40.87
3/8 NPT	-6	EAR230503...\$40.09
1/2 NPT	-10	EAR230505...\$56.47
1/2 NPT	-6	EAR230501...\$39.26
1/2 NPT	-8	EAR230504...\$43.61



Aluminum Tubing Adapters

"A"	"B"	Part #	Price	Aluminum
-6 AN Male	5/16"	EAR165056.....	\$11.60	Blue
-6 AN Male	5/16"	EARAT165056.....	\$11.73	Black
-6 AN Male	1/4"	EAR165064.....	\$12.67	Blue
-6 AN Male	1/4"	EARAT165064.....	\$11.81	Black
-6 AN Male	3/8"	EAR165006.....	\$11.60	Blue
-6 AN Male	3/8"	EARAT165006.....	\$11.73	Black
-8 AN Male	3/8"	EAR165086.....	\$13.72	Blue
-8 AN Male	3/8"	EARAT165086.....	\$14.15	Black
-8 AN Male	1/2"	EAR165008.....	\$13.72	Blue
-8 AN Male	1/2"	EARAT165008.....	\$13.06	Black
-10 AN Male	1/2"	EAR165010.....	\$16.30	Blue
-10 AN Male	1/2"	EARAT165010.....	\$16.31	Black
-6 AN Female	5/16"	EAR165156.....	\$11.60	Blue
-6 AN Female	5/16"	EARAT165156.....	\$11.11	Black
-6 AN Female	3/8"	EAR165106.....	\$12.67	Blue
-6 AN Female	3/8"	EARAT165106.....	\$11.95	Black
-8 AN Female	1/2"	EAR165108.....	\$14.08	Blue
-8 AN Female	1/2"	EARAT165108.....	\$14.12	Black
-10 AN Female	5/8"	EAR165110.....	\$19.28	Blue
-10 AN Female	5/8"	EARAT165110.....	\$19.29	Black

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Banjos



AN size	Hole Dia	Tube Size	
-3	3/8	EAR997603	..\$8.56
-4	7/16	EAR997604	..\$9.41
-3	10mm	EAR997631	..\$8.59
-3	7/16	EAR997634	..\$8.84
-3	12mm	EAR997635	..\$8.81
-4	10mm	EAR997641	..\$9.69
-4	3/8	EAR997643	..\$9.69

Brake



Adapter/Steel IF=inverted flare			
-3 to 10mm x1.0	EAR592032	..\$12.69
-3 to 10mm x1.25 IF	EAR592035	..\$12.69
-4 to 10mm x1.0	EAR592042	..\$14.10
-4 to 10mm x1.25 IF	EAR592045	..\$12.69
-4 to 7/16-20 IF	EAR591941	..\$11.25
-3 to 3/8-24 IF short	EAR581531	..\$10.13
-3 to 7/16-24 IF	EAR591932	..\$11.25
-4 to 7/16-24 IF	EAR591942	..\$13.60
-4 to 3/8-24 IF short	EAR591972	..\$12.69
-4 to 3/8-24 IF long	EAR591982	..\$12.69
-3 to -4	EAR501902	..\$10.09

Brass "T" with Mounting Hole

3/8" - 24 IF on all 3 ends	..EAR972052	..\$13.07
3/8" - 24 IF on sides,		
3/8" - 24 straight on T	..EAR972050	..\$13.07

T-Brake Adapter

7/16-24 I.F. on one run, 3/8-24 other run and branch, 7/16 mounting hole.
EAR972051\$13.07

Hyperfirm Brake Line Adapter T - Style
.375 in.-24 I.F. On Branch .375 in.-24 I.F.
On One Run .4375 in.-I.F. On Other Run
EAR972051A.....\$16.86

Hyperfirm Brake Line Adapter T - Style
#3 AN Male On Branch .375 in.-24 I.F.
On One Run .4375 in.-24 On Other Run
EAR972051B.....\$16.86

Bare Aluminum/Style B Female Outlets

Inlet	Outlet	Part #	
10 AN	10 AN (2)	EAR100176	..\$52.94
3/8 NPT	1/4 NPT (2)	EAR100179	..\$27.25
1/2 NPT	3/8 NPT (2)	EAR100183	..\$52.94
1/2 NPT	1/2 NPT (2)	EAR100184	..\$52.94

Bare Aluminum/Style B Male Outlets

Inlet	Outlet	Part #	
3/8 NPT	-6 AN Male	EAR100181	..\$35.99



Line Clamps Polished

Clamp I.D. Size.	
3/16"	6 Qty. EAR170203 ..\$21.78
1/4"	6 Qty. EAR170204 ..\$21.78
5/16"	6 Qty. EAR170205 ..\$21.78
3/8"	4 Qty. EAR170206 ..\$21.78
7/16"	4 Qty. EAR170207 ..\$21.78
1/2"	3 Qty. EAR170208 ..\$21.78
9/16"	3 Qty. EAR170209 ..\$21.78



Hose & Tubing Separators

Crafted from 6061-T6 billet alum alloy these clamps are the finest available to finish off a professional plumbing installation. Clamps come with counter sunk allen head screws in a variety of colors and sizes for separating, isolating and securing fuel, oil and brake lines.



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Long Banjos

Hole: 3/8"-10mm, Height: 10mm	
Lg. Rd BanjoEAR9978031 ..\$12.28
Lg. 15" Rd BanjoEAR9978033 ..\$13.72
Lg. 30" Rd BanjoEAR9978034 ..\$13.72
Lg. 40" Rd BanjoEAR9978035 ..\$13.72
Lg. 25" Side Rd BanjoEAR9978036 ..\$13.72



Banjo Bolts

(includes 2 crush washers)

Thread Size	Banjo Hole	
3/8-24 single3/8	EAR977503 ..\$5.78
7/16-20 single7/16	EAR977504 ..\$5.78
3/8-24 double for 2 banjos3/8	EAR977513 ..\$6.74
7/16-20 double for 2 banjos7/16	EAR977514 ..\$6.74
10mm x1.25 single10mm	EAR977515 ..\$5.78
10mm x 1.0 single10mm	EAR977517 ..\$5.78
10mm x 1.25 double10mm	EAR977518 ..\$6.74
10mm x 1.0 double10mm	EAR977519 ..\$6.74
10mm x 1.50 single10mm	EAR977520 ..\$6.74
7/16-24 single7/16	EAR977522 ..\$5.78



Tubing Adapter

-3 to 3/8-24 FemEAR989531 ..\$6.05
-4 to 3/8-24 FemEAR989541 ..\$6.05
-3 to 3/8-24 IFEAR989543 ..\$6.05
-4 to Fem 10mm x 1.0 IFEAR989544 ..\$7.16
-3 to 10mm x1.0 FemEAR989534 ..\$6.05
-3 to 10mm x1.25EAR989535 ..\$6.05
-3 to 10mm x 1.0 IF HondaEAR989537 ..\$6.05
-3 to 10mm x1.0 IFEAR989545 ..\$6.05
-3 to 10mm x1.25 IFEAR989536 ..\$5.55
-4 to 3/8-24 IFEAR989532 ..\$6.05
-4 to 10mm x1.0EAR989542 ..\$7.16
-4 to 7/16-24 IFEAR989548 ..\$6.51
-3 to 7/16-24 IFEAR989549 ..\$6.51



Straight Trans Oil Cooler Adapter

Nickel Plated Steel Construction. High Pressure Capabilities.

-6 Male to 1/4-18 NPSM Male -Short (Front)EAR961980 ..\$10.88
-6 Male to 9/16-18 Threads -Long (Rear)EAR961983 ..\$10.88
-6 Male to 9/16-18 Threads -Short (Front)EAR961982 ..\$10.88
-6 Male to 1/4-18 NPSM Male -Long (Rear)EAR961981 ..\$10.88
-6 Male to 1/4-18 NPSM MaleEAR940006 ..\$19.61



10' Aluminum Tubing

Easily hand formed. Can be flared and used with nut and sleeve. 100 psi max pressure, not for brakes. 10' length.
3/8 aluminum lineEAR100034 ..\$18.52
1/2 aluminum lineEAR100037 ..\$21.71



25' Brake Line

3/16 steel line	..BSC70300 ..\$23.69
1/4 steel line	..BSC70400 ..\$22.75



25' Aluminum Fuel Line

3/8 aluminum lineMOR65330 ..\$32.03
1/2 aluminum lineMOR65340 ..\$40.25
5/8 aluminum lineMOR65345 ..\$49.26

(not for use w/high pressure fuel injection systems)



O-Rings

Buna N is compatible with most fuels, hydraulic fluids and lubricants up to 275° F. Viton is preferred for synthetic lubricants, oxygen bearing fuels and non-ether based brake fluids. It also has a longer service life and a temp rating of 400°F.



Size Qty	Buna N #	Viton #
-3 10EAR176003 ..\$4.32	EAR176103 ..\$4.32
-4 10EAR176004 ..\$4.32	EAR176104 ..\$4.32
-6 10EAR176006 ..\$4.32	EAR176106 ..\$4.32
-8 10EAR176008 ..\$4.32	EAR176108 ..\$4.32
-10 5EAR176010 ..\$4.32	EAR176110 ..\$4.32
-12 5EAR176012 ..\$4.32	EAR176112 ..\$5.40
-16 5EAR176016 ..\$4.32	EAR176116 ..\$5.40

AN 901 Aluminum

Crush Washers

AN size ID	Per Pk	Part #	
-3 3/810EAR177003	..\$6.50
-4 7/1610EAR177004	..\$6.50
-5 1/210EAR177005	..\$6.50
-6 9/1610EAR177006	..\$6.50
-8 3/45EAR177008	..\$6.50
-10 7/85EAR177010	..\$6.50
-12 1 1/165EAR177012	..\$6.50
-16 1 5/162EAR177016	..\$6.50
10mm 10mm10EAR177100	..\$6.50



Stat-O-Seals

The very best sealing washer available. A synthetic rubber o-ring locked to the ID of an aluminum washer. Provides a positive seal from -85 to 450°F.


AN size ID	Per Pk	Part #	
- 3/162EAR178003	..\$6.04
- 1/42EAR178004	..\$6.04
- 5/162EAR178005	..\$6.04
-3 3/82EAR178006	..\$4.46
-4 7/162EAR178007	..\$6.04
-5 1/22EAR178008	..\$5.59
-6 9/162EAR178009	..\$5.59
- 5/82EAR178010	..\$9.99
-8 3/42EAR178012	..\$9.99
-10 7/82EAR178014	..\$13.82



Dowty Seals

The English version of our Stat-O-Seal, the Dowty Seal is considerably smaller in diameter and thicker in cross section.

AN size ID	Per Pk	Part #	
- 3/162EAR178103	..\$6.04
- 1/42EAR178104	..\$6.04
- 5/162EAR178105	..\$6.04
-3 3/82EAR178106	..\$6.04
-4 7/162EAR178107	..\$6.04
-5 1/22EAR178108	..\$7.76
-6 9/162EAR178109	..\$9.03
- 5/82EAR178110	..\$9.99
-8 3/42EAR178112	..\$7.83
-10 7/82EAR178114	..\$13.82
-12 1 1/162EAR178117	..\$21.77



Braided Fuel Line Kit - 3 ft.

This universal fuel line will fit on any standard 3/8" hose barb in any fuel system. Sized at 3/8" ID x 3ft, comes in handy just about anywhere fuel line is needed. Universal in design and very flexible, this fuel line can be used anywhere! Works great as transfer line from your hard fuel line to fuel pump or from pump up to the fuel filter or carburetor. 3 ft fuel line features a flexible rubber 3/8" ID hose, covered with a steel braided jacket with bright anodized red & blue clamp covers on each end. This hose section of 36" can be cut to any size needed & works on all gasoline applications, such as lawn mowers, tractors, go carts, snow blowers, motorcycles, cars & trucks.
MRG1526.....\$25.20



Pipe Plugs

8 Pc Kit can be used to plug vacuum accessory holes for intake manifolds or fill plug holes in transmissions and rear ends. Socket Head Chrome Plated Steel. 8-Piece Set - Includes: (2) 1/8" NPT (2) 1/4" NPT (2) 3/8" NPT (2) 1/2" NPT. MRG6352G.....\$16.02




B-Nut Fuel Line Kits




Single Inlet Ano-Tuff SS Hose

- Black Anodized • Bowl Fittings Contoured For Flow
- Ideal For Marine And Alcohol Fuel Applications
- Centerline to centerline = 9.5
- 6 AN EARAT101185\$104.95
- 8 AN EARAT101285\$120.95




Single Inlet Ano-Tuff Pro-Lite 350 Hose

- Black Anodized • Bowl Fittings Contoured For Flow
- Ideal For Marine And Alcohol Fuel Applications
- Centerline to centerline = 9.5
- 6 AN EARAT101195\$104.95
- 8 AN EARAT101295\$120.95



Single Inlet Billet Swivel Seal Stainless Steel Fuel Line


- Swivel-Seal billet single feed fuel line kit that fits 4150/4150HP/Reman models with 7/8-20 threads
- Braided Stainless Steel Lines • Rugged Billet Construction
- AN and NPT Alum. Fittings • For Holley Carbs
- Centerline to centerline = 9.5
- 6 ANEAR101175...\$97.93
- 8 ANEAR101275...\$118.95



Single Inlet B-Nut Disassembly Swivel Seal Pro Lite 350


- Dual fuel lines for Holley 4150 Ultra XP Carburetors w -8 O-ring XP Bowls. Fuel line with single 6AN inlet, fittings with Pro-Lite 350 hose
- The fuel lines are 9.75" long (std fuel line is 9.50")
- Increased fuel volume of each bowl extends length by .125" per bowl (.250" overall).
- 6 AN HOL34-42\$116.95

Holley




Single Inlet B-Nut Disassembly Swivel Seal Pro Lite 350

- Dual fuel lines for Holley 4150 Ultra XP Carburetors w -8 O-ring XP Bowls. -6AN single inlet with Pro-Lite 350 hose fuel line
- The fuel lines are 9.75" long (standard fuel line is 9.50")
- Increased fuel volume of each bowl extends length by .125" per bowl (.250" overall)
- Black Anodized
- Bowl Fittings Contoured For Flow
- Ideal For Marine And Alcohol Fuel Applications
- 6 AN EARAT104195...\$102.95
- 8 AN EARAT104295...\$118.95




Dual Inlet B-Nut Disassembly Swivel Seal Pro Lite 350

- Dual fuel lines for Holley 4150 Ultra XP Carburetors w -8 O-ring XP Bowls. -8AN dual inlet with Pro-Lite 350 hose fuel line
- Bowl Fittings Contoured For Flow • Black Anodized
- Increased fuel volume of each bowl extends length by .125" per bowl (.250" overall)
- The fuel lines are 9.75" long (std fuel line is 9.50")
- Ideal For Marine And Alcohol Fuel Applications
- 8 AN EARAT104286...\$145.95



Dual Inlet Ano-Tuff Stainless Steel Hose

- Fuel Line Kit Dual Feed w/Pro-Lite Hose For Holley Dominator
- Ideal For Marine And Alcohol Fuel Applications
- Bowl Fittings Contoured For Flow • Black Anodized
- 6 AN EARAT102196...\$116.95
- 8 AN EARAT102296...\$146.95



Billet Style Fits 4150 series.


- Single Inlet Swivel Seal w/ 9-1/2" spacing.
- 8 AN male inlet.
- Single Inlet...EAR101275\$118.95
- Dual Inlet...EAR101276\$143.95



Fits 4500 series. Single Inlet Swivel Seal w/12" spacing. -8 AN male inlet.
EAR102275...\$123.95

Dual Inlet B-Nut Disassembly Swivel Seal Fuel Line

- Fuel Line Kit -6 AN Dual Feed w/Stainless Hose For Holley Dominator
- Black Anodized
- Bowl Fittings Contoured For Flow
- Ideal For Marine And Alcohol Fuel Applications
- 6 AN EARAT102186...\$116.95



Billet Fuel Line Kit Swivel Seal

- 8AN male on both ends 4500 Model Dominators w/.875 - 20 Threads
- Swivel-Seal billet dual feed fuel line kit that fits 4500 Dominators/ Reman Models with 7/8-20 threads -8 AN Male on both ends.
- Braided Stainless Steel Lines
- Rugged Billet Construction
- -8 AN Dual Inlets • 12" Bowl Spacing
- For Holley Carbs w/ 7/8"-20 Bowl Threads
- 8 AN.....EAR102276...\$147.95



3/8 Female Inlet Push-On 90° Tube 7/8-20

Fuel Inlet Tube w/ 7/8"-20 Bowl Outlet, Fits 3/8" Fuel Hose. Ideal for use with AT105175TERL & Vapor Guard Fuel Hose.
EARAT105175\$62.93




Fuel Line Replacement Hose End,

Fits -8 Hose, 7/8"-20 End Fits Carb

Carburetor Feed line Replacement component for Earls Kit 103176ERL

- Replacement part for Earls Billet Fuel Line Kit
- Push on 90 deg tube w/ 7/8"-20 swivel
- For Holley Carbs w/ 7/8" O-20 Thread
- EAR103176\$102.95



Fuel Line Kits

Dual feed fuel line kits include the correct fittings and hoses to properly plumb single carburetor applications when connecting to AN style fitting.

Red/Blue Holley (4150 Series)

- 6 Line, 9-5/16" Center Distance...ALL26154...\$64.99
- 8 Line, 9-5/16" Center Distance...ALL26156...\$64.99

Black Holley (4150 Series)

- 6 Line, 9-5/16" Center Distance...ALL26164...\$64.99
- 8 Line, 9-5/8" Center Distance...ALL26165...\$64.99
- 8 Line, 9-5/16" Center Distance...ALL26166...\$64.99



Aluminum Weld Fittings

Female AN (o-ring seal)

- 4 EAR987104...\$8.27
- 6 EAR987106...\$8.27
- 8 EAR987108...\$8.27
- 10 EAR987110...\$11.45
- 12 EAR987112...\$15.30
- 16 EAR987116...\$19.35

Female NPT

- 1/8" EAR996701...\$4.31
- 1/4" EAR996702...\$4.89
- 3/8" EAR996703...\$6.85
- 1/2" EAR996704...\$7.78
- 3/4" EAR996706...\$10.53



Aluminum Weld Fittings Male AN

Size Aluminum

- 3 EAR997103...\$5.42
- 4 EAR997104...\$5.42
- 6 EAR997106...\$5.42
- 8 EAR997108...\$6.86
- 10 EAR997110...\$7.74
- 12 EAR997112...\$12.40
- 16 EAR997116...\$16.77
- 20 EAR997120...\$23.00
- 24 EAR997124...\$23.02

Steel

- EAR967104...\$6.18
- EAR967106...\$6.18
- EAR967108...\$6.51
- EAR967110...\$7.50
- EAR967112...\$10.88
- EAR967116...\$10.88



Female NPT Boss

- 1/8 EAR986701...\$11.37
- 1/4 EAR986702...\$13.46
- 3/8 EAR986703...\$15.25
- 1/2 EAR986704...\$17.43
- 3/4 EAR986706...\$18.52



Aluminum AN Fitting Wrench -3 to -16

It is CNC machined from true aerospace grade 7075 billet alum and features a precision mechanism with a Steel Nickel knurled thumbwheel. Quick size adjustment make it ideal for use in the pit area, staging lanes, or back at the shop. Fits AN -3 to -16 hose ends.

EAR230400...\$58.24



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Hose 910 GOODRIDGE

The Hose 910 is the #1 choice of leading motorsport teams, and our flagship lightweight hose. 910 combines a woven superlight Aramid braid, with a PTFE inner bore- smooth inside for increased flow and convoluted outside for amazing flexibility. Compatible with fully crimped fittings or the revolutionary 811 series. Re-useable fittings.

Application: Fuel, Oil, Water, Methanol, Air

Temp Range: 70°C to 260°C
-94°F to 500°F

Material: Anti-Static PTFE smoothbore, Aramid fibre Braid

**NHRA PSI
Testing Available**

Bore Size MM IN	Braid OD MM IN	Working Pres BAR IN	Burst Pres BAR PSI	Weight KG/M LB/FT	Min Bend Rad MM IN
6.85 .270 GOO910-04	10.3 .406 \$14.38	90 1320	360 5290	.055 .0367	23.5 .925
9.53 .375 GOO910-06	13.0 .572 \$17.81	80 1180	320 4700	.088 .0591	20 .787
12.70 .500 GOO910-08	16.5 .650 \$24.20	70 1030	280 4120	.141 .0947	38 1.426
15.88 .625 GOO910-10	20.8 .819 \$31.13	65 955	260 3820	.201 .1351	45 1.772
19.05 .750 GOO910-12	24.4 .961 \$39.23	60 880	240 3530	.292 .1962	50 1.969
25.40 1.000 GOO910-16	32.3 1.272 \$59.93	50 740	200 2940	.416 .3199	70 2.756
32.00 1.260 GOO910-20	38.4 1.512 \$103.40	45 666	180 2645	.850 .6536	100 3.937

Crimp Collar

G-Line XF 910/811

G-Flex 511/ 711 & G-Max 825



GOODRIDGE

Alum Crimp Collar to Suit 811 & 910 Hose for Crimping

To Suit Hose Type: G-Line XF 910, 811

Please Note: Collars need to be ordered separately for all swage/crimp fittings

Hose

-6	GOORCC711-06D	\$7.01
-8	GOORCC711-08D	\$7.64
-10	GOORCC711-10D	\$8.27
-12	GOORCC711-12D	\$8.81
-16	GOORCC711-16D	\$10.79



811 Hose Ends

They are designed for maximum ease of use, and optimum performance under pressure and temperature on the Goodridge 811, and 910. The sleek black and silver hard anodized aluminum color scheme will add class to any installation.



GOODRIDGE

811-01 15° Straight Female

Hose	Nut	Part #	Price
-4	-4	GOO811-0104	\$16.09
-6	-6	GOO811-0106	\$16.09
-8	-8	GOO811-0108	\$22.39
-10	-10	GOO811-0110	\$25.09
-12	-12	GOO811-0112	\$26.89
-16	-16	GOO811-0116	\$40.04

812-45 45° Forged Female

-6	-6	GOO812-4506	\$27.97
-8	-8	GOO812-4508	\$32.57
-10	-10	GOO812-4510	\$40.32
-12	-12	GOO812-4512	\$53.09

811-45 45° Swept Tube Female

-4	-4	GOO811-4504	\$26.99
-6	-6	GOO811-4506	\$22.36
-8	-8	GOO811-4508	\$27.24
-10	-10	GOO811-4510	\$33.04
-12	-12	GOO811-4512	\$44.61
-16	-16	GOO811-4516	\$48.32

811-30 30° Swept Tube Female

-10	-10	GOO811-3010	\$67.79
-----	-----	-------------	---------

812-90 90° Forged Female

-6	-6	GOO812-9006	\$27.97
-8	-8	GOO812-9008	\$32.57
-10	-10	GOO812-9010	\$40.32
-12	-12	GOO812-9012	\$53.09

811-90 90° Swept Female

-4	-4	GOO811-9004	\$26.99
-6	-6	GOO811-9006	\$22.36
-8	-8	GOO811-9008	\$27.24
-10	-10	GOO811-9010	\$33.04
-12	-12	GOO811-9012	\$44.61
-16	-16	GOO811-9016	\$48.32
-20	-20	GOO811-9020	\$call

811-120 120° Swept Tube Female

-4	-4	GOO811-12004	\$29.94
-6	-6	GOO811-12006	\$27.33
-8	-8	GOO811-12008	\$32.62
-10	-10	GOO811-12010	\$36.14
-12	-12	GOO811-12012	\$44.36
-16	-16	GOO811-12016	\$79.60
-20	-20	GOO811-12020	\$call

811-150 150° Swept Tube Female

-4	-4	GOO811-15004	\$29.94
-6	-6	GOO811-15006	\$27.33
-8	-8	GOO811-15008	\$32.62
-10	-10	GOO811-15010	\$36.14
-12	-12	GOO811-15012	\$44.36
-16	-16	GOO811-15016	\$79.60
-20	-20	GOO811-15020	\$call

811-180 180° Swept Tube Female

-4	-4	GOO811-18004	\$29.94
-6	-6	GOO811-18006	\$27.33
-8	-8	GOO811-18008	\$32.62
-10	-10	GOO811-18010	\$36.14
-12	-12	GOO811-18012	\$44.36
-16	-16	GOO811-18016	\$79.60



GOODRIDGE

711-01

Straight Female

To Suit

511/711/825/910	-06
511/711/825/910	-08
511/711/825/910	-10
511/711/825/910	-12
511/711/825/910	-16

**SUPER LIGHTWEIGHT!!
CUSTOM LENGTHS AVAILABLE!**

Thread

9/16 x 18	GOO711-0106	\$12.88
3/4 x 16	GOO711-0108	\$16.68
7/8 x 14	GOO711-0110	\$20.02
1-1/16 x 12	GOO711-0112	\$22.62
1-5/16 x 12	GOO711-0116	\$32.90



711-45

45° Female Tube Fitting

To Suit

511/711/825/910	-06
511/711/825/910	-08
511/711/825/910	-10
511/711/825/910	-12
511/711/825/910	-16

Thread

9/16 x 18	GOO711-4606	\$27.80
3/4 x 16	GOO711-4608	\$33.36
7/8 x 14	GOO711-4610	\$39.85
1-1/16 x 12	GOO711-4612	\$46.34
1-5/16 x 12	GOO711-4616	\$63.03



711-60

60° Female Tube Fitting

To Suit

511/711/825/910	-8
511/711/825/910	-10
511/711/825/910	-12
511/711/825/910	-16

Thread

3/4 x 16	GOO711-6008	\$33.37
7/8 x 14	GOO711-6010	\$41.04
1-1/16 x 12	GOO711-6012	\$47.74
1-5/16 x 12	GOO711-6016	\$63.04



711-91

90° Female Tube Fitting

To Suit

511/711/825/910	-06
511/711/825/910	-08
511/711/825/910	-10
511/711/825/910	-12
511/711/825/910	-16

Thread

9/16 x 18	GOO711-9106	\$27.80
3/4 x 16	GOO711-9108	\$33.36
7/8 x 14	GOO711-9110	\$39.85
1-1/16 x 12	GOO711-9112	\$46.34
1-5/16 x 12	GOO711-9116	\$63.03



711-120

120° Female Tube Fitting

To Suit

511/711/825/910	-06
511/711/825/910	-08
511/711/825/910	-10
511/711/825/910	-12
511/711/825/910	-16

Thread

9/16 x 18	GOO711-12006	\$53.99
3/4 x 16	GOO711-12008	\$57.59
7/8 x 14	GOO711-12010	\$62.99
1-1/16 x 12	GOO711-12012	\$65.69
1-5/16 x 12	GOO711-12016	\$59.43



711-150

150° Female Tube Fitting

To Suit

511/711/825/910	-06
511/711/825/910	-08
511/711/825/910	-10
511/711/825/910	-12
511/711/825/910	-16

Thread

9/16 x 18	GOO711-15006	\$27.05
3/4 x 16	GOO711-15008	\$43.16
7/8 x 14	GOO711-15010	\$49.00
1-1/16 x 12	GOO711-15012	\$50.37
1-5/16 x 12	GOO711-15016	\$59.43



711-180

180° Female Tube Fitting

To Suit

511/711/825/910	-06
511/711/825/910	-08
511/711/825/910	-10
511/711/825/910	-12
511/711/825/910	-16

Thread

9/16 x 18	GOO711-18006	\$40.50
3/4 x 16	GOO711-18008	\$call
7/8 x 14	GOO711-18010	\$call
1-1/16 x 12	GOO711-18012	\$call
1-5/16 x 12	GOO711-18016	\$55.29



GOODRIDGE

Holley

Carb Adapter

-08 Female x 7/8-20"

GOOHOLCAB-08DBW\$26.32



Aluminum

Crush Washer

GOOCW901-10.....\$0.53



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Mini Breather Tank

Tank is complete with 1/4" NPT bung at bottom and bkt for mounting to chassis tubing.

Breather Tank 1.50" Mt...ALL36140...\$59.99
Breather Tank 1.75" Mt...ALL36141...\$59.99
Replacement Element...ALL36103...\$12.99

1 Pint Mini Breather

1/4" fittings...JAZ605-325-01...\$69.85
3/8" fittings...JAZ605-375-01...\$70.65

1 Quart Breather Tanks

1 quart tank includes breather and drain.
AN -6...JAZ605-025-01...\$52.27
AN -8...JAZ605-825-01...\$53.73
AN -10...JAZ605-125-01...\$59.41
AN -12...JAZ605-225-01...\$69.85
Replacement Filter
JAZ501-225-01...\$22.46

**6" DIRT Modified Oil Tank**

22" x 6" • -16 inlet -12 outlet
PET08-0837DM.....\$

Remote Breather Cans

Spun Alum., complete w/2 each -12AN female ports and -6 drain plug. Use oil tank fittings for hose attachment.
PET08-0400\$187.46
3" dia with 1 each -12AN male fitting for oil tank breather & 1 each -8AN male fitting to breath rear end. Complete w/quick drain valve & mounting clamp. Internally baffled.
PET08-0410\$168.71

Self Venting Round Dirt Modified

LR Oil Tank (cleanable)
ART500102...\$415.95

Self Venting Round Dirt Modified

LR Oil Tank (Two Piece)
ART500103...\$694.98

2 Piece Round Oil Tank

with Tapered Bottom for Rear End
Clearance on a Coil Car
ART500103C...\$694.98

Left Side Oil Line Kit

BRP/Troyer -16 AN male thread
ART2010\$227.95

Left Side Line Kit w/Filter Mt - Peterson Filter (PET09-0439)
ART2010F\$249.00

Dry Sump Tank Bkt for BRP Car Left Rear Corner Mount

ART500106...\$142.43

Dry Sump Oil Tank Side Mt

Fits Bicknell and Teo Race Cars. Built with Oil Filter. Also comes with Heat Shield.
ART500101NJ\$685.00

Replacement Oberg 6020 6" 115 Micro Filter Screen

Fits Art's Side Mount Oil Tank
ARTOB6020...\$53.95

HTD Belts 30mm wide

They are 8mm pitch and provide positive trouble free power transmission for pump drives. They are suitable for high torque ranges previously serviced by chain or gear drive systems.
632mm HTD Belt..PET05-1904...\$28.99
640mm HTD Belt..PET05-1935...\$42.01
720mm HTD Belt..PET05-1906...\$31.56

Gilmer Belts

24.0"...GIL24.OL100\$19.95
25.5"...GIL25.5L100 \$20.95
27.0"...GIL27.OL100\$20.95

Dirt Late Model Center Vent Tank

This tank features a built in oil filter with 60 or 75 micron stainless pleated element.

-16 AN Return -16 AN Pickup
3 Gal. Tank • Single Return w/Filter
Vertical Filter Box
PET08-0911-DB...\$1276.35

Lay Down Filter Box

PET08-0911-CJR...\$1296.95

Oil Tank Mount Bkts 6" & 9" Tanks

6" dia. tankPET08-0100 ...\$76.82
9" dia. tankPET08-0101 ...\$85.10

External Heating Pad

5" x 7", self-adhesive. 400 Watts (min). Heats oil from 66°F to 160°F in only 25 mins. 36" 110V cord
MOR23996.....\$66.78
2" x 15", self-adhesive. 150 Watts. Perfect for slender areas of oil pans/dry sump tanks. 36" 110V cord
MOR23997.....\$82.73

Oil Tank Heaters

300 WATT immersion style heater. 110 Volt with detachable cord set. Comes complete with both steel and aluminum 1/2" NPT weld bung.
PET08-0300...\$138.22

400 Series Oil Filters

The filter has 25% more filter area than similar filters and is available in 60 microns, 75 microns and 100 microns screen sizes for engine oil. Filter bodies are anodized for durability. Mount bracket sold separately.

60 Micron Element w/Bypass	Without Bypass
-8AN...PET09-0450 \$163.05	PET09-0456...\$146.16
-10AN...PET09-0451 \$163.05	PET09-0457...\$146.16
-12AN...PET09-0452 \$163.05	PET09-0458...\$146.16
-16AN...PET09-0453 \$163.05	PET09-0459...\$146.16
75 Micron Element w/Bypass	Without Bypass
-8AN...PET09-0430 \$163.05	PET09-0436...\$146.16
-10AN...PET09-0431 \$163.05	PET09-0437...\$146.16
-12AN...PET09-0432 \$163.05	PET09-0438...\$146.16
-16AN...PET09-0433 \$163.05	PET09-0439...\$146.16
-20AN...PET09-0426 \$163.05	PET09-0425...\$146.16
100 Micron Element w/Bypass	Without Bypass
-8AN...PET09-1430 \$167.20	PET09-1436...\$150.31
-10AN...PET09-1431 \$167.20	PET09-1437...\$150.31
-12AN...PET09-1432 \$167.20	PET09-1438...\$150.31
-16AN...PET09-1433 \$167.20	PET09-1439...\$150.31
-20AN...PET09-1426 \$163.05	PET09-1425...\$146.16

400 Series Oil Filter Replacement Parts

100 Micron, -20 filter element Silver/Purple end cap
Without Bypass.....PET09-0414...\$50.12
With Bypass.....PET09-0415...\$71.11
75 Micron, -20 filter element Silver/Blue end cap
Without Bypass.....PET09-0418...\$50.71
With Bypass.....PET09-0419...\$72.22
75 Micron, -8, -10, -12, -16 filter ele Gold/Blue end cap
Without Bypass.....PET09-0440...\$55.31
With Bypass.....PET09-0441...\$76.43
60 Micron, -8, -10, -12, -16 filter ele Gold/Black end cap
Without Bypass.....PET09-0460...\$60.29
With Bypass.....PET09-0461...\$82.45
100 Micron, -8, -10, -12, -16 filter ele Gold/Purple end cap
Without Bypass.....PET09-1440...\$54.85
With Bypass.....PET09-1441...\$76.96

Vacuum Regulator

It holds a steady level of crankcase vacuum & can be regulated from as high as 29.7 in/hg down to 2 in.hg.
PET08-0455\$176.73

Screw-In Breathers

-12 AN male threaded breather screws into the supplied bung which can be welded to your aluminum valve cover or dry sump tank.
Screw-In BreatherPET08-0415...\$60.29

Same but built-in 1 way valve. Keep crankcase in constant vacuum. Stops air from entering engine but opens to relieve pressure.

With one way valve ..PET08-0450...\$93.55

Sprint Car Tank Bkt 6" dia

It bolts directly to the front of a SBC engine. This bkt is fabricated from aircraft quality aluminum & uses stainless straps for durability.
PET08-0105...\$76.88

One Piece Oil Pan Gasket

SBC V8 '75-'79 thick front seal.
Side rails trimmed for strokers.

Left Hand DipstickFEL1880...\$41.41
Right Hand Dipstick.....FEL1881...\$44.06
Straight Rail.....FEL1882...\$42.05
BBC V8 Thick 3/32" Molded rubber, 1 piece w/rigid carrier
FEL1884R\$38.47

**Oil Accumulators**

3 qts of oil under pressure provide emergency supply when needed. Air Pressure gauge verifies that. Accumulator is ready for use. Cold start valve releases oil into cold engine for reduced wear. Tapped 1/2" NPT fitting.
3 qt cap, 20-1/8" x 4-1/4" cyl..MOR23900...\$241.01
1.5 qt cap, 10" x 4-1/4" cylMOR23901...\$233.60

Accumulator Mount

Designed to be easily fastened to any flat surface. Includes T-Bolt type clamps for NHRA.
MOR23920.....\$32.02

Oil Check Valve, One Way

1/2" NPT to 1/2" NPT One Way. For use with oil accumulators & oil coolers. For prevention of oil drain-back
MOR23875.....\$29.26

Oil Preheaters

212 watts of power raises temp of 12 qts of oil 60°F in about 30 mins. 1" NPT fitting 120 volt rating; includes detachable 7-ft cord. Length of heating element is 4-1/2" from fitting to tip.
Internal, Aluminum fitting...MOR23980\$93.14
Internal, Steel fittingMOR23990\$93.14
Electric CordMOR97590\$19.65

Engine Oil Dipstick & Tube - BBC 1965-'90

Fits BBC 1965-'90 w/ Oil Pan Mounted Dipstick. Dress up your engine with a chrome plated dipstick and tube. Similar to OEM units, only simple hand tools are required for installation.
MRG6236.....\$14.88

Universal Dipstick Kit

Chrome plated Dipstick Kit fits oil pans with a built-in 1/4" NPT fitting. Overall length of dipstick - 24".
MOR25970\$20.08

**Louvered Windage Trays Chevy V8 Oil Pans**

It allows oil thrown from rotating assembly to drain into sump without splashing back. Teflon coated for quick drainage. Improved drainage reduces windage, increases power. Mt with aftermarket stud kits or with stock extended main cap studs. Either driver or passenger side dipstick
SBC and 400 Block ...MOR23020...\$37.19
BBCMOR23030...\$37.19

Universal Windage Tray Screen

23" x 16". Keeps rotating assembly free of unwanted oil to reduce hp robbing windage. Screen must be trimmed for each application.
MOR22912\$46.98

Crankshaft Wipers

Removes excess oil from crankshaft to reduce horsepower-robbing windage. .035" steel plate comes prefitted so only slight amounts of material must be removed. Trim to within .045" of the connecting rods and counterweights for best results.
SBC.....MOR25800...\$14.73
BBC.....MOR25830...\$14.73

Oil Pan Inspect Plug Kit

Includes steel fitting to be welded to side of oil pan and removable LW 1" NPT alum inspection plug.
MOR23970\$15.16

Drain Plug Washers

Dead-soft copper. 1/2" i.d. x 7/8" o.d. Qty 10.
MOR97010\$7.72

Oil Pan Drain Plug

Chrome-Plated. Nylon Washer. 3/4" hex head with 1/2" x 20 threads.
MOR97000\$8.39

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Wet Sump 7 Qt, 9-1/2" Deep

Most Chassis (except '62-'67 Chevy II, V8 Vega and Monza) Accepts up to 3.800" stroke with steel rods. Trap door baffle for improved oil control. Reduces oil temp. Street Perf, Deep Sump Engine App: '80-'85 blocks with passenger-side dipstick.
MOR20165....\$207.76



Wet Sump, 7 Qt, 8-1/4" Deep

Pre-'80 with driver-side dipstick. Accepts 3.80" stroke with most steel rods. Kicked-out sump. Crank scraper welded to pan. Uni-directional windage tray screen. Trap door baffle for improved oil control.
MOR20191....\$285.80



Valve Cover Stud Kits

Cast Alum Covers Black Oxide Stud Kits Size: 1/4-20 Stud OAL/Bolt UHL: 1.500
8 Qty...ARP200-7603...\$18.94 14 Qty...ARP200-7604...\$33.10
Dart, Brodix, B&B Size: 1/4-20 Stud OAL/Bolt UHL: 3.500
14 Qty...ARP200-7607...\$54.48 16 Qty...ARP200-7608...\$62.25
Stamped Steel Covers Black Oxide Stud Kits Size: 1/4-20 Stud OAL/Bolt UHL: 1.170
8 Qty...ARP200-7601...\$18.18 14 Qty...ARP200-7602...\$31.81



Valve Cover Gasket Perform 262-400 SBC Gen I 1955-86


Cork/Rubber, SBC, Pair. Extra Thick 5/16"
MRG179.....\$27.50



Oil Pan Stud and Bolt Kit

Easily align gasket and pan for a leakproof installation.

SBC Hex Head 12 Point
Pan Studs...ARP234-1901...\$51.34
Pan Bolts...ARP234-1802...\$25.91 ARP234-1801...\$26.75



Steel Valve Covers

SBC steel valve covers are sold in pairs. 1 cover has two 1-1/2" baffled breather tubes and both covers feature reinforced rails. Clamp-on breathers sold separately.
SBC Valve Cover (Black), Pressed In Tubes
ALL26147.....\$33.99



SBC Die Cast Alum Tail Design w/ Welded Breather Tubes

Hooded breathers & studs included. Filtered Breather Valve Cov Set. 2 breather tubes welded to 1 cover.
With Moroso Logo...MOR68370...\$207.01
Without Moroso Logo...MOR68374...\$209.14



Fabricated Aluminum, Billet Rail, Swept Back Design

It engineered to clear most marine wet manifolds. Designed to clear chassis on Dirt Mods. Billet Rail with steel inserts.
MOR68350.....\$539.34



Crankcase Vent Kits

Complete with tubes and filters.
Weld-on...MOR68800...\$57.24 pr.
Push-in...MOR68810...\$51.47 pr.



Perm-Align

V/C Gaskets 2 per pkg.


Superior quality silicone/steel gaskets outlast cork & rubber composite designs to provide years of dependable service, especially when constantly removing & re-installing valve covers. Oil Resistant. Full 3/16" thick.

SBC...MOR93020...\$40.80
BBC...MOR93040...\$65.81



Valve Cover Gaskets

Cork gaskets w/steel core.
SBC, 5/16".....FEL1604....\$38.25
SBC, 1/4" 18" & Brodix.....FEL1644....\$47.47
BBC, 5/16".....FEL1630....\$45.06
SBF, 3/16".....FEL1613....\$17.34
SBF, 5/16".....FEL1645....\$40.24



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Oil Bypass Eliminator Chevy

Designed to eliminate the oil bypass found on Chevy engines. A stock type spin-on oil filter can be used with this part installed.


MOR23775....\$38.22



Billet Oil Bypass Adapters

Drilled & tapped for -10 AN fitting. Includes all hardware. Use with remote filter Bypass Plate SBC and BBC without hole in center of pad.

MOR23782....\$72.36



Oil Filter Adapters

Sandwich Adapter allows use with external plumbing, (coolers, dry sump pump or accumulator) while keeping filter in stock location. Use w/ext. pump or accumulator...MOR23690...\$97.17
Use w/remote coolers.....MOR23692...\$97.17



Oil Filter Adapter

SBC & BBC Style Engine Blocks with a Deep Oil Filter Pocket. Marked -10 AN "In" and "Out" ports make it easier to plumb a oil cooler. Adapter is taller than previous designs, lowers filter 2-1/2" to provide clearance for in and out oil lines...MOR23691....\$107.86




Oil Filter By-Pass Plate

SBC & BBC (Mark IV) Alum Bypass replaces engine mounted oil filter in wet sump oiling system and directs oil to remote oil filter or oil cooler. Drilled and tapped for 1/2" NPT inlet & outlet fittings...MOR23770....\$32.62



Oil Filter Alum Block-Off Plates SBC & BBC

Drilled & tapped to accept 1/2" NPT fitting to provide increased clearance for installing input pressure line. Plate Fits: SB & BB (exc. Gen V and Gen VI) Chevy applications without bolt hole at center of pad.
MOR23840.....\$38.17



Oil Separators/Breathers

Push in fit for 1.22" hole
Clear Zinc.....MOR68780...\$11.34
Chrome Plate...MOR68781...\$11.88



5 Stage R4 Std Dry Sump Pump

Std 1.200" Scavenger Rotors
Single Ret, Std Press Left.....PET04-5000...\$1734.23
Single Ret, Std Press Right.....PET04-5020...\$1734.23
Dual Ret, Std Press Left.....PET04-5001...\$1748.38
Dual Ret, Std Press Right.....PET04-5021...\$1748.38
Single Ret, HV Press Left.....PET04-5002...\$1755.45
Single Ret, HV Press Right.....PET04-5022...\$1755.45
Dual Ret, HV Press Left.....PET04-5003...\$1769.57
Dual Ret, HV Press Right.....PET04-5023...\$1769.57
Single Ret, Std Press, RD L.....PET04-5004...\$1797.85
Single Ret, Std Press, RD R.....PET04-5024...\$1797.85
Dual Ret, Std Press, RD L.....PET04-5005...\$1812.01
Dual Ret, Std Press, RD R.....PET04-5025...\$1812.01
Single Ret, HV Press, RD L.....PET04-5006...\$1819.07
Single Ret, HV Press, RD R.....PET04-5026...\$1819.07
Dual Ret, HV Press, RD L.....PET04-5007...\$1833.22
Dual Ret, HV Press, RD R.....PET04-5027...\$1833.22



5 Stage R4 Bellhousing Dry Sump Pump

Single Ret, HV Press, RD.....PET04-5056...\$1819.07

Rubber Valve Cov Gaskets

Silicone Molded Rubber w/Steel Core, Steel Compression Limiters. 2 per pack.

SBC V8 - 283, 302, 305, 327, 350, 400 Eng


.250 Thickness (Most Cylinder Heads)

FEL1628.....\$58.58

BBC V8 - 396, 402, 427, 454 Engines


.137 Thick (3 Up Bolt Holes & 4 Low Bolt Holes)...

FEL1635.....\$48.88



Chrome Valve Cover Breather

Measures 3-1/8" tall and 3" O.D. top and molded bottom. Fits 1.25" O.D. hole.
MRG2049G...\$17.17



Chrome Valve Cover Breather

It has a 3/4" mounting tube & an internal oil baffle with element. Fits 3/4" dia. PCV valve opening.
MRG2057.....\$11.44



Oil Cooler/Filter Sandwich Adapter



Mounts between spin-on oil filter & filter pad on engine block. Provisions for -10AN in & out lines to plumb remotely mounted oil accessories such as oil cooler or accumulator. 2-5/8" O'ring. 18mm-1.5 thr. Chevy, LT1 & GM 4 & 6 cyl. apps.

MOR23695....\$81.35

22mm-1.5 thr. New Ford, GM LS

MOR23699....\$85.89



Oil Pump

Drive Shafts

SBC.....MOR22070.....\$18.62

BBC.....MOR22080.....\$17.29



Anti-Cavitation

SBC Oil Pumps

Std. Vol.....MOR22101...\$113.04

High Vol.....MOR22111...\$123.34



BBC Oil Pump

Std. Vol.....MOR22150...\$96.15

High Vol.....MOR22160...\$116.57



Heavy Duty Racing

SBC Oil Pumps, 5/8" Inlet

Std. Vol.....MOR22099...\$93.38

High Vol.....MOR22109...\$112.68



BBC Oil Pump, 5/8" Inlet

Std. Vol.....MOR22149...\$107.25

High Vol.....MOR22159...\$108.34



Oil Filter Mount



13/16-16 center thread fits Fram HP-2 or equivalent. 1/2 NPT female ports.
EAR2477...\$33.06



Valve Cover

Clamps Long Style

8/kit w/1/4" dia. Holes. Chrome.
MRG9817.....\$10.28



Valve Cover

"Y" Wing Bolts

Chevy V8 1/4" 20x5/8" Steel Chrome
SBC 265-400 CID, & BBC 396-454 CID. Fits Chevy V8. Std Y Top 1/4"-20 x 5/8" L. Overall Length: 4.64". Installed Length: 4.00". Set of 4.
MRG9824.....\$11.44



Breather Baffle

Bolts inside valve cover to keep oil from getting into breather...MOR68790...\$6.02



PCV Grommets

Fits 1.22" holes, most GM PCV valves.
MOR68770...\$4.78




Breather Grommet Baffle

Fits 1.22" holes. 2 per pack.
MOR68775...\$5.25



Valve Cover Stud Kit

Include 8 studs, washers, & nylocks.
Slotted...MOR68820...\$10.48



Bullet Nose to help start nuts

MOR68830...\$23.62



Extra Long Wing Nuts

(w/ 1/4 x 20 studs)

Chrome steel...MOR68610...\$18.68



Hold Down Tabs (steel) SBC

Chrome.....MOR68510...\$13.61

Red.....MOR68505...\$18.50

Blue.....MOR68506...\$18.50



Valve Cover Filtered Breathers

Provides max protection against dirt and airborne debris without restricting air flow. Cleanable and re-usable; oil before use.

1/2-Hood (180°) Clamp-On type welded-in stacks,

1-3/8" i.d.....MOR68811...\$18.69

1-1/2" i.d.....MOR68812...\$18.69

Push-In type w/holes...MOR68813...\$18.69

Non-Hooded Clamp-On type w/welded-in stacks

1-3/8" i.d.....MOR68815...\$16.43

1-1/2" i.d.....MOR68816...\$20.15

Push-In type w/holes...MOR68817...\$16.26

Not legal for sale or use on pollution-controlled vehicles



Oil Coolers**15" x 8-3/4" x 3-1/4"**

- (2) AN #12 • (1) 1/2" NPT
- #10AN Wash DP

BSC500-30145.....\$235.00

15" x 6-1/2" x 3-1/4"

- (2) AN #12 • (1) 1/2" NPT,
- #10 AN Wash DP

BSC500-30417.....\$235.00

15" x 6-1/2" x 3-1/4"

- (2) AN #12 • (2) 1/2" NPT
- #10 AN Wash DP

BSC500-30416.....\$239.00

15" x 4" x 3-1/4"

- (2) AN #10 • (1) 1/2" NPT
- #10 AN Wash DP

BSC500-30146.....\$235.00

Oil Coolers

- 1/2" NPT Port
- 9" Face Width x 13" Body
- Width x 2" Thickness

10 Row..Height: 3".....BSC500-610-7612..\$112.33

13 Row..Height: 4".....BSC500-613-7612..\$114.93

16 Row..Height: 5".....BSC500-616-7612..\$126.71

19 Row..Height: 5-7/8".....BSC500-619-7612..\$135.37

25 Row..Height: 7-3/4".....BSC500-625-7612..\$140.81

34 Row..Height: 10-1/2".....BSC500-634-7612..\$175.33

Use Earl's #10 AN Port Adapter (sold separately)****AN Port Adapter

("O" Ring Seal)
(Port End contoured for max. flow)

A	B	Part #
-8 (AN 10) 7/8-14		EAR985081.....\$14.15
-10 (AN 10) 7/8-14		EAR985010.....\$13.66
-12 (AN 10) 7/8-14		EAR985013.....\$18.52

Side Oil Cooler Mount

TEOT059.....\$107.25

Linear Engine Oil Coolers

Finned alum coolers use 3/4" NPT ends. T-slot for easy mounting.

3" Inline Alum Oil Cooler.....ALL30142.....\$39.99

4" Inline Alum Oil Cooler.....ALL30143.....\$47.99

5" Inline Alum Oil Cooler.....ALL30144.....\$55.99

**In-Line Oil Cooler**

It can cool trans or power steering fluid by as much as 30". Easily mounts with two 1/4" bolts or tie wraps. Suitable for most classes of circle track cars and even the tow vehicle. Includes -6 AN fittings. Cooler is 14-1/2" length & 1-3/4" dia. ALL52100.....\$41.99

**Billet Alum Sandwich Style Oil Thermostat**

Typical Apps: Most GM and American Motors vehicles with spin-on filter. Center port size: 13/16-16. Port Size: 10 AN Female O-Ring Seal. O-Ring O.D.: inner 2.887, outer 3.387. O-Ring Cross Section: 0.139. EAR503.....\$114.95

Sandwich Filter Adapters

Apps: Many Honda & Acura vehicles. Some Ford. Center port size: 20mm x 1.5 • Port Size: 3/8 NPT. O-Ring O.D.: 2-3/4 & 3-3/8 • O-Ring Cross Section: 0.139

EAR514.....\$42.34

Offset V-Belt

5" diameter pulley uses stock (3-bolt) mount pattern w/1.16" bolt circle. MOR64887.....\$74.17

V-Belt Pulley

5"-diameter pulley uses stock (3-bolt) mount pattern w/1.16" bolt circle. MOR64885.....\$70.47

Gilmer Type

3-bolt mounting; accepts std gilmer belts 3/8-pitch & 3/4" width. 28 tooth, 3-5/16" o.d. Direct, bolt-on installation.. MOR64886.....\$131.85

A.....B.....C.....Part #

8-1/4...6-1/2.....2.....SET50-107-7612...\$106.95

8-1/4...6-1/2.....3.....SET50-110-7612...\$122.95

8-1/4...6-1/2.....5-3/4.....SET50-119-7612...\$170.95

8-1/4...6-1/2.....7-1/2.....SET50-125-7612...\$206.95

8-1/4...6-1/2.....22-1/2.....SET50-172-7612...\$606.95

13.....11-1/4.....3.....SET50-610-7612...\$146.95

13.....11-1/4.....4.....SET50-613-7612...\$162.95

13.....11-1/4.....4-3/4.....SET50-616-7612...\$182.95

13.....11-1/4.....5-3/4.....SET50-619-7612...\$197.95

13.....11-1/4.....7-1/2.....SET50-625-7612...\$236.95

13.....11-1/4.....10-1/4.....SET50-634-7612...\$344.95

16.....14-1/2.....3.....SET50-910-7612...\$158.95

16.....14-1/2.....4-1/2.....SET50-915-7612...\$194.95

16.....14-1/2.....6.....SET50-920-7612...\$235.95

16.....14-1/2.....7-1/2.....SET50-925-7612...\$291.95

Therm-Hx Oil Cooler

All aluminum. Extruded oval tubes.

Highest efficiency on the market.

14.75"x 6.25"x 2.5" (2) -12 & (2) 1/2" NPT

FLUDB-30416.....\$293.95

Twin Pass

14.75"x 6.25"x 2.5" 2 pass (2) -12

FLUDB-30417-12.....\$308.95

Legends Cooler

Tests have shown as much as 70 to 90° reduction. 16"x 10 1/2"x 1" 1/2" NPT

FLUDB-30316-RTF.....\$195.95

Performance Transmission Coolers

They are complete w/ -6 AN

steel braided line and fittings.

(3/4" x 7-1/2" x 15-1/2") w/Mounting Kit (22,000 GVW)

TCI823500.....\$89.02

(3/4" x 10" x 15-1/2") w/Mounting Kit Max Protect (26,000 GVW)

TCI823800.....\$100.06

Original Design**Vacuum Pumps**

Pulls Much More Vacuum Than Stock

"Smog" Pumps. Billet Alum Housing. Special

Vane Material for Improved Seal and Wear.

Special -12AN Inlet/Outlet Fittings Won't Leak.

3-Vane Vacuum Pump.....MOR22640.....\$609.29

For Drag race cars with a dry sump oiling system where increased crankcase vacuum is desired

4-Vane Vacuum Pump.....MOR22641.....\$707.14

Enhanced Design Vacuum Pump

It pulls 13.9% more vacuum. Can be used efficiently on wet or dry-sump engines. Achieves greater vacuum sooner. Kit includes versatile mounting bracket and -12AN fittings... MOR22642.....\$790.30

4-Vane Vacuum Pump**"Pro Mod" Style Large Cubic****Inch and Blower Motors**

Achieves much greater vacuum sooner. Flows up to 150% more air volume at low RPMs. Will achieve up to 26 inches of vacuum. Rotor is keyed to shaft, eliminating fastener failure. Utilizes sealed maintenance free bearings. Kit includes large 4 vane pump, billet adjustable bracket, -16AN beaded fittings...MOR22643.....\$1100.31

Replacement Special Clearanced Fittings

-12AN for Vacuum Pumps #s. 22640, 22641 and 22642 and Remote Oil Filter Mt MOR23766. -16AN for Vacuum Pump MOR22643 Anodized aluminum. Radiused inlets to reduce restriction for greater flow. Includes O-ring. 2 per pkg.

-12AN.....MOR97641..\$31.45

Vacuum Pump Line Kit

Includes 6' of steel re-enforced hose, two 90° hose fittings and two -12 degree straight hose fittings.

MOR22649.....\$136.45

Vacuum Pump, Dry Sump Pump**Drive Kits BBC and SBC**

Steel, self-centering mandrel bolts directly to harmonic balancer for dead-accurate concentricity. BBC, uses 5" mandrel.....MOR63844.....\$213.53

SBC, uses 4.75" mandrel.....MOR63845.....\$210.38

Setrab Series STD

The STD cooler is provided with specialized M22 female ports to allow the use of high quality Setrab AN and pushlock adapters in sizes appropriate to the application.



-4...SET22-M22AN04-SE..\$9.00

-6...SET22-M22AN06-SE..\$9.00

-8...SET22-M22AN08-SE..\$9.90

-10...SET22-M22AN10-SE..\$9.90

-12...SET22-M22AN12-SE..\$10.95

-16...SET22-M22AN16-SE..\$10.95

Oil Cooler

5" x 23" Oil Cooler

(Mounts to Radiator)

ART100601.....\$498.95

Wing Mount Oil Cooler

ART15512.....\$375.00

Breather Tank

All-alum, LW tank features mounting straps. Size: 3-1/8" dia., 6-1/2" tank height (w/o filter), 11-1/2" overall height.

Tank -12 AN.....MOR85465...\$99.06

Tank -16 AN.....MOR85475...\$108.17

Breather Tank, Vacuum**Dry Sump Pump 2.5 Qt**

2.5 Qt tank complete with dual -12AN fittings allowing hookup from Vacuum Pump & Dry Sump Pump. All-alum, LW 3" x 17-1/2" (installed) tank includes mounting clamp.

MOR85466.....\$120.38

Breather Tank

Sizes -12 AN fittings. Includes non-hooded, clamp-on style Filtered Breather that traps oil while allowing air to escape freely. Size: 3-1/8" dia., 6-1/2" tank height (w/o filter), 11-1/2" overall height.

MOR85500.....\$149.38

Air/Oil Separator Tank

Designed to be plumbed between the valve cover (usually) & the "IN" side of the Vacuum Pump. Sizes -12AN Inlets and Outlets and a -6AN Drain. Size: 3-1/8" dia., 6" tank height.

MOR85471.....\$132.39

Billet Alum Vacuum Relief Valve

Two styles allow fastening through valve covers (MOR22637) or threaded directly into intake manifold (MOR22636).

MOR22636.....\$87.23 3/8" NPT

MOR22637.....\$87.23 3/4" - 16 Thread

Vacuum Pump Regulator

Regulator screws directly into the vacuum pump's -12AN inlet. 360° directional adj.

MOR22633.....\$159.87

Vacuum Pump Bkts

"Original" Style Vacuum Pumps. Use this bkt to mt pump to motor plates on ALL engines. Also mounts to BBC and SBC cyl heads.

MOR63910.....\$68.77

Auto Trans Oil Cooler

It uses "heat sink design" to dissipate the excessive heat build up in racing trans. Made of alum w/500 sq. inches of radiation surface for high heat transfer. Size 3" dia, 12" length, and weighs only 1 lb. Comes complete w/filter cartridge, includes two 1/4" NPT to 3/8" line fittings... MOR41200.....\$108.42

Breather Tanks

1-1/2" breather with washable element, drain, and one or two 3/8" NPT bung(s). Ideal for dry sumps and rear ends.

Tank w/1 Bung...ALL36108.....\$63.99

Tank w/2 Bungs...ALL36109.....\$66.99

Remote Fill Tank

It has a -10 AN outlet & recessed mounting flange to allow flush-mounting on rear deck. Remote Gear Oil Filler...ALL36110.....\$54.99

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



HTD Pulleys

Rock Guard w/screws for 40-Tooth HTD Pulleys
KRCKRC89008040 ...\$30.59

40 Tooth HTD Alum Pulley (Cast Iron Pump)
KRCKRC50315500 ...\$138.49

Inline Temp Port **Peterson**

In line temp port provides an easy way to get accurate readings from your temp gauge. Std 5/8"-18 thread temp sender screws right in, keeping the sender in constant contact with oil.
-10 AN x -10 ANPET09-1940\$88.30
-12 AN x -12ANPET09-1960\$88.30

Oil Pressure Fitting

It is extended 2-1/4", making it easier to connect the line to your oil pressure gauge.

1/8" NPT x #3...JOE42799 ...\$16.95
1/8" NPT x #4...JOE42800 ...\$16.95

Temp Tees

Want to keep an eye on engine temps? Simply install a Temp Tee Fitting where you need it. The bulk head design installs in line allowing you to quickly and securely route your AN hoses in perfect fashion. Use for water or oil temp.

#10 ANJOE42140\$55.95
#12 ANJOE42141\$55.95
#16 ANJOE42142\$55.95

Freeze Plug Adapter

Replace freeze plugs in your chevy block with our adapters and you can change the flow of water for better cooling. 1.627 +.001 - .000 Diameter. Freeze Plug to #8 Fitting.....JOE36200.....\$23.95

Filter Screens

Inline Oil Filter -10.....MOR23850\$61.48
Inline Oil Filter -12.....MOR23860\$62.10
Fitting Filter, 3/4"-AN12.....MOR23960\$29.30
Fitting Filter, AN12-AN12.....MOR23961\$28.50

BICKNELL

BRP943

Chevy 1" Drive Mandrel

To be used w/BRP pulleys 1006 & 1006B
2 1/4" long.BRP942...\$41.66
3 1/4" long.BRP943...\$47.26

Mandrel Spacers

1/4"BRP960\$9.33
3/8"BRP961\$9.33
1/2"BRP962\$9.33
5/8"BRP963\$9.33
3/4"BRP964\$11.87
7/8"BRP965\$11.87
1"BRP966\$11.87
1 1/4"BRP967\$11.87
Guide Washer BRP972\$9.16

GM Front Mandrel Bolts **ARP**

8740 chrome moly steel front mandrel bolts. Rated at 200,000 psi tensile strength and durability. Head Style: 12 point.

Dia	Length	Thread	Socket Length	Size	
7/16	6.000	1.100	1/2	ARP330-0701	\$30.29
1/2	6.000	1.100	9/16	ARP330-0702	\$30.29
7/16	6.250	1.150	9/16	ARP330-0703	\$30.29

1" Wide Cog Pulleys

28 tooth 5/8" ID BRP986...\$78.76
30 tooth 5/8" ID BRP987...\$78.76
15 tooth 1" ID...BRP981...\$29.15
16 tooth 1" ID...BRP983...\$34.39

Crank Pulley Spacer

1-1/4" thick spacer bolts behind lower pulley to allow serpentine pulleys to line up with long water pump. LW design- weighs just 0.8 lbs. Machined from billet 6061 Alum...BRP953-125.....\$31.32

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Oil Pump Pulleys and Belt Guides

Radius 40 Tooth Oil Pump Pulley 1.25" Wide x .625" Bore, 3/16" Key...JONOP-6103-40-11/4...\$81.80
Radius 38 Tooth Oil Pump Pulley 1.25" Wide x .625" Bore, 3/16" Key...JONOP-6103-38-11/4...\$78.65
Radius 40 Tooth Billet Aluminum Belt Guides with Bolt KitJONBG-6108-40S\$35.40
Radius 38 Tooth Billet Aluminum Belt Guides with Bolt KitJONBG-6108-38S\$33.40
30 Tooth, 1.25" Wide x .625" Bore, 3/16" key, Gilmer OP PulleyJONOP-4103-30-SQ\$61.60
28 Tooth, 1.25" Wide x .625" Bore, 3/16" key, Gilmer OP PulleyJONOP-4103-28-SQ\$58.19

BICKNELL

Remote Oil Filter Mts

For HP1 style Oil Filter ...BRP555 ...\$122.97
For HP4 style Oil Filter ...BRP557 ...\$122.97
For HP6 style Oil Filter ...BRP559 ...\$140.08

SBC Block Mount

for BRP557/BRP555
Remote Oil Filter Mount...BRP550 ...\$46.86

Dry Sump Return Manifolds **Peterson**

Return line manifolds consolidate scavange return lines from the pump to a single return line to the oil tank.

3 Stage Manifold

-12, -12, -12PET10-0001...\$95.57

Y Type Manifold

-12, -12, -12PET10-1721...\$98.80

-12, -12, -16PET10-1725...\$124.51

OIL FILTERS

Oil Filters

Flow Rate GPM....28

Thread...Filter...Filter...Bypass.....Anti-Drain
Size.....Height.OD.....Valve Setting.....Back Valve
13/16-165.173.6.....NoneYes
1 Quart.....WIX51061R...\$9.73

1-1/2-12 6.214.6.....18-22 PSI.....No
2 Quart RemoteWIX51222R...\$23.19

Fram Oil Filters

1 quart Ford.....FRAHP-1\$14.95
1 quart Chevy.....FRAHP-4\$12.95
2 quart Remote ..FRAHP-6...\$25.95



Oil Filters

1 quart FordK&NHP-3001 ..\$11.96
1 quart Chevy.....K&NHP-3002 ..\$12.57
2 quart Remote ..K&NHP-5001 ..\$26.99

MOROSO

Oil Filters

Chevy, 13/16" -16 UNF thread, short design (4-9/32" high), burst strength: 350 psi (max.)
MOR22459.....\$15.32
Chevy, 13/16" -16 UNF thread, long design (5-1/4" high), burst strength: 350 psi (max.)
MOR22460.....\$15.02
Chevy where space allows, 2 qt cap, 13/16" -16 UNF thread, extra long design (8" high), burst strength: 350 psi (max.)
MOR22461.....\$17.85

Chrome Oil Filters

Outside is a triple process chrome plated steel housing that's hand polished and rack nickled before chromeing to insure the highest luster possible.

Chevy type, Short Design

(4-9/32" high), 13/16" -16 UNF thread
MOR22300\$24.41

Chevy type, Long Design

(5-1/4" high), 13/16" -16 UNF thread
MOR22320\$24.41



Oil Pressure Fittings

-3 St. to 1/8 NPT...EAR968803\$10.35
-4 St. to 1/8 NPT...EAR968804.....\$10.35

Oil Pressure Gauge Fittings

Fitting is 1/8" NPT on engine side & -4 AN for gauge connection.
90° Gauge Fitting...PET15-1040 ...\$28.77
Straight Fitting.....PET15-1041 ...\$15.40

Remote, Large Dia Oil Filter Mt

It includes two 3/8"-16 threaded holes on backside for mounting. Accepts -12AN threaded fittings w/O-rings; fittings can also be welded in place
MOR23766.....\$131.19

Remote Oil Filter Mounts

Tapped for 1/2" NPT inlet and outlet. Center port for pressure or temp gauge plumbing.

Flow Direction Filter

R-in L-out Ford or Chrysler MOR23700...\$54.01
L-in R-out Ford or Chrysler MOR23710...\$53.75
R-in L-out Chevy V8 MOR23750...\$53.75
L-in R-out Chevy V8 MOR23760...\$53.75

SBC Oil Filter Adapter

Stock replacement adapter bolts to the engine block & accepts oil filter.

Oil Filter Adapter .ALL92000...\$12.39

Two Fasteners for Oil Filter Adapter
ALL92001...\$5.99

Remote Oil Filter Mts

1/4" NPT Front and Side Port Styles

For Chevy style spin-on filters (13/16" - 3/4" O-ring). Made from billet alum for strength, doesn't crack and isn't porous like cast alum. Designed with (2) -12AN inlets and (3) outlets. Includes (1) -12AN and (2) 1/4" NPT.

Side Port Style.....MOR23763...\$145.90

Front Port Style ...MOR23764...\$145.90

Crankshaft Socket Tools

Designed to simplify the task of crankshaft rotation during short block assembly with the balancer removed. MOR61765 features full steel construction with a zinc-plated finish for corrosion resistance. Manufactured of tool quality steel with gold iridite finish. Accepts 1/2" drive.

Crankshaft Socket Tool, Small Block & 90° V6
Chevy & Super Duty Pontiac/GM 4 Cyl
MOR61760\$34.13

Access Door

.050" aluminum door is hinged to frame making easy access to fuel cells, dry sump tanks or etc. Door held securely closed with self-ejecting, flush-head fastener. 6" x 6" door, 8-1/8" x 8-1/8" overall.
MOR85700\$58.30

Positive Seal Vented Fitting -12AN

Screws into side of valve cover. Provides leak free O-ring seal on any flat valve cover surface.
-12AN Fitting.MOR22635...\$54.13

WATER PUMPS



Stage 1 Water Pump

Stock appearing cast iron design, but with improved bearings and impeller. High Flow at Lower RPM's for Better Cooling. CW Rotation for V-belts. Precision ground dual pattern fan hub for perfect pulley alignment. High Flow Impeller.

Short SBC, 5/8" Shaft, 5.625" WP Length
STEW12103.....**\$97.95**

3/4" Shaft, 5.625" WP Length
STEW12203.....**\$96.98**

Adj billet hub, 3/4" Shaft, 5.625" WP Length
STEW12203-BH.....**\$110.21**

Long SBC, 5/8" Shaft, 6.932" WP Length
STEW13113.....**\$96.98**

Short SBC 71-82 Vette Only, 5.795" WP Length
STEW13103.....**\$96.98** **CRATE 602**

Stage 2 Water Pump

Extra material to allow drilling for extra coolant lines. Short style. Equal flow to left and right cylinder heads. High flow and pressure. 356-T6 heat treated alum specially ribbed casting. Precision ground fan hub w/dual bolt pattern. Zinc-plated rear cover and bolts. Two 1/2" NPT auxiliary inlets. Clockwise Rotation. High Flow Pump. Cast Aluminum Finish.

Aluminum SBC, 5/8" Shaft, 5.625" WP Length
STEW22103.....**\$170.18**

Aluminum SBC, 3/4" Shaft, 5.625" WP Length
STEW22203.....**\$170.18**

Aluminum SBC - Long, 5/8" Shaft, 6.932" WP Length
STEW23113.....**\$170.18**

Aluminum BBC, 3/4" Shaft, 5.750" WP Length
STEW21204.....**\$187.82**

Stage 3 Water Pump

1/2" thick fan hub preferred by many top engine builders for high rpms. Alum SBC w/provision to adjust belt tension. Short style. 3/4" shaft.

Aluminum Casting. Models with 3/4" ball/roller bearings offer five times the strength of standard bearings. High flow impeller. Equal flow to left and right cylinder heads. High flow and pressure. 356-T6 heat treated aluminum specially ribbed casting. Zinc-plated rear cover and bolts. Two 1/2" NPT auxiliary inlets. Precision ground 1/2" steel billet fan hub with dual bolt pattern for perfect pulley alignment. Fan hub set screw for positive positioning.

SBC, 5.625" WP Length.....STEW32200.....**\$195.76**
BBC, 5.750" WP Length.....STEW31203.....**\$195.76**

Stage 4 Water Pump

This CNC machined 6061-T6 aluminum 8 vane impeller is the key to this pump, flowing up to 41% more water at twice the pressure, while consuming less than 3 horsepower at 4500 pump rpm! Short style.

SBC 3/4" shaft high flow, 5.625" WP Length
STEW42203.....**\$287.49**

w/adjustable mounting holes, 5.625" WP Length
STEW42200.....**\$298.07**

BBC 3/4" severe duty, 5.750" WP Length
STEW41203.....**\$298.07**

Vette 71-82 High Flow, Cast Alum, 5.795" WP Length
STEW43103.....**\$287.49**

Ford Pass Cars 70-78 and SBF SVO, Cast Alum, 5.700" WP Length.....STEW46113.....**\$298.07**



Aluminum Water Pumps

Small Block Chevy

EDE8810*...1955-68 short style.....**\$261.95**
EDE8820...Polished version of EDE-8810.....**\$371.95**
EDE8811...1969-87 long style except Corvette, 1973-86 truck.....**\$248.95**
EDE8821...Polished version of EDE-8811.....**\$333.95**
EDE8812...1971-82 Corvette, short style.....**\$267.95**
EDE8815...1984-91 Corvette, short style.....**\$269.95**
EDE8881...1987-94 with serpentine belt except LT1 and Corvette, 5/8" shaft.....**\$285.95**

Big Block Chevy

EDE8850**...1965-68 short style.....**\$302.95**
EDE8851...1969-87 long style except Corvette and 1 ton truck.....**\$307.95**
EDE8852...1971-74 short style Corvette.....**\$303.95**
EDE8854...Short style pump for aftermarket serpentine belts.....**\$250.95**

Small Block Ford

EDE8840...1986-93 5.0L.....**\$246.95**
EDE8841...1965-68 289, 1968-69 302, 1969 351W.....**\$236.95**
EDE8842...1965-67 289 H.O.....**\$230.95**
EDE8843...1970-78 302, 1970-87 351W.....**\$249.95**
EDE8844...1971-79 351C/351M/400.....**\$254.95**
EDE8866...1970-92 429-460.....**\$294.95**
EDE8805...1965-76 352-428 FE.....**\$307.95**

Chrysler 361-440

EDE8814...1958-79 models.....**\$192.95**

*Also fits 1969-70 Corvette, 1955-72 truck

**Also fits 1969-70 Corvette, 1966-72 truck

Victor Circle Track Water Pump

Featuring a revised impeller entry and a .100" thicker rear cover for greater durability, they provide maximum cooling with equal distribution to the both sides of the block.

SBC, -8AN aux 90° to block.....EDE8816.....**\$288.95**
SBC, 3/8" NPT aux 45° to block.....EDE8817.....**\$279.95**
SBF, Windsor style blocks LH inlet.....EDE8833.....**\$271.95**

Victor Pro Series 2-Pc Water Pump for SBC

This SBC is designed for high output racing engines, especially dirt late model & circle track apps. The 2-piece design features improved symmetrical flow paths resulting in increased flow & requiring less horsepower from the engine.

EDE8827.....**\$351.95**



Thermostatic Water Pump Switch

It has 3 settings: Auto, Manual and Off. In the "Manual" position, the motor is constantly on. Contact rating of switch is 15 amps at 32 volts; use with 10 amp fuse (not included)..... MOR63760.....**\$63.85**

Aluminum SB Water Pump

Features a low drag impeller that frees up an extra 14 hp at 7,500 rpm. Built in cam stop. Pre '69 short style with 5/8" shaft.

MOR63500.....**\$163.31**

Aluminum SBC '71-82 Corvette Design 3/4" Shaft

Large diameter shaft & extra housing reinforcements for Oval Track. Includes integral cam stop boss. Two 1/2" NPT auxiliary ports for external lines. Multiple pattern Drive Hub. Spacer Kit MOR63510 converts the MOR63500 pump to the '69-later "long" design.

MOR63505.....**\$216.65**

Billet Electric Water Pumps

SBC, Stock Mount

They pump up to 21% more water through the system during actual operating conditions than any competing pump.

MOR63557.....**\$407.69**

Radiator Water Restrictor

Run 15° cooler, place in the bottom of the radiator and remove all other restrictors.

JONRR-9104-A.....**\$31.41**

Billet Alum. Water Pump Spacers

1/4" ..JONWP-9104-1/4-SB..**\$26.01**

3/8" ..JONWP-9104-3/8-SB..**\$28.90**

1/2" ..JONWP-9104-1/2-SB..**\$26.01**

1/4" ..JONWP-9104-1/4-BB..**\$34.90**

3/8" ..JONWP-9104-3/8-BB..**\$31.41**

1/2" ..JONWP-9104-1/2-BB..**\$31.41**



Water Pump Spacer Kits

Converts "short" 68-earlier design Chevy water pumps to longer, 69-later design. Also heat-treated bolts and gaskets.

SBC and 90° V6 Chevy. Converts MOR63500 or MOR63505 short water pump to the longer late-model design.....MOR63510..**\$46.80**

BBC. Converts MOR63520 short water pump to the longer late-model design.....MOR63610..**\$49.89**

Overflow Tank

NHRA and IHRA accepted. Holds a full quart. Barbed fitting on top, petcock on bottom.

10-1/2" high overall - 3" diameter.

MOR63657.....**\$37.74**



Chrome Water Neck Chevy V8- 1955-65

Chrome plated water neck features an O-ring style seal to prevent water leaks. Precision die cast for a great fit, this water neck is first polished to a high luster, then beautifully chrome plated.

MRG2660.....**\$16.02**

Chrome Water Neck Chevy V8 - O-ring Style

This water neck features an O-ring style seal to prevent water leaks. Precision die cast for a great fit, it is first polished then chrome plated. Water neck comes complete with O-ring and mounting bolts. Fits Chevy V8, late 1966-75.

MRG2661.....**\$16.02**

Water Neck SBF 289-302-351W 45° - Oring Style

This water neck comes with everything you need for replacement, o-ring and bolts to make for an easy installation.

MRG2662.....**\$14.88**

Water Neck - Swivel Oring Style for Chevy 265-454 Chrome

Fits 1967-75 Chevy Engines. 45° Swivel. O-Ring Seal. This is a high quality aluminum water neck with chrome plating. The swivel head lets it work well on all apps. This will add that extra touch to any engine project.

MRG9141G.....**\$42.40**

Poly Overflow Tanks

• -6AN inlet and vent • Swivel petcock
1 Gal Overflow.....JAZ600-100-01**\$63.01**
Strap Kit.....JAZ400-001-03**\$38.21**
• 1/4" Elbow Inlet
1 Quart Overflow.JAZ600-025-01**\$23.40**
(In Natural Color..)JAZ600-025-05**\$23.40**

Universal WP Pulley Shim Kit

Shims are installed between the water pump pulley and drive flange. Kit contains (2) 1/16" spacers and (1) 1/8" spacer. Fits all GM and Ford water pumps with either a 3/4" or 5/8" shaft.

MOR64035.....**\$7.49**

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Color Options Chart

B = Blue C = Chrome R = Red S = Black U = Polished
Add appropriate letter to end of part #.

Chevy 100 & 200 Series WP

Recommended for Sport, Drag Cars, and Mild Street Cars. All 100 and 200 Series pumps for Chevys are machined with enough back spacing to clear cam belt drives & are compatible with most roots blower drives. Passenger side inlet port std.

- 35 GPM Standard • 40 GPM Heavy Duty
- Options for Heavy Duty or 16 Volt
BBC 396-502MEZWP100U...\$355.32
SBC 4.3 V6, 262-400 ..MEZWP101U...\$345.34

Chevy 300 Series WP

It changed the rules about using electric pumps on high horsepower street engines, nitrous motors, or super/turbo charged cars. Delivering 55 gallons per minute of flow, the 300 series pumps offer great cooling solutions to high horsepower vehicles. Higher flow rates reduce the chance of detonation.

- Options for 16 Volt
BBC 396-502MEZWP300U...\$464.53
SBC 4.3 V6, 262-400 ..MEZWP301U...\$464.53

Water Pump LT-1 (Black Only)

It has proven our reliability with customers logging 50,000 to 60,000 miles on their daily drivers. The need for the heavy and expensive factory timing chain is also eliminated. Some F-bodies may require trimming of the fan shroud. No inlet required. Frees over 10 rear wheel HP.

- Options for Heavy Duty or 16 Volt
'93-'97 Camaro/Firebird • '93-'96 Corvette • '93-'96 Impala/Roadmaster
MEZWP118.....\$256.78

Water Pump LS-X

It will dress out your engine while increasing mid range power and low speed cooling. Originally designed for Stock and Super Stock racers, this pump can also be found on street rods, dune buggies and modified street cars.

- 35 GPM Standard or 40 GPM Heavy Duty
- Compact & LW • Driver or Passenger side inlet ports
- Options for Heavy Duty or 16 Volt
'98-02 Camaro/Firebird • '97-04 Vette • Chevy/GMC 5.3
MEZWP119U\$490.34
- 55 GPM High Volume, Great for street driven cars includes heater ports.
MEZWP319U\$777.87

SBF 100 Series Water Pump

It is the most common pump body for SBF engines. It will bolt up to front covers from the very early 64 style thru 93 and slightly beyond. It has been used as the heart of many cooling systems and can be coupled with one of several different back plates to complete your system right.

MEZWP111U\$367.75

We offer a variety of plates to mate with the WP111 pump. One of these back plates is used to cover the center chamber in a stock type front cover. The back plate will not be used if you are using a modern belt cam drive system. Choosing correctly will ensure easy installation. Options for Heavy Duty or 16 Volt • Thickness .19"

- 221-289 earlyMEZWP112U ...\$51.61
- Traditional 289/5.0...MEZWP113B ...\$51.61
- ClevelandMEZWP123R ...\$51.61

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Coolant Check Valve

Used to ensure directional water flow through the entire cooling system. Light-weight aluminum designed to fit current radiator plumbing and to work with the Portable Engine Heater (100 16600).

- 1-3/4"KEY10016600-1.....\$195.00
- 1-1/2"KEY10016600-12.....\$195.00

SBF Water Pump

WP173 is the right choice if you have a later model front cover on your 5.0 or 351 engine. '94-95 design and is also shared by Ford Motorsport front covers. Pump is shipped w/O-rings for a positive pump-to-plate seal.

- 35 GPM Std • 40 GPM Heavy Duty
- Options for Heavy Duty or 16 Volt
'94-'95 Short SB Ford...

- MEZWP173U\$393.56
- It comes with a std gasket because they are compatibility issues with several belt drives and o-rings.
Back PlateMEZWP174U...\$51.61

Remote Water Pumps

Mini Inline and Bulkhead

Our original remote makes a very clean installation when mounted to the back side of a V-8 motor plate. All the plumbing faces forward, with a single 1" NPT inlet and two -12 O-ring boss outlets. No water manifold is required. It also sits nicely into a fender well or out-of-the-way spot to provide more clearance in front of your engine. One 1" NPT inlet and two -12 outlets required. 35 GPM Std or 40 GPM Heavy Duty

- Std Options for Heavy Duty or 16 Volt
MEZWP116U\$316.14
- High Flow Options for 16 Volt
MEZWP316U\$393.56

Water Pumps Imports, Honda & Toyota

These kits replace the OEM timing belt driven water pump with an idler pulley & block-off plate. The job requires advanced knowledge to compete. **20 GPM Std.** Kit includes:

- Pump-WP136. Pump mounting bkt. Idler plate w/O-ring. Hose adapter fittings. Toggle switch & crimp connectors. Our idler assemblies are used as a block-off for the factory mech water pump & to maintain timing belt tension.
- 1.6/1.7/1.8 Type R (8.6 lbs)MEZWP50022...\$445.18
- 1.8/2.0/2.1 (8.6 lbs)MEZWP50019...\$445.18
- 2.2/2.3 (8.6 lbs)MEZWP50026...\$445.18

Remote Water Pumps

Mini Inline and Bulkhead

Designed for sport compacts, small engine apps and water to air intercoolers. The new dual outlet is well suited for alcohol powered drag cars. The pump may be small, but the quality and reliability is just what you have to come to expect from Meziere.

- 6.3 lbs. (7.25" Hgt) ...MEZWP136S ...\$225.82

Remote Water Pumps Hi-Flow Inline and Mech

Our most versatile pump design to date, combining an inline configuration with a 55 GPM flow rate and interchangeable fittings. Inlet & outlet ports are O-ring boss. AN thread. Smooth hose or AN line in and out. 1.300 ID inlet available. Can be spliced into lower rad hose. Dual -16 outlet ports.

- Single outlet** (Inlet WN Style) (Outlet WN Style)
MEZWP336S\$451.62

- Dual outlet** (Inlet WN Style) (Outlet 2X-16AN)
MEZWP337S\$451.62

Chevy Spacers

Thickness...O'Ring...BB Chevy

- 1.5"2 sidesMEZWP5100-1.5U...\$51.61
- 1.75"2 sidesMEZWP5100-1.75U...\$57.81

Thickness...O'Ring...SB Chevy

- 0.9"noneMEZWP5101U\$40.64
- 1.5"noneMEZWP5101-1.5U\$51.61

Aluminum SBC WP

Short, LW pumps dissipate heat more rapidly & equalize water flow to both sides of the engine. Billet steel fan hub and bosses for external water lines are included. Above this RPM, use the ALL31105 pump with a 3/4" bearing. It may need to be clearanced for use with 8" dampers. 71-82 Corvette.

ALL31105.....\$96.99

Polished Water Necks

They are 2-piece necks that can swivel 360°. Each has a polished finish and includes an O-ring for sealing the base flange & 2 chrome plated Allen head bolts.

- ALL30170...90 Deg. Neck\$18.99
- ALL30171...45 Deg. Neck\$18.99
- ALL30172...Straight Neck\$15.49

Chrome Plated Water Neck 45°

It fits SBF. Includes an O-ring for sealing the base flange & 2 hex head bolts.

ALL30174.....\$13.99

1:1 Pulley Kits For SBC

LW double groove alum pulley kits include crank & WP pulleys & belts for Allstar block or head mt power steering pump. Use short water pumps w/5/8" dia hole.

- ALL31080...\$89.99Kit For Block Mt P/S Pump
- ALL31082...\$89.99Kit For Head Mt P/S Pump

Related Components

- ALL31084...\$35.991:1 Crank Pulley (6-5/8")
- ALL31085...\$47.991:1 Water Pump Pulley (6-5/8")
- ALL86121...\$9.99Belt, Crank to Water Pump, 34"
- ALL86123...\$9.99Belt, Crank/Water Pump/Block Mount P/S Pump, 41"
- ALL86125...\$10.99Belt, Crank/Water Pump/Head Mount P/S Pump, 44"

Fan Freewheeler

It allows the use of a mech fan when needed, along with the option to let the fan "freewheel" for optimum hp at times like qualifying. Simply engage or disengage one thru-bolt to use the fan or let it "freewheel". Freewheeler spaces the fan 2.375" from the water pump and is designed to fit 3/4" water pump shaft only.

ALL30078\$109.99

WN Style Fittings

-20 AN fittings used for thermostat housings and some 300 Series pumps.

Smooth Hose

- 1-1/4".MEZWN0031U\$19.35
- 1-1/2".MEZWN0032U\$19.35
- 1-3/4".MEZWN0033U\$19.35

Extended Hose

- 1-3/4".MEZWN2033U\$25.81
- 2" Ext.MEZWN2000U\$25.81

AN Hose

- 10MEZWN0042U\$19.35
- 12MEZWN0043U\$19.35
- 16MEZWN0040U\$19.35
- 20MEZWN0041U\$19.35
- 24MEZWN0044U\$19.35

Standard 1" NPT Pump Fittings

For use with most of our 100 & 200 Series pumps.

Smooth Hose

- 1-1/4"MEZWP1125U...\$19.35
- 1-1/2"MEZWP1150U...\$19.35
- 1-3/4"MEZWP1175U...\$19.35

Extended Hose

- 1-1/4"MEZWP2125U...\$19.35
- 1-3/4"MEZWP2175U...\$19.35
- 2" ExtMEZWP1000U...\$19.35


AN Hose

- 12MEZWP1012U...\$19.35
- 16MEZWP1016U...\$19.35
- 20MEZWP1020U...\$19.35

Male AN Block Plates

Male AN block plates are the perfect way to make the connection to the front of the engine when using a remote or rad mounted pump. They are sold in pairs and are delivered to you with the required O-rings & hardware.

- BBC (12AN Male Ext Thread)...MEZWP8012ANU...\$58.07
- BBC (16AN Male Ext Thread)...MEZWP8016ANU...\$58.07
- SBC (12AN Male Ext Thread)...MEZWP8112ANU...\$58.07
- SBC (16AN Male Ext Thread)...MEZWP8116ANU...\$58.07



With Mounts

BSC400-49900-MT


Radiator Fittings

1/4 Pipe to -4 Fitting
EAR981644.....\$4.33

1/2 Pipe Plug
EAR993205.....\$4.30

3/4 Pipe Plug for Heating Element
EAR993206.....\$5.13

EARL'S
PERFORMANCE FLUIDS



With Mounts

BSC400-49910-MT

Northeast DIRT Modified Radiators

Alum, Race ready BB capacity Radiators w/1/4 NPT fitting & fan shroud bkts, NO cap.

Aluminum Brazed Core. 2 Rows 1.5" Tubes, 11 fins per inch. Direct Drop—in replacement for all Bicknell, PMC, TEO, Troyer & similar Modified Chassis'. Complete with Fan shroud mounting tabs. Lightweight 22 lbs. Extremely efficient & easy to clean. Proven successful by top Modified teams.

Double Pass Right, Top Right, Bottom Right Radiator

23.5" x 23.5" x 3.5".....BSC400-49900	\$339.95
23.5" x 23.5" x 3.5" with Mounts.....BSC400-49900-MT.....	\$385.00


Cross Flow Unit, Top Left, Bottom Right Radiator

23" x 23" x 3.5".....BSC400-49910	\$339.95
23" x 23" x 3.5" with Mounts.....BSC400-49910-MT.....	\$385.00

Warning:
To prevent radiator failure do to electrolysis; Be sure engine is properly grounded.

Aluminum Radiators

Two-row 1" core. 1-1/2" top radiator inlet, 1-3/4" bottom rad outlet. Exclusive crossflow tube design dramatically increases cooling. Reinforced die-stamped tanks for added rigidity. Machined-billet filler neck for better pressure control. Brazed core for extra durability. TIG-welded tanks. 100% Virgin Alum-NO Recycled Material. Chevy/GM-style rads are a top left (driver) & bottom right (passenger) configuration, & Ford/Chrysler-style rads are a top right (passenger) & bottom left (driver) configuration.



Chevy/GM-Style Aluminum Radiator


Top Left/Bottom Right

Overall Size	Core Size	Part #	
22" x 19".....	16.875" x 17.5".....	BSC400-40010	\$159.98
24" x 19".....	18.875" x 17.5".....	BSC400-40011	\$159.98
26" x 19".....	20.875" x 17.5".....	BSC400-40012	\$163.14
28" x 16.5".....	22.875" x 15".....	BSC400-40018	\$189.95
28" x 19".....	22.875" x 17.5".....	BSC400-40014	\$163.14
31" x 19".....	25.625" x 17.5".....	BSC400-40016	\$159.98

Inlet Fittings

O'ring is included with each fitting.

- A.)** 1-1/2" Screw-In Adapter for A. Standard Hose
BSC400-40238AN\$16.27
- B.)** 16AN Screw-In Adapter Fitting
BSC400-40239AN\$15.95
- C.)** 20AN Screw-In Adapter Fitting
BSC400-40240AN\$15.95



GM Radiator Double Pass TR/BR


Featuring univ inlets to accept 1-1/2" std hose, -16 or -20AN fittings (sold separately). The water is circulated across the top half of the rad, then back across the bottom half, allowing twice the heat dissipation. These rads offer the same features as the std alum rads including furnace brazed tanks, 2 rows of 1" tubes, billet machined filler neck with overflow & a std 1-3/4" outlet.

24" x 19" (AN Fitting Style).....BSC400-40211AN ...	\$195.95
26" x 19" (AN Fitting Style).....BSC400-40212AN ...	\$195.95
28" x 19" (AN Fitting Style).....BSC400-40214AN ...	\$199.95
31" x 19" (AN Fitting Style).....BSC400-40216AN ...	\$195.95

Top RH Welded 1-1/2" Tube

24" x 19".....BSC400-40211	\$185.00
26" x 19".....BSC400-40212	\$187.77
28" x 19".....BSC400-40214	\$185.00
31" x 19".....BSC400-40216	\$184.09


28" x 19" Top Left Inlet / Angled Bottom Right Outlet	BSC400-59910.....	\$186.72
28" x 19" Top Right Inlet / Angled Bottom Right Outlet	BSC400-59900.....	\$204.18
28" x 19" Dimpled Top Right Inlet / Angled Bottom Right Outlet ...	BSC400-59900-AN-D.....	\$295.34



Ford/Chrysler-Style Aluminum Radiator

Top Right/Bottom Left


Overall Size	Core Size	Part #	
22" x 19".....	16.875" x 17.5".....	BSC400-40020	\$159.98
24" x 19".....	18.875" x 17.5".....	BSC400-40021	\$159.95
26" x 19".....	20.875" x 17.5".....	BSC400-40022	\$159.95
28" x 19".....	22.875" x 17.5".....	BSC400-40024	\$163.14
31" x 19".....	25.625" x 17.5".....	BSC400-40026	\$159.95



Scirocco/Pro Stock Style LW Aluminum Radiator

2 row 1" core design with a compact overall size of 22" w x 13" h. Machined billet filler neck, 1-1/2" top inlet & bottom 1-3/4" outlet.

- 21-1/2" w x 12" h Overall (25-3/8" Tab to Tab)
 - 17-7/8" w x 12" h Core
- BSC400-46600.....\$224.95



Sprint Car Radiator

22 1/8" H x 20 1/8" W 2" Thick (2L 2R BR)

These Sprint Car Radiators with furnace brazed tanks provide superior cooling in sprint car applications. They also feature machined filler neck, 1-1/2" RH bottom outlet and four female top outlet ports for use with -10AN O-ring fittings.

BSC400-49930.....	\$201.95
-------------------	----------

NEW Sprint Cross Flow

4R Stacked Bottom R
17.5" H x 20.5" W x 2" Thickness

Aluminum with Natural Finish. Inlet/Outlet: Upper Right/Lower Right. Row Quantity: 1. Filler Neck Height: 1.13". (4) inlet fittings that are all 1/2" NPT. Cap not included.

BSC400-49933	\$211.98
--------------------	----------



NEW Sprint Triple Pass

17.5" H x 20.5" W x 2" Thickness

These aluminum with natural finish tri pass radiators are specifically designed for 305 engines in sprint cars & are made to run 50"-70" cooler than std double pass radiators. Requires #10 o-ring boss fittings & small dia 1" radiator cap shown below. Uses the small 1" cap. Inlet/Outlet: Upper Left/Lower Right. Row Quantity: 2

BSC400-49935.....	\$220.46
-------------------	----------



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Dirt Modified Radiator

Twinflow Right Hand w/Front Mounts Alum
ART100115\$930.95



Fan Shroud

19" x 27" -31" for Radiator
Adjustable Fan Shroud
Easy to trim for custom fit.
DIR2200FS.....\$129.99



Fan Shrouds 15"

15" SB - StandardART4-15\$196.26
15" SB - **Low Profile**ARTL4-17\$196.26
15" SB Fan ShroudARTSBT\$196.26

15" BB - StandardART2-15\$188.99
15" BB - **Low Profile**ARTL2-15\$196.26

Fan Shrouds 17"

17" SB - StandardART4-17\$196.26
17" BB - StandardART2-17\$181.73

17" BB - **Stacker**.....ARTST17.....\$188.99

Fan Shrouds 19"

19" SB - Std 3" Depth.....ART3-19\$175.00

Expansion Tank Small Tank

Fits Crate motors & SBC/BBC motor. Right Hand
Outlet Water Outlet Raised for Alt Clearance.

Right Hand.....ART100401...\$280.95
Left Hand.....ART100403...\$279.95



Expansion Tank Big Tank

Fits Crate motors & SBC/BBC motor.

Right Hand ..ART100402 ..\$279.95
Left Hand.....ART100404 ..\$279.95



Right Hand w/ Thermostat Expansion Tank

ART100409...\$352.95



Power Steering Reservoir Clamps on Steering Box

ART100504...\$159.00



Power Steering Reservoir Panelfast Mount

Fits Teo/BRP/Troyer

ART100506...\$125.50



FSII with 17 in cut out


TRIFS6.....\$120.40

SBC Deeper Offset 6-1/2 deep

TRIFS7.....\$120.40

Late Model Fan Shroud

TRILMFS1.....\$83.75



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Stacker Radiator

23.5" x 23.5" x 3.5"
ART100122R\$830.85



Oil Cooler for Stacker Radiator

23.5" x 23.5" x 3.5"
ART100122C\$574.20



NEW

Fan Shrouds Aluminum

Dirt Modified Twin Flow

2" Deep for 15" Fan .BSC400-49901..\$144.13

2" Deep for 17" Fan .BSC400-49902..\$144.13

4" Deep for 15" Fan .BSC400-49903..\$156.80

4" Deep for 17" Fan .BSC400-49904..\$156.80

Dirt Modified Cross Flow

2" Deep for 17" Fan

BSC400-49910-SHROUD-CROSS...\$129.89



Low Profile NE Dirt Modified, Late Model, & IMCA.

Total Height 4.5 Inches. Fits under low hood design.
Each tank comes with an o-ring & mounting hardware.

Fits Dirt Modified BB, SB, and Crate has 2: 3/8" NPT Fitting for rear cooling line

ART58037E...\$412.00



Fits PA & DIRT Spec motors has 3/8" NPT fitting for rear cooling lines

ART58037L...\$351.00



Stand Rock Screens

23x23 and Stacker Dirt Modified Radiator w/1.5 front
mounts No Oil Cooler cut out

ART600100\$222.95

23x23 and Stacker dirt mod rad-has oil cooler notches

ART600101\$222.95

23x23 and Stacker rads for 2" and

up mounts

ART600102\$222.95

20x23 Small Block rad w 1.5

mounts

ART600103\$222.95

20x23 SB Rad w/oil cooler cutout fits 1.5 mounts


ART600104\$222.95

Core Saver Two Piece Design Northeast Dirt Modified

ART600108\$266.00

Replacement Outerwear

ART2847\$47.60



Dirt Modified Radiator Recovery Tank

ART1006041.....\$169.95



Radiator Fin Tool Kit

It straightens and repairs damaged fins in most radiators, coolers, and air conditioning condensers. Repairing damaged fins provides better airflow through core increasing cooling ability. Six interchangeable heads 13, 15, 16, 17, 18 and 20 fins per inch.
ALL10680..\$13.69



Dirt Modified Rubber Mounts

1.5"ART100109R15 ..\$136.30
2.5"ART100109R25 ..\$136.30
3.0"ART100109R30 ..\$136.30
3.5"ART100109R35 ..\$136.30
4.0"ART100109R40 ..\$147.90
4.5"ART100109R45 ..\$147.90



24" Radiator Air Comb

ARTBG24.....\$42.95



602 Crate Motor Expansion Tank

ART58602C...\$285.99



Expansion Tank for GM Crate 525 Engine

ART525R.....\$349.96



Expansion Tank BBC with 2 #6 Fittings

ART58454-6...\$411.45



3/4 NPT Heater 120v 600 Watt

ART11409\$92.75




3/4 NPT Heater 120v

Heaters Warm Coolant, Engine, Block & Engine Parts, Condensation Reduced, Fast Cold-Weather Starts & Prolonged Engine Life Solid Brass Support & Copper Heating Element For High Performance, Reliability & Corrosion Resistance, CSA Approved. Includes Power Cord.

400 Watt.....BSC400-40000 ..\$44.63

600 Watt.....BSC400-40001 ..\$61.76



SBF Windsor RH outlet

ARTEXP5F...\$247.95



Cooling System Regulator 1.5 Upper Hose for Northeast Dirt Modified

ART357180...\$350.00



Upper Hose

DIRT Modified
ART100408\$32.95



Aluminum Radiators

The Lightweight 1" tubes, arranged in 2 rows. Std 1-1/2" inlets and 1-3/4" outlets have beaded hose fittings.

19" X 22" Chevy .ALL30010 ..\$169.99

19" X 24" Chevy .ALL30011..\$169.99

19" X 26" Chevy .ALL30012 ..\$169.99

19" X 28" Chevy .ALL30014 ..\$169.99

19" X 31" Chevy .ALL30016 ..\$169.99

19" X 22" FordALL30020 ..\$169.99

19" X 24" FordALL30021 ..\$169.99

19" X 26" FordALL30022 ..\$169.99

19" X 28" FordALL30024 ..\$169.99

19" X 31" FordALL30026 ..\$169.99

16" X 28" Chevy .ALL30042..\$193.99

16" X 28" FordALL30043 ..\$193.99



Constant Torque Clamps

- #24, 1-1/16 - 2in.
BSC400-232208CT\$7.95
- #28, 1-5/16 - 2-1/4in.
BSC400-232210CT\$7.95
- #32, 1-9/16 - 2-1/2in.
BSC400-232212CT\$7.95

**Sold Each****Shielded Hose Clamps**

- #24, 1-1/16 - 2in.
BSC400-237104\$1.30
- #28, 1-5/16 - 2-1/4in.
BSC400-237204\$1.32
- #32, 1-9/16 - 2-1/2in.
BSC400-237304\$1.32

**Sold Each****Hose Clamps**

These SS clamps are easily tightened with a deep slot hex-head screw.

- 1/2" O.D.ALL18330\$2.49
- 1" O.D.ALL18332\$3.69
- 2" O.D.ALL18334\$3.69
- 2-1/4" O.D.ALL18336\$3.99
- 2-1/2" O.D.ALL18338\$3.99
- 3-1/2" O.D.ALL18340\$4.99
- 4-1/2" O.D.ALL18342\$4.99

**Fan Shrouds**


Allows fan to pull more air through the rad for increased cooling. Alum and impact resistant plastic shrouds fit fans up to 17" dia. Rad size reference is based on outside tank size.

- 26" GriffinALL30106\$76.99
- 26" AllstarALL30107\$76.99
- 28" GriffinALL30108\$76.99
- 26" AllstarALL30109\$76.99
- 28" AllstarALL30110\$76.99
- 31" Griffin & HoweALL30111\$76.99
- 26" HoweALL30114\$76.99
- 31" AllstarALL30115\$76.99
- 28" HoweALL30116\$76.99

**Stainless Wire Screen**

Use screen to protect rads, oil coolers or other items. Size referenced is the approx. opening of the screen.

- 5/64" Opening, 12" x 36"ALL22260\$13.99
- 5/64" Opening, 36" x 36"ALL22262\$37.99
- 1/8" Opening, 12" x 36"ALL22265\$15.99
- 1/8" Opening, 36" x 36"ALL22267\$41.99
- 1/8" Opening, 36" x 48"ALL22268\$46.99
- 3/16" Opening, 12" x 36"ALL22270\$17.99
- 3/16" Opening, 36" x 36"ALL22272\$49.99
- 3/16" Opening, 36" x 48"ALL22273\$56.99

**Outerwear****Speed Screens**

Speed Screen Flat Rectangle.
Sheet & PVC Frame Radiator Guard.



- Sprint Speed Screen Rail System .. OUT11-2325-12 ..\$49.45
- UMP Style Mod Speed Screen Kit.. OUT11-2332-12 ..\$62.95
- 14 x 22 w/rail system rad screen OUT11-2596-12 ..\$48.95
- 22 x 22 w/rail system rad screen OUT11-2597-12 ..\$54.95

Cool-Aide

Ready-to-use mix of powerful additive & deionized water. Formulated to reduce engine temps & provide significantly better contact on heated surfaces allowing for greater & more efficient heat transfer. Glycol, Nitrate, Amine, Borax free. Add to any cooling system (water or antifreeze). Non-slippery if spilled on paved surfaces. Concentrate - 16 ozMAX84916\$9.95

Ready-to-use - 64 ozMAX84964\$9.95

**Coolant****System Protector**

Impurities in well water can cause rust and corrosion inside the radiator, water pump and cylinder heads, and this can lead to a loss of cooling efficiency. It stops the adverse effect of hard water better than the leading brand of coolant additives.

- 1 Quart.....JGR50030...\$8.99

40 Below Coolant


Reduces water temp up to 40 degrees. Creates instant water cool down between rounds in drag cars. Adds to radiator. 2 cans provide better results.

- PROB4032\$19.95

**Radiator Shaker Screen**

Includes black power coated alum frame, screen, cross rod, springs, and retaining clips. Frame size: 17" tall and 25" wide. Cross rod is 1/2" dia and 32" long.

- ALL30160.....\$96.99

**Radiator Hoses**

2-ply coolant hose is flexible & adapts to a variety of apps. Abrasion resistant cover will not crack or harden.

- 1-1/2" Dia, 17" Upper HoseALL30206..\$12.99
- 1-1/2" Dia, 20" Upper HoseALL30208..\$12.99
- 1-3/4" Dia, 16-1/2" Lower Hose ..ALL30224..\$21.99
- 1-3/4" Dia, 19" Lower HoseALL30226..\$17.99

Radiator Stant Caps

- 19-21 psi Small CapSTAN 10361\$17.95
- 22-24 psi Small CapSTAN 10362\$17.95
- 21-25 psi w/EarsSTAN 10372\$17.95
- 28 to 32 psi w/EarsSTAN 10373\$17.95
- 21 to 25 psi w/LeverSTAN 10382\$18.95
- 21 to 25 psi Octagonal...STAN 10392\$17.95
- 29 to 31 psi Octagonal...STAN 10393\$17.95

**Radiator Cap**

These high-pressure caps fit std-size radiator filler necks & increase the boiling point to improve heat transfer. 6-sided Cap for easy tightening.

- 19-21 lbs.....MOR63320..\$13.53
- 27-29 lbs.....MOR63328..\$13.53

**5" Long Radiator Mount**

Radiator Mt for SB Cars with Radiator Back. Bolts go in from the top for easy install and adjustment. Mounting nuts are captured from the side to make install easy. Black Anodized. Sold in Pairs.

- BRP9342.....\$33.42

**Molded Hoses**

4 Ply construction strongest on the market. Wire reinforced. Part # for easy identification. Black and Red in color.

- Upper Molded Hose**
- SBC Black...BRP9345.....\$77.43
- SBC Red ...BRP9345RD...\$77.43
- BBC Black...BRP9347.....\$77.43
- BBC Red ...BRP9347RD...\$77.43

**Lower Molded Hose**

- SBC Black...BRP9344.....\$93.53
- SBC Red ...BRP9344RD...\$93.53
- BBC Black...BRP9346.....\$93.31
- BBC Red ...BRP9346RD...\$93.31

**Radiator Honeycomb**

It mounts to front of radiator to protect from rocks and debris. Secure directly to radiator using ALL30085 mounting kit, sold separately. 19" x 26" x 1/2" thick.

- ALL30158.....\$23.99

**Anti Vibration Radiator Mts**

Rubber bushings on the through bolt help eliminate cracking of the side mounts on alum radiators. Mounts on the front 1-1/4" cross bar & uses a 5/16" bolt to attach to the rad. Anodized for long lasting good looks and includes zinc plated allen bolts to avoid corrosion. sold each, 2 required, 5/16 cross bolt not included.

- BRP9476.....\$27.81

**High Performance/High Flow Thermostat GM/Ford/AMC**

Designed to Resist Large Variations of Coolant Pressure at High RPM. Fully opens at Correct Temp Consistently Regardless of engine RPM. For High Perf Street, Drag Race, and Oval Track. Copper & Brass Construction - Resists Corrosion. High Flow.

- 160"MRG4363\$17.17
- 180"MRG4364\$17.17

**Manifold Filler Neck Kit**

3-1/4" high. 1/2" NPT for water sending unit. Two 1/4" NPT for returns from heads. Can flip 180° for left or right outlet.

- MOR63420...\$73.09

**Filler Neck Billet, Chevy, Adaptable Outlet**

Manifold-mounted filler neck base is an adaptable billet version of the 1 included in Moroso Kit # MOR63420 without the filler neck or mounting hardware.

- MOR63421...\$67.15

**Filler Neck Housing**

356-T6 cast alum base stands 2-5/16" tall, which locates filler neck at highest point to bleed off air on cars w/low-mount radiators.

- MOR63423...\$40.24

**Exterior Water Filler Neck**

It raises water fill point 5-3/4" above manifold; ideal for bleeding off cooling system air. 45° incline of filler tube clears air scoops to provide quick and accessible filling for between rounds cool down. Includes gasket and 1/8" NPT to 3/8" i.d. barbed fitting to plumb exp tanks.

- MOR63467...\$74.33

**Expansion Tanks**

1/4" NPT at neck, 1/4" NPT water intake on side, 1/2" NPT on bottom for return to radiator. 6-1/2" diameter.

- 1-1/2 quart capacity 3-5/8" deep**
stamped neckMOR63650 ..\$100.87
- billet neck.....MOR63651 ..\$126.50
- 1 quart capacity 2-5/8" deep**
stamped neckMOR63655 ..\$101.03
- billet neck.....MOR63656 ..\$126.70

**Thermostat Housing Blank**

For custom applications.
MOR63471...\$11.78

**Filler Necks**

- Bolt-on Stamped ...MOR63465 ..\$31.63
- Bolt-on Billet.....MOR63466 ..\$53.78
- Weld-on Stamped ..MOR63485 ..\$22.41
- Weld-on Billet.....MOR63486 ..\$36.98

**Bolt-on Filler Neck**

- Bolt-on w/holes for return lines and female ports
- 16AN.....MOR63461\$78.28
- 20AN.....MOR63463\$69.95

**Water Outlet Restrictor Kit**

Kit consists of 3 restrictor plates with 5/8", 3/4" and 1" i.d. holes for optimum coolant flow, 2-1/8" o.d.

- MOR63440.....\$8.14

**Recovery Tank**

Fabricated of alum for strength w/integral mounting brackets and clear coolant level check. Side bung 1/4" NPT. With straight barbed fitting, bottom bung, 1/4" NPT with petcock, 1/4" NPT plug and 1/4" NPT 90° fitting.

- MOR63769.....\$134.18

**Radiator Hose Fillers**

356-T6 cast Alum Rad Hose Fillers are spliced into upper rad hose to provide more complete cooling system filling. (cap not included) 100% leak tested.



- 1-1/2" to 1-1/2" hoseMOR63730\$34.18
- 1-1/2" to 1-1/4" hoseMOR63740\$34.18
- 1-1/4" to 1-1/4" hoseMOR63745\$34.18

1" Thermostat Housing Spacer

It is machined to accept a thermostat and two 3/8" female pipe holes. Hoses run from the spacer to 2 points on the back of the intake manifold.

- KRCKRC15375000.....\$42.52



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Champion Fans

6.5" 130w Puller only ..MARM073K ..\$85.89
8" 130w Reversible ..MARM083K ..\$97.05
10" 130w Reversible ..MARM103K ..\$112.69
11" 130w Reversible ..MARM113K ..\$117.16
12" 225w Reversible ..MARM122K ..\$141.52
14" 225w Reversible ..MARM142K ..\$145.65
16" 225w Reversible ..MARM162K ..\$154.50

Mach One

16" Single Fans 225w

w/MFA100 harness
MARMM12KC\$292.38
No Controls
MARMM12K.....\$227.29

Mach Two

11" Dual Puller Fans

225w Top/Bot Flange ..MARMM22KT ..\$296.47
225w Side Flanges ..MARMM22KS ..\$295.30
225w No Flange.....MARMM22K ..\$294.91

V-Belts

Premium quality V-belts are perfect replacements for worn or weather-cracked belts.

31.5" V-Belt, W/P.....ALL86120 ..\$10.99
34" V-Belt, Crank to WP.....ALL86121 ..\$9.99
39" V-Belt, W/P And P/S.....ALL86122 ..\$9.99
41" V-Belt, Crank/WP/Block
Mot P/S PumpALL86123 ..\$9.99
42" V-BeltALL86124 ..\$10.39
44" V-Belt, Crank/WP/Head
Mt P/S Pump.....ALL86125 ..\$10.99

Electric Fan Mounting Kit

Fans are set up as "puller" units, mounted behind the radiator. By flipping blades, reversing wires, and mounting in front of radiator, fans will operate in "pusher" configuration. Each unit includes a mounting kit.

ALL30085\$5.99

Overflow Tanks

Stainless steel tank captures coolant overflow & recirculates it to the radiator. Machined alum cap twists into the filler neck and seals with an O-ring. Inlet/outlet fittings accept 1/4" dia. hose. Measurements are of tank body; add 2" for overall length.

2" x 13" Long TankALL36150.....\$42.99
2" x 15" Long TankALL36151.....\$43.99

Overflow Tanks w/Filler Neck

1 qt alum tanks are for cars with the manifold filler neck higher than the radiator top tank. Features include a heavy duty alum neck with an 1/8" NPT port for an overflow fitting, a 1/2" NPT bung on bottom, for a supply, and a 1/4" NPT fitting on the ALL36116 and a 3/8" NPT on the ALL36115 for a return line.

Welded-On Bkt. ALL36115...\$83.99
Separate BktALL36116...\$75.99

Overflow Tanks

Mandated by most sanctioning bodies to prevent coolant from spilling on the racing surface.

1 QuartALL36112.....\$69.99

Bushing for 5/8" Shaft

Required to use the Fan Freewheeler (ALL30078) on a 5/8" shaft.....ALL99026.....\$7.99

Overflow Tank Bkts

Billet alum bkt mounts Jaz overflow tanks to 1-1/2" or 1-3/4" round tubing. Bkts are adjustable to any angle, for a wide variety of mounting options. Tank mounting holes are 1/4" dia.

Mounts To 1-1/2" Dia. Tubing...ALL14200...\$17.99
Mounts To 1-3/4" Dia. Tubing...ALL14201...\$17.99

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



High Performance Pusher Fans

SPAL30102025...\$148.95...12.0" Straight
SPAL30102030...\$144.95...12.0" Curved
SPAL30102040...\$156.95...11.0" 1363Cfm
SPAL30102045...\$156.95...13.0" Curved
SPAL30102048...\$156.95...16.0" Curved
SPAL30102053...\$152.95...9.0" 767cfm
SPAL30102055...\$156.95...14.0" Straight
SPAL30102056...\$156.95...14.0" Curved
SPAL30102058...\$152.95...10.0" 1115cfm
SPAL30102546...\$139.36...12.0"

Low Profile Pusher Fans

SPAL30100365...\$80.46...11.0" 808cfm
SPAL30100374...\$80.46...10.0" 649cfm
SPAL30100381...\$80.46...9.0" 590cfm
SPAL30100382...\$84.20...14.0" 1038cfm
SPAL30100384...\$84.20...12.0" 861cfm
SPAL30100393...\$74.17...7.5" 437cfm
SPAL30100394...\$77.74...7.5" 407cfm
SPAL30100399...\$84.20...13.0" 1032cfm
SPAL30100401...\$84.20...16.0" 1298cfm
SPAL30100403...\$80.46...6.5" 325cfm
SPAL30101510...\$98.36...14.0" 1274cfm
SPAL30103009...\$61.76...4" 124cfm
SPAL30103013...\$61.76...5.2" 313cfm

High Performance Dual Puller Fans

SPAL30102052...\$349.95...11.0"
SPAL30102130...\$488.95...12.0"

High Performance Puller Fans

SPAL30102022...\$159.46...11.0"
SPAL30102029...\$156.95...12.0" Curved
SPAL30102038...\$144.95...12.0" Straight
SPAL30102041...\$156.95...14.0" Straight
SPAL30102042...\$156.95...14.0" Curved
SPAL30102044...\$156.95...13.0" Curved
SPAL30102049...\$156.95...16.0" Curved
SPAL30102054...\$156.95...11.0" 1363Cfm
SPAL30102057...\$152.95...10.0" 1115Cfm
SPAL30102061...\$152.95...9.0" 826Cfm
SPAL30102082...\$171.95...16.0" Paddle
SPAL30102120...\$156.95...16.0" Straight
SPAL30102564...\$156.35...11.0" Puller

Low Profile Puller Fans

SPAL30100291...\$67.60...5.6" 295cfm
SPAL30100358...\$80.46...7.5" 437cfm
SPAL30100360...\$80.46...10.0" 749cfm
SPAL30100364...\$74.17...11.0" 808cfm
SPAL30100375...\$73.51...12.0" 861cfm
SPAL30100385...\$84.20...14.0" 1038cfm
SPAL30100392...\$67.86...9.0" 590cfm
SPAL30100398...\$84.20...13.0" 1032cfm
SPAL30100400...\$84.20...16.0" 1298cfm
SPAL30100402...\$80.46...6.5" 325cfm
SPAL30100411...\$80.63...11.0" Curved
SPAL30100435...\$80.46...10.0" Curved
SPAL30100452...\$101.30...9.0" 625cfm
SPAL30100467...\$84.63...12.0" Curved Blade 909cfm
SPAL30103011...\$61.76...5.2" 313cfm
SPAL30103018...\$61.76...4" 147cfm

Upper Radiator Mount Kit

Channel rests on top of the core and 2 flat alum straps may be bolted or welded to the channel. Hook the steel springs into provided hole and connect to a lower chassis location. Kit includes channel (2" x 21.5"), two straps (1" x 11.5") and two 17" springs. Upper Radiator Mount Kit ..ALL30121 ..\$53.99
Spring OnlyALL30122 ..\$10.49
Channel OnlyALL30123 ..\$13.99

Upper Radiator Support

They can be used with almost any chassis. Hole is 3/16".

ALL30120\$6.39

Universal Radiator Mount Kit

Aluminum side supports fasten around tanks to cradle radiator and the bkts can be drilled for a variety of mounting options. Side supports require notching to clear GM and Ford lower outlet fitting.

ALL30155.....\$98.99

Composite Race Fans

It features a universal center hub made from 6061-T6 Alum and composite blades for a significant decrease in weight over traditional steel fans. Our blades are manufactured using extremely durable high-impact and high-temp fiber reinforced Zytel.

RACE-FAN

6 Blade Race Fans

17" ..RFN64-1700-006...\$324.00
19" ..RFN64-1900-006...\$324.00

4 Blade Race Fans

17" ..RFN64-1700-004...\$238.50
19" ..RFN64-1900-004...\$238.50

3 Blade Race Fans

17" ..RFN64-1700-003...\$195.75
19" ..RFN64-1900-003...\$195.75

2 Blade Race Fans

17" ..RFN64-1700-002...\$153.00
19" ..RFN64-1900-002...\$153.00

Blade Only

17" ..RFN62-1700-000...\$40.00
19" ..RFN62-1900-000...\$40.00

Hubs

6061-T6 Aluminum. 3/8" and 5/16". Made in the USA. Patent Pending.

3/4" ..RFN60-5000-750...\$75.00
5/8" ..RFN60-5000-625...\$75.00

Hardware

Hardware Kit for 1 Blade ..RFN61-1000-000...\$7.50
1/4" Nas Bolt X 1/2" Long ..RFN12-0408-000...\$1.50
1/4" Jet Nut.....RFN18-0250-000...\$0.90
1/4" Thin Washer.....RFN22-0250-000...\$0.07

Ultra Thin Line FLUIDYNE

12V Electric Fan

• Low voltage draw
• Sealed motor

Air Flow Current

Part # CFM Amperes
FLUFRP34211 11" Dia 1075 9.3 Pusher \$99.95

4 Blade Steel Fans

All Steel fans for high RPM and have a universal bolt pattern with a 5/8" pilot hole.

15".....ALL30104.....\$37.99
18".....ALL30105.....\$38.99
19".....ALL30101.....\$39.99

6 Blade Fans

Heavy-duty, 6-blade fans are available in alum or steel. Universal bolt pattern with a 5/8" pilot hole.

Diam. Aluminum Blades

15".....ALL30096...\$35.99
17".....ALL30097...\$39.99

Diam. Steel Blades

15".....ALL30102...\$31.99
17".....ALL30103...\$32.99
18".....ALL30100...\$33.99

Molded Nylon Fans

LW 6-blade fans are economical and very durable. Universal bolt pattern with a 5/8" pilot hole.

14".....ALL30091...\$19.99
15".....ALL30092...\$19.99
16".....ALL30093...\$19.99
17".....ALL30094...\$19.99
18".....ALL30095...\$19.99

Fan Spacer Kits

Alum spacers include reducer bushing, four Allen bolts to secure spacer to water pump and four hex bolts w/washers to secure fan to spacer.

0.5" Fan Spacer KitALL30180...\$23.99
1" Fan Spacer KitALL30182...\$24.99
1.5" Fan Spacer KitALL30184...\$25.99
2" Fan Spacer KitALL30186...\$27.99
2.5" Fan Spacer KitALL30188...\$28.99
3" Fan Spacer KitALL30190...\$29.99

Fan Spacers

Size RedBlack
1" BRP1009BRP1009BK...\$27.00
1-1/2" BRP1010BRP1010BK...\$30.63
2" BRP1012BRP1012BK...\$31.91
2-1/2" BRP1013BRP1013BK...\$34.39
3" BRP1015BRP1015BK...\$35.60
3-1/2" BRP1017BRP1017BK...\$36.24
4" BRP1019BRP1019BK...\$39.32





Dirt Late #1 Seller! Model/Modified 15"

Aluminum Structure 2.25 Dish 3-Spoke Finger Bumps

MPI-DM2-15 is an evolution of the VERY successful MPI-DM-15-A that revolutionized the DIRT market.

New and enhanced Vibration absorption Foam Construction for better feel
Included in all MPI-DM2-15 is our New light weight MPI-A-CP-DM2 center-pad with reduced height and weight with our signature MPI center logo in Black and fluorescent Orange colors.

- Dia: 15 inches • Weight: 2 lbs
- Dish depth: 2.25"
- Spoke: 3 spoke finger bumps
- MPI-DM2-15...\$249.00



Sprintcar/Dirt Late Model 15"

Aluminum Structure-Dirt-style finger bumps

New enhanced vibration absorption foam construction for better feel during the race. Black Anodized Spokes with Secondary Post Machining (SPM). Included: Centerpad w/reduced height and weight, MPI center logo in Black & fluorescent Orange colors.

- Dia: 15 inches • Weight: 2 lbs
- Dish depth: 0"
- Spoke: 3 slotted spokes
- MPI-D2-15...\$249.00



Circle Track Economy Steering Wheels

Aluminum structure/brushed silver. Solid spokes. Double rivets technology and U-Channel to increase safety. MPI AMST tech. Foam grip. Dirt friendly/washable. Hole pattern: 3 + 3 holes. (fits all 3 bolts quick release)

Size ...Flat Dished.....Dished

- 15".....MPI-DR-15.....MPI-DMR-15.....\$129.00
- 16".....MPI-DR-16.....MPI-DMR-16.....\$129.00
- 17".....MPI-DR-17.....MPI-DMR-17.....\$129.00



Late Model Steering Wheel

Aluminum Frame

Aluminum structure / light weight. Oval/Ergonomic grip. Bright orange stripe/marker embedded in sw body. Highest quality suede with parallel black. Stitching for unique look/durability. Hole pattern: 3 holes. Centerpiece included.

- Dia: 15" • Weight: 2 lbs (w/ centerpiece)
- Dish Depth: 3.25"
- 15".....MPI-LM-15-A\$299.00



Dirt Late Model/Modified/ BB Modified 10.75"

Aluminum frame. Bright orange stripes embedded on grip. Highest quality suede. Open upper part facilitates inserting and improve vision on dashboard. Flat bottom to facilitates entering and exiting the car.

- Dia: 10.75" • Weight: 0.87 lbs
- Dish depth - None
- Grip section: 1.33" x 0.94"
- Spoke: 3 solid spokes
- MPI-GT-11-C\$219.00



Dirt Karting/Mini Outlaws - 13.75"

Alum. Dirt-style finger bumps / indentation. Hole pattern: 3 hole. Covered in 3 different synthetic materials: Lederfylon high-grip, orange synthetic, carbon synthetic. Hand sewn crossed orange stitching for unique look/durability. Dirt-style finger bumps/indentation. Dirt friendly/washable. Slotted spoke for reduced weight. Flat-top for improved visibility.

- Dia: 13.75" • Weight: 1 lbs
- Dish depth: 2" • Spoke: 3 slotted spokes
- MPI-KD-14-A\$185.00



Quarter Midget 10.75" Popular!

Alum. Dirt friendly/washable. Covered in 3 different dirt friendly/washable. Synthetic materials: Lederfylon high-grip, orange synthetic, carbon synthetic. Hole pattern: 3 hole. Hand sewn crossed orange stitching for unique look/durability. Slotted spoke for reduce weight. Centerpiece included

- Dia: 10.75" • Weight: 0.92 lbs
- Dish depth: 1.25"
- Round.....MPI-QKR-11 ..\$159.00
- Square.....MPI-QKS-11...\$189.00



Drag Racing

Entry Level Wheel

- 13" .MPI-DRG-R-513.....\$149.00
- 13" .MPI-DRG-R513-NERO . \$149.00



Drag Racing

Steering Wheel Alum Structure

MPI Technology for Drag Racers
+ Increase feeling and control
- Reduce unnecessary vibrations

Special ergonomic foam grip (to increase grip, control and to reduce vibrations). Multiple predrilled switch holes. Hole pattern: Standard 5 holes. Light weight aluminium structure. Highest quality of Italian suede (Suede applied by hand in Italy). Grip section: 1.33" x 0.94". Spoke: 3 solid spokes.


- 12".....MPI-DRG-12\$249.00
- 13".....MPI-DRG-13\$249.00



Drag/Drift/Dir/Off Road 13.75"

Alum. Orange stripe/marker embedded in sw body. Highest quality suede w/parallel orange stitching for unique look/durability.

- Dia: 13.75" • Weight: 2.2 lbs
- Dish depth: 3.5"
- MPI-DO-14-A.....\$195.00



Drag/Touring Car/ Formula/ Off Road/SXS/Drifting 12.75"

Alum. Bright orange stripe/marker embedded in sw body. Highest quality suede. Hole pattern: 6 hole. Oval/extreme ergonomic grip. Parallel orange stitching for unique look/durability.

- Dia: 12.75" • Weight: 1.15 lbs
- Dish depth: 1.25" • Spoke: 3 solid spokes
- MPI-F-13-A.....\$185.00



Road Course/Track Days

UTV 12.75"

Bright orange stripe/marker embedded in sw body. Oval/ extreme ergonomic grip. Highest quality suede. Hole pattern: 6 hole. Crossed orange stitching for unique look/durability. MPI Horn Button included.

- Dia: 12.75" • Weight: 2 lbs
- Dish depth: 1.25" • Spoke: 3 solid spokes
- MPI-RT-13-A.....\$199.99



Road Course/Formula/

Sports Car 11.25"

Aluminum frame. Highest quality suede. Oval/extreme ergonomic grip. Flat bottom to facilitates entering and exiting the car. Hole pattern: European 3 hole.

- Dia: 11.25" • Weight: 1.25 lbs
- Dish depth - None
- Spoke: 3 solid spokes
- MPI-GT-11-A\$209.00




Off Road Steering Wheel

Alum. frame - Push Button included and wired

First fully pro wired full face steering wheel for Off Road. IP67, F1 & Le Mans approved dust/waterproof push switches (highest industry standard). 5mm Aerospace aluminum structure for higher deformation resistance. New Evo Grip. To reduce fatigue and increase comfort / precision for long and short rough races. Countersunk wiring, CNC machined channels for push button wires.

- 14".....MPI-F-14-2B-A . \$298.99



Bandolero / Legends

Aluminum frame w/Suede

Bright orange stripe/marker embedded in steering wheel body. Highest quality suede with parallel orange stitching for unique look/durability. No holes in spoke.

- Dia: 13.75" • 2.3 lbs • Dish Depth: 3.5"
- 14".....MPI-BL-14-A\$199.00



Bandolero / Legends

Aluminum frame w/Polyurethane

Bright orange stripe/marker embedded in steering wheel body. Polyurethane only grip

- Dia: 13.75" • 2.2 lbs • Dish Depth: 3.5"
- 14".....MPI-BL-14-PA\$139.00



Industry Lightest Stock Car

Steering Wheel - Steel Frame w/Centerpiece

Only 13" steel steering wheel available on the market. Oval/Ergonomic. Bright orange stripe/marker embedded in sw body. CNC machined spokes. Highest quality suede with parallel black stitching for unique look/durability. Hole pattern: 3 holes. Spoke: 3 solid spokes.

- Dia: 13" • 2.2 lbs • Dish Depth: 3"
- 13".....MPI-DP-13\$398.98



Industry Lightest Stock Car

Steering Wheel - Steel Frame w/Centerpiece

Oval/Ergonomic. Bright orange stripe/marker embedded in sw body. CNC machined spokes. Highest quality suede with parallel black stitching for unique look/durability. Lightweight centerpiece included.

- Dia: 14" • 2.4 lbs • Dish Depth: 3"
- 14".....MPI-14-O\$call
- Dia: 15" • 2.5 lbs • Dish Depth: 3.25"
- 15".....MPI-15-O\$call
- Dia: 16" • 2.8 lbs • Dish Depth: 3.5"
- 16".....MPI-16-O\$call



Industry Lightest Stock Car

Steering Wheel - Steel Frame w/Centerpiece

Oval/Ergonomic grip with thumb insert. Bright orange stripe/marker embedded in sw body. CNC machined spokes. Highest quality suede with parallel black stitching for unique look/durability. Lightweight centerpiece included.

- Dia: 14" • 2.4 lbs • Dish Depth: 3"
- 14".....MPI-14-OE\$call
- Dia: 15" • 2.5 lbs • Dish Depth: 3.25"
- 15".....MPI-15-OE\$call
- Dia: 16" • 2.8 lbs • Dish Depth: 3.5"
- 16".....MPI-16-OE\$call



Off Road Steering Wheel

Alum. frame - Push Button included and wired

First fully pro wired full face steering wheel for Off Road. IP67, F1 & Le Mans approved dust/waterproof push switches (highest industry std). 5mm Aerospace aluminum structure for higher deformation resistance. New Evo Grip. To reduce fatigue and increase comfort / precision for long and short rough races. Countersunk wiring, CNC machined channels for push button wires. 2 APEM IP67 spec push button, dust and waterproof. RAYCHEM booth, heat shrink tubing. Countersunk wiring, CNC machined channels for PB wires. Bright MPI orange stripe/marker embedded in steering wheel body. High grip material / washable. Crossed orange stitching for unique look/durability. Specific Oval / extreme ergonomic grip for Off Road. Hole pattern: 6 holes.

- 14".....MPI-F-14-2B-HG\$299.01



Go Kart

Steering Wheel MPI-K-TILT\$159.00



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Polyurethane centerpiece

Fits: MPI-D-15 (Sprint Car). MPI-DM-15 (BB Modified). MPI-KD-14 (Mini Outlaw). MPI-KQR-11 (Qtr Midget). MPI-KQS-11 (Qtr Midget). MPI-A-CP-D...\$20.00

Aluminum Center Hole cover.

For MPI 6 bolts steering wheels
MPI-A-CHC...\$20.00

New Lightweight

Polyurethane centerpiece

Perfect for Off Road Racing. Dirt Friendly / washable. Weight: 0.26 lbs. Fits only: F-13 & F-14.

MPI-A-CP-F\$29.00

UTV / SXS Hub Adapter

Fits Polaris, Arctic Cat, Can Am

6 bolt steering wheel hub. Black anodized aircraft aluminum hub adapter complete with MPI lasered logo. Fits all Polaris, Can Am, Textron Off-Road, and Arctic-Cat UTV. Included: 6 Cap Screw and Installation instructions.

MPI-HB-SXS-1\$49.00

External Double Button Holder

For MPI 6 bolts steering wheels

Made from aircraft Aluminum. Fits all 6 bolts hole pattern MPI Steering Wheels. Made in USA. Anodized black with MPI Logo.

MPI-A-DBH\$35.00

Steel Brush to maintain Steering Wheel Suede

Preserves texture and removes dirt.

MPI-A-SB\$8.00

External Double Button Holder

For MPI 6 bolts steering wheels

Made from aircraft Aluminum. Fits all 6 bolts hole pattern MPI Steering Wheels. Made in USA. Anodized black with MPI Logo.

MPI-A-SBH\$25.00

6 Bolt Collapsible Hub for MPI-F and MPI-DO Models

6 bolt Steering wheel hub adapter for MAZDA Miata. Road car hub adapter*. Steering wheel hub adapters are required to install 6 bolt MPI wheels into your MAZDA Miata. Collapsible steering wheel hub, Absorb outstanding impact, Increase safety level in case of collision, 6 bolt pattern, Fits MPI-F-13-A and MPI-DO-14-A. Includes: - 6 cap screw, - Hub adapter cover, - Hub adapter washer for horn button

MPI-HB-MZD-1\$75.00

Center Pad for MPI-BL and MPI-DO Models

MPI-A-CP-BLDO\$40.00



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Aluminum with Bump Grip

Black steering wheel with natural anodized aluminum spokes and bump grip. Wheel has a high grip black polyurethane coating.

15" Black...LON56820\$66.67

17" Black...LON56825\$67.56



Smooth Grips

Steel Steering Wheels

15" Black...LON56841 ..\$48.66

17" Black...LON56851 ..\$49.11

Aluminum Smooth Grip Steering Wheels

15" Black...LON56801 ..\$58.87

15" Blue...LON56803 ..\$57.72

15" Red...LON56805 ..\$57.82

17" Black...LON56811 ..\$58.89

17" Red...LON56815 ..\$47.03

Kart Steering Wheels

13" or 14" diameter Lightweight aluminum 14" wheels are uncoated and shot peened for good grip.

Uncoated Aluminum

13" Black...LON56830 ..\$54.03

14" Ultra Light shot peened...LON56834 ..\$58.22

14" Ultra Light Drilled...LON56835 ..\$82.48

"Fat" Grip Aluminum Steering Wheels

Thicker rim for a better grip and less wrist and arm strain. 15" dished aluminum wheel with black spokes.

LON56809.....\$67.81



Steering Wheel Pad Std (Spoke-Down)

We hope you never crash your car hard enough to hit your head on the steering column, but just in case, think safety and get a Joe's Steering wheel pad. It not only makes your race car safer, it looks cool too. Made with high-density foam, Velcro straps and measures 2-1/2" thick.

JOE13650.....\$44.95



LW Steering Wheels

It is drilled to reduce weight and is available with a black anodized finish or bare aluminum. Dished wheels have a 2-1/2" dish.

Dished Aluminum

13" ..JOE13513-A..\$87.95

14" ..JOE13514-A..\$87.95

15" ..JOE13515-A..\$87.95

16" ..JOE13516-A..\$94.95

17" ..JOE13517-A..\$98.95

Dished Black

JOE13513-B...\$88.95

JOE13514-B...\$88.95

JOE13515-B...\$88.95

JOE13516-B...\$96.95

JOE13517-B...\$99.95

Flat Aluminum

13" ..JOE13533-A..\$87.95

14" ..JOE13534-A..\$87.95

15" ..JOE13535-A..\$87.95

16" ..JOE13536-A..\$94.95

17" ..JOE13537-A..\$98.95

Flat Black

JOE13533-B...\$88.95

JOE13534-B...\$88.95

JOE13535-B...\$88.95

JOE13536-B...\$96.95

JOE13537-B...\$99.95

Quarter Midget Steering Wheel

It is Anodized black and Shot Peened for a texture you can hold on to. Joe's machines the center section and pre-drills the mounting holes ensuring a centered wheel, improving feel and chassis feedback. 3 x 1/4" on a 1-1/2" Bolt Circle.

JOE13505-B.....\$96.95



Steering Wheels Ultra LW Aluminum

Uncoated Aluminum

15" - DRILLED - DishedLON56837 ..\$90.21

15" w/Bump Grip - DishedLON56822 ..\$68.16

15" w/Smooth Grip - DishedLON56836 ..\$58.41

15" - DRILLED - FlatLON56866 ..\$90.10

14" - DRILLED - DishedLON56835 ..\$82.48

14" w/Smooth Grip - DishedLON56834 ..\$58.22

Uncoated Black Aluminum

15" - DRILLED - DishedLON56838 ..\$91.90

15" - DRILLED - FlatLON56867 ..\$92.58

14" - DRILLED - DishedLON56833 ..\$93.43



Steering Wheels Outlaw

1 lb. lighter than coated.

13" Flat OutlawSWE611-70131.....\$69.50

13" Dished OutlawSWE611-70132.....\$73.00

15" Flat OutlawSWE611-70151.....\$73.00

15" Dished OutlawSWE611-70152.....\$73.00

17" Flat OutlawSWE611-70171.....\$73.00

17" Dished OutlawSWE611-70172.....\$73.00

Steering Wheels

Aluminum w/soft rubber finger grips. 3 1/2" dish.

17" Dished AlumSWE601-70172

17" Flat AlumSWE601-70171

15" Dished AlumSWE601-70152

15" Flat AlumSWE601-70151

13" Flat AlumSWE601-70131

13" Dished AlumSWE601-70132 \$100.90

Steering Pads

6" dia, 2" thick high density foam covered in vinyl. Velcro loops wrap around wheel spokes. In 3 or 4 spoke design. Colors: Black Only.

6" Dia 3 Spoke KIR00001 ..\$16.99

4.5" Dia 3 Spoke KIR00031 ..\$16.99

Sprint/Midget Center Steering Pad Black

Colors: Black (Only)

KIR00021 ..\$15.99



Power

Steering Pumps JONPS-9008-AL JONPS-8101-A JONPS-8101-B

(Alum PS Pump with Built-in Alum. Tank)JONPS-9008-AL-AR...\$359.90
 (Alum PS Pump with Built-in Plastic Tank)JONPS-9008-AL-R...\$277.12
 (Alum PS Pump, Accepts Remote Tank)JONPS-9008-AL...\$205.90
 (Alum Remote Reservoir for PS Pump, Mounts to Frame)JONPS-8101-A...\$89.90
 (Alum Remote Reservoir for PS Pump, Mounts to Firewall)JONPS-8101-B...\$94.90
 SBC Head mount PS Bracket for PS-9008-AL-ARJONPS-8001-SB-R...\$85.95

Power Steering Pump

Pump w/ 3/8" pulley.....PRO003\$248.95
 Pump only.....PRO002\$195.95
 3/8" pulley only.....PRO005\$63.95

SBC- Late Model GM Pump

w/18° & 23° Cyl. Head

It mounts a late-model, small-style GM power steering pump (with remote reservoir) or Sweet-type pumps to the driver's side cyl head of a SBC. Manufactured from 3/8" 6061-T6 alum, then blue anodized.
 MOR63897.....\$102.87

Power Steering Pump

Dry Sump Pump Mt Adapter Kit....SWE325-30057...\$41.75

Power Steering Pump Bkt Kits SBC

Aluminum brackets will mt power st pumps on circle track cars. They mount pump to cyl head...ALL48500....\$44.99

Power Steering Tank w/Bracket

Lightweight aluminum tank is for race cars requiring an external power steering fluid reservoir. Tank has -6 AN fitting on side and -10 AN fitting on bottom. Tank is 6" tall and 3-1/2" in diameter Overall height is 8-1/2".

ALL36121.....\$71.99

Economy Power Steering Tank w/Bkt

Aluminum tank has no internal baffles, and is 8" tall by 3" in dia with a -6 return fitting on the side and a -10 fitting on the bottom. A mounting bkt for 1-3/4" round tubing is included.

ALL36130.....\$51.99

Power Steering Tank with Bracket

BRP563B.....\$94.80

SYN Power Steering Fluid

Racing power steering systems operate under increased loads and elevated temps when compared to on-highway systems. SYN PSF uses tech advanced additives to prevent wear, thermal breakdown and oxidation - offering unsurpassed protection to pumps, cylinders, valves and gears. Special conditioners keep seals & O-rings pliable under extreme conditions. Full synthetic formula delivers consistent steering response and exhibits excellent flow at low temps. LW formula reduces initial drag on pump avoiding power losses.

32 oz Quarts....MAX89-01901....\$12.95

Max EZ Power Steering Fluid


Purple Ice is a high performance coolant additive and radiator fluid conditioner. Its advanced 2-in-1 corrosion inhibitor and wetting agent provides year-round defense against corrosion. Purple Ice also reduces the surface tension of the radiator fluid to help reduce engine temperatures. Extensive testing confirms Purple Ice reduces coolant temperatures better than comparable coolant additives while providing extra corrosion protection.

1 Pint.....ROY01326.....\$5.25

Power Steering Fluid

Reduces temperatures and delivers consistent steering response. Exceptional low temperature flow reduces initial drag on the pump, and the fully synthetic formula provides improved thermal stability for less pressure drop as temperatures rise. Offers high temperature foam resistance for better cooling and improved steering precision.

1 Quart.....JGR01306.....\$11.49



Power Steering Pumps

PSI ratings are max available pressure, lower pressure and flow pumps are recommended for street use. In most racing apps a 1000 psi, 3 GPM pump works well. When wheel loads are extremely high & desert off-road conditions a higher pressure pump is necessary. Supply hoses going into the pump should be 2 ft. or less to avoid pump cavitation. Alum pumps are 1 lb. lighter than steel.



1450 psi	Aluminum	Steel
No Pulley	SWE305-60630	\$211.90
w/SW 7/16 Pulley	SWE305-60631	\$241.00
w/SW 1/2 Pulley	SWE305-60632	\$243.50
w/SW 7-1/2 Pulley	SWE305-60633	\$268.50
w/SW 3/8 Hex Drive	SWE305-60634	\$258.75
w/Serpentine Pulley	SWE305-60637	\$263.00
w/ 6 bolt CV Hub	SWE305-60638	\$255.30
w/ 33T HTD Pulley	SWE305-60639	\$292.10
		SWE305-70630\$205.85
		SWE305-70631\$241.00
		SWE305-70632\$241.00
		SWE305-70633\$263.00
		SWE305-70634\$264.40
		SWE305-70637\$264.40
		SWE305-70638\$255.50
		SWE305-70639\$285.00

1300 psi	Aluminum	Steel
No Pulley	SWE305-60330	\$211.90
w/SW 7/16 Pulley	SWE305-60331	\$241.00
w/SW 1/2 Pulley	SWE305-60332	\$243.50
w/SW 7-1/2 Pulley	SWE305-60333	\$268.50
w/SW 3/8 Hex Drive	SWE305-60334	\$258.75
w/Serpentine Pulley	SWE305-60337	\$263.00
w/ 6 bolt CV Hub	SWE305-60338	\$255.30
w/ 33T HTD Pulley	SWE305-60339	\$292.10
		SWE305-70330\$204.50
		SWE305-70331\$241.00
		SWE305-70332\$241.00
		SWE305-70333\$263.00
		SWE305-70334\$264.40
		SWE305-70337\$263.00
		SWE305-70338\$255.50
		SWE305-70339\$284.65

1000 psi Sportsman	Aluminum	Steel
No Pulley	SWE305-60230	\$211.90
w/SW 7/16 Pulley	SWE305-60231	\$241.00
w/ 3/8 Hex Drive	SWE305-60234	\$258.75
w/ 33T HTD Pulley	SWE305-60239	\$292.10
		SWE305-30230\$160.65
		SWE305-30231\$177.10

Steering Quick Disconnect

High quality disconnect features multi spline design for a more accurate fit. Bolts to Sweet, Profile or GME steering box.

Sprint Quick Release..... SWE801-70005\$90.45

Coupler Only.....SWE316-70009.....\$21.85

Steering Quick Release

3/4" Weld On Aluminum Quick Release

SWE801-70004.....\$90.45

Steering Disconnect

Button Style

Fits 3/4" shaft.....BRP188 \$36.70

Fits 5/8" shaft.....BRP186 \$36.70

Splined for Profile.....BRP190 \$50.67

Rim Type

Fits 3/4" shaft.....BRP178 \$44.21

Fits 5/8" shaft.....BRP177 \$44.21

Splined for Profile.....BRP179 \$46.69

Multi Splined Quick Release Steering Disc.

Complete fits Nields/Profile/Lee BoxesBRP2129\$68.28

5/8" Weld On.....BRP2127\$59.00

3/4" Weld On.....BRP2128\$59.00

Push Lock Quick Release Hubs

No need to pull up on the rim to install- just push the steering wheel on. All feature 1/4" and 5/16" steering wheel mounting holes. Housing is machined from billet 6061 alum.

5/8" shaft weld on Push Lock quick release hub.....BRP160.....\$70.09

3/4" shaft weld on Push Lock quick release hub.....BRP161.....\$70.09

Splined shaft for center steer Push Lock quick release hub (fits Profile/Nields/Lee steering boxes).....BRP162.....\$66.37

Thick Steering Wheel Spacers

Designed to go between steering wheel and quick release hub.

SizeRed.....Black.....Price

1/2".....BRP189-50.....\$14.69

1".....BRP189-100.....BRP189-100BK.....\$15.94

1-1/2".....BRP189-150.....BRP189-150BK.....\$18.40

2".....BRP189-200.....BRP189-200BK.....\$20.87

Steering Wheel Extension

Alum. steering wheel extensions fit between steering wheel and quick disconnect. Perfect for adjusting the distance between driver and steering wheel. Complete with fasteners.

1/2" Thick.....ALL52310.....\$8.49

1" Thick.....ALL52312.....\$8.99

1-1/2" Thick.....ALL52314.....\$9.49

2" Thick.....ALL52316.....\$9.59


Free Moving Steering Box Mounts

3" Bolt Spacing Non Binding Steering Box Mount

(TEO Style).....BRP9303.....\$83.68

2-1/2" Bolt Spacing Non Binding Steering Box Mount (Used

on Bicknell Cars).....BRP9298.....\$83.68



Steering Wheel Spacers

3/4".....LON56703.....\$12.75

Steering Wheel Hook

1-1/2".....JOE10702-G.....\$22.95

1-3/4".....JOE10704-G.....\$22.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



BRP9303

BRP9298





Steel Steering Box

Profile's Steel Gear has a 40 year+ winning history in Modified and Sprint Car. Aluminum Side Tubes. Forged billet sector shaft. Recirculating Ball Screw and Rack Piston assembly for precise steering. Rotary Activated Spool Valve Tech for quick steering response. Forged Sector Gear Shaft. Needle roller and trust bearings used throughout gear. Steel 14:1..PRO001..\$964.95

Replacement Fittings

Profile Steel Steering Gear Fitting. Set 1-Pressure 1-Return. PROFITTING2..\$29.73

Billet Aluminum Steering Box

Super Lightweight Billet Aluminum Steering Box is made from all new materials, not rebuilt core boxes.

9:1 ratio 30 valve.....PROPR91230BM.....\$1722.35
1/2 box 9:1 ratio 30 valve.PROPR91230BM-1/2..\$1722.35

Replacement Fittings

Fittings Set for Billet Aluminum Steering Gear 1-Pressure and 1-Return PROFITTING1..\$26.10

18 Inch Big Block

Steering Gear with .235 Valve

Full BoxSWE307-70150-235.....\$2595.96
Half Box.....SWE306-70150-235.....\$2595.96

Adjustable Steering Column - Lightweight (short)

This adjustable steering column comes complete with a 1-1/8" oversized rod end that has a 3/4" thread to fit a steel mounting bracket. Includes an aluminum quick release. Part SWE405-10310 is designed for the u-joint to be inside of the foot box. Uses SWE401-50621 (3/4"-20 spline) u-joint.

SWE405-10310..\$284.90..Mastersbilt/Barry Wright Adj. Column (22" - 32")
SWE405-10310 also works well on most pavement cars.

Adjustable Steering Column - Lightweight (long)

This adjustable steering column comes complete with a 1-1/8" oversized rod end that has a 3/4" thread to fit a steel mounting bracket. Includes an aluminum quick release. SWE405-10316, SWE405-10317 and SWE405-10325 are designed to be extended past the firewall. Uses SWE401-50621 (3/4"-20 spline) u-joint.

SWE405-10315 ..\$368.75..GRT Adj. Column w/2 Support Bearings (28" - 34")
SWE405-10316 ..\$292.25..Swartz/Shaw Adj. Column (26" - 32")
SWE405-10317 ..\$292.25..Rocket Adj. Column (32" - 42")
SWE405-10325 ..\$292.22..Rayburn Adj. Column (32" - 42")
SWE405-10369 ..\$87.65...Replacement Support Bearing
SWE405-10373 ..\$27.85...Replacement Pinch Collar (Pair)

Quick Release - Adjustable Column

These are for the deluxe adjustable columns. Also fits Woodward column.

SWE801-70030...\$106.45..Steel Quick Release w/Bolt-on Coupler (Gold)
SWE801-70031...\$102.30..Alum Quick Release w/Bolt-on Coupler (Red)
SWE801-70035...\$77.25...Alum Quick Release Hub Only (Red)
SWE801-70017...\$26.35...Replacement Bolt-on Coupler

** These quick releases are for adjustable columns - weld-on quick releases do not interchange ***

Splined Steering Shaft

Custom shafts are available, cut to any length, splined on one end or both. In 3/4"-48 spline or 3/4"-36 spline.

36" Tube steering shaft w/sweet 3/4"-48 spline (one end)SWE405-50367..\$33.90
36" Tube steering shaft w/sweet 3/4"-48 spline (both ends) .SWE405-50369..\$48.70

Splined Couplers

Splined Couplers are 2" in length with 1" of spline and 1" of 3/4" smooth

SWE301-30100.....\$11.80 Sweet Spline (3/4"-48)
SWE301-30110.....\$11.80 Chevy Power (13/16"-36)
SWE301-30120.....\$11.80 Chevy Manual/Howe Quickener (3/4"-36)
SWE301-30130.....\$11.80 Pinto Manual (9/16"-26)
SWE301-30150.....\$11.80 Sweet Int. Rack/Appleton Rack (3/4"-30)
SWE301-30160.....\$11.80 Sweet Steering Column/Woodward (3/4"-20)



Rack and Pinion

Integrated servo rack and pinion units are available in (10) ratios from 1-7/8"(slow) to 4" (quick). There are (9) different valves available from .185 (easy) to .300 (hard). Sweet Mfg. rack and pinion units are made in the USA with the finest available materials and each unit is hand assembled and tested for quality assurance.

Part #: 005-923343-250

005- 92 3 4 3 -250
A B C D E

A.) Rack Speed

30 = 1-7/8" East Coast Modified
40 = 2" East Coast Modified
50 = 2-1/4" Pavement Late Model
60 = 2-1/2" Pavement Late Model
80 = 3" Pavement Late Model
90 = 3-1/4" Dirt Late Model
91 = 3-1/2" Dirt Late Model
92 = 3-3/4" Dirt Late Model
93 = 4" Dirt Late Model

B.) Center Distance

1 = 16-1/2" ASA/Dash Car
2 = 17-1/4" Howe Chassis
3 = 18-1/4" Port City / CJ Rayburn / Barry Wright / Troyer / Hamke / Masterbilt / Lefthander / Shaw / Rocket (Blue)
5 = Special Order (16" min. - 21" max.)
6 = 19-1/4" GRT/TNT
7 = 19-3/4" Rocket (Black)

C.) Power Assist

1 = Manual
2 = Mini Cyl (1-1/8" Piston)
4 = Dual Power Cyl (1-3/8" Piston)
5 = Dual Power Cyl (1-1/2" Piston)

D.) Rack End

1 = Tie Rod 5/8" Tapered Hole
2 = On Center 5/8" Thread Stud
3 = Rod End Eye 5/8" Thread Hole
4 = On Center Rod End 5/8" Heim
5 = Slotted Eye On Center 5/8" Heim

E.) Servo/Valve

185 = .185 XX-Light
200 = .200 X-Light
210 = .210 Light
220 = .220 Light
235 = .235 Med/Light
250 = .250 Medium
265 = .265 Medium
275 = .275 Med/Heavy
300 = .300 Bloomquist

Power Steering Tanks

Built in bracket allows convenient mounting on a panel. -6 AN inlet on the right side of the tank as you look at the tank to be mounted and a -10AN bottom outlet with an internal baffle. Includes a heavy duty vented screw on cap
w/Inlet Left SideMOR63506 ..\$97.13
w/Inlet Right Side..MOR63507 ..\$97.13

Power Steering Reservoir

PS Reservoir Panelfast Mount fits Teo/BRP/Troyer
ART100506 \$125.50

Power Steering Reservoir

Steering Box Mount Clamp On
ART100504..\$159.00

Shaft Collars

They are available with I.D. measurements from 3/4" thru 1-1/4". May be used to mt a steering shaft, or a sway bar against the sway bar bolt.

3/4"ALL52140..\$11.99
7/8"ALL52142..\$12.29
1"ALL52144..\$12.99

Steering Shaft Tubing

Seamless D.O.M. tubing, 3/4" dia with .120" wall thickness, is used to connect steering wheel to the steering box or rack and pinion.

5 Foot.....ALL22190..\$19.99
6 Foot.....ALL22191..\$21.99

"Double D" Steering Shafts

3/4" O.D. "Double D" steel shafts have 2 flats to retain stock steering joints. 2 indents must be drilled and tapped for set screw retention. 3 lengths are available.

24".....ALL52175 ..\$14.99
30".....ALL52176 ..\$18.99
36".....ALL52177 ..\$24.99

Steering Quickener Bracket

Mounts all popular steering quickeners including AFCO, Coleman, Howe and others. Bkt has 2 holes, spaced 1-3/4" apart, and may be welded to 1-1/2" or 1-3/4" dia. tubing.

ALL60028.....\$7.89

Collapsible

Steering Shaft Assemblies

Steer a race car with complete confidence. When mounted in the engine bay, between steering box and firewall, the collapsible shaft will compress in the event of a frontal crash. The heavy wall, 1.140" dia tubular steel shaft has 3/4"-20 splines on both ends. The durable rubber boot keeps the sliding mechanism free of dirt and debris.

LongALL52170\$129.99
Short.....ALL52171\$122.99

Steering Column Bkts

Stamped-steel bkts mount the steering column in any circle track car. Bkts are 3-3/16" wide and are available in 4 lengths. Adjustment slot fits 3/4" rod end.

2-1/2"ALL52120 ..\$8.99
8"ALL52124\$10.99
10"ALL52126\$12.99

Flange Bearing

Self-aligning Flange Bearing has a .757" I.D. and installs in the firewall to accept the steering shaft. Complete with locking collar. Bearing allows shaft to angle up to 40°.

ALL52130.....\$16.99

Univ. Steering Joints

Designed specifically for race cars, They are strong and precise with "no slop." Compact, LW & durable, this universal joint is capable of 32 degrees of working angle.

3/4" Smooth:

x 3/4" SmoothSWE401-50606 ..\$46.06
x 5/8"-36 Spline.....SWE401-50607 ..\$49.05
x 3/4"-48 Spline.....SWE401-50610 ..\$49.05
x 13/16"-36 Spline.SWE401-50611 ..\$49.05
x 3/4"-36 Spline.....SWE401-50612 ..\$49.05
x 9/16"-26 Spline...SWE401-50613 ..\$49.05
x 5/8"-36 Spline.....SWE401-50614 ..\$49.05
x 3/4"-30 Spline.....SWE401-50615 ..\$49.05
x 1"-48 Spline.....SWE401-50618 ..\$69.30
x 3/4"-DD Spline ...SWE401-50619 ..\$64.43
x 1"-DD SplineSWE401-50620 ..\$64.43
x 3/4"-20 Spline.....SWE401-50621 ..\$49.05

5/8" Smooth:

x 5/8" SmoothSWE401-50808 ..\$46.06

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Blaster 2

The following Blaster Coils share the same windings and high voltage output as the other Blaster 2 coils, but do not include a ballast resistor. When you are using an MSD Ign Control, the Ignition is responsible for delivering the voltage to the coil so a ballast resistor is not necessary.

MSD8202\$53.19

Blaster 3

It features an extra tall tower design to improve the coil wire attachment and spark isolation. Supplied with a 90° terminal and boot.

MSD8223\$54.47

High Vibration Blaster Coil

Metal canister is encased with epoxy to protect the windings from high vibration applications. Improved output coil for electronic ignitions, and MSD Ignitions (ballast resistor required for points). 100:1 turns ratio and lower primary resistance produce high voltage output. CARB E.O. Approved.

MSD8222...\$61.28

Blaster 2 Coil, w/Ballast Hardware

Improved output coil for stock points or electronic ignitions, Blaster Ignition or MSD 5, 6, and 7 Series. Supplied with two spark plug wire boots, terminals and a ballast resistor (required if used with stock points ignition). 100:1 turns ratio and lower primary resistance produce high voltage output. Chrome metal canister is filled with a premium grade oil for cooling. CARB E.O. Approved.

RedMSD8203\$60.13

MSD Blaster SS Coil

Improved output coil for electronic ignitions, and MSD Ignitions. Efficient winding design and assembly creates a compact housing. Primary and secondary windings are encased in Ciba polyurethane. 70:1 turns ratio and lower primary resistance produce high voltage output. Dupont Rynite housing with a tall tower and brass primary terminals. CARB E.O. Approved.

MSD8207...\$60.13

GM HEI Distributor Coil

Direct performance replacement for GM HEI coil-in-cap distributors. 70:1 turns ratio and lower primary resistance produce high voltage output. Full power sparks to 9,000 RPM when used with 8364 MSD HEI Module. Recommended for use with MSD HEI Module MSD8364. CARB E.O. Approved.

MSD8225...\$85.14

GM Dual Connector Coil

Direct performance replacement for GM dual connector coil. 100:1 turns ratio and lower primary resistance produce high voltage output. Works with stock ignition as well as MSD Ignitions. CARB E.O. Approved.

MSD8226...\$53.34

Ford TFI Coil, Hi Performance

Direct performance replacement for Ford TFI coil. 85:1 turns ratio and lower primary resistance produce high voltage output. Works with stock ignition as well as MSD Ignitions. CARB E.O. Approved.

MSD8227...\$53.34

GM Coil Pack, 2 Tower Style

Direct perf replacement for GM 2 Tower coils used from the mid 80's to late 90's. 80:1 turns ratio and lower primary resistance produce high voltage output. Works with stock ign as well as MSD Ign. CARB E.O. Approved.

MSD8224...\$53.34

Blaster Coils for Late Model Hemi Engines

The Coils are a direct bolt-in and winding ratios to improve the output of the coil while retaining the factory fit.

Blaster Hemi Coils.....Individual

Early Model, '03-05.....MSD8256\$61.28

Late Model, '06-08.....MSD8255\$64.69

Blaster Hemi Coils.....8-Packs

Early Model, '03-05.....MSD82568\$444.95

Late Model, '06-08.....MSD82558\$456.95

Ford Blaster Coil-On-Plug

Whether firing a restored BOSS 429 or a Saturday night circle tracker, the Blaster 2 has always gotten the job done. For late model Ford engines w/Coil-on-Plug technology!

Ford Coil-On Plug Individual 8-Pack

'99-04, 4.6L SOHC MSD8242.\$34.01 MSD82428.\$214.95

'05-On, 4.6L SOHC MSD8243.\$44.94 MSD82438.\$274.95

'99-04, 4.6L SOHC MSD8244.\$34.01 MSD82448.\$229.95

GM Single Connector Coil

Used on 1996-99 GM vehicles. Installation tip: If you plan to install an MSD Ignition with this coil, use a MSD8877 Harness for a direct plug-in installation.

MSD8231...\$53.34

Dodge Late Model Coil, 2 Pin

Direct performance replacement for late model Dodge vehicles. Works with stock ignition as well as MSD Ignitions. CARB E.O. Approved.

MSD8228...\$53.34

Ford DIS 4 Tower Coil Pack

Designed to be used with late model Ford waste spark ign systems. 83:1 turns ratio and lower primary resistance produce high voltage output. Secondary towers designed for snap on spark plug terminals. CARB E.O. Approved.

MSD8241...\$85.14

Blaster HVC, Works w/ MSD 6 Series Units

Designed for high rpm, long duration applications. Works with electronic ignitions and MSD Ign Controls (ballast resistor required for points systems). 100:1 turns ratio and lower primary resistance produce high voltage output. CARB E.O. Approved.

MSD8252...\$146.95

Pro Power HVC Coil, Use w/MSD 7 Series

Designed for racing apps with an MSD 7 Series Ign Control. Efficient E-core winding design produces more voltage and current. 85:1 turns ratio and lower primary resistance produce high voltage output. No CARB Exemption Order Number.

MSD8251...\$146.95

MSD 6 HVC Coil

E-Core design produces more voltage and current while running 50% cooler than canister coils. Massive laminations and windings are engineered for less energy loss. Delivers high voltage to ionize the plug gap while the spark glows with high current.

MSD8250...\$146.95

HVC-2 Coil, 6 Series Ignitions

Designed for high rpm, long duration applications using MSD 6 Series Ign. New U-core winding design produces more voltage and current. 100:1 turns ratio and lower primary resistance produce high voltage output. No CARB Exemption Order Number.

MSD8253...\$236.95

HVC-2 Coil, 7 Series Ignitions

Designed for racing apps with an MSD 7 Series Ign Control. New U-core winding design produces more voltage and current. 70:1 turns ratio and lower primary resistance produce high voltage output. No CARB Exemption Order Number.

MSD8261...\$231.95

Pro Power Coil

High voltage coil designed for short duration applications only. Primary and secondary windings are encased in Ciba polyurethane for vibration protection. Extremely low primary resistance. No CARB Exemption Order Number.

MSD8201...\$140.95

Universal Coil Bracket

Perfect for canister type coils.

MSD8213...\$9.03

Firewall Feed Thru, Red

Absolutely the best way to route spark plug wire through the firewall.

MSD8211...\$19.25

Tach Splitter, Dual Ignition Systems

If you are running a dual ignition system, this will allow the tachometer to operate with both igns. Female fasten connectors match common racing connections.

MSD8911...\$18.12

Automatic Coil Selector

Perfect for running dual MSD Ignitions. Must run 2 Ignitions and 2 coils.

MSD8210...\$85.14

Pin Extraction Tool

This tool allows you to remove the terminal from the Weatherlight Connector if you need to make repairs or change your wiring.

MSD8193...\$20.39

10 Male Pins and Seals.....MSD8190.....\$11.29

10 Female Pins and Seals.....MSD8191.....\$11.29

Module Bypass Cable GO HEI

The MSD GO HEI Module Bypass Cable Assembly allows you to plug an MSD 6 or 7 Series Ignition or Timing Accessory directly into the magnetic trigger inside a GO HEI distributor.

MSD8861...\$9.03

Two Pin Connector Kit

It replaces damaged connectors or aids in custom wiring. This is the same connector used on MSDs magnetic pick-up harnesses. Each kit comes with 2 connectors and 4 pins.

MSD8824...\$7.90

Coil Ballast Resistor 0.8 ohm

For use with an MSD Blaster Coil when connected to a stock points ignition system.

MSD8214...\$11.29

Tach Adapter

If after installing an MSD In Control, your tachometer, fuel pump relay or electronic fuel injection (in foreign vehicles) doesn't operate correctly, your application may require a Tach Adapter.

MSD8910...\$57.87

Deutsch Connector

Are sealed and lock together making them perfect for harsh racing applications. The compact housing of the connectors are molded from a durable plastic material that will not harden or crack.

2-Pin Connector, 16 Gauge.....MSD8183.....\$11.29

4-Pin Connector, 16 Gauge.....MSD8181.....\$14.71

6-Pin Connector, 16 Gauge.....MSD8180.....\$21.53

8-Pin Connector, 16 Gauge.....MSD8185.....\$26.07

12-Pin Connector, 16 Gauge.....MSD8186.....\$30.62

2-Pin Connector, 12-14 Gauge.....MSD8184.....\$23.79

4-Pin Connector, 12-14 Gauge.....MSD8187.....\$49.92

Individual RPM Chips

5,800 RPM ..MSDASY11531 ..\$4.20

6,000 RPM ..MSDASY11216 ..\$4.20

6,400 RPM ..MSDASY11535 ..\$4.20

6,600 RPM ..MSDASY11537 ..\$4.20

6,800 RPM ..MSDASY11539 ..\$4.20

7,400 RPM ..MSDASY11543 ..\$4.20

7,800 RPM ..MSDASY11547 ..\$4.20

8,200 RPM ..MSDASY11549 ..\$1.61

8,400 RPM ..MSDASY11551 ..\$1.61

8,600 RPM ..MSDASY11553 ..\$4.35

Tach Adapter, Magnetic Trigger

This will correct the operation of most tachs and fuel injection pump relays that do not work directly off of the MSD Ignitions 12 volt square wave tach output terminal.

MSD8920...\$74.91

Tach Driver, DIS Ignitions

Measures only 1.5" x 3.5" x 2" and is potted with a polyurethane compound for vibration and water protection so it can easily be mounted under the hood. It wires inline on the coils.

It can be used on 4, 6 or 8-cyl engines.

MSD8913...\$96.48

Shielded Magnetic Pickup Cable, 6'

It will help protect the trigger signal from the distributor or crank trigger pick-up from Electro Magnetic Interference (EMI).

MSD8862...\$35.16

Weathertight Sealed Connectors

Molded from a special nylon material to withstand temps from -40° to +257°F and are indexed to prevent mismatching. For maximum electrical isolation, each terminal has its own tower so there is no chance of shorting between the wires.

Male Tower/Female Shroud with Pins and Seals Connector Individual

6-Pin MSD8170\$13.57

4-Pin MSD8171\$12.43

3-Pin MSD8172\$11.29

2-Pin MSD8173\$10.16

1-Pin MSD8174\$10.16

Universal, Push Button, Alternate Action Switch

This switch is designed to be used as an auxiliary ignition On/Off button. It can be mounted to the steering wheel within easy reach of the driver and can be used in a Normally Open or Normally Closed position. Assembled and constructed for harsh racing conditions.

MSD8812...\$86.27



Launch Rev Limiter Switch Box

This handy controller lets you change the launch rpm setting instantly for last second changes in track conditions. They plug into the RS232 computer harness and have two rotary dials for adjustments. Instantly changes the launch RPM setting of the Programmable Controls. Two control dials, one for 1,000 RPM and another for 100 RPM. Adj from 3,000-12,500 RPM in 100 RPM increments. Can only be used with programmable MSD Ign Controls and Accessories.

MSD7551...\$133.95

Spark Plug Wire Sync Kit

This pick-up simply installs to the number one sparkplug wire and senses the trigger signal and sends this information to the Ignition through a fiber optic cable. For cylinder per cylinder management.

MSD7555...\$110.95

2-Step Rev Control for Digital 6AL

For use with Digital 6AL PN 6425 only.

Since the new Digital 6AL Ignition uses rotary dials to adjust the rev limiter, our engineers were tasked with developing a 2-Step Rev Control that could be added to give racers the ability to switch to a low rpm limit to use on the starting line. The new 2-Step is also digitally controlled and connects to the Digital 6ALs gray tach output wire. There are two easy to read rotary dials that let you set the launch rpm in 100 rpm increments. There is an activation wire that connects to the transbrake, a clutch switch or to the line-lock to activate the low rpm limit. When that switch is released, the low rpm limit is turned off & the car launches hard!

MSD8732...\$108.95

Two Step Module Selector

They allow you to choose two or three different rpm limits that can be activated at different times. With this ability, the possibilities are endless. As an example, we'll use a drag car with a Three Step Module Selector plugged into the rpm socket of a 7AL-2 In. The different rpm modules are activated when 12 volts are applied to a corresponding wire. By connecting one wire to the line-lock circuit, one module will be activated during the burnout. This helps keep tire temps consistent. When the line-lock button is released, the limit turns off. When you're on the starting line, you can activate the second limit through the clutch or trans switch. When no modules are selected, the remaining high limit is active to protect the engine in the event of driveline failure. The Two Step works the same, but only with two different limits.

2-Step Module SelectorMSD8739\$91.95
3-Step Module SelectorMSD8737\$103.95

Launch Control Module Selector

To help drag racers achieve even more consistency, our engineers have incorporated an adjustable low rpm stage into a Three Step Module Selector! This allows you to make adjustments in 100 rpm increments from the driver's seat! The Launch Control Module features a shielded harness for increased protection against EMI so it can be mounted within easy reach of the driver. The Launch Control also features two other rpm limits; one for top end over rev protection and another to use during the burnout to achieve consistent tire temperatures. These limits are adjustable with MSDs plug-in modules. No rpm modules are supplied.

MSD8735...\$214.95



Adjustable RPM Module

With this module, the user can dial-in any rpm between 1,000 and 3,000 rpm by simply turning a potentiometer. Ideal for vehicles with automatic trans that are using the MSD Two Step Module Selector to leave the starting line below 3,000 rpm.

MSD8677...\$29.48

RPM Module Selectors

3,000-5,200 rpmMSD8670\$76.05
4,600-6,800 rpmMSD8671\$76.05
6,000-8,200 rpmMSD8672\$76.05
7,600-9,800 rpmMSD8673\$86.27
*Not legal for use or sale on pollution controlled vehicles.



Tach Signal GMR Pickup

Clip to a coil packs voltage wire to produce a common 12-volt signal for a tach, shift light or rpm device Connect to a diesel injector wire to provide an easy tach installation Operates with 5-24 volt input for universal applications.

MSD8918...\$65.82

Soft Touch Rev Control

It is designed to be used on std points ign or inductive ignition systems. It can be installed on engines with a GO HEI Ignition, Ford or Chrysler electronic ign, any std breaker points systems or even with an MSD 5 or Blaster Ign (non-CD igns). It is adjusted with plug-in modules & is supplied with 6,000, 7,000 and 8,000 rpm modules. When the engine reaches your set rpm, the Soft Touch circuitry kicks in & drops the spark to certain cyls. This limiter produces very accurate & smooth, backfire-free rev limits.

MSD8728...\$155.95

MSD High Current Relay, SPST

MSDs High Current Relays are what you need to activate accessories that draw high current. These Relays are very reliable due to the fully automated manufacturing process and sophisticated coil winding procedure. The SPST High Current Relay is rated at 30 amps with an input voltage of 12 volts DC. The relay is ideal for use with the MSD RPM Activated Switch when 12 volts are responsible for activating a high current device such as a nitrous solenoid. The DPST relay is also rated at 30 amps with a 12 volt input voltage.

Single Pole Double Throw 30 Amp/12 VDC ...MSD8961\$34.01
Double Pole Double Throw 30 Amp/12 VDC ...MSD8960\$40.83

RPM Activated Switch

It will perform a variety of different functions from turning on a bulb or solenoid to activating an MSD Timing Control at a desired rpm. The RPM-Activated Switch, MSD8950, has two activation wires; one to ground a circuit and the other to open a circuit. Simply plug in an rpm module and wire the Switch to the circuit you want to activate. When the engine rpm reaches that amount, the circuit is activated and will remain on until the rpm falls below that amount. The RPM Window Switch, MSD8956, has 2 rpm adjustments; one to activate a circuit, while the other deactivates the same circuit. It will supply then remove ground to a circuit. Both Switches can be used with stock inductive ignitions or an MSD Ign and can handle up to 1.5 amps. For use on 4, 6, or 8-cyl. engines.

RPM Activated Switch.....MSD8950...\$117.95
RPM Activated Window Switch.....MSD8956...\$109.95

Digital RPM Window Switch

This Switch will accept an input rpm signal from a coil negative terminal (for stock ignitions), a tach output from an ignition control, an ECU tach output or even a 5 volt tach signal. Another great feature is that no rpm modules are needed! The rpm activation points are programmed by simply scrolling through the LED display to your desired rpm amounts. The switch has two outputs; one Normally Open, the other is Normally Closed. It can be programmed from 200 rpm to 15,000 rpm in 100 rpm increments. It can be used with an input voltage of 9-18 volts.

MSD8969...\$183.95

Digital Programmable Shift Light

Installs with distributors, coil packs or coil-on-plug systems ranging from single to 12-cylinders. Programmable from 100 - 15,900 rpm down to 10 rpm increments. Six bright LEDs are easy to view in daylight and can be dimmed at night. Supplied with an easy to install GMR pickup!

Sync ShiftMSD8963\$189.95
Single RPM PointMSD89631\$193.95

Adjustable Intensity LED Shift Light

Pro Stock drivers were looking for a simple and small shift light that they could easily control the intensity of the LED. Easy enough. Here's the solution that plugs directly into our Programmable 7-Series Ignitions.

MSD7542...\$88.53

MSD Shift Light


It will turn on to "remind" you to shift when the engine reaches your specified rpm. You select the rpm using the same plug-in modules that are used with your MSD Soft Touch Rev Control. It will work on 2, 4, 6, or 8 cyl engines and will plug directly into the tach output on MSD 6, 7, 8, and 10-Series Igns or can be connected to the negative coil terminal when used with points or inductive-type ignitions. The MSD Shift Light is 4.5" L x 3.5" H with a 1.5" diameter lens. No rpm modules are supplied.

MSD8952...\$137.95

Module Holders

The MSD Module Holders are exactly what you need to keep track of your MSD RPM or Retard Modules.

MSD87551...\$20.39



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Digital 6A Ignition Control

Higher output with 530 primary volts and 135mJ of spark energy. Efficient components use less current to produce more power. Same bolt pattern as the original 6AL with a lower profile housing. Built-in LED for system checks. All wires exit the same side through a locked, sealed connector. Compatible for 4, 6 or 8-cylinder engines.

MSD6201...\$232.95

Digital 6AL Ignition Control

With Soft Touch Rev Control. Higher output with 530 primary volts and 135mJ of spark energy. Efficient components use less current to produce more power. Set an rpm limit on the 6AL with two rotary dials. Same bolt pattern as the original 6AL with a lower profile housing. Built-in LED for system checks. All wires exit the same side through a locked, sealed connector. Compatible for 4, 6 or 8-cylinder engines.

Digital 6AL Ignition Control MSD6425\$269.95
Replacement Harness for 6425 .. MSD8897\$19.61

6CT Ignition Control

Superior design makes it the most advanced ignition to ever hit a circle track. Packed with legendary MSD Ignition power, the 6CT offers a slew of features. A large digital LED display makes it easier than ever to see the rev limiter setting when dialing it in using the laser etched rotary dials on the face of the unit. Rev limiting is controlled via microprocessor making it so smooth the chassis is virtually undisturbed when charging into turns. The rotary dials are also used to set cylinder select for 4, 6, and 8 cylinder engines, and to adjust the built-in start retard providing options of 0°, 10° or 20° of timing retard for quick starts. As an added bonus the LED display can be used as a live tach or will display your racecars battery voltage. The 6CT offers all this and more in a fully potted, tamper proof housing that utilizes a single connector to keep wiring tidy.

MSD6427...\$358.95

6CT Pro Circle Track Ignition

Based on the design of the MSD 6CT, the 6CT PRO adds another offering to MSD's line of technologically advanced ignitions for circle track racing. Packed with legendary MSD Ignition power, the 6CT PRO offers a slew of features. Large digital LED display makes it easier than ever to see the rev limiter setting when dialing it in using the laser etched rotary dials on the face of the unit.

6CT Pro Circle Track IgnMSD6428\$374.95

6-BTM Boost Timing Master

Multiple spark, capacitive discharge ignition control. Retard the ignition timing 1°-3° per lb of boost, max of 15°, with dash mounted adjustable control knob. Multiple sparks for 20° of crankshaft rotation. Works on 12 - 18 volt electrical system. Accepts breaker points, amplifier and magnetic pickup trigger inputs. 470 primary voltage output to coil. 110 millijoules per spark up to 15,000 RPM. Built-in Soft Touch Rev Control is adj w/RPM Modules. Programmable for 4, 6, or 8-cylinders by cutting red/blue wire loops. Supplied w/rubber shock mounts. Supplied w/3,000, 6,000, 7,000 & 8,000 RPM Module. CARB E.O. Approved.

MSD6462...\$501.95

6AL-2 Ignition Control

All new housing, digital circuits and performance. Built-in 2-Step rev control - with rotary dials. Higher output with up to 135mJ and 535 volts. Accepts Hall-effect, points and mag pickup triggers. Managed by an efficient digital control.

MSD6421...\$321.95

Digital 6-Plus Ignition Control

Switch between two rev limits that adjust with rotary switches in 100 rpm increments. Single stage retard for nitrous and top end performance. Start retard eases pressure on the starter, flywheel and engine. Adjustable magnetic pickup compensation produces accurate trigger signals. LED display warns of trigger signal problems or faulty charging system. Fully potted with polyurethane for vibration and water protection.

MSD6520...\$395.95

Digital Programmable 6AL-2

Advanced PC programming for use on street/strip and track cars. PC Programmable with easy-to-use Windows based Pro-Data +Software Plot a timing curve based on boost pressure down to a 0.1° every 100 rpm. Program three rev limits in 100 rpm increments. Step retard for nitrous applications plus a boost timing map. Capacitive Discharge technology for high voltage and spark energy.

MSD6530...\$428.95

6ALN Ignition Control

Multiple spark, capacitive discharge ignition control. Designed for circle track racing with NASCAR mandated connectors and clear epoxy potting compound for vibration protection. 6-pin Weatherlight connector, mandatory for NASCAR use. Circuit board is encased in a clear two part silicone elastomer. Built-in Soft Touch Rev Control is adjustable with RPM Modules. Multiple sparks for 20° of crankshaft rotation. Works on 12 - 18 volt electrical system. Accepts breaker points, amplifier and magnetic pickup trigger inputs. 470 primary voltage output to coil. 110 millijoules per spark up to 15,000 RPM. Programmable for 4, 6, or 8-cylinders by cutting red/blue wire loops. Supplied with rubber shock mounts. Supplied with 3,000, 6,000, 7,000 & 8,000 RPM Modules. No CARB Exemption Order Number.

6ALN Ignition Control.....MSD6430\$373.95
Wire Harness for 6430.....MSDASY17296\$35.32

2-Step Rev Control for the Digital 6AL

Since the new Digital 6AL Ignition uses rotary dials to adjust the rev limiter, our engineers were tasked with developing a 2-Step Rev Control that could be added to give racers the ability to switch to a low rpm limit to use on the starting line. The new 2-Step is also digitally controlled and connects to the Digital 6AL's gray tach output wire. There are two easy to read rotary dials that let you set the launch rpm in 100 rpm increments. When that switch is released, the low rpm limit is turned off and the car launches hard!

MSD8732...\$108.95

MSD Box Mount

Box mount provides a quick release method for replacing MSD6420, 6425, 6430 and other ignition boxes with 7-1/2" x 3-1/2" center to center mounting dimensions. Kit includes alum box mount, 4 quick turn fasteners, springs and 1/8" aluminum rivets.

ALL81330...\$17.99

Wiring Harness

They are easy to install, but we also offer several plug-in Harnesses. These are especially handy for quick installation on late model vehicles! The Harnesses plug directly into your factory coil and harness then four color coded wires plug into the corresponding wires of the MSD. Two wires go from the MSD to the battery and you're done with no cutting or splicing!

MSD to Ford TFI HarnessMSD8874\$34.01
MSD to GM Dual Connector Coil.....MSD8876\$44.24
MSD to GM '96-On Single Connector CoilMSD8877\$44.24
MSD to '90-97 Dodge Ram 5.2/5.9LMSD8889\$21.53
MSD to '98-03 Dodge/Chrysler.....MSD8884\$39.69
MSD to GM HEI (int coil) w/o Vacuum Advance...MSD8875\$62.42

6M-2L Marine Certified Ignition w/Rev Limit

MSD's popular 6M-2 with a built-in rev-limiter. Multiple sparks improve starting, throttle response and idle quality. Circuitry is potted for a weather-proof housing. Weathertight connectors protect wiring from water and chemicals.

MSD6560...\$413.95

6 HVC, Professional Race w/Rev Control Deutsch Connectors

Multiple spark, capacitive discharge ignition control. Designed for professional racing apps that demand high rpm for long periods of time. Clear epoxy potting compound for vibration protection and clear base plate for easy tech inspection. 6-pin Weatherlight connector, mandatory for NASCAR use. Special 4-pin connector to plug directly into the MSD Soft Touch Rev Control 8738 or Soft Touch Engine Control PN 8968. Multiple sparks for 20 degrees of crankshaft rotation. Accepts breaker points, amplifier and magnetic pickup trigger inputs. 550 primary voltage output to coil. 150 millijoules per spark up to 15,000 RPM. Works on 12 - 18 volt electrical system. Built-in reverse polarity protection circuit. Must be used with HVC Coil 8250. No programming loops. Supplied with rubber shock mts.

Fast Rev Limiter, DeutschsMSD6631\$574.95
Soft Touch Rev Limiter, Deutsch Connect ..MSD6632\$558.95
Wire Harness for MSD6632.....MSDASY27196 ..\$34.01

**Programmable Midget Ignition**

It is a complete electronic distributorless system consisting of a powerful capacity discharge Ignition Control, a 4 tower high output coil pack and uses 2 non-magnetic pickups with a trigger wheel as a crank trigger source. This takes all of the mechanical variable out of the picture to produce exact ignition timing.


- Plot 2 timing curves ranging from 800-15,000 rpm in 0.1° increments.
- Select a rev limit from 2,000-15,000 rpm in 100 rpm increments.
- Battery monitor circuit shows real time battery voltage & a low voltage time %.
- Switch between 2 timing curves as track conditions change during a race.

MSD Programmable Midget Ignition...MSD6214\$813.95
Midget Coil Pack.....MSD8240\$147.95
8.5mm Wire Set for MidgetsMSD31689\$66.95

Vibration Mounts

In many performance applications such as off-road, drag race, marine and oval track racing, strong vibration forces can be transmitted through the chassis to the MSD unit. To protect the MSD from excessive vibration, we recommend the use of these vibration mounts. MSD offers three types of vibration mounts, one for the MSD 5 and 6 Ignitions, one for the MSD 7, 8 and 10 Series, and one for the Pro Power Coil.

7AL-2, 7AL-3, 8 & 10 Series(1" x .75", 4/Card)...MSD8800\$18.12
5 & 6, SCI, Digital 7-Series(.75" x .63", 4/Card)...MSD8823\$16.99
Pro Power Coil(44" x .50", 3/Card)...MSD8825\$15.85



Proposition 65 Warning: These products contain chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

7AL-2 Ignition Control

Built-in two step rev control. Operates on 4, 6 or 8-cylinder engines. Troubleshooting LED for spark output diagnostics. Terminal strips for improved and easier wiring. MSD7222...\$609.95



The all new 7AL-3 is Better in Black Replacing the MSD7230

It has been a favorite of sportsman racers as well as racers that run multi-stage nitrous systems. The ignition combines high output spark energy for high compression race engines combined with the most popular drag racing accessories including a 3-Step rev limiter, 4-stage retards, a start retard and RPM Activated Switch. For 2013, MSD is relaunching the 7AL-3 with upgraded features, a new look and updated internal components including surface mount circuitry. The new ignition, PN 7330, is easy to spot with a black anodized housing and features a new adjustable start retard circuit. Also it now can be used on 4, 6 or 8-cylinder engines.



- Fits in the same mounting footprint of the original PN 7230
 - Compatible on 4, 6 and 8-cyl engines (the original version was for 8-cyl only)
 - Start retard is adj w/plug-in retard modules (the original retarded only 25°)
 - Retard stages require +12 volts to activate (the original required removing the activation wire from ground)
 - Surface mount assembly reduces internal components (original model had multiple board assemblies)
 - Black anodized housing stands apart from the original (the original was red)
- Racer input was garnered about the features of the new PN 7330 and MSD listened. The start retard is now adjustable, the four retard stages activated from +12 volts and the ignition can be used on 4, 6 or 8-cylinder engines.) MSD7330...\$771.95


8-Plus Ignition Control

Built-in 2-Step Rev Control. Compatible for 4, 6 and 8-cylinders. Works on single or dual coil output systems. MSD7805...\$1464.95



Programmable Digital-7 Plus

Map a complete timing curve for every gear. Stage retards can be set to ramp the timing. Updated X-Y plots with interpolation for smooth changes. View all ignition events in a new Launch History window including the retard sum, manifold pressure, rpm, shift points and more. Acquire 20 seconds of run data including two seconds prior to launch. Select the rpm limiter value in rpm/seconds. Program an rpm limit that is ramped in during the launch. Vacuum advance and boost retard is selectable through a MAP sensor. There is a cam sync output for fuel controllers or data acquisition. Program your engine's firing order for ease of setting the cylinder-to-cylinder timing. Automatic magnetic pickup compensation for crank triggers or distributor pick-ups. Output to activate a device through rpm, time or pressure inputs. An upgraded micro-controller runs at 40MHz enabling timing accuracy within 0.1 degrees and +/-1 rpm at up to 10,000 rpm!



MSD7531...\$962.95

Power Grid Ignition System

It is the next evolution of our Programmable 7-Series Ignition Controls. The Grid incorporates an efficient 32 bit microcontroller and a software program, called MSD View, and is USB compatible. The Windows based software is designed with tabs to help racers easily select different programming windows & parameters. Data acquisition files of the ignition are now captured on a micro SD card for ease of storage & reviewing.

- USB connection for ease of programming
- Timing based on engine rpm and gear value • Five retard stages for nitrous
- Advanced individual cylinder timing based on gear or time
- Four steps of rpm limits for burnout, spool, launch and overrev
- Output switch set on rpm, pressure or time • Shift light settings for each gear
- Ignition data acquisition accepts multiple runs



Controller.....MSD7730.....\$461.95
Ignition.....MSD7720.....\$513.95



Proposition 65 Warning: These products contain chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

DIS Plus Ignition Control


When Ford moved to the 4.6L Modular engine in the 96 Mustang, there were two coil packs with four towers each set up as a Waste Spark. They are designed for engines with coil pack, waste spark ignition systems. The DIS-2 has two channels, to fire two coil packs, while the DIS-4 is capable of firing up to four coil packs (or even 4 individual coils). Each Control delivers full power Capacitive Discharge sparks from idle through racing rpm. Below 3,000 rpm there is a series of multiple sparks that last for up to 20 of crankshaft rotation to improve idle, starting and throttle response. The adjustable features of the DIS Ignitions have also been upgraded with rotary dials. These provide easier, and more precise adjustments of the overrev limiter and the holeshot rev limit. Now a step retard that can be wired directly to a nitrous system or switch for activation! For use on 6 or 8-cyl engines with two, three or four coil packs.



• Two Step Rev Control • Step Retard • LED Monitor
MSD DIS-4 Plus (For use on 6 or 8 cyl with two, three, or four coil packs)
MSD62152...\$697.95

MSD DIS-4 Plus High Output

The DIS Ignitions all deliver a stout, CD spark that is capable of burning the majority of air/fuel mixtures. There are of course exceptions, such as full bred race engines running high boost pressures from turbos, blowers or nitrous. To answer these needs, we offer a Higher Output version of the DIS Ignition Controls. The DIS Plus HO Ignitions produce an incredible 170 millijoules of spark energy with 470 primary volts. This increased output will light up fuel mixtures even under extreme cylinder pressures. The DIS-HO boxes are not CARB approved and are designed for drag racing apps only.



• Two adjustable • Rev Limits Diagnostic LED • Adjustable retard stage
• Ignition Interrupt Circuit
MSD-4 Plus HO, 2, 3 or 4-Coil Packs...MSD62153...\$778.95

Blaster Single Tower Coil

For performance applications with multi channel coil drivers this Single Tower Blaster Coil is a great choice. The Coil will also top off your MSD DIS-HO Ignition system when its set up for a coil per cylinder ignition system. The coil's low resistance and quick rise time make it ideal for high revving, multi-coil performance systems. Blaster Single Tower Coil.....MSD8232\$63.55



Coil Interface Module

This module goes between the factory GM ignition module and coils. It has color coded wires that connect to the DIS wiring and are molded using Dupont Rynite for its high dielectric strength and connect directly to the factory terminals. GM Coil Interface Module.....MSD8870\$51.06



RPM Module Kits

RPM Module Kits include five modules in 200 rpm increments. Each kit is within a 1,000 rpm range. For example, the MSD8745 is supplied with: 5,000, 5,200, 5,400, 5,600, 5,800 modules.



Even Increments

3,000-3,800	MSD8743	..\$36.29
4,000-4,800	MSD8744	..\$36.29
5,000-5,800	MSD8745	..\$36.29
6,000-6,800	MSD8746	..\$36.29
7,000-7,800	MSD8747	..\$36.29
8,000-8,800	MSD8748	..\$36.29
9,000-9,800	MSD8749	..\$36.29
10,000-10,800	MSD8750	..\$36.29
11,000-11,800	MSD8751	..\$36.29

Odd Increments

3,100-3,900	MSD87431	..\$36.29
4,100-4,900	MSD87441	..\$36.29
5,100-5,900	MSD87451	..\$36.29
6,100-6,900	MSD87461	..\$36.29
7,100-7,900	MSD87471	..\$36.29
8,100-8,900	MSD87481	..\$36.29

Dirt MSD 6ALN

7600 RPM Spec Box is now mandated by DIRT 358 Modifieds. MSD64316...\$397.95



MSDASY25452



Wiring Harness

For Spec Box MSD64316
MSDASY25452...\$35.95

MSD64316

MSD8727CT

Circle Track RPM Control Digital Soft-Touch HEI Rev Limiter

Fully digital operation allows for accurate rev limiting. Rotary dials eliminate the need for plug-in RPM modules. Easy installation to any HEI distributor with plug-in wiring and connectors. Epoxy filled for endure extreme racing conditions & eliminate potential tampering with circuitry. MSD8727CT...\$182.95



Wiring Harness

Works on MSD8727CT.....MSDASY26434...\$23.85

MSDASY26434



MSD Super HEI Kit

It is one of MSD's solutions to the GM HEI's common problem of power loss and lack of response or bypass the low-powered HEI module and coil and replace them with the MSD Digital 6AL Ign Control and the Blaster 2 high input coil. The result is more power, increased rpm range, easier starting, plus better mileage and performance. The Kit includes the new MSD Digital 6AL Ignition, Blaster SS Coil, coil wire, and HEI dust cover. The 6AL has a Soft Touch Rev Control to protect your engine from overrev damage.

MSD85001...\$360.95

**GM HEI Billet Distributor**

A complete performance HEI dist upgrade for Chevy V8 engines. Easy-to-adjust mech advance with supplied springs and stop bushings. Vacuum advance canister for improved economy (can be locked out). CNC machined billet aluminum housing and billet alum base. Polished steel shaft is QPQ coated and guided by a sealed ball bearing. Advance plate and weights are fine blanked from chrome moly steel and QPQ coated for friction reduction. Mech advance assembly can easily be locked out. Advance weight pins are staked and tig welded to the plate. Nylon pads ensure smooth operation of the advance weights. Special oil tract improves lubrication to the distributor and cam gear. Supplied with a 7.5 amp, single spark, inductive discharge ignition module, MSD8364, and MSD HEI Coil, MSD8225 Full spark energy output to 9,000 RPM. Supplied with brass terminal dist cap and rotor CARB E.O. Approved.

MSD Pro-Billet Chevy.....MSD8365\$448.95

MSD HEI CoilMSD8225\$85.14

Cap: MSD84111
Rotor: MSD84101**HEAT HEI Module**

Easily installs to non-computer controlled (4-Pin) HEI housings. Built-in adjustable rev limiter can easily be set externally. Advanced dwell control for improved high rpm output. The Hottest HEI Module you buy-period! Produces an incredible 7.5 amps of juice! Adjust the rev limiter without removing the cap! Fits in stock HEI distributors.

MSD83647...\$121.95

Ultimate HEI Kit

Rebuild your GM HEI with MSD performance. Exceptional high speed coil saturation for full power high rpm operation. Matched Coil and Module produce the highest voltage and energy. Complete kit with a brass terminal Cap, Rotor, Module, Coil and dust cover.

MSD8501...\$260.95

Chevy V8 Pro-Billet Distributor

CNC machined billet alum housing and billet alum base Easy-to-adjust mechanical advance with supplied springs and stop bushings Maintenance-free magnetic pickup and precision reluctor create stable trigger signals throughout the rpm range Polished steel shaft is QPQ coated and guided by a sealed ball bearing and extra long sintered bushing Advance plate & weights are fine blanked from chrome moly steel and QPQ coated for friction reduction Mechanical advance assembly can be locked out for crank trigger systems. Nylon pads ensure smooth operation of the advance weights Special oil tract improves lubrication to the distributor and cam gear O-ring seals can be added to modified blocks to improve oil pressure control Supplied with an HEI style distributor cap and rotor (accepts Cap-A-Dapts) Must be used with an MSD Ignition. Will not accept a vacuum advance canister. No CARB Exemption Order #

Chevy V8 Pro Billet DistMSD85551 ..\$281.95

Chevy Slip Collar ChevyMSD85561 ..\$331.95

Extra Tall Slip Collar Chevy ...MSD8547\$376.95

Cap: MSD8433
Rotor: MSD8467**Street Pro-Billet V8 Distributor**

It is a popular route for people looking for a proven race performance for their street cars. A vacuum advance canister provides economy and the proven MSD mechanical advance gives you the opportunity to dial-in a timing curve to fit your needs. Inside, an oversized steel shaft is QPQ-coated for low friction and rides in a sealed ball bearing at the top of the distributor with an extra-long sintered bushing at the bottom. This combination keeps the shaft steady creating accurate spark delivery at any rpm. The Street Pro-Billet relies on a magnetic pickup to trigger the MSD Ignition Control which delivers the powerful sparks to the coil. This pickup is extremely accurate and never needs adjusting.

MSD8361...\$298.95

Cap: MSD8433
Rotor: MSD8467**Chevy V8 w/Internal Module Distributor**

Simple and clean installation with only three wires to connect. Powerful built-in module produces a 7.5 amp single spark through high rpm. Easy-to-adjust mech advance with supplied springs and stop bushings Vacuum advance canister for improved economy (can be locked out). CNC machined billet alum housing and billet alum base. Maintenance-free magnetic pickup and precision reluctor create stable trigger signals throughout the rpm range. Polished steel shaft is QPQ coated and guided by a sealed ball bearing. Advance plate and weights are fine blanked from chrome moly steel and QPQ coated for friction reduction. Mech advance assembly can be locked out for crank trigger systems. Advance weight pins are staked and tig welded to the plate. Nylon pads ensure smooth operation of the advance weights. Special oil tract improves lubrication to the dist and cam gear. O-ring seals can be added to modified blocks to improve oil pressure control. Supplied with an HEI style dist cap and rotor (accepts Cap-A-Dapts) Does not require an MSD Ignition Control CARB E.O. Approved.

MSD8360...\$361.95

Cap: MSD8433
Rotor: MSD8467**Digital E-Curve Distributor**

Digitally controlled stand-alone distributor with adjustable electronic advance. Set a centrifugal advance and vacuum advance curve electronically. High output ignition module produces a powerful spark for improved performance. Simple three wire connection and you're ready-to-run Dial-in a rev limit to protect your engine from over rev damage.

MSD8394...\$490.95

Cap: MSD8433
Rotor: MSD8467**Chevy V8 Pro-Billet Dist**

CNC machined billet alum housing and billet alum base. Adjustable slip collar mounting flange for engines with modified deck heights. Polished steel shaft is QPQ coated and guided by a sealed ball bearing. Supplied with a 0.006" oversized bronze gear installed. Supplied with an HEI style dist cap and rotor (accepts Cap-A-Dapts). Must be used with an MSD 6, 7, 8, or 10 Series Ign. Will not accept a vacuum advance canister. No CARB Exemption Order #.

Red.....MSD85501...\$328.95

Black...MSD85505...\$339.95

#1 Seller for
Circle TrackCap: MSD8433
Rotor: MSD8467**Circle Track HEI**

MSD engineers have worked tirelessly to perfect the new circle track HEI. "Stock appearing" to meet sanctioning body HEI distributor rules. Bulletproof "stock appearing" ignition module provides ultimate reliability. High output ignition coil for peak spark energy at any RPM. High quality, QPQ coated distributor gear. QPQ coated chromoly advance cam and weights provide smooth operation and precision timing. Works perfectly with MSD 8727CT HEI Circle Track RPM Control.

MSD8362CT...\$318.95

Cap & Rotor Kit:
MSD5501**Mechanical Advance Lockout for MSD8362CT**

MSD offers two kits to make locking out mechanical and vacuum timing advance in HEI distributors an easy task for Circle track racers. No more welding a tac on the mechanical advance weights or trying to find a way to keep the vacuum advance from moving once the canister is removed.

MSD88363...\$13.72

Chevy V8 Pro-Billet Distributor**w/Locked-Out Timing & Bronze Gear**

Whether cruising the streets or racing stock cars, dragsters, boats or trucks, MSD has a distributor for it. MSD uses state-of-the-art, Computer Numerical Controlled (CNC) mills and lathes to machine each housing. After a long series of precise cuts and movements, the billet is formed into a flawless distributor housing that is accurate to within 0.001". The flex-free housings are lightweight, have no porosity or weak areas and look great on polished, show quality engines.

MSD85505...\$339.95

Cap: MSD84333
Rotor: MSD8467**Pro-Billet Chevy HEI Distributor**

The Chevrolet HEI Distributor is a favorite for muscle cars, street rods and even circle track racers. The integrated coil keeps underhood wiring clean, and for race cars, the idea of running one wire to the distributor keeps things simple. However, when it comes to performance, the stock HEI falls short. MSD answers the need for a strong, accurate and high performance HEI with our Pro-Billet HEI.

MSD83653...\$460.95

Cap: MSD84333
Rotor: MSD8467**Pro Billet EFI Late Model GM**

GM Late Model Performance enthusiasts will be happy to see this Pro Billet Distributor. The MSD8366 is a drop-in replacement for GM V8s using the small cap distributor with a dual connector coil found in cars from 1987-93 and trucks from 1987-95. This 0.500" shaft also receives a QPC coating for increased friction reduction and corrosion resistance.

MSD8366\$343.95

V6 Cap: MSD8430
V8 Cap: MSD8406
Rotor: MSD8531**Pro-Billet LT1**

Advanced optical encoder trigger design for accuracy & reliability. Easily adjust the timing up to +/-5. Improved housing design & extra bolt eliminates leaks. Fresh air vented & sealed to keep the elements out. Large ball bearing stabilizes.

Pro-Billet LT1 Distributors:

'94-'96 Late Model MSD83811...\$565.95

'94-'96 Early Model, supplied with fresh air hoses
MSD8381" ...\$565.95**Chevy Flat Top****Pro-Billet Distributor**

Crab cap will clear cowlings, exotic intakes and air cleaners Mechanical advance is easy to adjust for your engine Maintenance-free magnetic pick-up provides accurate trigger signals.

MSD84891...\$432.95

Cap: MSD8541
Rotor: MSD84673**Chevy Pro-Billet Small Dia V8 Dist.**

CNC machined billet alum housing is 3/8" smaller in diameter and 7/8" shorter than conventional Chevy V-8 distributors with the points type cap. Adjustable slip collar mounting flange for engines with modified deck heights. Must be used with an MSD 6, 7, 8, or 10 Series Ignition. Supplied with small diameter HEI style distributor cap and rotor (will accept 8441 Cap-A-Dapt). Will not accept a vacuum advance canister. No CARB Exemption Order #.

MSD8570...\$324.95

Cap: MSD8431
Rotor: MSD8467

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

MSD Ready to Run Distributor

MSD offers a line of dists called Ready-to-Run. The biggest visual difference is that the distributor has a 3-pin Weathertight connector. These distributors have a built-in ignition module, so an MSD Ign control is not required. They are simple to drop in and connect with 2 wires (power, coil negative, and ground) making them favorites for street rods and muscle cars. They also have a gray tach output wire to trigger a tach or even aftermarket EFI system. Plus, there is now an adjustable rev limiter! The inductive ign module is built into the housing of the dist and packs a powerful spark. You'll notice an immediate difference if you replace an old points distributor or low output replacement. Not only do you get the ease of installation and a good spark, but there's also a vacuum advance for economy and an easy-to-adjust mech advance. These are available for Chevy V8s and small block Fords and Chryslers. the big advantage is these distributors offer an electronic advance that is adjustable with rotary dials under the cap! No springs or bushings to adjust with the E-Curves.

Chevy

348/409.....MSD8393*...\$456.95

Ford

Ford 289/302	Iron Gear	Steel Gear
351C-460.....MSD8352**\$444.95	MSD83521** ..\$488.95
351W.....MSD8354**\$444.95	MSD83541** ..\$488.95
289, 302.....MSD8350**\$456.95	MSD83501** ..\$541.95

Pro-Billet Ready-to-Run for Ford:

FE, 332, 352, 360, 390, 406, 410, 427, 428 MSD8595**\$456.95

Y-Block, 239, 272, 292, 312 MSD8383**\$499.95
(may hit firewall seam on '57-59 full size cars)

Flathead Ford Ready to Run Dist for '49-53 MSD8573*\$536.95

Chrysler

273, 318, 340, 360.....MSD8388*\$456.95
383, 400.....MSD8386**\$484.95
426, 440.....MSD8387**\$456.95

AMC V8.....MSD8523*\$456.95
Oldsmobile V8.....MSD8529*\$456.95
Pontiac V8.....MSD8528*\$456.95
Buick 400, 430, 455.....MSD8552*\$456.95
Buick Nailhead, 322, 364, 401, 425.....MSD8524*\$448.95

Crate Engine Kits

Everything you need to fire up your new crate engine! Pro-Billet HEI or Ready-to-Run Distributor 8.5mm Super Conductor Plug Wires and Pro-Clamp separators Billet Hold-Down Clamp is also supplied.

GM Crate Ignition Kit

(MSD8360, MSD8207, Universal Wire Set)
MSD84741\$520.95

Ford Crate Ignition Kits:

289, 302.....MSD84745\$644.95
351W.....MSD84746\$737.95
351C, 460.....MSD84747\$631.95

OEM Upgrade

MSD also offers several distributors that are Pro-Billet designs, yet they're suitable as performance replacements for OEM models. Examples include the popular Ford TFI used in Fox bodied Mustangs. These distributors feature increased strength and support, yet incorporate the factory style module, pickup and connectors for a drop-in replacement.

Chevy

Chevy In-line 6 Cylinder.....MSD8515†.....\$376.95

Ford

2.3L Distributor.....MSD8473v.....\$387.95

Ford Billet Distributors

351C, 351M, 400, 429, 460.....MSD8580††.....\$308.95
289C, 302.....MSD8582††.....\$308.95
351W.....MSD8584††.....\$303.95

Special Ford Applications

289, 302 with Steel Gear

for Hydraulic Roller Cams.....MSD8598††.....\$319.95

351W for use w/Edelbrock

Victor Jr. Intake Manifold.....MSD85805††.....\$308.95

351W w/steel gear (hydraulic roller cams).MSD85840††.....\$349.95

Chrysler 318, 360.....MSD8534*\$270.95



Chrysler 318, 340, 360, E-Curve.....MSD8504*\$490.95

Oldsmobile V8 Dist 350-455.....490.95*\$490.95

Cadillac V8 Dist w/Vacuum Advance.....MSD8363*\$387.95

VW Billet Distributor.....MSD8485v.....\$319.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

**Pro Billet Distributors**

This pretty well covers all of our distributors, however this is our traditional distributor and they require an MSD Ignition Control such as a 6AL or 7AL-2 Ignition Control. The distributor has a 2-pin connector that plugs directly into an MSD Ignition. These distributor are available from AMC to the famous W-Chevy motor. They're built for everything, from powerful street cars to racers. Some have vacuum advance while others may be locked out. The important thing to note is that an MSD Ignition Control is required and are identified by the 2-pin connector.

★ Cap: MSD8433
Rotor: MSD8467

Δ Cap: MSD8431
Rotor: MSD84211

f Cap: MSD8408
Rotor: MSD8070

★★ Cap: MSD8431
Rotor: MSD8467

†† Cap: MSD8408
Rotor: MSD8423

‡ Cap: MSD8541
Rotor: MSD84673

Ω Cap: MSD84314
Rotor: MSD84674



Corvette w/Mech Tach Drive 63-74 Apps..MSD8572* ..\$466.95

Ford: FEMSD8594* ..\$342.95
289, 302 E-Curve.....MSD8503* ..\$490.95

Ford 289, 302 Steel Gear**Pro-Billet Cam Sync Distributors for Ford:**

289, 302, Steel Gear.....MSD2358Δ.....\$502.95
289, 302, Bronze Gear.....MSD2360Δ.....\$571.95
351W, Iron Gear.....MSD2362Δ.....\$557.95

5.0L EFI Late Model Ford Distributors:

1986-93.....MSD8456f.....\$353.95
1994-95.....MSD8455f.....\$342.95

5.8L EFI Pro-Billet Distributors:

w/Module, non-roller cam.....MSD8453f.....\$365.95
w/Module, steel gear (factory roller-cam) .MSD8452f.....\$342.95

For remote Modules,
steel gear (factory roller-cam).....MSD8451f.....\$369.95

Ford Small Diameter Distributors:

351C-460.....MSD8577** ..\$331.95
351W.....MSD8578** ..\$331.95
289, 302.....MSD8579** ..\$322.95

With Vacuum Advance:

351C-460.....MSD8477** ..\$404.95
351W.....MSD8478** ..\$422.95
289, 302.....MSD8479** ..\$349.95

Ford Dual Pickup Distributors:

V8, 289, 302.....MSD8382††\$385.95
V8, 351W.....MSD8384††\$376.95

Early Hemi: 331, 354.....MSD8391* ..\$456.95
392.....MSD8389* ..\$456.95

Chrysler: 383, 400.....MSD8545** ..\$342.95
440, 426.....MSD8546** ..\$341.95

AMC: 290, 304, 343, 360, 390, 401.....MSD8519* ..\$337.95
Jeep 1-6, 232, 258.....MSD8516* ..\$387.95

Buick: 400, 430, 455.....MSD8517* ..\$353.95
215, 300, 340, 350.....MSD8548* ..\$376.95

Pontiac V8 350-455:.....MSD8563* ..\$349.95
External Ign Module & Coil must be purchased separately

**Pro Mag 12LT Short Base for Sprint Cars**

The new but shorter Pro Mag 12 LT Generator. The major modifications include a 3/4 of an inch shorter height to clear low hanging Sprint Car air cleaners and a newly engineered raised oil passage groove that will prevent oil leakage and provide superior oiling in large cam tunnel engine blocks. Most importantly these generators are built by the professionals in the MSD Focus Factory for unmatched quality assurance.

Features: Raised oil passage groove. Designed to clear low hanging Sprint Car air cleaners. 3/4 inch shorter than MSD's standard height 7908 generator. Designed for engine blocks with 50mm, 55mm, and 60mm diameter cam tunnels. Newly engineered raised oil passage groove to prevent oil leakage and provide superior oiling in large cam tunnel engine blocks. For use in raised cam, large cam journal blocks with dry sump oiling systems ONLY.

MSD79081\$1889.95





Street Fire Ignition

Capacitive Discharge Tech. Multiple sparks improve starting and idle. Full power output at high rpm. Easily connects to points, amplifiers and magnetic pickup distributors. Adjustable rev limiter for overrev protection. This Street Fire CDI Ignition is perfect for budget minded enthusiasts. The ignition offers capacitive discharge technology and will fire a series of multiple sparks that lasts for 20° of crankshaft rotation when the engine is running under 3,000 rpm. This ensures combustion and produces great throttle response and smooth idle. The CDI is built around a durable cast aluminum housing and easily connects to points, amplifiers and magnetic pickup distributors. There is even an adjustable rev limiter for overrev protection!

MSD5520...\$171.95

Street Fire Coils

We're excited to introduce several new coils to the Street Fire line. These coils mount directly in place of factory style versions and accept the OEM connectors as well. Performance output is improved thanks to a careful selection of better materials & efficient winding ratios.

Ford TFI Coil.....MSD5527...\$45.38
GO Dual Connector Coil.....MSD5526...\$45.38
Canister Coil.....MSD5524...\$41.96
Internal HEI Coil.....MSD5525...\$52.18

Ford 6-Tower Coil Pack,
1994-2000MSD5528...\$95.35
2001-2004MSD5529...\$104.95

Street Fire Chevrolet V8 GO HEI Distributor

The only value priced HEI with a full 1 yr warranty Heavy duty distributor gear for durability Welded weight pins and heavy duty construction Adjustable vacuum advance helps tune it to each engine 21° of mech advance. We know the importance of a centrifugal advance in a distributor so our engineers made sure that the Street Fire receive an advance assembly with coated weights and welded weight pins (not just pressed in like other models). It is fit with the same gear that is used on our Pro-Billet models. The metallurgy of this gear has been refined for years to perform through the harshest conditions.

MSD8362...\$167.95

GO HEI Weight and Spring Kit

This kit will help you achieve the solid ignition timing you need! The Kit comes with new advance weights, springs to set the rate of advance and new bushings. This is designed for the Street Fire HEI and stock style HEI Distributors. (Not for use with MS)

MSD8428...\$24.94



Cap and Rotor Kits

This kit will help you achieve the solid ignition timing you need! The Kit comes with new advance weights, springs to set the rate of advance and new bushings. This is designed for the Street Fire HEI and stock style HEI Distributors. (Not for use with MS)

GO Points Style with V8 Socket CapMSD5500\$28.34
GO HEI, V8 Internal CoilMSD5501\$28.34
GO External Coil, V8 EFIMSD5502\$28.34
GO External Coil, V6 EFIMSD5503\$28.34
Ford V8 Socket CapMSD5506\$28.34
Ford Duraspark V8MSD5504\$28.34
Ford/MSD TFI V8MSD5505\$28.34

Single Coils

Look no further when it's time to tune-up your LS! Bolt on legendary ignition performance with MSD's direct replacement coils. Reliable parts from the ignition leader at a price that won't break the bank. Direct bolt-in replacement. Exceptional Value.

GM LS1/LS6 Single Coil, '98-06 Black

SingleMSD82623\$69.23
8 PackMSD826283\$496.95

GM L-Series Truck Single Coil, '99-07 Black

SingleMSD82633\$56.74
8 PackMSD826383\$418.95

GM L-Series Truck Single Coil, '99-09 Black

SingleMSD82643\$56.74
8 PackMSD826483\$418.95

GM L-Series Truck Single Coil, '05-09 Black

SingleMSD82653\$71.50
8 PackMSD826583\$456.95



Street Fire GO EFI Distributors

They are ready to drop in to your V8 engine to replace the worn OEM piece. A factory style ignition module is included along with a durable new cap and rotor. The cast housing features a long sintered bushing to add stability and timing accuracy to the ignition.

Street Fire GO EFI Distributors

GO used this distributor when trucks first moved to EFI back in 1988! It was carried over into cars and was used through the mid 1990s and the introduction of the Vortech engine and LS Series blocks. Also, many aftermarket EFI system require this style distributor and module.

MSD5591...\$210.95

Street Fire GO Vortech Dists

GO moved to this distributor in the late 1990s and only used them for a few years. The unique flat cap design acts as a "correct-a-cap" meaning that the even number spark plug wires are all on the passenger side while the odd numbers are all on the driver's side.

Distributor.....MSD5592\$261.95

Cap and Rotor Kit.....MSD8017\$61.28

Street Fire Ford TFI

One of the most popular Ford distributors in use is the TFI version used in the 5.0L Mustangs from '86-94. Since these cars are getting up there in miles and years, Street Fire offers a great OEM upgrade and an even better price. As with all of the Street Fire Distributors, each one is spc'd by MSD engineers. The Ford TFI is supplied with the correct TFI ignition module and accepts the factory style connector. Of course a new cap and rotor are supplied to top the system off, as well as a fresh gear for durability.

MSD5594...\$221.95

Street Fire Wires

They feature a low resistance conductor that's wrapped in a sleek and durable black sleeve. The terminals are covered in black boots that protect the conductor from engine heat to ensure spark delivery.

- Helically wound conductor suppresses electro & radio noise.
- Kevlar core combination for great strength and durability.
- Heavy duty terminals for secure connection.
- 8mm silicone and synthetic jacket resists heat and abrasion.
- 500 Ohms per foot resistance for improved spark delivery & power.
- Silicone boots protect against high exhaust temps.

Chevy

Small Block Chevy, 350 HEI.....MSD5554...\$43.10
Chevy 454, '74-76 HEI.....MSD5560...\$46.52
Chevy 366-454, SocketMSD5561...\$46.52
Chevy Truck 305-350, '85-OnMSD5562...\$43.10
Corvette, 350 TPI, '84-91.....MSD5563...\$45.38
SBC, Socket Cap, under ManifoldMSD5564...\$46.52
SBC, Socket Dist, Cap over VCMSD5565...\$46.52
Corvette 305-350 HEI, '75-82.....MSD5566...\$45.38
Chevy 454, '75-On HEI.....MSD5567...\$46.52
Chevy 454, '88-OnMSD5569...\$46.52
'88-On Chevy Caprice/CamaroMSD5570...\$46.52
GO F-Body, Corvette, LS-Series, '97-On.....MSD5572...\$52.18
GO Truck, Tahoe, Suburban, Vortech V8, '96-97MSD5573...\$51.06
GO Truck, LS, LQ-Series, '99-05MSD5574...\$41.96
GO F-Body, LT1, '93-96MSD5575...\$52.18
Chevy Caprice, Impala, LT1, '94-96.....MSD5576...\$74.91
GO, Vortec V6, 4.3L, '96-97.....MSD5577...\$43.10

Dodge/Chrysler

'73-On, 318-360, Socket.....MSD5530...\$44.24
'73-On, 383-440, Socket.....MSD5531...\$44.24
'94-97, Dodge Ram 318-360MSD5532...\$44.24

Ford

Ford 351W, 400, 460, '77-On HEI.....MSD5540...\$44.24
Ford 302, 351W, HEIMSD5541...\$44.24
Ford 351C-460, Socket.....MSD5542...\$44.24
Ford 289-302, SocketMSD5543...\$44.24
Ford Mustang 5.0L, 94-OnMSD5544...\$44.24

Pontiac

Pontiac Grand Prix GTP V6, '97-OnMSD5539...\$54.47

Universal

These kits are supplied only with the spark plug boot installed. This way you can route the wires exactly as you'd like for a custom fit. Terminals and boots are supplied for the dist side that you install with a special tool that is also supplied. All kits are for 8-cyl.

Multi-Angle Plug, HEI CapMSD5550...\$47.65
Multi-Angle Plug, Socket/HEIMSD5551...\$51.06
90°, Plug/90° PlugMSD5552...\$47.65
90°, Socket/HEI CapMSD5553...\$51.06

Magnetic Pickup for all MSD Billet Distributors

It is the same high output assembly that is currently found in all MSD Dists. It is supplied with the two pin connector installed. Note: Not for use a replacement on OEM Dists.

MSD84661...\$31.74

HEI Vacuum Advance Stop Plate

This little plate allows you to limit the amount of vacuum advance on your Pro-Billet HEI, MSD8365, and Street Fire HEI, MSD8362.

MSD84281...\$11.29



Chevy V8 Dual Pickup Distributor

Dual magnetic pickups are placed 180° apart to provide a complete redundant ignition system for racing applications. Easy-to-adjust mech advance with supplied springs and stop bushings. Advance plate and weights are fine blanked from chrome moly steel and QPQ coated for friction reduction. Advance weight pins are staked and tig welded to the plate. Nylon pads ensure smooth operation of the advance weights. CNC machined billet alum housing and billet alum base 0.500 steel shaft is QPQ coated and guided by a sealed ball bearing and an extra long sintered bushing. Special oil tract improves lubrication to the dist and cam gear. O-ring seals can be installed for oil pressure control (modified blocks only). Adjustable slip collar mounting flange for engines with modified deck heights. Will not accept a vacuum advance canister. Mech advance assembly can be locked out for crank trigger systems. Supplied with an HEI style dist cap and rotor and accepts a Cap-A-Dapt. Must be used with an MSD 6, 7, 8, or 10 Series Ign No CARB Exemption Order Number.

MSD8356...\$360.95

Cap: MSD8433
Rotor: MSD8467**Iron Gears**

Increased outer hardened layer thickness (RC 55-60). Micro polished surface for smooth contact. Proprietary formula for ductile iron. Melonite QPC coating reduces friction and initial wear. Interstitial carbide concentration improves wear resistance and running properties.

Chevy, .500" ID	MSD8531	\$35.16
Chevy, Melonized, Marine Applications, 500" ID	MSD8561	\$73.77
Ford 351W, .531" ID	MSD85852	\$24.94
Distributor Gear, AMC	MSD8005	\$66.95

Ford Gears: Some Ford engines were equipped with dist gears made of different gears made of different materials, due to the camshaft used. When the most common engine, the 302, was equipped with EFI in the mid '80s it also used a hydraulic roller camshaft, which required a steel gear. MSD offers several replacements.

Iron Gear, Ford 289/302: replacement for carbureted Ford distributors with 0.486" ID and MSD8582, MSD8579, MSD8479, MSD8352, and MSD8503

MSD85833.....\$86.27

Steel Gear, Factory EFI 5.0L: replacement for MSD8455 and MSD8456 also for MSD 351W dists with 0.531" ID

MSD85834.....\$86.27

Steel Gear, 351C-460 w/Hydraulic Roller Cam: MSD85813.....\$95.35

Bronze Gears

MSD Bronze Distributor gears are machined from quality AMPCO 45 aluminum bronze containing 5% nickel. This special combination creates high strength gear teeth that are less prone to wear even with high-volume oil pumps.

Chevy, .500" ID	MSD8471	\$62.42
Chevy, .500" ID (Over sized) +0.006"	MSD8472	\$80.59
Pontiac V8, 500" ID	MSD85631	\$76.05
Ford 351C, 351M, 400, 429, 460, FE, .530" ID	MSD8581	\$55.60
Ford 351W, .530" ID	MSD8585	\$55.60

Bronze Distributor Gears

When installing a steel billet roller camshaft, a bronze dist gear must be installed in place of the original cast iron gear. They offer high strength to withstand the stresses created by high pressure oil pumps. Roll pins are included.

0.491" Bronze Distributor Gear...ALL81310...\$31.99

**Carbon Ultra-Poly Composite Dist Gear**

Manufactured from Carbon Ultra-Poly these gears represent the future of dist gears. These super tough gears show great promise in solving the wear issues associated with bronze gears in racing apps.

Chevy

Part #	Description	Fits Shaft Dia
COM12140	...V8 Sm and Big Block...500"\$123.81
COM12146	...For .006" Oversized...500"\$123.81

**Bushing & Spring Set, MSD Dist.**

The MSD Distributor Advance Kits are the same kits that come with your MSD Distributor. The kit contains an assortment of springs and advance limit bushings.

MSD8464...\$16.99

**Dist Hold Down Clamp, Billet, Chevy**

They are strong enough to keep the timing locked in place whether you are using an MSD Billet Distributor or Pro Mag. The MSD Hold Down Clamp is CNC machined from steel and fits all MSD Pro-Billet Chevy distributors and the Pro Mags. Each clamp includes the mounting stud, lock washer and nut.

MSD8110...\$37.43

**EFI Sync Distributor**

If your EFI has limited space in the back of the engine due to the intake combination or firewall, this low-profile dist is for you! The sync pickup of this dist is fixed at 45° BTDC on the number one cylinder. This signal will reliably alert your ECU as when the number one cylinder is preparing to fire. The dist uses a wide, Ford-style cap to improve voltage dist and to reduce the chances of ionization and spark scatter. A .0500" polished steel shaft is responsible for spinning the rotor and is guided by a sealed ball bearing guide and bushing.

MSD2340...\$648.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Cap: MSD8408
Rotor: MSD8457**Chevy Crab Cap Crank Trigger Distributor**

Designed to fit low in the block to clear firewall and intake combinations. CNC machined billet alum housing and Dupont Rynite base is designed for standard Chevy blocks. Adjustable slip collar for engines with modified deck heights. 0.500" taller for extra tall Chevy based engine blocks. Oversized polished steel shaft with a QPQ coating for friction reduction. Shaft is guided by a sealed ball bearing and an extra long sintered bushing. Special oil tract improves lubrication to the dist and cam gear. O-ring seals can be added to modified blocks to improve oil pressure control. Supplied with small, low crab style dist cap, rotor & bronze gear. Must be used with an MSD Crank Trigger & MSD Ign Control. No CARB Exemption Order Number.

MSD8489...\$262.95

Cap: MSD8541
Rotor: MSD8567**Crank Trigger Distributors**

Designed to fit low in the block to clear firewall and intake combinations. CNC machined billet alum housing and Dupont Rynite base. Oversized polished steel shaft with a QPQ coating for friction reduction. Shaft is guided by a sealed ball bearing and an extra long sintered bushing. Special oil tract improves lubrication to the dist and cam gear. O-ring seals can be added to modified blocks to improve oil pressure control. Must be used with an MSD Crank Trigger and MSD Ignition Control. Supplied with large diameter, HEI style dist cap and rotor. Supplied with bronze gear. No CARB Exemption Order Number.

Billet Crank Trigger Distributors:

Standard Chevy V8	MSD84697	\$272.95
Tall Block Chevy V8	MSD8558	\$331.95
Ford 351W	MSD8378	\$304.95
Ford 351W	MSD8569	\$285.95

Cap: MSD8408
Rotor: MSD8457**Pickup Assembly, Non-Magnetic, 3/4"x16 UNF**

They are engineered for extreme applications. In fact, this Pick-Up was designed and tested on 300+ mph top fuel dragsters! To live up to MSD's demanding expectations in these extreme applications, we took it upon ourselves to design and build the Pick-Ups in-house. This way we can control every aspect of their assembly and quality. Each Pick-Up is hand wound on a special bobbin and terminated to our tinned conductor, teflon jacketed wiring. These wires are also routed through a strain relief for protection. This assembly is then installed into the precision housing and is potted with a fracture resistant epoxy compound.

MSD8276...\$88.53

**Compact Non-Magnetic Pickups**


The Non-Magnetic Pickups are available in two housing sizes. The 3/4" model is used with MSD's Flying Magnet Crank Trigger Kits. The 3/8" diameter Pickups are used with MSD's Sprint Car Crank Trigger Systems as well as the professional racing kits from RCD and PSI.

36" Shielded Harness

3/8" x 24 x 1.5".....MSD8159\$171.95

**Small Armor Braided 32" Harness**

3/8" x 24 x 1.5".....MSD8154\$206.95

**Magnetic Pickup Assembly**

This is a replacement pick-up for older style crank trigger systems that require a magnetic pick-up. This pick-up is magnetic and must be used with a trigger wheel equipped with steel studs to create a signal. The pick-up is .75" x 16" x 2.25".

MSD8505...\$131.95

Universal Crank Trigger Kit

This kit is supplied with everything you'll need to get you going in the right direction. A 7" billet aluminum wheel is supplied that has magnet positions for 4, 6, 8, 10 or even 12-cylinder engines. An oversized bracket arm is supplied that can be cut down to your specs and an "L" shaped holder is also supplied that can be machined for the 3/4" or 3/8" pick-up.

MSD8655...\$385.95

**Flying Magnet Crank Trigger Kits**

Absolutely the most accurate way to trigger the ignition. The non-magnetic pickup cannot be false triggered. Powerful magnets are embedded in a billet aluminum trigger wheel. Kits feature special brackets and mounting hardware for a variety of engines.

SBC, 6.25" Balancer.....	MSD8600	\$325.95
SBC, 7" Balancer.....	MSD8610	\$325.95
SBC, 8" Balancer.....	MSD8615	\$325.95
BBC, 8" Balancer.....	MSD8620	\$365.95
SB Chrysler, 7.25" Balancer.....	MSD8633	\$385.95
BB Chrysler, 7.25" Balancer.....	MSD8636	\$384.95

SBF, 289, 302, 351W, 6.562" Balancer.....	MSD8640	\$376.95
BBF, (except Cleveland block), 7.25" Balancer.....	MSD8644	\$376.95
Pontiac V8, 7" Balancer.....	MSD8650	\$385.95

**Black Balancer Crank Trigger Kit**

Each Flying Magnet Crank Trigger includes a two-piece mounting bracket for the non-magnetic pick-up that in most cases will work on either the passenger side or driver's side of the engine (the SB Chrysler and SB Ford brackets mount on only one side).

SBC 6.25"	MSD86003	\$325.95
SBC 7"	MSD86103	\$325.95
BBC	MSD86203	\$365.95



Racing Rotor MSD Billet Distributors

These rotors are designed with high rpm and performance in mind which is why they are standard on most MSD Pro-Billet Distributors. Both rotors are injection molded from Rynite material for incredible strength and high dielectric properties.

MSD8467...\$11.29

Fixed Rotor PN 8445

Band clamp mount allows easy rotor phasing adjustment. The only front drive distributor with adjustable belt tension. The MSD Cap and Rotor are injection molded from strong Dupont Rynite material. Billet aluminum bracket and lower housing for strength.

MSD8423...\$21.53

Bottom Rotor Square Drive

Molded from strong, durable Rynite material these rotors are designed specifically for MSD Crank Trigger Distributors. The rotor tip is secured with a screw for high rpm racing applications.

MSD8568...\$27.20

Rotor Phasing Kit for MSD Distributors

When you install EFI on your engine, most systems will require the ignition timing to be advanced for the ECU. This can cause issues with rotor phasing, but the new Adjustable Rotor remedies this issue! The rotor offers up to 20° of advance or retard and is easy to set up with accurate one degree detent adjustments.

MSD84211...\$39.69

Rotor and Base for Low Profile Distributors

MSD8457...\$36.29

Replacement Rotors

MSD Distributor Rotors are molded from high quality, voltage insulating material for resist carbon tracking while ensuring that the ignition spark reaches the spark plug terminals. For optimum voltage carrying capabilities the rotor tips are made from low resistance brass for maximum voltage transfer.

Rotors:

VW, MSD8485, & Ford 2.3L, MSD8473, Dist Only...MSD8470...\$15.85

GM and MSD HEI, OE...MSD8410...\$7.90

GM & MSD Small Cap EFI:

(MSD8366 and MSD8367)...MSD8427...\$12.43

Ford & MSD 5.0L Late Model...MSD8070...\$7.90

Ford Large Cap, Duraspark...MSD8407...\$10.16

MSD Timing Tapes

Accurate ignition timing is one of the most vital adjustments you can make to your engine. Proper timing can mean the difference between winning and losing a race or even blowing an engine (as a worst case scenario). Recognizing the importance of the timing, MSD offers these Timing Tapes. It comes with eight different tapes to fit common balancers ranging from 5.25" to 8" diameter. The tapes are marked off in one degree increments from 14° ATDC to 64° BTDC and are printed on a tough, chemical resistant material.

MSD8985...\$5.00

MSD GM LT1 Distributor Cap/Rotor

Finally a high quality Cap and Rotor for the front mount LT1 distributor! Also the all new cap housing is injection molded from a special DuPont material that provides strength and high dielectric properties resulting in less chance of breakdown causing a misfire.

LT1 Distributor Cap and Rotor Kit:

'93-94, with Fresh Air Vacuum Kit...MSD8481...\$176.95

'94-97...MSD84811...\$173.95

Cap and Rotor Kits

The cap and rotor of any ignition system must be considered maintenance items. Just as you change the oil and filter of your car, you should always replace the cap and rotor as a set. To make things easy, we now offer these cap and rotor replacement kit.

GM V8 EFI, External Coil...MSD8406...\$34.01

GM V6 EFI, 4.3L...MSD8430...\$30.62

GM V8 HEI, Internal Coil, OE...MSD8416...\$35.16

MSD/GM Points Style Socket Cap...MSD8442...\$35.16

Ford V8 TFI...MSD8482...\$38.18

Ford V8 Duraspark...MSD8450...\$39.39

Ford V8 Duraspark with Spacer...MSD8414...\$47.65

MSD Extreme HEI, Internal Coil...MSD84023...\$75.37

MSD Cap (MSD8433) & Race Rotor...MSD84335...\$41.96

Small Diameter MSD Cap (MSD8431) & Race Rotor...MSD84315...\$41.96

Large Cap Ford (MSD8408) & MSD Rotor...MSD84085...\$41.96

MSD HEI Components

MSD tooled up to produce the strongest HEI Cap available. The Cap and rotor will fit our HEI Pro Billet Distributor, MSD8365, plus will work on stock applications.

V8 HEI Cap...MSD84111...\$48.79

Rotor...MSD84101...\$18.12

Coil Cover...MSD84022...\$35.16

Low Resistance Rotor Bushing...MSD8412...\$13.57

Cap-A-Dapt Kits

If the new Pro-Cap doesn't work on your application, these MSD Cap-A-Dapts will do the trick. The MSD Cap-A-Dapt adapts a large, Ford style cap onto your MSD distributor.

Cap-A-Dapt, Fixed Rotor...MSD8445...\$62.42

Cap-A-Dapt, Small Dia Dist...MSD8441...\$72.64

Cap-A-Dapt, w/Adjustable Rotor...MSD8420...\$66.53

Adjustable Race Rotor

If the new Pro-Cap doesn't work on your application, these MSD Cap-A-Dapts will do the trick. The MSD Cap-A-Dapt adapts a large, Ford style cap onto your MSD distributor.

Adjustable Race Rotor
(replaces Race Rotor MSD8467)...MSD84211...\$39.69

Pro-Cap Cap-A-Dapt Kit, Fits MSD Dists

Five inch diameter and 2-inches between each terminal for improved voltage distribution. Injection molded from Rynite for incredible strength and dielectric properties. Plug Wire Retainer holds the wires securely in place. Rotor tip can easily handle high heat and is indexed and firmly secured with 2 screws.

MSD7445...\$112.95

Stock Style Cap and Rotor for GM Distributors

Stock Style Components...MSD8411...\$35.16

Replacement Rotor...MSD8410...\$7.90

Stock Coil Cover...MSD8402...\$22.67

Distributor Caps

All MSD Extra Duty Distributor Caps are designed with performance in mind and are molded from high quality, voltage insulating material and use low resistance terminals.

Chevy V8 Standard MSD8437 Socket
(use rotor MSD8467)...MSD8437...\$28.34

Late Model HEI, External Coil (MSD8366)
(use rotor MSD8427)...MSD8426...\$26.07

For MSD8485 VW Distributor
(use rotor MSD8470)...MSD8434...\$21.53

Black Small Diameter Cap and Rotor Kit


The cap and rotor of any ignition system must be considered maintenance items. Just as you change the oil and filter of your car, you should always replace the cap and rotor as a set. To make things easy, we now offer these Cap and Rotor Replacement Kits.

Black Chevy V8 HEI Dist Cap and Rotor

Kit: MSD Cap, MSD84333 and Race Rotor, MSD8467.
MSD84336...\$41.96

Black Small Diameter Cap and Rotor Kit

Kit: Small Diameter MSD Cap, MSD84313 and Race Rotor, MSD8467.
MSD84317...\$41.96



Proposition 65 Warning: These products contain chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

GM Small Block Front Drive Dist.

Billet aluminum construction for strength and precise operation. Standard size Ford style cap features brass terminals and a wire retainer. Wide, 9mm belt for the most secure operation. Provisions for belt tension adjustments.

Pro Billet Front Drive Distributors:

Chevy Small BlockMSD8510\$679.95
Chevy Big BlockMSD8520\$679.95
(Will not fit raised cam big blocks such as Merlin, Donovan, Dart blocks or Gen V or Gen VI.)

Cap: MSD8408
Rotor: MSD8423

Chevy V8 HEI Retainer Distributor Cap

If you are upgrading from a points socket style cap you will need to change your boots and terminals. MSD offers a set of nine as MSD8849.

RedMSD8433.....\$40.83

Ford HEI Distributor Cap

It has a provision for the coil wire to be routed in separately.

RedMSD8408.....\$37.43

BlackMSD84083.....\$37.43

Distributor Cap for PN 8570, 8545, 8546

MSD molds our most popular V8 distributor caps in-house. These caps are injection molded from DuPont Rynite material and feature spark plug-style terminals. These terminals offer improved locking connections.

RedMSD8431.....\$40.83

BlackMSD84313.....\$40.83

Crab Cap Distributor Cap

Crank Trigger distributor, use rotor MSD8567, Flat Top, and Flat-head distributors, use rotor MSD84673.

MSD8541.....\$61.28

Marine HEI Tower Cap w/Wire Retainer

MSD molds our most popular V8 dist caps in-house. These caps are injection molded from DuPont Rynite material and feature spark plug-style terminals. These terminals offer improved locking connections.

MSD8565.....\$43.81

Starter Saver w/Signal Stabilizer

Compact unit provides 10° or 20° of start retard to ease pressure on the starter and flywheel during cranking. Plugs into an MSD Dist or Crank Trigger pickup. Built-in LED monitors trigger input signals. Built-in signal stabilizer produces steady timing at all rpm. Unit is completely potted with Ciba polyurethane compound. Must be used with an MSD Ignition Control, magnetic pickup trigger and only on V-8 applications No CARB Exemption Order Number.

MSD8984.....\$138.95

Start and Step Timing Control

This compact controller provides an adjustable start retard to help high compression engines crank over easily, plus has a single stage retard. The unit measures 2.75" x 2.37" x 1.25" and simply connects between the distributor and the MSD Ignition. Two rotary dials offer simple adjustments.

- Perfect for high compression nitrous cars.
- Compatible with 4, 6 or 8-cylinder engines.
- Accepts points, amplifiers and mag pickup trigger signals.
- Must be used with an MSD Ignition Control.
- Perfect for high compression nitrous cars.

MSD8987.....\$163.95

Digital Multi-Retard

It provides four different stages of retard along with an adjustable start retard feature - all of this with no modules! The MSD Multi-Retard uses a high speed RISC microcontroller to direct the timing functions. This controller can make extremely quick compensations to the timing while maintaining accuracy to within 1°. There is also an innovative Magnetic Pick-Up Compensation circuit built-in to allow for rock-steady timing with a variety of different mag pickups. There are four separate retard stages that can be activated independently or together for a total sum of retards. Each stage is adj from 0° - 9° and a max of 20° of retard can be pulled out. On top of these great features, there is also an optional start retard circuit that can be programmed to retard the timing 5°, 10°, 15° or 20° during cranking. The Digital Multi-Retard can be used on 4, 6 or 8-cyl engines and must be used with an Ignition Control. 4 stages of retard. Magnetic pick-up compensation circuit. Adjustable start retard.

MSD8975.....\$295.95

Mini Stripper Crimper

This special tool is an inexpensive way to make a set of custom plug wires. It provides a die to strip either 8mm Heli-Core or 8.5mm Super Conductor Wire, then can be used in a vise to provide a solid terminal crimp to the wire.

MSD3503.....\$10.16

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Three Stage Retard Control

It allows you to retard your ignition timing in 3 different stages. You can activate one retard for a nitrous stage and another at top end in high gear for more mph and still have another module left over for dual stage nitrous systems. When activated together, the retard amounts are cumulative so you get the total of the three. For example, if you pull 2°, then 4° on the second stage and another 2° at top end, the total retard is 8° (2+4+2=8). In addition to the individual retard stages, the Three Stage Retard Control has an optional start retard function that retards the timing 10° or 25° while cranking the engine. It connects easily to your MSD Ignition and can be triggered from points, electronic ignitions, crank triggers or magnetic pickup dists. It is supplied with a 2°, 3°, and 4° module and must be used with an MSD 6, SCI, 7, 8 or 10 Series Ignition.

MSD8970.....\$270.95

Selector Switch

The Retard Module Selectors allow you to select between 12 retard amounts with the turn of a dial. The Selectors plug into the retard module receptacle of any MSD Timing Controls.

0°-11°MSD8676.....\$86.27

Module Kits

MSD Retard Module Kits give you a full selection of retard modules to be used with your Timing Controls.

1°, 2°, 3°, 4°, 5°MSD8777...\$35.16

5°, 6°, 7°, 8°, 9°, 10°MSD8776...\$37.43

11°, 12°, 13°, 14°, 15°MSD8774...\$35.16

16°, 17°, 18°, 19°, 20°MSD8775...\$35.16

Zero Degree ModuleMSD8773...\$6.77

Rubber Module Holder

The MSD Module Holders are exactly what you need to keep track of your MSD RPM or Retard Modules. Available in two styles: machined from a solid piece of aluminum or a new flexible plastic piece.

- Keep your rpm and timing modules organized.
- Durable flexible material keeps its shape and form.

MSD87551...\$20.39

Boost Timing Master for use w/MSD Ignition Control

It allow you to adjust the amount of ignition retard from 1° per pound of boost to 3° per pound via a control knob that you mount on the dashboard. This way you can make adjustments on the fly to prevent detonation as fuel quality or altitude and air quality changes up to a maximum of 15° retard. You can also set a boost pressure point to start the retard. There is a boost pressure port to connect to your manifold and the BTM wires easily to the MSD Ignition Control. Adjust the timing from the drivers seat. Easily connects to your MSD Ignition. New feature allows you to set a boost pressure point to start the retard!

MSD8762...\$349.95

Programmable

Fuel Pump Voltage Booster

The updated Fuel Pump Voltage Booster is an easy way to maintain the proper fuel pressure on your car after adding a power adder such as a turbo or supercharger. What is updated you say? The new model allows you to make your boost adjustments through a PC for improved control and accuracy. The Booster ensures that the engine receives the fuel it needs to make up for the increase in air being pumped into the intake manifold. It will increase the voltage to the factory fuel pump in proportion to manifold boost pressure in order to maintain the proper fuel delivery. The amount of increase is adj from a range of an additional 1.5- 22 volts up to 30 psi which can all be set & adjusted from your PC w/MSDs easy to use Windows based software. The MSD Booster will wire to the factory fuel pump relay or with a secondary booster pump. Maintains fuel volume in relation to boost pressure by stepping up the supply voltage to the electric fuel pump. Voltage output is adjustable up to 22 volts at 15 psi of boost. For use with stock electric fuel pumps or secondary booster pumps.

MSD2351...\$458.95

Pro Crimp Tool, Ratchet Action

It features interchangeable jaws allowing for a variety of different style crimps with one heavy-duty tool. The Pro-Crimp features a hardened steel frame with comfortable molded hand grips. The slick ratchet action provides secure, factory quality crimps every time. The Tool is supplied with precision crimping/stripping jaws for MSDs spark plug wire terminals.

MSD35051...\$91.95

Pin Crimp Dies

These dies are for use with Pro-Crimp Tool, MSD35051.

Amp PinMSD3506...\$36.29

Amp LugMSD3507...\$36.29

Plug WireMSD3508...\$31.74

WeatherightMSD3509...\$47.65

Deutsch.....MSD3510...\$47.65



SmartSpark LS Ignition Module**DAYTONA SENSORS**

It includes support for LS 1 version and for carbureted GM LS series V8 engines with 24 or 58 tooth crank trigger. The SmartSpark LS is a versatile ignition module for GM LS1/LS6 and LS2/LS7 race engines. Selection for GM LS1 or higher energy LS2 style coils. Preprogrammed with advance tables suitable for a wide range of normally aspirated high performance engines. Digitally set launch, burnout, and maximum RPM limits with 100 RPM steps from 3,000 to 9,900 RPM. Individual cylinder timing (ICT) capability with RPM based offset up to $\pm 5^\circ$ with 0.1° steps. Mode switch allows selection of basic functions. Advanced features require optional USB interface and PC Link software. Status LEDs show trigger inputs. Heavy duty 12 pin Deutsch connectors used for signal connections. Same mounting pattern as competitive units. New installations require wire harness depending on mounting location.



DAY119001\$237.00 SmartSpark LS Ignition Module
 DAY119002\$213.00 SmartSpark LS1/LS6 Remote Wire Mount Harness
 DAY119003\$213.00 SmartSpark LS1/LS6 Manifold Wire Mount Harness
 DAY119004\$72.00 SmartSpark LS Adapter Harness for MSD Upgrade
 DAY119005\$213.00 SmartSpark LS2/LS7 Remote Mount Harness
 DAY119006\$213.00 SmartSpark LS2/LS7 Manifold Mount Harness
 DAY119007\$299.00 SmartSpark LS Ignition Kit (module & USB interface)
 DAY119008\$89.00 1 Bar MAP Sensor
 DAY119100\$75.00 SmartSpark Coil for GM LS2, LS3, and LS7 Engines
 DAY119100-8\$335.00 SmartSpark Coil 8 pk for GM LS2, LS3, & LS7 Engines

Programmable Data Logger with Shift Light

Ultra high brightness red/green/blue LED display that can be panel mounted or attached to a tach with a supplied bracket. The LED full spectrum color capability. Launch and multi-stage shift light capability. A launch RPM and up to five shift RPM levels can be defined to support up to six gear transmissions. Gear detection is based on vehicle speed or RPM drop during shift. Vehicle speed based gear detection allows use in applications other than drag racing as it allows correct gear sensing after downshifts. Launch detection is based on vehicle speed or a signal from a line lock solenoid. Two independent programmable alarm functions for analog inputs. Flexible RPM input compatible with high voltage coil drive, standard 12 volt tach signal, or low level logic drive. Built-in data logging. Ideal as basic vehicle data logger during dyno tuning or on the track. Logs data whenever system is armed. Stores last 5 minutes of data at 10 samples/second. Logged data includes throttle position, RPM, vehicle speed, status of all inputs and outputs, and two 0-5 volt analog inputs. Compact size: 3.3"L x 2.4"W x 1.1"H. USB interface to laptop PC. Powerful Windows software for programming controller and downloading logged data. DAY117001..\$282.00 SL-1 Programmable Shift Light and Vehicle Data Logger

**NC-1/NC-2 Nitrous Controller & Vehicle Data Logger***

They have identical features and capabilities except that the NC-2 can directly drive two nitrous stages with progressive control (modulated flow). The NC-1 requires external relays and is limited to on/off control. The NC-1 is recommended for applications under 100 horsepower. A progressive controller, such as the NC-2, pulse width modulates the solenoid valves and allows you to control the flow rate. The two primary applications for a progressive controller are matching nitrous system power output to vehicle requirements and independently controlling fuel and nitrous oxide flows for optimum air/fuel ratio (AFR). General purpose input/output (GPIO) terminal. Programmable for use as shift light output, additional stage enable input, or control output for ignition retard. Status LED output (ideal for use with arming switch containing LED). Built-in data logging. Ideal as basic vehicle data logger during dyno tuning or drag racing. Logs data whenever system is armed. Stores last 5 minutes of data at 10 samples/second. Data logged includes throttle position, RPM, vehicle speed, status of all inputs and outputs, and two 0-5 volt analog inputs. 0-5 Volt analog inputs are compatible with Daytona Sensors single or dual channel WEGO systems for logging wide-band air/fuel ratio data. Heavy duty industrial grade clamping terminal blocks allow easy and reliable hookup without soldering or crimping. Compact size: NC-1 is 3.3"L x 2.4"W x 1.1"H and NC-2 is 4.1"L x 2.8"W x 1.1"H. USB interface to laptop PC. Powerful Windows software for programming controller and downloading logged data. Drives two nitrous stages and purge solenoid. DAY116002..\$373.00 NC-2 Progressive Nitrous Controller and Vehicle Data Logger

**CD-1 Capacitive Discharge Ignition System for Racing***

Complete capacitive discharge ignition system for racing. 135 MJ spark energy output. Digitally set launch, burnout, and maximum RPM limits with 100 RPM steps from 3,000 to 9,900 RPM (10,900 RPM for maximum RPM limit). PC programmable advance features ranging from a simple RPM based advance curve to a 3D timing map with boost proportional retard. Built-in data logging capability with 16 Mbit DataFLASH memory. Dedicated input terminals for launch RPM and manifold pressure. 12 pin Deutsch connector used for signal connections. Compact size. Module is 7.0"L x 5.25"W x 1.9"H. Coil is 4.4"L x 3.2"W x 3.0"H. Less than 5 amp current draw at 8,000 RPM.



DAY102002* \$114.50...CD-1 Ignition Coil
 DAY102003 ..\$595.00...CD-1 Capacitive Discharge Ignition System Kit
 DAY102004 ..\$79.95...USB Interface with 6 foot USB Cable and Software on CDROM
 DAY102005 ..\$42.50...RTD-1 Retard Control
 DAY102006 ..\$37.50...MAP Sensor Harness Kit
 DAY102007 ..\$49.00...Power Filter Capacitor Kit



DAY115011...\$65.00...1 Bar MAP Sensor (Delphi Gen 1 style for normally aspirated apps)
 DAY115012...\$77.00...2 Bar MAP Sensor (Delphi Gen 1 style for turbo/super-charged apps)
 DAY115013...\$95.00...3 Bar MAP Sensor (Delphi Gen 1 style for turbo/super-charged apps)

**Wego3 Wide Band AFR Display**

It includes WEGO III unit with 96" harness, Bosch LSU 4.2 oxygen sensor, 18 x 1.5 mm weld nut for exhaust pipe, and software on CDROM. Single and dual channel air/fuel ratio display systems with built-in data logging. Versatile tuning aid for all carbureted and fuel injected engines displays air/fuel ratio (AFR) and logs over 2 hours data including AFR, engine RPM, and a spare 0-5V analog input for sensors such as throttle position or manifold pressure. Wide supply voltage range from 11-16V allows operation from battery on small engines and race vehicles without an alternator. Current drain is approx. 1 amp per channel. Built-in USB interface. WEGO data logging software runs under Windows XP/ Vista/7/8. The software allows viewing & analyzing AFR, engine RPM and analog data with user defined scaling. DAY112002\$438.00...WEGO3 Wide-Band AFR Display (96" harness)
 DAY114001\$438.00...WEGO4 Wide-Band AFR Display

**WEGO Accessories & Replacement Parts**

All WEGO systems use the Bosch LSU 4.2 wide-band exhaust gas oxygen sensor. Accessories & replacement parts listed below are suitable for use with all our WEGO systems.
 DAY115001\$96.00...Wide-Band Exhaust Gas Oxygen Sensor
 DAY115002\$6.50...18 x 1.5 mm Hex Socket Plug
 DAY115003\$6.50...18 x 1.5 mm Weld Bung
 DAY115007\$10.70...18 x 1.5 mm Stainless Steel Weld Bung
 DAY115008\$10.70...18 x 1.5 mm Hex Stainless Steel Socket Plug

**WEGO Dual Display Wide-Band Air/Fuel Ratio Meter (AFR) System**

Complete air/fuel ratio (AFR) display system with built-in data logging. Includes WEGO III Dual Display unit, two Bosch LSU4.2 5-wire wide-band oxygen sensors, two 18x1.5mm weld nuts, and software on CDROM. Displays Lambda or correct AFR values for any hydrocarbon fuel with a known stoichiometric ratio. Versatile tuning aid for all carbureted and fuel injected engines displays AFR and logs over 2 hours data. Input for optional customer supplied flex fuel sensor. A switch under the sensor 2 LED allows selection of normal AFR display or 0-100% ethanol display. Can be used for on-road or dyno testing. Suitable for automotive, motorcycle, and other small engine applications. Easy free-air calibration procedure corrects for sensor aging effects. 0-5V analog AFR outputs for interface to dyno instrumentation. Wide supply voltage range from 11-16V allows operation from battery on small engines and race vehicles without an alternator. Size: 5.6"L x 3.2"W x 0.9"H.



DAY112005\$585.00...WEGO3 Dual Channel Wide-Band AFR Display
 DAY113001\$585.00...WEGO4 Dual Channel Wide-Band AFR Display

WEGO Wide-Band Air/Fuel Ratio (AFR) Interfaces

Complete air/fuel ratio (AFR) display system with built-in data logging. Includes WEGO III Dual Display unit, two Bosch LSU4.2 5-wire wide-band oxygen sensors, two 18x1.5mm weld nuts, and software on CDROM. Displays Lambda or correct AFR values for any hydrocarbon fuel with a known stoichiometric ratio. Versatile tuning aid for all carbureted and fuel injected engines displays AFR and logs over 2 hours data. A switch under the sensor 2 LED allows selection of normal AFR display or 0-100% ethanol display. Can be used for on-road or dyno testing. Suitable for automotive, motorcycle, and other small engine applications. Easy free-air calibration procedure corrects for sensor aging effects. 0-5V analog AFR outputs for interface to dyno instrumentation. Wide supply voltage range from 11-16V allows operation from battery on small engines and race vehicles without an alternator. Current drain is under 2 amps. Size: 5.6"L x 3.2"W x 0.9"H.



DAY111004 ..\$428.00 WEGO3D Kit (WEGO3D w/o display, 2 sensors & 2 weld bungs)

TC-1 Turbo Controller & Vehicle Data Logger*

Flexible turbo control system adaptable to most turbocharged vehicles. Open and closed loop control modes. Includes programmable duty cycle or boost curves based on RPM, vehicle speed and or time. Compatible with most boost control solenoid valves. Built-in 4-bar MAP sensor. User selectable units (psi, In-Hg, or kPa). Bright transreflective LCD display with backlight is readable in direct sunlight. Built-in data logging capability with 16 Mbit Data FLASH memory. Rates ranging from 2 samples/sec for 5 hours to 100 samples/sec for 6 minutes. Logs boost (MAP), RPM, vehicle speed, throttle position, solenoid duty cycle, battery volts, and two 0-5V analog inputs. 0-5V analog inputs are compatible with Daytona Sensors single or dual channel WEGO units for logging wide-band air/fuel ratio data. Programmable general purpose input/output can be used for an external scramble switch or to control a water/methanol injection system. Windows software for data logging and advanced setup functions. Size: 4-1/2"L x 3"W x 1"H.



DAY118001..\$324.95 TC-1 Turbo Controller and Vehicle Data Logger System
 DAY118002..\$89.95...Boost Control Solenoid (for use with TC-1)

LED Timing Light for Dyno Apps

LED life estimated to be in excess of 400 hours with engine running at 1,500 RPM. Low cost capacitive spark pickup is used with conventional distributor, coil pack, or coil-near-plug ignition systems where a spark plug wire is accessible. Spark trigger sensitivity adjustment to accommodate different ignition energy levels while avoiding false triggering. Additional trigger inputs allow using the LED timing light with coil-on-plug ignition systems. Logic level (0-5V) trigger input allows triggering from coil drive signal for coil-on-plug ignitions with integrated coil drivers. LED lamp has 15" flexible gooseneck with 1/8-27 NPT male thread that allows easy mounting and alignment on any dyno frame. Size: controller 3.3"L x 2.1"W x 0.9"H & LED lamp is 1.5" OD x 1.9"L. Operates from 12 VDC.
 DAY120001 ..\$350.00...LED Timing Light (controller, LED lamp & capacitive spark pickup)



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



SPARK PLUGS

Popular High Performance Spark Plug Types

Chrysler, Ford, Chevrolet V6 and V8 w/alum. aftermarket cyl. heads Circle Track, Drag and Off Road racing. For compression ratios from 11:1 to 16:1. Also for use on big block cast-iron heads using 3/4" reach plugs. Used where piston dome & cylinder head modifications cause clearance problems between plug and piston top.

C Series	HOT	Stk NBR.....Plug Type
14mm Thread	↑	691CHAM C63CX \$.41
.750" Reach	↑	297CHAM C61CX \$.41
5/8" Hex	↓	296CHAM C59CX \$.41
		295CHAM C57CX \$.41
		294CHAM C55CX \$.41
		293CHAM C53CX \$.41
	COLD	



Chrysler, Ford, Chevrolet V6 and V8 w/alum. aftermarket cylinder heads Circle Track, Drag and Off Road racing. For compression ratios from 11:1 to 14:1. For use on big block cast iron heads using 3/4" reach plugs

C Series	HOT	Stk NBR.....Plug Type
14mm Thread	↑	796CHAM C63YC \$.405
.750" Reach	↑	794CHAM C61YC \$.405
5/8" Hex	↓	792CHAM C59YC \$.405
		791CHAM C57YC \$.405
	COLD	

Ford & GO iron head big and small block. Also V6 and some aftermarket aluminum replacements for OE-designed cylinder heads. For compression ratios ranging from 11:1 to 15:1.

V Series	HOT	Stk NBR.....Plug Type
14mm Thread	↑	802CHAM V63C \$.419
.460" Reach	↑	265CHAM V63Y \$.405
Conical Seat	↑	263CHAM V61 \$.405
5/8" Hex	↓	670CHAM V59C \$.405
		672CHAM V59YC \$.405
		671CHAM V57YC \$.405
	COLD	

(3/8" reach, 14mm, flat gasket seat) Plug types fit 327 Chevrolet, Olds 400 and 455, Pontiac 350, 389, 400, 455, Chrysler 400, etc) with 11 to 13:1.

J Series	HOT	Stk NBR.....Plug Type
14mm Thread	↑	266CHAM J63Y \$.405
3/8" Reach	↑	264CHAM J61 \$.405
13/16" Hex	↓	
	COLD	

General Guidelines for Heat Range Selection

Normally Aspirated, Gasoline Fueled

Compression Ratio	Recommended Heat Range
9:1-10:1	65-63
10.5:1-12:5:1	63-61
13.0:1-14.5:1	61-59
15:1-16:1	57-55
16:1 and higher	55-53



For alcohol fuels, mild turbo or supercharged and for oval track racing (1/2 mile track or longer), Drop 1 heat range cooler. For nitrous oxide fuel, severe turbo or supercharging, drop 2 or more heat ranges cooler.

Thread .14mm

Hex.....Reach.....Style.....Part

5/8"......460".....tapered.....AUTLAR12.....	\$.324
5/8"......460".....tapered.....AUTLAR13.....	\$.324
5/8"......460".....tapered.....AUTLAR132.....	\$.31
5/8"......460".....tapered.....AUTLAR133.....	\$.395
5/8"......460".....tapered.....AUTLAR134.....	\$.324
5/8"......460".....tapered.....AUTLAR135.....	\$.324
5/8"......750".....gasket.....AUTLAR3910.....	\$.31
5/8"......750".....gasket.....AUTLAR3910X.....	\$.491
5/8"......750".....gasket.....AUTLAR3911.....	\$.395
5/8"......750".....gasket.....AUTLAR3932.....	\$.395
5/8"......750".....gasket.....AUTLAR3932X.....	\$.449
5/8"......750".....gasket.....AUTLAR3933.....	\$.395
5/8"......750".....gasket.....AUTLAR3933X.....	\$.449
5/8"......750".....gasket.....AUTLAR3934.....	\$.395
5/8"......750".....gasket.....AUTLAR3935.....	\$.31
5/8"......708".....tapered.....AUTLAR473.....	\$.395
5/8"......708".....tapered.....AUTLAR474.....	\$.395
13/16"......750".....gasket.....AUTLAR50.....	\$.31
13/16"......750".....gasket.....AUTLAR51.....	\$.315
13/16"......750".....gasket.....AUTLAR52.....	\$.315
13/16"......3/8".....gasket.....AUTLAR73.....	\$.315
5/8"......708".....tapered.....AUTLAR93.....	\$.324
5/8"......708".....tapered.....AUTLAR94.....	\$.315



Spark Plugs

Cut back ground electrode for improved ignition ability. Anti-corrosive nickel plating. Large ground electrode for better heat transfer. Officially licensed spark plug of NASCAR. Renowned Autolite quality.

Ultra 40 Spark Plug Wires

The Most Powerful Wire Ever!

Highest spark energy transfer! Highest EMI/RFI suppression! Highest horsepower gain! Nickel copper conductor surrounds layers of ferrite impregnated core and Kevlar, protected by an extra thick EPDM layer and an 8.65 mm silicone jacket. No more powerful wire made.

Sleeved under header

SBC 90° non-HEI	MOR73605	\$.155.88 ea
SBC 90° HEI.....	MOR73607	\$.155.88 ea
BBC 90° HEI.....	MOR73616	\$.155.88 ea
BBC 90° non-HEI	MOR73617	\$.155.88 ea

Sleeved over header

SBC 90° non-HEI	MOR73600	\$.194.87 ea
SBC 90° HEI.....	MOR73602	\$.155.88 ea
BBC straight - Non-HEI	MOR73614	\$.194.87 ea
BBC straight - HEI	MOR73615	\$.155.88 ea



Universal Plug Wires

Blue Max Spiral Core Universal Sets

Kits come terminated at plug end, with enough wire to fit HEI or non-HEI distributors. Coil wires included where required.

90° Blue.....	MOR73225	\$.87.07
90° Red	MOR73219	\$.87.07
90° Black.....	MOR73231	\$.87.24
Straight Blue.....	MOR73226	\$.87.07
Straight Red	MOR73218	\$.87.07
Straight Black	MOR73232	\$.87.24



Blue Max Spiral Core Pre-Made Sets

8mm silicone. Insulated sleeve runs full length. Shrink tube sealed boots, and numbered ID tags. Race wire kits do not include coil wires.

SBC - HEI Type Terminals

90° plug terminals. Over Valve Covers	MOR72402.....	\$.137.05
Under Headers	MOR72407.....	\$.137.05

SBC - Non-HEI Type Terminals

Under Headers	MOR72405.....	\$.171.33
---------------------	---------------	------------------

BBC - HEI Type Terminals

90° plug terminals. Under Headers.....	MOR72416.....	\$.137.05
Straight Terminals. Over Valve Covers	MOR72415.....	\$.137.05

Ford 351W - HEI Style Terminals

135° plug terminals	MOR72426.....	\$.171.33
---------------------------	---------------	------------------

Coil Wire Kits

3 feet of Spiral Core wire, a wire stripping tool, and a thirteen piece boot and terminal kit..... MOR73235...**\$.18.55**

Spark Plug Wires

Its extremely low-resistance combined with the ability to suppress Electro Magnetic Interference is a combination that defies the common laws of physics. Less resistance means more energy is going to make it to the spark plug to ignite the air/fuel mixture. The Super Conductor uses a copper alloy conductor resulting in less than 50 ohms per foot of wire! This combination is encased in a heavy duty sleeve that will withstand abrasion and high temperatures. Cap off each end with our Dual Crimp Terminals and you have the best wire available. Equipped with high temp silicone-fiberglass sleeving for the harshest race conditions that protects wires up to 1,000 °F.

SBC Over Valve Cover, HEI.....	MSD31351	\$.154.95
SBC Over Valve Cover, Socket.....	MSD31651	\$.154.95
SBC Under Exhaust, Socket.....	MSD31591	\$.154.95
SBC Under Exhaust, HEI.....	MSD35591	\$.154.95



Racing Spark Plugs

Plug Type	HOT
14mm	↑
3/4" Reach	↑
5/8" Hex	↓
Solid • Non-resistor	
Gasket Seat	COLD

Plug Type	NGK
14mm	↑
3/4" Reach	↑
5/8" Hex	↓
Taper Seat	COLD

Plug Type	NGK
14mm	↑
.460 Reach	↑
5/8" Hex • Taper Seat	↓

Plug Type	NGK
14mm	↑
.708 Reach	↑
5/8" Hex • Taper Seat	↓

Plug Type	NGK
13/16" Hex	↑
Gasket Seat	↓



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Universal Wiring Sets

Black Wires Part # ends with a 3. • Red Wires Part # ends with a 9.

Dist cap boots and terminals are included so you can cut the wire to the desired length, than install the terminal with the supplied Mini-Stripper-Crimper.

A.) The MSD Universal Replacement wire is 48" long and has a multi-angle terminal and boot on one end with a 90° HEI style terminal on the other side. A 90° socket terminal and boot is also supplied with a Mini-Stripper-Crimper so the wire can be custom tailored to your application.

8 Cylinder Engine (Black)MSD31183.....\$104.95
8 Cylinder Engine (Red)MSD31189.....\$104.95

B.) For engines with Late-Model type (HEI "spark plug top") distributor caps (Ford Duraspark or MSD Cap-A-Dapt). 90° spark plug boots installed with 90° distributor boots and terminals included.

8 Cylinder Engine (Black)MSD31223.....\$103.95
8 Cylinder Engine (Red)MSD31229.....\$103.95

C.) For Late-Model GO LT1 Engines, this set comes with the LT1 Boots and Terminals installed and 90° spark plug boots and terminals loose.

8 Cylinder, Straight LT1 Boot (Red)MSD32129.....\$161.95
8 Cylinder, 90° LT1 Boot (Red)MSD32139.....\$161.95

E.) For GO Gen-III engines such as the LS1 or LS6, these wires are perfect when you relocate the coils. Both 90° and MA boots supplied.

LS Engines (Black)MSD32073.....\$176.95
LS Engines (Red)MSD32079.....\$177.95

F.) For Ford fans, these wires are designed for Ford Modular engines.

Ford Modular, 4.6/5.4L DOHC (Red)MSD31889.....\$183.95

G.) Designed for the Chevy Pro Stock head, these 8.5mm wires incorporate a special boot for the spark plug. Ninety degree boots and terminals are supplied to be installed on the dist side.

Chevy Pro Stock Head (Red)MSD30839.....\$126.95

H.) The new Ford & Chrysler Hemi style cyl. heads being used in Pro Stock racing features a long, skinny tunnel to access the spark plug. New injection molded tubes are designed specifically for these hard to reach plugs.

Ford & Chrysler Hemi Pro Stock Head (Red)MSD31539.....\$219.95



Race Tailored Wire Sets

MSD Race Tailored Heli-Core and 8.5mm Super Conductor Wire Sets are designed specifically to fit race engines equipped with headers or an MSD Distributor.

Pre Assembled, Boot Description by Cylinder

Cyl. Description	Style	Boot	Coil Wire
8 cyl All SBC w/Low Profile Dist			
MSD84697, 84997, 8558		MSD31243..\$86.27	
(wires below header/exh manifold)	90°	MSD31249..\$86.27	B, D B, D
8 cyl All BBC w/Low Profile Dist			
MSD84697, 84997, 8558		MSD31293..\$104.95	
(wires below header/exh manifold)	90°	MSD31299..\$104.95	B, B B, B
8 cyl All SBC w/new CrabCap			
MSD8541 with HEI terminals			
(wires below header/exh manifold)	HEI	MSD30479..\$120.95	B, G B, G
8 cyl All BBC w/new CrabCap			
MSD8541 with HEI terminals			
(wires below header/exh manifold)	HEI	MSD30829..\$120.95	B, G B, G
8 cyl All SBC w/Socket Dist Cap			
(wires below header/exh manifold)	Socket	MSD31593..\$110.95	
		MSD31599..\$110.95	B, C C, F
8 cyl All SBC w/HEI style Dist Cap			
below header/exh manifold)	HEI	MSD35599..\$97.62 Typical Mod	(wires
		MSD35593..\$97.62	B, D D, F
8 cyl All BBC w/Socket Dist Cap			
(wires below header/exh manifold)	Socket	MSD31609..\$117.95	B, C C, F
8 cyl All BBC w/HEI style Dist Cap			
(wires below header/exh manifold)	HEI	MSD35609..\$101.95 Typical Mod	
		MSD35603..\$101.95	B, D D, F
4 cyl Volkswagen Wire Set			
for VW Billet Dist, MSD8485	90°	MSD31939..\$69.23	D, H D, F

Two-In-One Universal Wire Sets

To cover all your bases, these wire sets are supplied with both the boot and terminals that fit older, socket style distributor caps, as well as the ones for spark plug-style terminals.

A.) Set includes terminals for engines with early type (socket) and late type (HEI "spark plug top") distributor caps. Multi-angle boots and terminals factory installed on one end.

4 Cylinder Engine (Red)MSD31159.....\$96.48
6 Cylinder Engine (Red)MSD31179.....\$98.75
8 Cylinder Engine (Black)MSD31193.....\$112.95
8 Cylinder Engine (Red)MSD31199.....\$112.95

B.) Set includes terminals for engines with early type (socket) & late type (HEI "spark plug top") dist caps. 90° boots & terminals factory installed on one end.

8 Cylinder Engine (Black)MSD31233.....\$112.95
8 Cylinder Engine (Red)MSD31239.....\$112.95

Replacement Super Cond. Plug Wire, Universal

The MSD Universal Replacement wire is 48" long and has a multi-angle terminal and boot on one end with a 90° HEI style terminal on the other side. A 90° socket terminal and boot is also supplied with a Mini-Stripper-Crimper so the wire can be custom tailored to your application.

Red.....MSD34069.....\$31.74
 Black.....MSD34063.....\$31.74

HEI Coil Wire, Blaster 2 Super Conductor


18" long, Blaster Socket terminal and boot on one side with a Distributor Cap Socket Terminal and Boot on the other.

Red.....MSD84039.....\$16.99
 Black.....MSD84033.....\$18.12
 Blaster Socket Boot, Red.....MSD84049.....\$18.12

Pro Stock HEMI Tubes

It accessories for Ford & Chrysler Hemi Pro Stock engines. These engines heads have a long, skinny tube machined in the head to access the spark plug. This narrow passage makes it considerably difficult to install spark plug wires. MSD answers with a new injection molded spark plug wire boot that reaches down to securely connect the wire to the spark plug. The set of eight includes the tubes and components to assemble the wire for an easy installation. Included set of 8 tubes

MSD3476...\$93.09



Replacement Boots and Terminals

MSD boots are designed with longevity in mind. Each boot provides excellent heat resistance as well as maximum protection against spark loss.

A. Multi-Angle Boots and Terminals, 2/Card.....MSD3301.....\$6.77
B. 90° MSD Boots and Terminals, 2/Card.....MSD3311.....\$10.16
C. HEI Style 90° Boots and Terminals, 2/Card.....MSD3320.....\$7.90
D. 90° Socket Boots and Terminals, 2/Card.....MSD3321.....\$7.90
E. Straight Socket Boots and Terminals, 2/Card.....MSD3322.....\$9.03
F. Blaster 2 Coil Boot and Terminal, 1/Card.....MSD3331.....\$6.77
G. 90° Non-Logo Boot and Terminal, 2/Card.....MSD3323.....\$9.03
LT1 Straight Boot and Terminal, 2/Card.....MSD3302.....\$16.99
LT1 90° Boot and Terminal, 2/Card.....MSD3303.....\$22.67
LT1 45° Boot and Terminal, 2/Card.....MSD3304.....\$10.16
90° Socket Boots and Brass Terminals.....MSD8851.....\$16.99
90° MSD Boots and Dual Crimp Terminals.....MSD8850.....\$24.94
90° Boots and Dual Crimp Terminals.....MSD8847.....\$16.99
HEI Boots for Retainers and Dual Crimp.....MSD8849.....\$15.85
Short 90° Boots and Dual Crimp Terminals.....MSD8848.....\$20.39

Sets of 8

Professional Racing Boots for Extreme Racing

Using a proprietary blend of materials, the boots can handle much higher temps over an increased amount of time. Proprietary rubber compound has a higher devulcanizing rating. Composition absorbs less infrared radiation

90° Pro Temp Boots
 2 per Card.....MSD3325.....\$11.29
 Pack of 8.....MSD8852.....\$21.53

Straight Boots
 2 per Card.....MSD3327.....\$12.43
 Pack of 8.....MSD8854.....\$26.07

115° Pro Race Boots
 2 per Card.....MSD3326.....\$13.57
 Pack of 8.....MSD8853.....\$26.07



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





DuraFire HEI Dists

- High-Output Module.
- Mechanical Advance Curve Kit.
- High-Output ProCoil & Cover.
- HEI Cap & Rotor.
- Available W/Without Adjustable Vacuum
- Advance HEI Cap & Rotor

MOR72231...\$258.29



Universal Wire Looms

Includes four 2-hole looms, two 3-hole looms, and four chrome brackets which secure to valve cover bolts.

Blue	MOR72150
Red	MOR72151
Yellow	MOR72152
Black	MOR72153...\$13.64



Four Hole Looms

Includes 2 chrome plated brackets and 2 4-hole looms.

Blue	MOR72180
Red	MOR72181
Yellow	MOR72182
Black	MOR72183...\$7.28




Under Header Loom

Includes four chrome brackets, two 4-hole looms, two 2-hole looms, two 4-hole separators, two 3-hole separators, two 2-hole separators and mount bolts.

Black...MOR72195...\$27.81

Insulated Wire Sleeves

25' length of fiberglass impregnated with silicone for 8000 volts of added insulation. Seal ends with shrink sleeves. MOR72000...\$74.53



Shrink Sleeves, numbered for easy spark plug identification. Includes 2 per cyl. MOR72020...\$8.52

Blue Max Shrink Sleeves

Insures a complete seal between spark plug, distributor boots and spark plug wire sleeve #s 72000, 72002, 72004 or 72011. Packaged 18 shrink sleeves to a set. Blue..MOR72030...\$20.68



Advance Curve Kits

Recurve your dist for full advance at the optimum rpm. Included weights, centerplate and 3 sets of springs. Special design prevents weight from going "over center".

All GO HEI Adv. Curve Kit...MOR72300...\$11.83
'57-'75 GO/Delco non-HEI...MOR72310...\$10.97



Competition Distributor Clamp Chevy Steel Chrome

This clamp kit holds magnetos & distributors tightly. Chrome plated finish. Includes all needed hardware. Fits Small Block Chevy, Big Block Chevy, V6 200/229. Mr. Gasket Competition Distributor Clamp is made of chrome plated steel and features rolled edges which are ideal for magneto distributors. Includes mounting hardware and gaskets. MRG6197...\$13.73



Replacement Distributors Parts

Moroso/GO HEI Dists GO H.E.I. V8

Coil Cover: Precision molded from advanced polymers for longer life and protection.

MOR97858...\$13.61

Cap, Rotor and Brush Kit

MOR97859...\$34.03



Billet Hold Down

Firmly locks distributor while allowing easy timing changes. MOR26215...\$71.73



Distributor Hold Down Clamps

Extra thick and strong. Slot-ted for quick distributor removal. Includes stud, washer and nut to eliminate thread wear in manifold.

Gold Iridite Steel...MOR26200...\$11.40

Chrome Plated Steel...MOR26210...\$11.40



Distributor Gear Shim Kit

Allows precise adjustment of distributor shaft end play to improve timing accuracy and reduce gear wear. Works with GO, Accel, Chrysler, Moroso and other distributors with 1/2" diameter shaft. Includes two .010" shims, two .020" shims and one .053" shim MOR26140...\$5.72



Distributor Housing Shim Kit

Eliminates oil pump bind & spark scatter when using a decked block or manifold. Contains .030", .060" & .100" shims. MOR26150...\$4.68



Plug Indexing Washers

30 per pack, 10 of each size. Tapered Seat .010", .021", .032" MOR71900...\$20.53
Flat Seat .043", .050", .064" MOR71910...\$20.53



Spark Plug Indexer

High-compression drag race engines require "indexing" of spark plugs to prevent contact between piston dome and ground wire of the spark plugs. Moroso's "Indexer," designed for both flat and taper-seat 14mm spark plugs, enables selection of spark plugs that will not make such contact.

MOR62160...\$11.73



Ford Modular Ign Controller for 4.6L/5.4L

Fire the coils & control the timing on Ford Modular engines with carbs. Map a timing curve and vacuum advance to meet your vehicle's needs. Program two rev limits and set a step retard for nitrous use. Connects directly to the coils, crank, cam & MAP sensors for an easy installation. MSD6011...\$468.95



6-Hemi Ignition Controller

Great for Nitrous. Does NOT control fuel. Hemi fans old and new will be excited to see that the 6-Hemi Controller will connect to factory EFI fueled Hemis or will drive the coil packs of a carb retro-fit engine! It is designed to operate with both styled coil packs that are offered on the new engines. A wiring harness for each app is sold separately. Fits 03-08 5.7 - Will not fit 6.1L MSD6013...\$549.95



Chevy HEI Performance Distributors


Fit SBC and BBC (except 348 and 409).

Housings are CNC-machined 6061-T6 alum with an upper support bearing to provide accurate timing at higher RPM. Include snap-on spark plug wire retainer and instructions.

HEI Distributor

w/Coil and Red Cap...ALL81200...\$149.99

w/Coil and Black Cap...ALL81202...\$149.99



Seamless Heat Sleeve

1/4-1/2"x 3'THE14005...\$12.35

5/8-1"x 3'THE14010...\$16.39



Spark Plug Shield

4 pcs. 2 1/2"x 6"...THE14250...\$32.47

TIMING LIGHTS



Single Wire Timing Light

It is designed to work without an auxiliary power source which makes it ideal for use with magnetos for single wire hassle-free timing. Durable construction includes a rubber-encased lens and a 48 inch pick up lead. Longer leads are available for industrial apps.

- Replacement inductive pick-ups (FR1022) and xenon bulbs (FR1021) are available.
- State-of-the-art, 1 wire design (operates 2 D cell bats)
- Excellent for use w/magnetos & all spark ignition sys.
- Bright xenon strobe clearly visible in daylight
- Accurate timing up to 14,000 RPM
- Can be used to test circuits FLAFR1001...\$71.41



Pro Timing Light

It is constructed with solid state circuitry and uses a Silicon Controlled Rectifier (SCR) that provides accurate and stable timing signals from 0 to 8,000 rpm. This rugged timing light is built to work in rough environments such as racing pits or professional mechanic shops. Its lightweight assembly is injection molded for great durability and produces an intense strobe that is easy to view even in daylight. The inductive pickup is detachable for easy storage and for safety measures while the battery clamps provide a strong grip to the terminals. The clamps are color-coded and insulated for tight, safe connections. MSD8992...\$182.95



Self Powered Timing Light

The LW assembly is injection molded for great durability and produces an intense strobe that is easy to view through 5,000 rpm. Light uses (6) AAA batteries. MSD8991...\$242.95





14" Drop Base Air Filters - Chrome

Race ready low profile air cleaner. Drops filter 7/8" or 1-1/4" below carb flange. 5-1/8" flange fits all popular 4 barrel carbs. Note: 7/8" drop will fit carbs with electric choke mechanisms.

1-1/4" Drop Base

Neck	Element	Complete	Total	
Flange	Height	Element	Assy	Height
5-1/8"	3"	K&NE-1650..\$64.99	K&N60-1280..\$95.99	2.75"
5-1/8"	4"	K&NE-3750..\$66.99	K&N60-1290..\$130.99	3.75"
5-1/8"	5"	K&NE-3760..\$75.99	K&N60-1300..\$125.99	4.75"
5-1/8"	6"	K&NE-3770..\$91.99	K&N60-1310..\$123.99	5.75"

7/8" Drop Base

5-1/8"	3"	K&NE-1650..\$64.99	K&N60-1430..\$116.99	3.12"
5-1/8"	4"	K&NE-3750..\$66.99	K&N60-1440..\$118.99	4.12"
5-1/8"	5"	K&NE-3760..\$75.99	K&N60-1450..\$127.99	5.12"
5-1/8"	6"	K&NE-3770..\$91.99	K&N60-1460..\$129.99	6.12"

14" Air Filters - Chrome

Raises element 9/16" above carb flange. 5-1/8" flange fits all popular 4 barrel carb. 4 elements heights to fit a wide variety of apps. Will clear HEI dists.

Neck

Flange	Height	Element	Assy	Total Height
5-1/8"	2-5/16"	K&NE-3740..\$69.99	K&N60-1263..\$118.99	3.87"
5-1/8"	3"	K&NE-1650..\$64.99	K&N60-1264..\$104.99	4.62"
5-1/8"	4"	K&NE-3750..\$66.99	K&N60-1260..\$134.99	5.62"
5-1/8"	5"	K&NE-3760..\$75.99	K&N60-1270..\$145.99	6.62"

Dominator Air Filters Chrome

These K&N 11", 14", & 16" outer diameter race ready air cleaners can flow the amount of air required for the Holley Dominator carburetors. 11" & 14" have 7-5/16" flange base and a 3/4" rise velocity stack. 16" has 1" drop base.

Neck	Element	Replacement	Complete	Total
Flange	Height	Filter	Assembly	Height

11" O.D. Air Filter

7-5/16"	3-1/2"	K&NE-1250..\$73.99	K&N60-1230..\$120.99	4.50"
7-5/16"	5"	K&NE-3680..\$75.99	K&N60-1240..\$129.99	6.00"
7-5/16"	6"	K&NE-3690..\$79.99	K&N60-1250..\$133.99	7.00"

14" O.D. Air Filter

7-5/16"	4"	K&NE-3750..\$66.99	K&N60-1235..\$158.99	5.50"
7-5/16"	5"	K&NE-3760..\$75.99	K&N60-1245..\$158.99	6.50"
7-5/16"	6"	K&NE-3770..\$91.99	K&N60-1255..\$163.99	7.50"

16" O.D. Air Filter

7-5/16"	3-1/2"	K&NE-3804..\$86.99	K&N60-1640..\$148.99	3.25"
---------	--------	--------------------	----------------------	-------

11" Air Filters Chrome

The perfect application for when space is a premium, yet high performance is required. Base is available in 3 flange sizes and various heights to fit a wide variety of applications.

Neck	Element	Complete	Total	
Flange	Height	Element	Assy	Height
5-1/8"	5"	K&NE-3680..\$75.99	K&N60-1190..\$122.99	6.00"
5-1/8"	6"	K&NE-3690..\$79.99	K&N60-1220..\$121.99	7.00"

11" Air Filter Top

Top Plate 11".....K&N06801...\$15.88

11" Air Filter Base Plate

11" Diameter Air Filter Base. 4150 style 5-1/8" Carb Flange. Raises Assembly 9/16" Over Carb.
K&N01988.....\$20.16

Custom Air Filter Plates

K&N's 14" air filter plates are available separately for replacement or special apps. Base plates fit carbs with 5-1/8" or 7-5/16" airhorn flange. Drop base will not clear all electric choke mechanisms, it may be necessary to space up baseplate with a locally available air cleaner spacer.

14" OD drop base, Chrome plated steel, 5-1/8" (drops filter 7/8" below carb flange)

K&N85-3545.....\$29.99

14" OD drop base, Chrome plated steel, 5-1/8" (drops filter 1-1/4" below carb flange)

K&N85-3549.....\$36.99

14" OD flat base, Chrome plated steel, 5-1/8" (raises filter 9/16" above carb flange)


K&N85-1541.....\$38.99

14" OD flat base, Nylon reinforced plastic, 7-5/16" (raises filter 3/4" above carb flange)

K&N85-3552.....\$65.99

14" OD top plate, Chrome plated steel, (center rises 1", stamped with K&N logo)

K&N85-6842.....\$31.99



Replacement Air Filter Elements

11" O.D. Air Filter

3-1/2" Element Height	K&NE-1250..\$73.99
5" Element Height	K&NE-3680..\$75.99
6" Element Height	K&NE-3690..\$79.99

14" O.D. Air Filter

3" Element Height	K&NE-1650..\$64.99
4" Element Height	K&NE-3750..\$66.99
5" Element Height	K&NE-3760..\$75.99
6" Element Height	K&NE-3770..\$91.99

X-Stream Air Flow Tops

Not only does the XStream add filter area, it actually redirects airflow inside the filter to pull in more air through the side pleats for even greater performance efficiency. Cleanable & reusable.

X-Stream Air Flow Top Only

9" Dia	K&N66-0901..\$66.99
11" Dia	K&N66-1101..\$75.99
14" Dia	K&N66-1401..\$72.99

11" Assemblies

Neck	Element	Complete	Total	
Flange	Height	Element	Assy	Height
5-1/8"	2-3/16"	K&NE-1200..\$73.99	K&N66-3110..\$140.99	3-1/2"
5-1/8"	3-1/2"	K&NE-1250..\$73.99	K&N66-3120..\$162.99	4-3/4"
5-1/8"	5"	K&NE-3680..\$75.99	K&N66-3130..\$179.99	6-1/4"

9" Assemblies

5-1/8"	2-7/8"	K&NE-3530..\$49.99	K&N66-3150..\$155.99	4-1/2"
5-1/8"	3-3/4"	K&NE-3532..\$68.99	K&N66-3160..\$163.99	8-1/4"

14" Assemblies Standard 9/16" Raised Base

5-1/8"	2-5/16"	K&NE-3740..\$69.99	K&N66-3000..\$174.99	3-7/8"
5-1/8"	3"	K&NE-1650..\$64.99	K&N66-3010..\$140.99	4-5/8"
5-1/8"	4"	K&NE-3750..\$66.99	K&N66-3020..\$187.99	5-7/8"
5-1/8"	5"	K&NE-3760..\$75.99	K&N66-3030..\$203.99	6-7/8"

14" Assemblies 1-1/4" Drop Base

5-1/8"	3"	K&NE-1650..\$64.99	K&N66-3040..\$131.99	2-3/4"
5-1/8"	4"	K&NE-3750..\$66.99	K&N66-3060..\$140.99	3-3/4"
5-1/8"	5"	K&NE-3760..\$75.99	K&N66-3070..\$187.99	4-3/4"

7/8" Drop Base

5-1/8"	3"	K&NE-1650..\$64.99	K&N66-3050..\$172.99	3-1/8"
--------	----	--------------------	----------------------	--------

Dominator

7-5/16"	4"	K&NE-3750..\$66.99	K&N66-3080..\$208.99	5-1/2"
7-5/16"	5"	K&NE-3760..\$75.99	K&N66-3090..\$213.99	6-1/2"
7-5/16"	6"	K&NE-3770..\$91.99	K&N66-3100..\$91.99	7-1/2"

Replacement Air Filter Elements for Flow Control

All air cleaner assemblies listed were developed as complete kits. A lot of time & effort went into each combination of parts & dimensions for the intended carb.

14" x 4.0"	K&NE-3730..\$65.99
14" x 4.5"	K&NE-3732..\$86.99
16" x 3.5"	K&NE-3804..\$86.99
16" x 4.0"	K&NE-3806..\$109.99

X-Stream Clamp on Filters

It provides awesome air flow and outstanding filtration. All K&N univ air filters are constructed with ultra-strong molded pliable rubber flanges which absorb vibration & allow for secure attachment & can also be stretched for up to 1/16" to fit in-between sizes.

Base Outside Diameter:	6"
Flange Inside Diameter:	2.5" Flange Length: 2" • Height: 6.5"
Top Outside Diameter:	5"
K&NRX-4860	..\$91.99

Base Outside Length:	4.75" • Width: 3.75"
Flange Inside Diameter:	2.75" Flange Length: 0.813" • Height: 5.563"
Top Outside Diameter:	4".....K&NRX-5090....\$107.99

Individual Round Style

Filters designed to fit with cut velocity stacks, or straight pieces of exhaust tubing. Rubber filter bases come with molded in velocity stack type radius and step, for smooth bore down from element to tube.

Flange Inside Dia:	2.5" • Flange Length: 0.625"
Height:	6" • Outside Dia: 3.5".....K&NRD-0720.....\$37.99

Individual Round Style


All filters are constructed with ultra-strong molded pliable rubber flanges which absorb vibration and allow for secure attachment and can also be stretched for up to 1/16" to fit in-between sizes.

Flange Angle:	20 degrees • Flange Inside Dia: 2.438"
Flange Length:	2" • Flange Type: Angled • Outside Diameter: 3.75"
4" HeightK&NRU-1750..\$37.99
5" HeightK&NRU-1760..\$41.99
6" HeightK&NRU-1770..\$39.99

Individual Round Style

Flange Angle:	5° • Flange Inside Dia: 3" Flange Length: 1"
• Flange:	Angled Hgt: 5"
• Outside Dia:	4.5"
K&NRB-0910	..\$41.99

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Flow Control Assy Filter Clips

They are designed for added support around the complete assemblies. Made of spring steel and black powder coated these Clip kits come in sets of 4.

Flow Control 14" x 4.0".....K&N85-83890.....	\$20.46
Flow Control 14" x 4.5".....K&N85-83892.....	\$21.79
Flow Control 16" x 3.5".....K&N85-83894.....	\$20.69
Flow Control 16" x 4.0".....K&N85-83896.....	\$21.62

**Air Filter Sealing Grease**

Hi-Temp. Grease won't run off. It seals against air leaks and also prevents dirt intake. Use whenever installing or replacing air filter element. Spread a liberal amount around rubber seal where it contacts air cleaner housing or air box. Don't use on "clamp-on" type filters.

K&N99-0704.....**\$9.64**

**2-Barrel Holley with and without choke tower**

Fits the very popular 4412 Holley 2-barrel by removing the choke assembly & leaving the choke tower untouched. Gigantic increase in air flow and lots of horsepower. The small block with about 340-360hp can expect up to a 15-17hp increase. In the 400-420hp range the range increase climbs up to 20-22hp.

with choke tower

14" x 4.0".....K&N61-2000.....	\$259.99
14" x 4.5".....K&N61-2010.....	\$266.99

without choke tower

14" x 4.0".....K&N61-2020.....	\$268.99
14" x 4.5".....K&N61-2030.....	\$279.99

Fits 2 brl Holley with choke tower removed. Flows the same as 61-2000 and 61-2010.

Deflector Shield 14"

4.0".....K&N85-54400.....	\$81.99
4.5".....K&N85-54450.....	\$84.99

**4-Barrel Holley with and without choke tower****with choke tower**

For those of you who have not modified your choke tower, this is just the ticket for your bracket car or late model sportsman.

Fits 390-800

14" x 4.0".....K&N61-4020.....	\$280.99
14" x 4.5".....K&N61-4030.....	\$293.99

Fits 830-850

14" x 4.0".....K&N61-4040.....	\$258.99
14" x 4.5".....K&N61-4050.....	\$480.09

without choke tower

14" x 4.0".....K&N61-4000.....	\$280.99
14" x 4.5".....K&N61-4010.....	\$280.99

**Front Hood Scoops**

Scoops are molded from durable high impact plastic with carbon fiber look and have a molded-in flange for easy mounting. Protect air cleaners from dirt and debris.



2.5" Tall, Tapered ...ALL23230	\$52.99
3.5" Tall, Tapered ...ALL23232	\$52.99
3.5" Tall, OpenALL23233	\$52.99
3.5" Tall, Straight....ALL23235	\$52.99
5.5" Tall, Straight....ALL23237	\$56.99

Cleaner & Degreaser

It works to dissolve the dirt build up and old filter oil, and can be washed away with water. Complete instructions on bottle. NOTE: Do not use on polished or anodized aluminum.

32-fl. oz. squirt bottle..K&N99-0621...	\$9.40
1-gallon refill bottleK&N99-0635.....	\$23.20
5-gallon pail.....K&N99-0640.....	\$83.99

**Filtercharger Oil**

It is the only oil specially formulated to work in combination with the cotton fabric in K&N Filtercharger elements providing a superior air filtration system. When used as directed, it quickly penetrates the filter pleats, where it remains suspended in the cotton fabric. Saturation is maintained until the element is cleaned with K&N Air Filter Cleaner.

12-oz. aerosol can - Red.....K&N99-0516.....	\$6.67
8-oz. squeeze bottle - Red..K&N99-0533.....	\$4.70
1-gallon refill bottle - Red....K&N99-0551.....	\$28.99

**Recharger Filter Care Service Kit (Aerosol)**

A 6-step maintenance system designed to clean any K&N Filtercharger Air Filter. Restores air flow efficiency so your Filtercharger performs like new! Includes: 6.5 oz. Spray Oil & 12 oz. Filter Cleaner Aerosol...K&N99-5000...**\$10.31**



(Squeeze Oil)

Same as K&N99-5000 but includes: 8 oz. Squeeze Oil & 12 oz.

K&N99-5050.**\$10.31**

Steel Base Crankcase Vent Filters

Steel base crankcase vent filters have vent tubes added to their base. Filters consist of a one piece design with a rubber or chrome top. Filters with mounting studs can be mounted remotely, but require vent hoses and clamps.

2" O.D.; 1 1/2" H

Vent dia	Rubber Top	Chrome Top w/Stud
3/8" O.D.	K&N62-1000..... \$21.98	K&N62-1090..... \$24.99
1/2" O.D.	K&N62-1010..... \$21.98	K&N62-1100..... \$24.99
1/2" O.D.	K&N62-1015 **..... \$26.99	N/A
1/2" O.D.	K&N62-1250 *..... \$24.99	K&N62-1300 *..... \$31.99
5/8" O.D.	K&N62-1020..... \$23.20	K&N62-1110..... \$28.99
3/4" O.D.	K&N62-1030..... \$21.98	K&N62-1120..... \$28.99
1" O.D.	K&N62-1040..... \$25.99	K&N62-1130..... \$28.99

* Special 3" H Filter; ** 2" Chrome Top.

3" O.D.; 2" H

Vent dia	Rubber Top	Chrome Top
1/2" O.D.	K&N62-1050..... \$25.99	K&N62-1140..... \$28.99
5/8" O.D.	K&N62-1060..... \$25.99	K&N62-1150..... \$28.99
3/4" O.D.	K&N62-1070..... \$26.99	K&N62-1160..... \$24.99
1" O.D.	K&N62-1080..... \$26.99	K&N62-1170..... \$25.99

**Steel Base Crankcase Vent Filters with Shield**

Zinc plated steel base plate w/attached vent tube. Designed to push in to existing rubber breather grommets. All filters are 3" O.D. w/deflector shields & 2 1/2" tall.

Vent dia	Rubber Top	Chrome Top
1/2" I.D.	K&N62-1517..... \$30.99	
5/8" I.D.	K&N62-1518..... \$30.99	
3/4" I.D.	K&N62-1519..... \$30.99	
1" I.D.	K&N62-1520..... \$32.99	

**Rubber Base Crankcase Vent Filters**

Filters are designed to clamp directly to metal or plastic tubing. Ideal for engines, transmissions, oil and gas tanks on racing vehicles.

Flange I.D.	Filter Dia	Filter Height	Rubber Top Part #	Chrome Top Part #
5/16"	1 3/8"	1 1/8"	N/A	K&N62-2470. \$23.20
9/16"	1 3/8"	1 1/8"	N/A	K&N62-2480. \$23.20
3/8"	2"	1 1/2"	N/A	K&N62-1320. \$21.37
1/2"	2"	1 1/2"	N/A	K&N62-1330. \$21.98
5/8"	2"	1 1/2"	N/A	K&N62-1340. \$21.98
3/4"	1 3/8"	1 1/8"	N/A	K&N62-1560. \$23.20
3/4"	2"	1 1/2"	N/A	K&N62-1360. \$21.37
3/4"	2"	2 1/2"	N/A	K&NRU-3630. \$40.99
1"	2"	1 1/2"	N/A	K&N62-1370. \$21.98
1"	3"	2 1/4"	K&N62-1410. \$21.98	K&N62-1420. \$24.99
1 1/4"	3"	2 1/2"	K&N62-1380. \$21.37	K&N62-1390. \$24.99
1 3/8"	3"	2 1/2"	K&N62-1430. \$21.37	K&N62-1440. \$24.99
1 1/2"	3"	2 1/2"	K&N62-1450. \$21.98	K&N62-1460. \$22.59
1 3/4"	3"	2 1/2"	K&N62-1470. \$21.98	

**Rubber Base Crankcase Vent Filters with Shield**

Universal "Clamp-On" for valve covers with existing vent tubes. All filters are 3" O.D. with deflector shields and 2 1/2" tall.

Vent Flange Dia	Part #	
1" I.D.	K&N62-1511	\$27.99
1 1/4" I.D.	K&N62-1512	\$27.99
1 3/8" I.D.	K&N62-1513	\$30.99
1 1/2" I.D.	K&N62-1514	\$28.99
1 3/4" I.D.	K&N62-1515	\$27.99

**Airforce Pre Cleaners**

It is a specially designed foam filter wrap made to extend the service interval of your K&N Filtercharger when used in very dusty conditions.

Round Shape

3" ID x 2-1/2" H.....All 3" OD x 2-1/2" H filters.....	K&N25-1480 ..	\$16.66
3-3/4" ID x 6" H.....All 3-1/2" OD x 4" OD filters up to 6" long.....	K&N25-1770 ..	\$14.17
4-1/2" ID x 1-1/2" H ..RU-0330, RU-0340, RC-0330, RC-0340.....	K&N25-0330 ..	\$16.18
14" ID x 4" H.....All 14" OD x 4" H filters.....	K&N25-3750 ..	\$28.22
14" ID x 5" H.....All 14" OD x 5" H filters.....	K&N25-3760 ..	\$31.15
14" ID x 6" H.....All 14" OD x 6" H filters.....	K&N25-3770 ..	\$35.96

Universal Shape

Cut to fit, secure with velcro strips (included)

7" wide x 48" long.....K&N25-3900.....	\$26.74
18" wide x 48" long...K&N25-3918.....	\$55.03
24" wide x 48" long...K&N25-3924.....	\$69.37
30" wide x 48" long...K&N25-3930.....	\$87.15

**Air Cleaner****14" dia X 2-1/4" Tall - Fits 5-1/8" dia Carb. Neck - Chrome**

These Mr. Gasket air cleaners will dress-up your engine compartment for that show car look. When it comes to good looks and durability, Mr. Gasket has you covered. Fits Most Carburetors / Throttle Bodies w/ 5-1/8" Neck. Chrome Plated Steel. White Paper Filter Element 14" x 2". Flat Base. MRG1480.....**\$33.23**

9" dia X 2-3/4" Tall - Chrome

Includes high CFM replaceable 9"x2" paper element. Good looks with room to spare. MRG1487.....**\$22.90**

Competition - 14" dia x 3" Tall - Chrome

When it comes to good looks and durability, Mr. Gasket has you covered. Includes installation hardware. MRG9790.....**\$30.94**



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Air Filter Pre-Filters

They can extend the useful life of your filter by pre-filtering dust particles up to .005 in size. Made of a thin, durable polyester material for durability. Fits tightly over your filter and can improve its efficiency up to 50 percent, which also extends the life of your motor.

Size.....Color.....No Top.....With Top		
11 x 5.....Black.....OUT10-1197-01	\$19.95	OUT10-1198-01 \$23.45
Blue.....OUT10-1197-02	\$19.95	OUT10-1198-02 \$23.45
Red.....OUT10-1197-03	\$19.95	OUT10-1198-03 \$23.45
Yellow.....OUT10-1197-04	\$19.95	OUT10-1198-04 \$23.45
Orange.....OUT10-1197-05	\$19.95	OUT10-1198-05 \$23.45
Purple.....OUT10-1197-07	\$19.95	

11 x 6.....Black.....OUT10-1199-01	\$19.95	OUT10-1252-01 \$23.45
Blue.....OUT10-1199-02	\$19.95	OUT10-1252-02 \$23.45
Red.....OUT10-1199-03	\$19.95	OUT10-1252-03 \$23.45
Yellow.....OUT10-1199-04	\$19.95	OUT10-1252-04 \$23.45
Orange.....OUT10-1199-05	\$19.95	OUT10-1252-05 \$23.45

14 x 3.....Black.....OUT10-1141-01	\$19.95	
Blue.....OUT10-1141-02	\$19.95	
Red.....OUT10-1141-03	\$19.95	
Yellow.....OUT10-1141-04	\$19.95	
Orange.....OUT10-1141-05	\$19.95	

14 x 4.....Black.....OUT10-1002-01	\$19.95	OUT10-1014-01 \$28.95
Blue.....OUT10-1002-02	\$19.95	OUT10-1014-02 \$28.95
Red.....OUT10-1002-03	\$19.95	OUT10-1014-03 \$28.95
Yellow.....OUT10-1002-04	\$19.95	OUT10-1014-04 \$28.95
Orange.....OUT10-1002-05	\$19.95	OUT10-1014-05 \$28.95
Purple.....OUT10-1002-07	\$19.95	

14 x 5.....Black.....OUT10-1004-01	\$19.95	OUT10-1020-01 \$28.95
Blue.....OUT10-1004-02	\$19.95	OUT10-1020-02 \$28.95
Red.....OUT10-1004-03	\$19.95	OUT10-1020-03 \$28.95
Yellow.....OUT10-1004-04	\$19.95	OUT10-1020-04 \$28.95
Orange.....OUT10-1004-05	\$19.95	OUT10-1020-05 \$28.95
Purple.....OUT10-1004-07	\$19.95	

14 x 6.....Black.....OUT10-1026-01	\$19.95	OUT10-1160-01 \$28.95
Blue.....OUT10-1026-02	\$19.95	OUT10-1160-02 \$28.95
Red.....OUT10-1026-03	\$19.95	OUT10-1160-03 \$28.95
Yellow.....OUT10-1026-04	\$19.95	OUT10-1160-04 \$28.95
Orange.....OUT10-1026-05	\$19.95	OUT10-1160-05 \$28.95

R2C Air Filter Pre-Filters - No Top

14" wide x 4" high.....OUT10-2589-01	\$19.95
14" wide x 5" high.....OUT10-2590-01	\$19.95
14" wide x 6" high.....OUT10-2781-01	\$19.95

Crankcase Breather Pre Filters

Color.....3 x 3 No Top.....3 x 4 With Top.....4 x 6 With Top

Black.....OUT10-1018-01	OUT10-1052-01	OUT10-1049-01
Blue.....OUT10-1018-02	OUT10-1052-02	OUT10-1049-02
Red.....OUT10-1018-03	OUT10-1052-03	OUT10-1049-03
Yellow.....OUT10-1018-04	OUT10-1052-04	OUT10-1049-04
Orange.....OUT10-1018-05	OUT10-1052-05	OUT10-1049-05
Purple.....OUT10-1018-07	OUT10-1052-07	OUT10-1049-07
\$12.95	\$12.95	\$12.95

Pro Flo Round Chrome Air Cleaners

Edelbrock triple chrome-plated round air cleaners work with all popular 5-1/8" diameter carbs (Performer Series, Thunder Series AVS, Holley, Thermo-Quad, Quadrajet & Carter AFB).

14" dia w/3" element (3-5/16").....EDE1207	\$33.95
14" dia w/3" element, 3/8" deeper flange (3-3/4").....EDE1221	\$32.95
10" dia w/2" element (3-1/2").....EDE1208	\$24.95
6" dia w/2" element, 5-1/8" base (3-5/8").....EDE1209	\$30.95
Air Cleaner Spacer (3/4").....EDE8092	\$7.95
Air Cleaner Spacer (1/2").....EDE8093	\$12.95

Air Filter Stud Kits

Keep your air cleaner firmly in position with an ARP stud kit. Includes your choice of a black oxide finished chrome moly or stainless steel stud with an appropriate nut. Vastly superior to the cheap fasteners that sometimes get used.

Size.....Black Oxide	Stainless 300
1/4"x 2.225".....ARP200-0304	\$4.79 ARP400-0304 \$7.70
1/4"x 2.700".....ARP200-0305	\$4.93 ARP400-0305 \$7.82
1/4"x 3.200".....ARP200-0306	\$5.19 ARP400-0306 \$7.99
5/16"x 2.225".....ARP200-0301	\$4.79 ARP400-0301 \$7.70
5/16"x 2.700".....ARP200-0302	\$4.93 ARP400-0302 \$7.82
5/16"x 3.200".....ARP200-0303	\$5.19 ARP400-0303 \$7.99

Aluminum Air Cleaner Stud Kit

LW alum. Includes alum stud, thumb screw and air cleaner lid mount. Jam nut and mounting nut go under air cleaner lid so you can tighten the thumb screw without distorting the top.

5/16" Carb Thread.....LON32750	\$38.82
1/4" Carb Thread.....LON32752	\$38.17

Air Cleaner Stud Kit

It features a stainless steel threaded rod and is strong enough to handle the vibrations and the weight of the air cleaner. 2 tapered nuts improve airflow for added horsepower. The Tall Air Cleaner nut is o-ring sealed to keep dirt out.

Air Cleaner Stud Kit, 5/16"-18.....JOE34306	\$36.95
Air Cleaner Stud Kit, 1/4"-20.....JOE34316	\$36.95

Outerweats
Performance Products 2



ARP



Longacre

JOES
RACING PRODUCTS

Air Filter Pre-Filters

They can extend the useful life of your filter by pre-filtering dust particles up to .005 in size. Thin, durable polyester material for durability. Fits tightly over your filter and can improve its efficiency up to 50%, which also extends the life of your motor.

Pre Filter.....Color.....With Top	
5" Fits K&N RU1760 .Black.....OUT10-1109-01	\$12.95
5" Fits K&N RU1760 .Blue.....OUT10-1109-02	\$12.79

Pre Filter.....Color.....With Top	
4-1/2" Dia. • 5" Tall.....Black.....OUT10-1090-01	\$12.95
4-1/2" Dia. • 5" Tall.....Blue.....OUT10-1090-02	\$12.79
4-1/2" Dia. • 5" Tall.....Red.....OUT10-1090-03	\$12.79

Scrub Bag

- Shape: Round • Base Diameter: 14 inch
- Top Diameter: 14 inch • Height: 6 inch • Material: Denier
- Black.....OUT30-1161-01...\$21.45

14" Air Cleaner Top

D1R5000BK.....\$29.99

Aluminum Air Cleaners

Low profile, spun alum air cleaners have 5-1/8" necks & O-ring spacers for a positive seal. Aluminum or black powder coated tops are available. Offset bases clear HEI dists. Elements sold separately.

Standard Height

14" w/ 1/2" Spacer.....ALL26094	\$58.99
14" Offset Base w/ 1/2" Spacer.....ALL26095	\$58.99
16" w/ 1/2" Spacer.....ALL26096	\$84.99
14" w/ 1/2" Spacer (Black).....ALL26097	\$62.99

Extra Height

14" w/ 1" Spacer.....ALL26098	\$62.99
14" w/ 1" Spacer (Black).....ALL26099	\$69.99

Replacement Components

O-Ring For Spacers.....ALL26084	\$3.99
1/2" Spacer and O-ring.....ALL26085	\$11.99
1" Spacer and O-ring.....ALL26086	\$13.99
1-1/2" Spacer and O-ring.....ALL26087	\$17.99
14" Air Cleaner Top Black.....ALL26088	\$25.99
14" Air Cleaner Top Plain.....ALL26090	\$19.99
14" Bottom Offset.....ALL26091	\$26.99
14" Air Cleaner Bottom.....ALL26092	\$27.99
16" Air Cleaner Bottom.....ALL26093	\$43.99

Air Cleaner Bottom, 2 BBL

14" overall dia. 5/8" drop, plain finish. 3" dia carb flange.
ALL26081.....\$28.99

Air Cleaner Adapter

Classes requiring the use of a 2 bbl. can benefit from the higher flow of a 4 bbl. air cleaner. Made of high strength ABS plastic. Adapter has a 3" ID and a 5-1/8" O.D.
ALL26080.....\$16.99

Air Cleaner Spacer

1/2 in Tall, 5 1/8 in Neck, Each.....MRG9340	\$9.14
1 in Tall, 5 1/8 in Neck, Each.....MRG9341	\$9.14

Aluminum Air Cleaner Spacers

1/2" Spacer and O-ring.....ALL26085	\$11.99
1" Spacer and O-ring.....ALL26086	\$13.99
1-1/2" Spacer and O-ring.....ALL26087	\$17.99

Sure Seal Spacer 2"

2" Thick, 5-1/8" Carb Flange - Alum..... ALL25947.....\$16.99

Air Cleaner Spacer and Adapter Kit

This 4 piece kit includes 2 air cleaner adapters to adapt 5 1/8" neck (2 or 4 bbl. carb) air cleaners to 3" and 2-5/8" 2bbl. carb necks. Also includes 2 air cleaner risers that combine for 3 height adjustments to help space the air cleaner upward to clear throttle or transmission linkage.
MRG6411G.....\$10.28

Air Cleaner - Stud Kit - 5-3/4" Long

The 5-3/4" long stud fits air Filters up to 5" tall. The 1/4"-20 stud fits most carbs. Dominator carbs use the adapter since they have a 5/16"-18 tapped hole in the carb. Zinc Plated Steel Stud, Adapter & Wing Nut. Will Fit Most Domestic Carbs (Chrysler, Ford, and GM). Allows Use Of A 5.0" Inch Tall Air Filter Element. Stud Can Be Cut to Fit Shorter Air Filters (where needed).....MRG6399.....\$6.85

Reusable Foam Filter Shield

When dirt and clay oval tracks turn into "dust bowls", even the best racing air cleaners can become clogged. Open cell foam to keep large debris out of the filter element without restricting airflow. Can be cleaned in sink or in the washing machine. 1 per pkg. Fits 14" x 5" filters.
MOR65947.....\$14.83

DIRT Dish Seal Seals-it



The recess in your air filter top does a good job of directing air under it into your carb and also of collecting dirt. Stop it from falling into your carb with this handy plug, permanently bonded to the alum nut.
.250-20 Thread 1/4".....SEACARB3001.....\$13.91
.312-18 Thread 5/16".....SEACARB3002.....\$13.91

Air Filter Gaskets


Designed to fit under the air cleaner for most carbs. They will help prevent unfiltered air from entering your engine.

Holley, Carter, Q-Jet.....FEL2104	\$9.45
Dominator 4500.....FEL2105	\$11.05

Outerweats
Performance Products 2



MANIFOLDS



Edelbrock

SBC 262-400 V8 Performer '86 & Earlier (idle-5500 rpm)

Designed for street '55-86 262-400 c.i.d. SBCs. EDE2101 is stock replacement / street legal part for 302, 327 and 350 V8s with OEM 4-bbl. or Edelbrock EDE1400 carb; '66-72 ('73 non-California) cars, '66-83 trucks & Suburbans; except stock equipped EGR.

Performer (non-EGR)
EDE2101.....\$197.56



Performer RPM (1500-6500 rpm, non-EGR)

Designed for 1955-86, 262-400 c.i.d. Chevy V8's for max power & a broad torque curve for high perf street. EDE7101.....\$221.95



RPM Air-Gap (non-EGR)

Designed for 1955-86, 262-400 c.i.d. Chevy V8's, the RPM Air-Gap incorporates the same race-winning tech as the Victor Series competition intakes. EDE7501.....\$286.95



RPM Air-Gap 2-0 (1500-1600 rpm)

Designed for street 396-502 c.i.d. Chevy V8s with large oval-port cylinder heads ('75 & earlier) The air-gap design features an open air space that separates the runners from the hot engine oil resulting in a cooler, denser charge for more power. Includes rear water outlets, 2 distributor clamp locations & nitrous bosses. EDE7561.....\$325.95



Victor Jr. Manifolds

Small Block Chevy (not for use with 1987-up cylinder heads) For 4150/4160 Series Holley Square bore EDE2975.....\$317.95
Big Block Chevy 454 Series (Rectangular port heads) Standard flange 4-barrel EDE2902.....\$368.95



Super Victor Manifolds

SBC (for rpm from 3500 to 8000)
For heads with standard port location. Runners match "flat floor" area of latest 23" heads. EDE2925.....\$341.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



X-CEerator SBC V8

2000-6500 RPM power band. Single plane/open plenum design. No provision for divorced or hot air choke. Square flange carb mounting. '57-86; 262, 283, 305, 327, 350, 400 V8, '87-later w/alum heads WE17547-1..\$207.95



SB Dirt Spec Manifold/Aluminum Head

BRDHV-1000.....\$430.54



BRODIX
HEADS • BLOCKS • MANIFOLDS

BRODIX
HEADS • BLOCKS • MANIFOLDS

Dirt Manifold Sportsman

BRDHV-1011.....\$call

Fuel Pump Bolt Kits

Make sure that mech fuel pumps stay properly aligned by using ARP's durable black oxide finished chrome moly or rust-proof stainless bolts (both materials are rated at 170,000 psi and considerably stronger than Grade 8 hardware). Washers are included.

Chevy Fuel Pump Bolt Kits

Black Oxide HexARP130-1602 ..\$7.34
Black Oxide 12-PointARP130-1601 ..\$7.71
Stainless 300 HexARP430-1602 ..\$8.90
Stainless 300 12-Point.ARP430-1601 ..\$9.41

Seals-it

Fuel Pump Seal

Keeps hot oil away from your pump. Keeps fuel cooler.

Chevy-CarterSEACHFP4002-C\$38.95
Chevy-HolleySEACHFP4002-H\$38.95

Fuel Pump Block-Off Plates

Designed to block off the fuel pump mounting boss when a mechanical fuel pump is not used. Available in 2 popular styles. Made of blue anodized aluminum or high luster triple chrome plated steel.

Black anodized alum, SBC ...MRG65391 ..\$7.98
Chrome plated steel, SBC ...MRG65393 ..\$9.04

BBC 273-440 Chrysler & all Fords exc. 351C, 351M & 400.

Black anodized alum.....MOR65392 ..\$7.98
Chrome plated steel.....MOR65394 ..\$7.98

Billet Manifolds

Its feature all billet alum construction with an integrated mounting pad.

Y-Manifold 6 x 6 x 6PET10-0030..\$115.29
Y-Manifold 8 x 6 x 6PET10-0031..\$115.29
Y-Manifold 8 x 8 x 8PET10-0032..\$115.29
Y-Manifold 10 x 8 x 8PET10-0033..\$115.29
4 Way Mani 10 x 6 x 6 x 6.....PET10-0034..\$115.29
4 Way Mani 6 x 6 x 6 x 6.....PET10-0040..\$117.69
4 Way Mani 8 x 6 x 6 x 6.....PET10-0041..\$117.69
5 Way Mani 6 x 4 x 4 x 4 x 4...PET10-0060..\$150.46
5 Way Mani 8 x 4 x 4 x 4 x 4...PET10-0061..\$159.80
5 Way Mani 10 x 8 x 8 x 8 x 8.PET10-0070..\$176.49
5 Way Mani 10 x 6 x 6 x 6 x 6.PET10-0071..\$176.49
5 Way Mani 12 x 8 x 8 x 8 x 8.PET10-0080..\$176.49
5 Way Mani 10 x 6 x 6 x 6 x 6.PET10-0081..\$176.49

SBC Intake

Gaskets (2 per set)

Steel Core Laminate, 1.99" x 1.23" Port, .060" Thick
FEL1204.....\$17.42
Printo seal, 2.09" x 1.28" Port, .060" Thick,
FEL1205.....\$17.69
Printo seal, 2.21" x 1.31" Port, .060" Thick,
FEL1206.....\$19.72
Composite, 2.110" x 1.08" Port, .120" Thick, Vortec, Set
FEL1255.....\$24.20
Steel Core Laminate/Printo seal, 2.04" x 1.25" Port, .060" Thick, LT1 Chevy, .L, Set
FEL1284.....\$25.99
Composite, 2.21" x 1.31" Port, .120" Thick,
FEL1266.....\$25.37

BBC Intake Gaskets (2 per set)

Composite, Oval, 2.05" x 1.82" Port, .060" Thick, Chevy, 396-454, Set.....FEL1210\$26.88
Printo seal, Rectangle, 2.54" x 1.82" Port, .060" Thick, Chevy, 396-454, Set.....FEL1211.....\$21.12
Marine Gaskets, Manifold, Intake, Printo seal, Rectangle, 2.54" x 1.82" Port, .060" Thick, Chevy, 396-454, Set.....FEL1211S-3...\$26.93
Composite, Rectangle, 2.54" x 1.82" Port, .060" Thick, Chevy, 396-454, Set.....FEL1275.....\$20.21
Composite, Rectangle, 2.54" x 1.82" Port, .120" Thick, Chevy, 396-454, Set.....FEL1275S-3...\$34.42



Intake Manifold Gasket Set

262-400 SBC Gen I 1955-91

Fits 1955-'91 SBC w/ Medium size ports..MRG106..\$24.04

Intake Manifold

Bolt Kits

3/8" dia, 12-pt-headed intake manifold bolts simplify the job of installing and removing. Intake Manifold Bolt Kit, SB & 90° Chevy V6, and SB Chryslers with single plane manifold, 3/8"-16 x 1-1/8", 12 to a set MOR38400.....\$17.07

Intake Manifold Bolts

SBC 265-400 - Stainless

uses 3/8" socket (Hex Set).....ARP434-2001\$36.58
uses 3/8" socket (12-Pt Set).....ARP434-2101\$38.86

SBC 265-400 - Black Oxide

uses 3/8" socket (Hex Set).....ARP134-2001\$21.62
uses 3/8" socket (12-Pt Set).....ARP134-2101\$22.34

BBC 396-454 - Stainless

uses 3/8" socket (Hex Set).....ARP435-2001\$51.77
uses 3/8" socket (12 Pt Set).....ARP435-2101\$53.80

BBC 396-454 - Black Oxide

uses 3/8" socket (Hex Set).....ARP135-2001\$28.45
uses 3/8" socket (12 Pt Set).....ARP135-2101\$29.74

SBF 289-351W - Stainless

uses 3/8" socket (Hex Set).....ARP454-2001\$42.91
uses 3/8" socket (12 Pt Set).....ARP454-2101\$46.53

SBF 289-351W - Black Oxide

uses 3/8" socket (Hex Set).....ARP154-2001\$30.57

BBC Manifold

Bolt Kit

These Grade 5 hex head bolts are brite zinc plated for protection and appearance. Hardened flat washers provide uniform torque & prevent galling on aluminum manifolds. MRG954G.....\$12.60

Intake Manifold Bolt Kit

3/8-16 x 1" - 12 pieces w/ Washers Fits SBC V8 1955-95 265-400 Fits SB Chrysler V8 1964-86 273-360 Fits BB Chrysler V8 1959-80 361-440 (does not fit 426 Hemi) Fits AMC V8 290-401. Zinc Plated. Grade 5 Quality Steel. Washers Included. MRG955G\$10.28

Chevy Intake Manifold Bolt Kit Socket Head

3/8-16 x 1", Grade 5 hex head bolts are black coated for protection and appearance. Hardened flat washers provide uniform torque & prevent galling on alum manifolds. Internal Allen HeadMRG956G\$12.60
Hex Head.....MRG957G\$13.73

Intake Manifold Bolt

SBC 3/8"-16 x 1" 12-Pt Head w/ Washers

SBC V8 & 90° V6, Chrysler 273-360 V8 1964-91, Chrysler 361-440 V8 1959-79 (all except 426 Hemi), American Motors 290-401 V8. MRG6091.....\$22.90

FUEL DELIVERY

845-651-7389 • www.behrents.com

Holley

170+ GPH HP Series Mechanical Fuel Pump

Street/Strip Carbureted Apps.

Fits SBC V8s Compatible with Gasoline

HP series flow 170 GPH. Made from 6061-T6 billet aluminum for durability & good looks. HP series feature a CNC billet finish for good looks. Male -8AN inlet and outlet already installed. Preset Idle fuel pressure of 7.5 PSI. A/N fittings included with all pumps. Bases are independently rotatable from the top for ease of installation. No fuel pressure regulator required. HOL12-327-25.....\$343.95



170+ GPH HP Series Mechanical Fuel Pump

Street/Strip Carbureted Apps

Fits BBC V8s Compatible w/Gasoline

HP series flow 170 GPH. Made for durability & good looks. HP series feature a CNC billet finish for good looks. Male -8AN inlet and outlet already installed. Preset Idle fuel pressure of 7.5 PSI. A/N fittings included with all pumps. Bases are independently rotatable from the top for ease of installation. No fuel pressure regulator required. HOL12-454-25.....\$343.95



200+ GPH ULTRA HP Series Mechanical Fuel Pump

Race Carbureted Apps. Fits SBC V8s Compatible with Gasoline

Ultra HP series flow 200 GPH. Made from 6061-T6 billet aluminum for durability & good looks. Hard coat anodized for corrosion protection. Fittings included; -10 AN inlet and -8 AN outlet. Preset shutoff pressure of 10-11 PSI. Bases are independently rotatable from the top for ease of installation. Inlet and outlet are tapped 3/4-16 straight O-ring. Requires a fuel pressure regulator. Pump is completely rebuildable. Intended for hard core strip use or is perfect for use in circle track classes. Requires the use of a fuel pressure regulator such as Holley # 12-704. HOL12-327-30.....\$543.95




Fuel Line Kit

3/8" Fuel Hose

9-5/16" Spacing Chrome

Dual-inlet Holley 4-bbl Carburetors w/ 3/8" Hose & 9-5/16" spacing. 4150 (pri. & sec. metering blocks) Hex design allows wrenching area for easier installation of fittings. Mandrel bent 3/8" tubing 5/16"-18 outlet threads Includes 7/8-20 bowl adapters.



MRG1552\$24.04

Adjustable Fuel Line w/Red and Blue Hose Ends

1/8" NPT port and plug for fuel gauge. Fits Holley 4150/4160 series. Hose Barb Fits 3/8" Fuel Hose. MRG1556G ...\$46.99



150 GPH Billet Base HP Electric Fuel Pump

Flows 150 GPH Free Flow. Flows 140 GPH at 7 PSI. Powers Engines from Stock All the Way Up to 900 HP. 3/8" NPT Inlet and Outlet Fittings. Black Mil-Spec Nickel Teflon Hard Anodized Billet Base. Show Quality Chrome 12 volt Motor. Profiled Black Powdercoated Mounting Bracket. Laser Engraved Holley Logo and Inlet/Outlet Markings. Less Noise than Traditional Vane Pumps. 6-1/4" tall. Compatible with Gasoline or Alcohol. HOL12-150...\$280.95



125 GPH Billet Base HP Electric Fuel Pump


Flows 125 GPH Free Flow. Flows 110 GPH at 7 PSI. Powers Engines from Stock All the Way Up to 700 HP. 3/8" NPT Inlet and Outlet Fittings. Black Mil-Spec Nickel Teflon Hard Anodized Billet Base. Show Quality Chrome 12v Motor. Profiled Black Powdercoated Bracket. Laser Engraved Holley Logo and Inlet/Outlet Markings. Less Noise than Traditional Vane Pumps. 6-1/4" tall. Compatible with Gasoline or Alcohol. HOL12-125...\$254.95



HP Billet Carbureted By-Pass w/Idle Bleed Fuel Pressure Regulator

Street/Strip Carbureted Applications Two Port Adjustable from 4.5 to 9 PSI with Idle bleed

Adjustable from 4.5-9 psi for precise fuel pressure adjustments. Constructed of billet alum with a black anodized base and clear anodized top for good looks. Utilizes a idle bleed for precise control of idle pressure. Used in systems with a return line back to tank. Use with electric pumps only. One 3/8" NPT inlet, one 3/8" NPT outlet and one 3/8" NPT return (or bypass). 1/8" NPT gauge port. Comparable and interchangeable with popular Holley HOL12-803BP regulator. Mounting bkt included. HOL12-842.....\$120.95



Electric Fuel Pump

(Micro) 4 PSI/7 PSI - 35

GPH - Diesel Transfer Pump

Gravity Fed type pump with simple two-wire self priming design. Works on 12 volt negative ground systems only. "NOT FOR FUEL INJECTED APPS" Includes 100 micron in line filter. 4-7psi 35 GPH. Please see part #12S for gasoline apps or part #12E for Ethanol, Methanol, E85 & Race Fuel apps. Hose Barbs Fit 5/16" Fuel Hose. MRG12D\$65.34



Electric Fuel Pump

(Micro) 4 PSI/7 PSI - 35

GPH - Gasoline - For Carb

Gravity Fed type pump with simple two-wire design. Works on 12 Volt negative ground systems only. Includes fittings and mounting hardware along with easy to follow DIY instructions. Pumps require approximately one amp average draw at maximum delivery. 4-7 PSI, 35 GPH. Universal design for most domestic 4, 6, & 8 cylinder carb apps. Not recommended for diesel, methanol, ethanol, E85 or Race Fuel apps!! Please see part #12D for Diesel apps or part #12E for Ethanol, Methanol, E85 and Race Fuel apps. Hose Barbs Fit 5/16" Fuel Hose. MRG12S\$43.55



Electric Fuel Pump

(Micro) 2 PSI/3.5 PSI - 28

GPH - Gasoline - For Carb

Gravity Fed type pump with simple two-wire design. Works on 12 Volt negative ground systems only. Includes fittings and hardware along with easy to follow instructions. Pumps require approximately one amp average draw at max delivery. 2-3.5 PSI, 28 GPH. Universal design for most domestic 4 & 6 cyl carb apps. Please see part #12S for V8 gasoline apps, part #12D for diesel apps or part #12E for Ethanol, Methanol, E85 and Race Fuel apps. MRG42S\$36.08



"Red" 97 GPH Electric Fuel Pump

Street/Strip Carbureted Apps Compatible w/Gasoline Only

Tumble polished billet look. for enhanced fuel flow and quiet operation. Max pressure is 7 psi. Motor draws 2 amps current. Relay kit HOL12-753 & 7 1/2 amp fuse recommended. Constant fuel flow with no pulsation. Flows 97 GPH (free flow). Flows 71 GPH at 4 psi. regulator is not required. Has externally accessible pressure relief valve (max 7 psi). Rotor/vane pump design is more tolerant of contaminated fuels. Weighs only 2.88 lbs. Not compatible with alcohol or methanol fuels. Use of safety shut-off switch, HOL12-810, strongly recommended. Not designed or recommended for use with fuel injection systems. HOL12-801-1.....\$127.95



110 GPH Blue Electric Fuel Pump

Street/Strip Carbureted Apps Gasoline Only

Tumble polished billet look. Lower housing casting designed for enhanced fuel flow and quiet operation. Motor draws only 3 amps current. Relay kit 12-753 & 7 1/2 amp fuse recommended. Improved design for street/strip apps. Flows 110 GPH (free flow). Flows 88 GPH at 9 psi. max pressure is 14 psi. Provides constant fuel flow with no pulsation. Has externally accessible pressure relief valve (max 14 psi). Rotor/vane pump design is more tolerant of contaminated fuels. Weighs 3 lbs. Not compatible with alcohol or methanol fuels. Use of safety shut-off switch, 12-810, strongly recommended. Not designed for use with fuel injection sys. With Regulator.....HOL12-802-1 ..\$158.95 Without Regulator...HOL12-812-1 ..\$150.95



140 GPH Black Electric Fuel Pump

Street/Strip Carb Apps Compatible w/Gasoline, Alcohol or Methanol

Tumble polished billet look. Lower housing casting designed for enhanced fuel flow and quiet operation. Compatible with alcohol or methanol fuels. Flows 140 GPH (free flow). Flows 120 GPH at 9 psi. Max pressure is 14 psi. 3/8" NPT inlet & outlet ports. Motor draws only 4 amps current. Relay kit 12-753 & 7 1/2 amp fuse recommended. Has externally accessible pressure relief valve max 14 psi. Weighs only 3 lbs. Safety shut-off switch, 12-810, strongly recommended. Not design for use w/fuel injection system. HOL12-815-1\$201.95



Fuel Pump Block Off Plate BBC

Block-off plates are precision cut to cover stock fuel pump openings. Fits Chevy 396-427-454 cu. in. & most other V6 or V8 engines with 1-3/4" bolt spacing. Chrome Plated Steel. MRG1516\$9.14



Billet Fuel Sample Valve

It is designed to simplify installation and make fuel checks a snap! Packed with common sense features, it's simply the best sample valve on the market. Installs into any 1/8" NPT gauge port. Provides a duplicate 1/8" NPT port on the valve for installation of fuel pressure gauge or pressure sensor transducer. Sample port is equipped with stainless steel barb fitting for extension hose and rotates 360° for ease of installation and sampling. When a fuel sample is required, rotate to the unlocked position, press for fuel sample and release, re-lock the valve and go race..... AER15631...\$99.23



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



SBC Billet Alum Fuel Pump

Max GPM 90 for 850 HP Engine

PSI Idle.....Part #

8.5-9CVSPIN-MP-2509...\$480.00

10.5-11CVSPIN-MP-2551...\$492.95

16.5CVSPIN-MP-2512...\$480.00

**BBC Billet Alum Fuel Pump**

Max GPM 90 for 850 HP Engine

PSI Idle.....Part #

9-9.5CVSPIN-MP-2517...\$456.00

10.5-11CVSPIN-MP-2516...\$479.36

16.5CVSPIN-MP-2515...\$480.00

SBF Cast Fuel Pump - 7 PSI

SBF 1/4" NPT In/Out

CVSPIN-MP-520\$155.95

SBF Steel -8 AN In/Out

CVSPIN-MP-5218\$186.95

**SBC Cast Fuel Pump - 7 PSI**

SBC Steel -10 AN In/-8 AN Out

CVSPIN-MP-504\$192.90

Replaces CATM4891-503D

SBC Steel -8 AN In/Out

CVSPIN-MP-5048\$183.95

Replaces CATM4891-502D

**BBC Cast Alum Fuel Pump**

-10 Inlet -8 Outlet...CVSPIN-MP-5120...\$186.61

Steel Fuel Pump Fittings

-8.....CVSPIN-MP-386.....\$15.86

-10.....CVSPIN-MP-385.....\$15.86

Spring Diaphragm

7-7.5 psi Grey.....CVSPIN-MP-2534...\$27.93

8.5-9 psi Green.....CVSPIN-MP-2536...\$24.67

9-9.5 psi Blue.....CVSPIN-MP-2534...\$27.93

10.5-11 psi White.....CVSPIN-MP-2535...\$28.70

16-16.5 psi Red.....CVSPIN-MP-2634...\$25.86

Replacement Parts

Std Valve Kit Delrin Valve.....CVSPIN-MP-2635...\$83.79

Holley**Mechanical Fuel Pump**

80+ gph. 1/4" NPT inlet/outlet.

SBC ..HOL12-834.....\$91.70

BBC ..HOL12-835.....\$91.70



110+ gph.

3/8" NPT inlet/outlet.

SBC ..HOL12-327-11...\$104.95

BBC ..HOL12-454-11...\$115.95



130+ gph. 3/8" NPT inlet/outlet.

Extra strength rocker arm and casting.

Shut-off pressure pre-set to 8 psi.

SBC ..HOL12-327-13...\$117.95

BBC ..HOL12-454-13...\$114.95

SBF ..HOL12-289-13...\$135.95



170+ gph. pumps

3/4"-16 Inlet & outlet.

-8 Port Fitting.

SBC ..HOL12-327-20...\$150.95

BBC ..HOL12-454-20...\$156.95

**Common Fittings**

-8 x 3/4-16 (AN-8).....EAR985008...\$10.88

-10 x 3/4-16 (AN-8).....EAR985009...\$13.66

-8 To 3/8 Npt Adapter...EAR981608...\$4.54

-10 To 3/8 Npt Adapter...EAR981611...\$6.44

**Victor Series****Racing****Fuel Pumps**

High-volume 3/8" NPT inlet and outlet orifices surpass the capacity of conventional models. Produces 10 psi and must be used with an external fuel pressure regulator such as our Fuel Pressure Regulator #8190 or #1727. For gasoline only. Clockable lower housing can be rotated for best inlet/outlet alignment.

SBCEDE1711\$135.95

BBCEDE1712\$142.95

289-351W Ford...EDE1715...\$140.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Holley**Fuel Pump Check Valve Kit**

Fits HOL12-801-1 "Red" Electric Fuel Pump

Check valve kit for 12-801-1 fuel pump. Includes lower gasket, check valve, spring and inlet screen filter.

HOL12-805.....\$14.86

Fits HOL12-802-1 & HOL12-812-1

"Blue" Electric FP

Check valve kit for 12-802-1 or 12-812-1 fuel pump. Includes lower gasket, check valve, spring & inlet screen filter....HOL12-806.....\$14.86

Fits HOL12-815-1 "Black" Electric FP

Check valve kit for 12-815-1 fuel pump. Includes lower gasket, check valve, spring and inlet screen filter.

HOL12-816.....\$40.09

Electric FP Service Kits**Rotor and Vane Kit**

for HOL12-801-1, HOL12-802-1 Pump

HOL12-811\$21.48



RACING ENGINE COMPONENTS

Mechanical Fuel Pumps

SBC 7 1/2" PSI, 6 Valve..PRC9351...\$156.41

BBC 7 1/2" PSI, 6 Valve..PRC9370...\$171.43

BBC 11" PSI, 6 Valve.....PRC9371...\$175.46

BBC 15" PSI, 6 Valve.....PRC9372...\$179.57

Adjustable Fuel Pressure Regulator 1-6 PSI

Includes brass fittings for use with 1/4", 5/16", or 3/8" fuel hose. For use with carb fuel systems only & engines not exceeding 400 HP. Select desired pressure settings via selector knob located on top of regulator. 2.25" Diameter chrome plated body.

MRG9710\$35.53

**500 CFM Q-Series**

Replacements for 4412

500 CFM Gauge Rule

CT: Sportsman style carb that will pass most tech inspection depending on rules - please check with your sanctioning body before purchase. Features modified emulsion and wedge float.

QUIQ-500-CT...\$511.95

CTA: Setup for alcohol fuel - features stainless hardware, billet metering block, and wedge float.

QUIQ-500-CTA...\$576.95

Q-Series Circle Track Carbs

Built tough to withstand the rigors of round track racing these carbs will take whatever is thrown at them and ask for more. With several sizes and variations there is sure to be carb listed that will help make the checkered flag a reality.

650 GasolineQUIQ-650-CT.....\$764.95

650 Alcohol.....QUIQ-650-CTA...\$797.95

750 GasolineQUIQ-750-CT.....\$842.95

750 Alcohol.....QUIQ-750-CTA...\$873.95

850 GasolineQUIQ-850-CT.....\$873.95

950 3 Circuit Calibration...QUIQ-950-CT.....\$929.95

Performer RPM Street Fuel Pumps





It will support engines up to 600 hp.

High-volume, 3/8" NPT inlet and outlet surpasses the capacity of conventional models. Produces 6 psi and does not require a regulator. For gasoline only. Clockable lower housing can be rotated for best inlet/outlet alignment.

SBCEDE1721\$131.95

BBCEDE1722\$138.95

429/460 FordEDE1726\$168.95

**Dead Head Regulator**

LW: Designed with the latest in CAD software, the SPIN Regulator is the lowest mass compact regulator on the market. Low Pressure Drop: High Flow design eliminates pressure variations. Pressure Fluctuation: Less than 1/2 pound and has Zero "Creep". Fast Response: LW moving parts enables an ultra fast pressure response. Durable: Hard coated to resist wear, made with top quality components. 2 Gauge Signal Ports: Configure gauge to read either low or high pressure. Far superior to any other Regulator on the market today. Made in the USA. CVSPIN-MP-1000\$294.95

**Adjustable By-Pass Regulator**

LW: Designed with the latest in CAD software, the SPIN Regulator is the lowest mass compact regulator on the market. Low Pressure Drop: High Flow design eliminates pressure variations. Fast Response: LW moving parts enables an ultra fast pressure response. Durable: Hard coated to resist wear and top quality components. 2 Gauge Optional Ports: Configure gauge to read either low or high pressure. CVSPIN-FR-2000.....\$213.95

**Holley****Carburetor****Fuel Pressure Regulators**

3/8" NPT ports .220" (7/32") restriction. Includes mounting bracket. Low Pressure (1-4 PSI). High Pressure (4-1/2-9 PSI)

HOL12-803.....Standard.....\$33.20

HOL12-804.....Low Pressure.....\$33.20

**Diaphragm****Repair Kit**


for HOL12-803 & HOL12-804.

HOL12-807.....\$7.41

**Carb Fuel Pressure Regulators**

Regulates from 4-1/2 to 9 PSI. One 1/2" NPT inlet and two 1/2" NPT outlet ports. 0.437" (7/16") restriction. Includes mounting hardware and AN style fittings (one -8 and two -6). Alcohol compatible.

HOL12-704...\$115.95

**Carburetor Bypass Style Fuel Pressure Regulator**

3/8" NPT ports. (1 in, 1 out, 1 bypass or return) Used in system with a return line back to the fuel tank. Quieter fuel pump operation. Designed only for carb use. Preset to 7 PSI. Adj from 4-1/2 to 9 PSI. Electric fuel pumps only. HOL12-803BP...\$87.11

**Billet Regulator Bracket**

Mounts to a HOL12-803, HOL12-804, HOL12-500, HOL12-501 or HOL12-803BP fuel pressure regulator utilizing the passenger side Carb studs on any 4150/4160 style carb. Universal design fits Holley and competitors 4150/4160 style carbs. HOL20-120.....\$41.29

**Electric Fuel Pumps**

80 GPH at 45 psi, -10 AN inlet/outlet for EFI applications.....EDE1790.....\$576.95

120 GPH (free flow), 3/8" NPT inlet/outlet for carb applicationsEDE1791\$213.95

160 GPH (free flow), 1/2" NPT inlet/outlet for carb applicationsEDE1792\$215.95

Holley**500 cfm 2 BBL.**

30cc GFLT Accelerator Pump Diaphragm System. HP metering block with non-adjustable metering.
HOL0-80583-1...\$566.95

Truck Avenger Carbs

It is Designed Specifically for Off-Road Applications. The Unique Fuel Metering Block Eliminates Fuel Spillover through the Boosters at Extreme Angles Allowing for 40 Degree Climbing, 30 Degree Side Hill Maneuvers & Nose-Down Descents to Avoid Hesitations, Stalling and Flooding Typically Associated w/Carbs in an Off Road Environment.
470 cfm.....HOL0-90470...\$592.95
670 cfm.....HOL0-90670...\$592.95
770 cfm.....HOL0-90770...\$559.95

Street Avenger Carbs

No Trouble Quick Change Adjustable Vacuum Secondary. 4th Generation No Trouble Power Valve. Built-In No Trouble Secondary Fuel Filters. Adjustable Needle and Seat. No Trouble Electric Choke. Four Vacuum Ports. Street Avenger Fuel Metering System.
570 cfm.....HOL0-80570...\$481.95
670 cfm.....HOL0-80670...\$481.95
770 cfm.....HOL0-80770...\$481.95
870 cfm.....HOL0-80870...\$498.95

Aluminum 4 Bbl Carb

Alum Construction which weighs only 7.85 lbs! Features a tumble polished finish - can also be hand polished. Vacuum Secondaries for use on a wide variety of vehicles. Quick Change Secondary spring cap lets you choose the opening rate of the secondary barrels. Four vacuum ports. Built-in inlet fuel filters. Fuel line kit included. Dual feed fuel inlet. 1 timed (spark) port, 2 full vacuum, & 1 PCV port. Ford A/T Kickdown, doesn't work with A.O.D. trans.
670 cfm Electric..HOL0-83670...\$470.95
670 cfm Manual..HOL0-85670...\$458.95
770 cfm Electric..HOL0-83770...\$470.95
770 cfm Manual..HOL0-85770...\$458.95

Double Pumper

Dichromate Finish. Manual Choke. Power Valve Blowout Protection. Dual Metering Blocks. Dual Feed Fuel Inlets. Model 4150 w/ Center Hung Floats. 100% Wet-flow Tested & Calibrated. Mech Secondaries (Dual Accelerator Pumps).
600 cfm.....HOL0-4776C...\$564.95
650 cfm.....HOL0-4777C...\$564.95
700 cfm.....HOL0-4778C...\$599.95
750 cfm.....HOL0-4779C...\$599.95
800 cfm.....HOL0-4780C...\$636.95
850 cfm.....HOL0-4781C...\$636.95

4150 HP Carb

Contoured Venturi Inlet. High Flow Metering Blocks. 4 Corner Idle System. Center Hung Dominator Style Fuel Bowls. Spun-in Down Leg Boosters. Power Valve Blow-out Protection. 100% Wet Flow Tested and Calibrated.
650 cfm.....HOL0-80541-1...\$696.95
750 cfm.....HOL0-80528-1...\$729.95
750 Methanol..HOL0-80535-1...\$729.95
830 cfm.....HOL0-80509-1...\$755.95
950 cfm.....HOL0-80496-1...\$797.95
1000 cfm.....HOL0-80514-1...\$797.95

Carb Carrying Case Holley

Made of durable plastic, it is designed to securely hold & protect your carb during storage or transportation. This case can hold a Holley model 2300 carb or any of the square flange 4 barrels.
Size: L 17.88" x W 11.75" x H 16.5"
HOL36-176 \$75.21

Original Holley PERFORMANCE**500 cfm 2 BBL.**

Model 2300. Manual Choke. 50cc Accelerator Pump. Center Hung Float Bowl. Classic Finish.....HOL0-4412C...\$446.95

ULTRA XP**500 CFM Ultra XP 2BBL**

Alum construction for nearly 50% weight savings over zinc version. Tumble polished alum w/Black billet alum metering block and base plate. No choke tower for unobstructed airflow. Air bleeds moved outward to allow a smoother transition of airflow. 5/16-18 bent air cleaner stud included. Down-leg boosters for improved fuel signal.
HOL0-4412BKX...\$561.95

600 cfm 4 BBL.

Vacuum Secondary. Electric Choke. Power Valve Blowout Protection. Model 4160 W/Side Hung Floats. Single Feed Fuel Inlet. Vacuum Ports: 2 Full Manifold, 1 Timed Vacuum. "Next Gen" Needle & Seat Design eliminates the Need for External Float Level Adjustment.
HOL0-80457S...\$341.95

Ultra XP Carbs

They are 38% lighter than our original HP, have fuel capacity that is 20% greater and 30 other new features! Holley Ultra XP carbs offer new features such as an integrated idle bypass valve that allows for idle adjustments while maintaining the correct throttle plate to transfer slot relationship, high capacity fuel bowls which feature 20% more fuel capacity to eliminate starvation, integrated fuel shelf to minimize fuel aeration and internal baffling to control fuel slosh.

Alum. Ultra XP - Hard Core Gray

600 cfm.....HOL0-80801HBX...\$852.95
650 cfm.....HOL0-80802HBX...\$852.95
750 cfm.....HOL0-80803HBX...\$885.95
850 cfm.....HOL0-80804HBX...\$929.95
950 cfm.....HOL0-80805HBX...\$951.95
950 cfm.....HOL0-80835HBX...\$951.95 Methanol

Alum. Ultra XP - Shiny w/ Black Billet

600 cfm.....HOL0-80801BKX...\$796.95
650 cfm.....HOL0-80802BKX...\$796.95
750 cfm.....HOL0-80803BKX...\$828.95
850 cfm.....HOL0-80804BKX...\$863.95
950 cfm.....HOL0-80805BKX...\$896.95

Alum. Ultra XP - Shiny w/ Red Billet

600 cfm.....HOL0-80801RDX...\$796.95
650 cfm.....HOL0-80802RDX...\$796.95
750 cfm.....HOL0-80803RDX...\$828.95
850 cfm.....HOL0-80804RDX...\$863.95
950 cfm.....HOL0-80805RDX...\$896.95

Dominator HP Carb

They were designed specifically for making Top End Horsepower & Torque in High End Racing Engines. 3 Circuit Dominators add another Level of Transition thus Requiring Less Pump Shot.
1050 cfm...HOL0-8896-1...\$901.95
1150 cfm...HOL0-80556-1...\$983.95

Aluminum Air Pans

They fit between the carb and cowl area. Pan keeps engine heat away from the carb and allows cool fresh air from the cowl/windshield base area to enter the carb. Cooler intake air means extra hp. Carb mounting flange is uncut.
ALL26101...\$85.99

Fuel Line Kits

Dual feed fuel line kits include the correct fittings and hoses to properly plumb single carb apps when connecting to AN style fitting. Line kits also include a capped -4AN fitting which can be easily connected to a fuel pressure gauge. Kits are offered with -6 or -8 lines and fittings.

9-5/8" Holley Ultra HP Black...ALL26165...\$64.99

9-5/16" Holley Std Black...ALL26166...\$64.99

Adjustable Fuel Logs

Over 4" of adjustment to work with a variety of dual inlet carbs. It has a -8AN fuel inlet & 3/8" NPT plug in rear port which can be removed for installing a return line or fuel pressure regulator.

w/ 7/8-20 Fittings.....ALL26150...\$119.99

w/ 3/4-16 O-Ring Fittings...ALL26151...\$119.99

Fuel Log

Billet Aluminum Telescoping
-8 Holley Fuel Log
JONFP-8009-LH...\$184.90

B-Nut Fuel Line Kits**EARL'S****Single Inlet Ano-Tuff SS Hose**

-6 AN EARAT101185...\$104.95
-8 AN EARAT101285...\$120.95

Single Inlet Ano-Tuff Pro-Lite 350 Hose

-6 AN EARAT101195...\$104.95
-8 AN EARAT101295...\$120.95

Dual Inlet Ano-Tuff Stainless Steel Hose

-6 AN EARAT102196...\$116.95
-8 AN EARAT102296...\$146.95

Billet Style

Fits 4150 series. Single Inlet Swivel Seal w/9-1/2" spacing. -8 AN male inlet. Single Inlet...EAR101275...\$118.95
Dual Inlet...EAR101276...\$143.95

Fits 4500 series. Single Inlet Swivel Seal w/ 12" spacing. -8 AN male inlet. EAR102275 \$123.95

Holley**Ano-Tuff Carb Fuel Line Single Inlet B-Nut**

Disassembly Swivel Seal Pro Lite 350
-6 AN HOL34-42...\$116.95

Ano-Tuff Fuel Line Kit Single Inlet B-Nut Disassembly Swivel Seal Pro Lite 350

-6 AN EARAT104195...\$102.95
-8 AN EARAT104295...\$118.95

Ano-Tuff Fuel Line Kit Dual Inlet B-Nut Disassembly Swivel Seal Pro Lite 350

-8 AN EARAT104286...\$145.95

Vent Tube Spill Reduction Valves

The vent tube spill reduction valve reduces spillage from your Holley carb's vent tubes in the event of a wreck or rough terrain experienced in racing. Reduces fuel spillage from vent tube in crash situations. Reduce fuel slosh from vent tube during hard launches/stops or rough terrain in racing.
HOL26-342...\$121.95

Fuel Log with**Dead Head Regulator**

CVSPIN-MP-1000-4150...\$339.95

Fuel Log w/Dead Head Regulator for Ultra

CVSPIN-MP-1000-4150-ULTRA...\$352.42

Fuel Log with Adjustable**By-Pass Regulator**

CVSPIN-MP-2000-4150...\$270.95

Dual Action**Adjustable Fuel Log**

For 4150 or 4500 Dominator Style Float Bowls.

Carb inlets swivel + or - 20° in all directions. Telescoping center line 7.700" to 13.450". ORB-10 inlet & outlet ports. (2) 1/8" NPT ports for gauges or pressure transducers. 1.056 / .806" ID bore. Type II bright dip black anodized finish.
AER14201...\$349.65

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Alum Double Pumper Holley

They are constructed from aluminum which compared to their zinc counterpart offer a 38% weight savings. Improved Fuel bowl design. Vibratory polished aluminum for good looks, weight savings and long lasting shine. Optimized street/strip calibration that works out-of-the-box. Manual choke for precise cold start control. Mech secondaries for awesome tire turning perf. 4 corner idle allows you to precisely control your idle system. Dual accelerator pumps for additional fuel under initial acceleration.



600 cfmHOL0-4776SA...\$492.95
650 cfmHOL0-4777SA...\$492.95
700 cfmHOL0-4778SA...\$538.95
750 cfmHOL0-4779SA...\$524.95
850 cfmHOL0-4781SA...\$557.95



4150 Alum Ultra XP Circle Track Series

Calibrated specifically for use on circle track. Has a set screw in the base plate for wide open throttle stop adjustment. PTFE coated throttle shafts rides in oil impregnated bronze bushings for smooth throttle actuation. Anti-siphon valve in main body to reduce pump pullover. Contoured venturi inlet offers balanced airflow for increased horsepower. Dual 30cc accelerator pumps provide the perfect amount of fuel from idle to full throttle. Knurled (hand adjustable) primary & secondary carb idle screws allow for easy idle adjustment w/o the use of tools.



650 cfmHOL0-80812BKX...\$796.95
650 cfm Hard Black.....HOL0-80812HBX...\$852.95
750 cfmHOL0-80813BKX...\$824.95
750 cfm Hard Black..HOL0-80813HBX...\$885.95

Brawler Race 4150 Carb

These carbs work hard just as their name implies—just raw bare knuckled performance that you can rely on. The second phase of new carburetors build on the success of the originals by adding more cfm sizes and options including a black coated finish. Brawlers come with the latest tech in air/fuel calibrations for today's street or race engine demands. The Brawler family of carbs are all made from light-weight alum components and are available in both vacuum and mech secondary models.



Mechanical Secondary 4150


650 CFM Black.....QUIBR-67301...\$544.95
750 CFM Black.....QUIBR-67302...\$549.95
850 CFM Black.....QUIBR-67303...\$621.95
950 CFM Black.....QUIBR-67304...\$641.95
650 CFM Silver.....QUIBR-67199...\$515.95
750 CFM Silver.....QUIBR-67200...\$519.95
850 CFM Silver.....QUIBR-67201...\$532.95
950 CFM Silver.....QUIBR-67202...\$566.95
1050 CFM Silver.....QUIBR-67209...\$685.95
750 CFM Silver Circle Track..QUIBR-67215...\$558.95

Vacuum Secondary 4150

650 CFM Silver Vacuum.....QUIBR-67204...\$513.95
750 CFM Silver Vacuum.....QUIBR-67205...\$518.95

Fuel Log

Designed to fit Holley 4777 and Holley HP Carbs. 1.5" outer dia X 16" long. Complete with all necessary fittings. Has AN 4 outlet for fuel pressure gauge or regulator. 3/8" Pipe thread inlet (kit comes with 3/8" pipe to AN 8 adaptor). Kit also comes with alum carb fittings & gaskets.



BRP5044.....\$115.62



Fuel Directors

Designed for Holley carbs, these are the lightest fuel logs on the market. Unique sliding nut assembly for quick disassembly is only 1 of the special features. -8 AN inlets, 3/4" line port and 1/8" fuel pressure port. Must be used with Holley fittings.



Holley Single.....KLUKRC-4408.....\$97.42
Holley Fittings (pair)...KLUKRC-4419.....\$18.54



600 cfm Performer 4 BBL.

Street Legal, Electric Choke, Calibrated For Fuel Economy. It includes timed vacuum ports, EGR and fuel vapor outlet. Comes with the following jets, rods and springs: Metering Jets - Primary .098, Secondary .095; Metering Rods - .073 x .047; Step-Up Spring - orange (5" Hg). Includes carb studs and hardware.

EDE1400.....\$414.96



600 cfm Performer 4 BBL.

Square flange. Includes vacuum ports for ignition advance as well as a timed vacuum port. Supplied with complete installation kit, including wiring and terminals for electric choke.

Manual Choke..EDE1405 ...\$337.93

Electric Choke..EDE1406 ...\$371.86



750 cfm Performer Series 4 BBL. w/Electric Choke

Comes with Metering Jets - Primary .110, Secondary .107; Metering Rods - .075 x .047; Step-up Spring - orange (5" Hg.) Use our carb stud kits EDE8008 or EDE8024 if needed.

EDE1411.....\$405.95



Holley

Gasket

For Center Hung Float Bowls.
2 Per Pkg.
HOL108-8.....\$7.25



Gasket

Fuel Bowl Inlet Fitting for All Holley Carbs w/Center Hung Floats. 7/8" Nylon. 2 Per Pkg.
HOL26-102.....\$3.98



Fits Ultra HP Series & uses EAR991958 for -8 Fuel Logs Carb, Power Steering, Fuel Pumps, Fuel Injection

-8 AN Male to 3/4"-16 Male

EARAT991958 ...\$10.85

-6 AN Male to 3/4"-16 Male

EARAT991959 ...\$10.06



Aluminum Crush Washer

GOOCW901-10\$0.53



Dual-Feed Fuel Line & Filter Kits

For All Thunder Series AVS Carbs

Dual-Feed Fuel Line with blue anodized aluminum filter (replacement filter only EDE8130)

EDE8133.....\$120.69

Dual-Feed Fuel Line with polished aluminum filter (replacement filter only EDE8129)

EDE8128.....\$108.04

Chromed Steel Dual-Feed Fuel Line with no fuel filter and 3/8" barbed end inlet

EDE8132.....\$104.59



Carb Fittings Fuel Filters

It uses a 60 micron stainless filter in the fitting. Filter is removable for cleaning & the 7/8"-20 thread fits Holley carbs.

-8 AN B-Nut Filter-Fitting.....PET09-0701...\$41.50

-8 Nose Filter Fitting.....PET09-0702...\$38.48

-8 AN B-Nut Filter-Fitting Long..PET09-0711...\$43.57

-8 Nose Filter Fitting Long.....PET09-0712...\$43.57

Aluminum Carb Fittings



Blue anodized, extra long fittings are commonly used with fuel logs. Overall length is 3.5" which spaces fitting 3" from carb. Sold individually.

7/8-20 to -8.....ALL50900\$16.99

9/16-24 to -8.....ALL50901\$16.99



Dual Feed Holley

Adapter Size 7/8-20 hose end -8
EAR991948 ...\$9.49

Rochester

Adapter Size 7/8-20 hose end -6
EAR991949 ...\$8.81

Single Inlet Holley

Adapter Size 9/16-24 hose end -6
EAR991942 ...\$9.20

Dual Feed Holley

Adapter Size 7/8-20 hose end -6
EAR991943 ...\$8.93

-8 AN Male to 7/8"-20 Male

Blue Anodized LW Alum Construction. Typical Application Holley/Reman Dual Feed Carb.
EAR991957 ...\$9.43

Holley Carb Adapter

-08 Female x 7/8-20" - Black
GOOHOLCAB-08DBW...\$26.32

O-Ring Carb Nuts




Seal air cleaner and eliminate using a wrench to remove air cleaner assembly. Available in 1/4" and 5/16" thread.

Short, 1/4" ThreadALL26045...\$10.99

Tall, 1/4" ThreadALL26046...\$11.99

Short, 5/16" Thread ..ALL26047...\$10.99

Tall, 5/16" ThreadALL26048...\$11.99



Carburetor Maintenance Kits

Float Kit (2 floats, 2 pins & a float setting gauge)EDE1469 ...\$15.95

Accelerator Pump Assembly for 1400, 1403, 1404, 1405, 1406, 1805, 1806, 1825, & 1826.....EDE1470 ...\$13.95

Accelerator Pump Assembly for 1407 and 1411EDE1467 ...\$13.95

Accelerator Pump Assembly for 1412, 1413, 1812, and 1813.....EDE1468 ...\$13.95

Marine Accelerator Pump (includes seal, spring and cup assembly for 1409/1410)EDE1471 ...\$31.95

Gasket Kit (includes airhorn and carb-to-manifold gasket).....EDE1472 ...\$13.95

Performer Series Linkage Kit (includes 1 each of 7 links and 6 retaining clips)EDE1473 ...\$16.95

AVS Carb Linkage Kit (includes 1 each of 7 links and 6 retaining clips)EDE1474 ...\$18.95

Carburetor Rebuild Kit (includes parts & gaskets to rebuild all Edelbrock square bore carbs).....EDE1477 ...\$42.95

Replacement Fuel Inlet Fitting (5/8"-20, 3/8" nipple, gold iridited)EDE1497 ...\$16.95

Replacement Needles and Seats (.0935" diameter, pair).....EDE1498 ...\$17.95

Airhorn Gasket (5 gaskets).....EDE1499 ...\$17.95

Carburetor Base Gaskets (2 gaskets).....EDE3899 ...\$10.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Quick Kits

Holley's deluxe rebuild kits. Include gaskets, power valves, diaphragms, needle/seat and all kinds of goodies.

4160 Vacuum Secondary.....	HOL37-1542	\$32.04
2300 Two Barrel.....	HOL37-1543	\$30.91
4150 Double Pumper.....	HOL37-1544	\$44.67
4150 HP Double Pump Vacuum Secondary.....	HOL37-1546	\$58.44
4500 Dominator and Dominator HP	HOL37-1547	\$69.91
Ultra Series Kit E85 4 BBL.....	HOL37-1549	\$59.58
Ultra Series Kit 2 BBL.....	HOL37-1550	\$34.36

Holley**Single-Stage Power Valves****Standard Flow**

2.5" Hg.....	HOL125-25	\$10.85
3.5" Hg.....	HOL125-35	\$10.85
4.5" Hg.....	HOL125-45	\$10.85
5.0" Hg.....	HOL125-50	\$10.85
5.5" Hg.....	HOL125-55	\$10.85
6.5" Hg.....	HOL125-65	\$10.85
7.5" Hg.....	HOL125-75	\$10.85
8.5" Hg.....	HOL125-85	\$10.85
9.5" Hg.....	HOL125-95	\$10.85
10.5" Hg.....	HOL125-105	\$10.85

High Flow

2.5" Hg.....	HOL125-125	\$16.83
3.5" Hg.....	HOL125-135	\$16.83
4.5" Hg.....	HOL125-145	\$16.83
5.5" Hg.....	HOL125-155	\$16.83
6.5" Hg.....	HOL125-165	\$16.83
8.5" Hg.....	HOL125-185	\$16.83
10.5" Hg.....	HOL125-1005	\$16.83

Viton Inlet Needles

Most Holley perf carbs come equipped with a Viton-tipped needle. The design is resistant to dirt and conforms nicely to the shape of the seat for superior sealing. For this reason it is not recommended to use a steel/titanium needle, except for racing.

Seat Size (Adj)

.097".....	HOL6-506	\$15.64
.110".....	HOL6-504	\$16.83
.120".....	HOL6-518-2	\$28.61

Throttle Linkage Bracket Ford Trans Kickdown Extension

This handy part is used to extend the Ford O.E. trans kickdown lever when converting from a 2 bbl. to 4 bbl. carb.

HOL20-41.....\$7.27

Transmission Kickdown Stud

Effective Mounting Point. For Carb Hookup.

HOL20-40.....\$8.48

Stainless Throttle Cable Bracket

2 springs and bracket.

MRG6092MRG.....\$14.88

Throttle and Trans Kickdown Cable Bracket for Carb Engines

This precision formed, chrome plated throttle cable bkt will make carb swaps a breeze and add the finishing touch to any engine compartment.

MRG6039.....\$21.76

Diaphragms w/o screws

HOL135-5 ...30cc (rubber)

HOL135-7 ...50cc (rubber)

HOL135-9 ...50cc (GFLT)*

*GFLT Diaphragms are compatible for use with all alcohol base fuels.

HOL135-7

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

HOL135-9

Oval Track Float Kit for Holley Carbs

Includes one front and one rear float. Fits all Holley center hung float/cathedral bowl carbs. Intended primarily for oval track racing, kit can also be used in drag race apps where two Holley Carbs are mounted sideways on manifold.

MOR65432.....\$32.22

Alum Fuel Block Kits

Universal, high flow Fuel Block Kits easily solve dual gas line problems assuring equal flow and pressure for twin carb setups or dual pickup gas tanks.

Alum Fuel Block Kit, 1/2" hose inlet with two 3/8" hose outlets.....MOR65160.....\$33.38

Throttle Stop for Holley Carbs

For 4150-Series Carbs. It prevents excessive side loading on the throttle shaft, which can easily cause the throttle shaft bores to wear out. Made from rugged 1/8" steel with a clear zinc finish. Fits both 1:1 and progressive throttle linkages.

MOR65042.....\$31.25

Nylon Float Bowl Washer Kit

The ultimate cure for the problem of soft, wet, deteriorating fiber, Holley float bowl washers. 10 per pkg.

MOR65225.....\$7.52

Nylon Fuel Bowl Screw Gasket

Fits All Holley Carbs. Reusable Nylon. 10 Pk

HOL108-98-10.....\$10.93

Carburetor**Air Pan Kits**

All Air Pans measure 12" x 24".

Fire retardant foam measures 1-1/2" wide x 4" tall x 60" long.

Dual 4-bbl. Holley Carbs

Carbs w/ 5-1/8" neck.....MOR65950.....\$73.49

4500 Dom. carbs w/ 7-5/16" neck.....MOR65951.....\$77.05

Single 4-bbl. Holley Carbs

Carbs w/ 5-1/8" neck.....MOR65960.....\$75.20

4500 Dom. carbs w/ 7-5/16" neck.....MOR65961.....\$75.20

Replacement Foam, 4" x 60".....MOR97070.....\$17.10

Pro Series Holley**Secondary Linkage**

Stainless Steel construction and a lightweight yet rugged design, it provides a bulletproof method of adjusting secondaries on all Double Pumper, HP, and Ultra HP carbs. It allows user to pick between 1:1 or progressive secondary ratio. Kit provides infinite adjustment of secondary throttle blades for max hp output. Pro-Series Adj Secondary Linkage Kit for Holley Double Pumper and HP series Carbs.

HOL20-122.....\$37.80

Holley**Hard Core Gray Aluminum V-Bowl Kits**

The bowls are offered in both the classic style V-bowl, as well as the new Ultra Series style (which require a 0.250" longer fuel line). All kits include gaskets and bowl screws.

Primary Alum V Bowl Kit.....HOL134-71HB.....\$63.02

Secondary Alum V Bowl w/o Pump Kit.....HOL134-72HB.....\$57.29

Secondary Alum V Bowl w/ Pump Kit.....HOL134-73HB.....\$63.02

Ultra Series V Bowl Kit.....HOL134-78HB.....\$77.96

50cc Aluminum Accelerator Pump Kits

Holley 50cc accelerator pump kits are now available in aluminum with different finish and hardware options. Kits come with all necessary hardware to upgrade from a 30cc to a 50cc pump.

w/Black Hardware.....HOL20-11BK.....\$57.29

w/Gold Hardware.....HOL20-11SA.....\$57.29

w/Gray Hardware.....HOL20-11HB.....\$60.73

Renew Kit Carburetor Rebuild Kit for Holley 4160 Carburetors

These carb rebuild parts kits include parts for a carb rebuild for Holley 4160 carbs.


MRG8357G.....\$48.91

MRG8357G

Blue Non-Stick Holley Metering Block Gasket

For most Model 4150's, some 4160's early 4165's and most 2300's. Secondary metering block gasket on double pumpers. Not used with accelerator pump transfer tube. Used on 4500's without intermediate idle system. Available in 2/pkg or bulk orders of 100 or more.

HOL108-89-2.....\$10.93

**Metering Block/ Fuel Bowl Gasket Pack**

These gasket assortment have been selected to cover popular Holley 4 bbl. Each contains quantities of gaskets shown.

HOL108-200.....\$13.34

Blue Non-Stick Fuel Bowl Gasket

Model 2300, 4150/60 and 4500 two circuit carbs. Available in 2/pkg. or bulk orders of 100 or more.

HOL108-83-2.....\$10.93

Throttle Body Gasket

Models 4150/4160 Carb Single

A.) 1-7/16" x 1-7/16"

HOL108-61.....\$8.80

B.) 1-9/16" x 1-9/16"

HOL108-3.....\$5.37

C.) 1-11/16" x 1-11/16"

HOL108-5.....\$5.04

D.) 1-3/4" x 1-3/4"

HOL108-7.....\$5.04

50cc Accelerator Pump Conversion Kit

Eliminate flat spot off idle or at any other rpm range. Includes new pump housing, arm diaphragm, spring and longer pump housing screws.

HOL20-11.....\$57.29

Accelerator Pump Cam Assortment Kit

Tailor Accelerator Pump Performance. Each Cam Is Different Shape/Profile. Gives Different Results.

HOL20-12.....\$29.76

Standard Main Jets

These metering orifices control fuel flow into the metering system. They are rated in flow capacity "cubic cms per minute" and are changeable for tuning purposes. The shape of the entry, exit, and size determines flow. Std Main Jet, 1/4-32 Thread, .128" Jet size

• Not for Carbs Originally Designed for Alcohol

• Fits All Model 2010, 2300, 4010, 4011, 4150, 4160 & 4500

• We now carry official Holley Jets in sizes from #44 to #94.

HOL122-().....\$7.93

Jet Extensions

Brass Jet Extensions screw into the metering block to reposition jets farther back into the fuel bowl to eliminate fuel starvation and they won't fall out! Two per pack.

1/4"-32, Std Holley Jets.....MOR65440.....\$15.56

5/16"-32, HP Holley Jets.....MOR65441.....\$16.77

Carb Throttle Ball Assortment

Use on Holley universal carbs. Kit contains 4 Different Throttle Balls & Hardware.

HOL20-2.....\$14.56

Carb Throttle Secondary Adjusting**Lever Kit**

Secondary Throttle Adjusting Lever Kit. Allows quick and easy adjustment.

HOL26-137.....\$48.12

Carb Throttle Cable Bkt

Dual stainless steel throttle return springs (HOL20-89). Holley 4150 & 4160 carbs.

HOL20-88.....\$29.75

Carb Throttle Stud

Throttle & Cruise Control Stud for Chrysler

Apps.....HOL20-67.....\$27.49

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Angled Carburetor Spacer

For dirt late models and modified spacer is angled downward, toward left front, to correct hesitation caused by poor fuel distribution as car "rocks up". 4-hole design enhances carb signal to improve throttle response and increase torque.

ALL25975...\$269.99

2" Tapered Spacer Kit

They feature the J-Form threads to resist loosening & vibration. All carb stud kits come with hex nuts & washers. Qty 4: 5/16" x 1.250

• Qty 4: 5/16" x 1.700
ARP200-2409...\$30.86

Carburetor Base FELPRO

Gaskets for Holleys

4150/4777 Open Plenum.....FEL1900 ..\$5.16
4150/4777 4-hole 1 3/4".....FEL1901 ..\$5.47
Dominator 4500 Open Plenum..FEL1903 ..\$5.27
4412 2-bbl 1 3/4".....FEL1904 ..\$4.62

Air Filter Gaskets

Holley, Carter, Q-Jet...FEL2104 ..\$9.45
Dominator 4500.....FEL2105 ..\$11.05

Carburetor Stand

Aluminum stand simplifies carb maintenance and will hold carb off of work bench surface. Works with Edelbrock, Quadrajet, and Holley 2- and 4-barrel carbs.

ALL26200\$52.99

MOROSO

Carburetor Work Stand

Designed to hold Quadrajet and both std and spread-bore Holley carbs, this tool greatly simplifies carb work. Manufactured of cast alum w/open center & mounting pegs.

MOR62070...\$25.61

Carburetor Top Tool Trays

Made from LW, durable, .063" alum for Holley 5-1/8" Dominator carbs. Also fits other carbs with similar neck diameters. Each Tool Tray sits just 2-1/2" above the carb and features a convenient handle, 1/8" rubber mat, 16 spark plug holders, 8 plug wire holders and enough room to store a variety of tools for working on just about any engine. Inside tray size: 10" x 13".

MOR65801...\$122.87



Inline Street Filter

Color 3/8"
Blue PRF10203.....\$11.18

Replacement Filter for Inline Performance Filter PRF10210

This filter will flow up to 160 GPH @ 7PSI and will filter down to 10 microns.
Replacement Element.....PRF10221....\$4.97

Replacement Filter for Hi-Tech Fuel Filter PRF10214

This filter will flow up to 150 GPH at 7 PSI and filters to as fine as 10 microns.

Replacement Element..PRF10222...\$10.61

Air Cleaner MR

Deep Dish 4" dia - Chrome

Carb throat opening is 2.60". PVC Attachment Included. Comes With All Hardware. Fits 1 And 2 Barrel Applications. Replaceable Filter. Carb base opening is 2.60".

MRG4354\$17.17

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Stub Stacks

Reduce turbulence and restriction, improve metering accuracy and airflow by up to 40 cfm!

Holley carb

4412/6425 2bbl.K&N85-0210 ..\$48.99
4150/4160 w/chokeK&N85-0200 ..\$47.99
4150/4160 w/o choke, uses air filter ..K&N85-0400 ..\$28.99
4150/4160 w/o choke, no air filterK&N85-0500 ..\$36.99
1050/1150 Dominator, no air filterK&N85-0600 ..\$49.99

Carb Spacer PICKNELL

1/4" Thick, Billet Aluminum

BRP9092...\$27.84

Aluminum 2 bbl. Adapter

Adapts Holley 4412 2bbl. to 4bbl. manifold. 1.700" bores. DIRT Approved.

BRP377...\$55.29

Adjustable 2 bbl. Adapter

Adapts Holley 4412 2bbl. to 4bbl. manifold. Radiuses on the bottom of the bores for smoother flow. Slotted mounting holes so you can slide it forward & backward on the manifold to find hp.

BRP376...\$112.16

ARP

Carburetor Float Bowl Kits

They're made from 304 stainless steel & are virtually impervious to corrosion. A polished finish makes them an enhancement to any carb. They are 5/16" wrenching and nominally rated at 170,000 psi. Available for both single and dual metering block apps.

2-barrel, hex (4).....ARP400-0312 ..\$14.04

Dual metering blocks, hex (8).....ARP400-0310 ..\$26.54

Single metering blocks, hex (8).....ARP400-0311 ..\$26.23

ARP



Carburetor Stud Kits

The best way to make carbs stay perfectly sealed to the intake manifold is through the use of ARP's carb studs, which feature J-form threads to resist loosening from vibration. **Quantity: 4 • Size: 5/16**

MOROSO

Carburetor Spacers

Open plenum alum carb spacers increase plenum volume for high RPM power. 4 hole carb spacers increase mixture velocity for more midrange torque. Not legal for sale or use on pollution-controlled vehicles.

1" Spacer. Fits Holley 4500 Dominator bolt pattern open plenum design billet alum ...MOR64950...\$47.49

1" Spacer. Fits Holley 4500 Dominator bolt pattern open plenum design cast alum ...MOR64951...\$66.70

2" Spacer. Fits Holley 4150/4160 bolt pattern, open plenum designMOR64970...\$66.84

1/2" Spacer. Fits Holley 4150/4160 bolt pattern, open plenum design billet alumMOR64985...\$50.09

1" Spacer. Fits Holley 4150/4160 bolt pattern, open plenum designMOR64980...\$55.04



Insulating Plastic and Phenolic Carburetor Spacers

Advanced plastic and phenolic compounds are specially formulated to reduce heat conductivity 10 times greater than alum. Reducing fuel temp inside the carburetor results in a denser, more powerful fuel charge to the manifold. Gaskets not included. Not legal for sale or use on pollution-controlled vehicles.

1" Spacer. Fits Holley 4150/4160 bolt pattern, 4-hole plenum design w/1.75" dia. boresMOR64930...\$40.37

1" Spacer. Fits Holley 4150/4160 bolt pattern, open plenum designMOR64940...\$40.68

1/2" Spacer. Fits Holley 4150/4160 bolt pattern, 4-hole plenum design w/1.75" dia. bores..MOR64943...\$41.74

1/2". Fits Holley 4500 Dominator bolt pattern, open plenum designMOR64947...\$34.92

1/2". Fits Holley standard carbs, single hole wood designMOR65015...\$35.11

Aluminum Carb Cover Assy

Quickly and efficiently covers carb with a water and vibration proof, speed nut design. Speed nut locks onto cover with "O-Ring" seal assembly - no misplaced nuts.

1/4-20 Speed Nut & Carb CoverKLUKRC-1029...\$21.93

5/16-18 Speed Nut & Carb Cover ..KLUKRC-1030...\$21.93

5-1/8" Carb Cover Only.....KLUKRC-1031...\$13.05

Speed Nut Assembly Kit

1/4-20 Speed NutKLUKRC-1033...\$16.55

5/16-18 Speed Nut ..KLUKRC-1034...\$16.55

Carburetor Tops MOROSO

Keeps dust and other foreign material out of carbs during transportation and storage. Manufactured from durable, high-impact plastic. Thumbscrew included 5-1/8" fits.

4150/4160 and Q-Jet...MOR65802...\$8.95

7-5/16" fits 4500 Dom...MOR65803...\$14.54



Carburetor Hats w/Screen

For use in garage or pit area when air cleaner needs to be removed. Screen type hat recommended when adjusting valves.

ALL26042...\$15.99

Aluminum Carb Hats

Great for garage or pit area when air cleaner is removed. 2-1/2" tall for use with 5-1/8" dia carb necks. Std hat is spun, deluxe is machined and has a sealing O-ring.

Standard ...ALL26043 ..\$18.69

Deluxe.....ALL26044 ..\$21.99

Jet Assortment Kit

Holley 2-bbl and 4-bbl Perf. Carbs This kit consists of (2) each of (36) different jet sizes, ranging from #64 to #99.

HOL36-181....\$65.34

Applications.....	O.A.L.....	Black Oxide
Standard.....	1.700.....	ARP200-2401 ..\$17.15
1" spacer.....	2.700.....	ARP200-2402 ..\$17.75
2" spacer.....	3.700.....	ARP200-2404 ..\$18.68
3" spacer.....	4.700.....	ARP200-2405 ..\$19.21
1-1/4" Moroso spacer.....	3.200.....	ARP200-2408 ..\$18.50
2" Moroso spacer.....	1.250 & 1.700.....	ARP200-2409 ..\$30.86
Dominator carb stud, w/spacer.....	4.400.....	ARP200-2415 ..\$18.85
Std w/MOR64919 Ret Spr.....	1.700 & 2.050.....	ARP200-2421 ..\$15.75
Std w/MOR64927 Ret Spr.....	1.700 & 2.050.....	ARP200-2424 ..\$15.70
1" spacer MOR64919 Ret Spr.....	2.700 & 3.050.....	ARP200-2420 ..\$17.41
1" spacer MOR64927 Ret Spr.....	2.700 & 3.050.....	ARP200-2423 ..\$17.34
2" spacer MOR64919 Ret Spr.....	1.250&1.700&2.050.....	ARP200-2419 ..\$30.13
2" spacer MOR64927 Ret Spr.....	1.250&1.700&2.050.....	ARP200-2422 ..\$30.09
Applications.....	O.A.L.....	Stainless 300
Standard.....	1.700.....	ARP400-2401 ..\$23.75
1" spacer.....	2.700.....	ARP400-2402 ..\$22.55
1-1/4" Moroso spacer.....	3.200.....	ARP400-2408 ..\$23.29



700 HP EFI Fuel Pump

- Up to 700 HP naturally aspirated
- Up to 500 HP forced induction

(Requires Bypass Regulator AER13105)
For fuel injected applications with base pressure settings between 30 and 65 PSI. Designed to fuel anything from 150 to 700 hp naturally aspirated, up to 500 hp forced induction. Flows over 450 lbs. per hour @ 13.5 Volts and 45 PSI. -8AN inlet and -6AN ports. Compact size facilitates easy mounting. Fully submersible for custom, in-tank placement. Pumping mechanism features our proprietary composite material, 304 stainless steel roller vanes, and 6061-T651 aircraft-grade aluminum alloy plates. Plates are coated with protective finishes per Military Specification MIL-A-8625 type III hardcoat anodize. The body and end-caps of the pump also utilize 6061-T651 aircraft grade aluminum and are finished with a type II bright dip anodize.

Standard.....AER11106\$399.92
Tsunami.....AER11103\$399.92

Compact size facilitates easy mounting

AEROMOTIVE

**A1000 In-Line Fuel Pump**

ORB-10 inlet and outlet ports. For EFI applications use regulator AER13101 or AER13109. For carb applications use regulator AER13204. Fully submersible for custom, in-tank placement. Perfect for "blow-through" carbureted engines up to 1200 HP. Billet Speed Pump Controller (AER16306) recommended for EFI street apps.

Fuel Injected: up to 1300 HP naturally aspirated, up to 1000 HP forced air induction
Carb Engines: up to 1500 HP naturally aspirated, up to 1200 HP forced air induction

AER11101.....\$415.92

**Eliminator Fuel Pump**

This continuous duty "street warrior" supports big hp and maintains the drivability necessary for a true high performance street car. Designed for high hp street/stip applications, EFI or Carb, it features our "dual chamber" pumping mechanism. ORB-12 inlet port and ORB-10 outlet port. For EFI applications use regulator AER13110, carb AER13212. Fully submersible for custom, in-tank placement. 25% more flow at pressure than our A1000 Fuel Pump. Perfect for "blow-through" carb engines up to 1700 HP. Billet Speed Pump Controller (AER16306) required for EFI street applications.

Fuel Injected: Up to 1900 HP naturally aspirated, Up to 1400 HP forced air induction
Carb Engines: Up to 2300 HP naturally aspirated, Up to 1700 HP forced air induction

AER11104\$651.70

**Pro Series Fuel Pump**

Engineered for high-horsepower racing engines, this beautiful pump features a "dual chamber" pump design. ORB-12 inlet and outlet ports. Beautifully plated with our electroless nickel process. Two ORB-12 / AN-12 Male adapter fittings included. For EFI use regulator AER13110, carb AER13202 or AER13212. Perfect for "blow-through" carb engines up to 2000 HP.

Fuel Injected: Up to 2200 HP naturally aspirated, Up to 1700 HP forced air induction
Carb Engines: Up to 2600 HP naturally aspirated, Up to 2000 HP forced air induction

AER11102\$839.84

**Billet Hex Drive Fuel Pump**

Utilizes standard, 3/8" hex drive shaft and adjustable, billet mounting collar with standard 3-bolt mounting pattern and hardware. Proven performance, powering some of the world's fastest EFI vehicles. Supports up to 3600 HP gas, 1800 HP methanol. Compact size facilitates easy mounting. Billet aluminum CNC-machined body, not "cast". ORB-10 inlet and outlet ports. For EFI applications use regulator AER13113. Carbureted gasoline apps require regulator AER13202 or AER13212. Alcohol applications require Double Adjustable Regulator AER13209 or AER13214.

AER11107\$792.79

**Street Rod Fuel Pump**

• Up to 700 HP (Requires AER13201/AER13205 Regulator or AER13301 Bypass Regulator) For carbureted powerplants making 200-750 HP w/standard regulators and up to 1,000 HP with dynamic, bypass style regulators. Ideal for continuous duty, carburetor applications where more line pressure, flow volume and reliability are desired.....AER11203.....\$221.70

T-Style High Output (H/O) Billet Fuel Pump

• Up to 500 HP (Regulator Not Required) Flow volume exceeds 550 lb/hr or 90 GPH at 5 PSI. Internally regulated to 7 PSI, the H/O pump should not require a separate regulator on most carbs. Rated for continuous duty, the pumping mechanism has all the same features of it's older brother including composite rotor, SS vanes and heat treated steel top and bottom plates for durability. 3/8" NPT inlet and outlet ports for use with common AN or other adapter fittings. Draws less than 5 amps.....AER11209.....\$236.06

A2000 Drag Race Fuel Pump

• Up to 2500 HP (Drag Race Only) (Requires AER13203 Reg or AER13202 Bypass Regulator) 500-2500 HP on gasoline & up to 1500 HP on alcohol. High torque, low rpm motor design delivers more than 350 GPH, free flow, while developing less current draw than any other pump in it's class. Adj. diaphragm bypass valve outperforms ineffective poppet designs, minimizing common flow loss & pressure fluctuation into the regulator at the carb. -10 AN inlet and outlet ports with a -8 AN return port & 1/8" NPT gauge port. Proprietary seal design eliminates leakage.....AER11202.....\$499.88

**A1000 Injected Bypass Regulator**

For 1000 HP applications that require flexibility. Intended for use with custom fuel rails, this true billet regulator was designed specifically for use with our A1000 Fuel Pump. Base pressure (vacuum/boost disconnected) adjustable from 30 to 70 PSI. Two -10 AN inlet ports, one -6 AN return port and 1/8" NPT gauge port. Beautifully finished with type II bright dip red and black anodized coatings. Alcohol compatible. Fuel Pressure will rise on a 1:1 ratio when referencing boost. Fittings Sold Separately.

AER13101.....\$187.16

**Compact EFI Regulator**

For applications producing up to 1,000 HP where space is at a premium. Compact design fits small engine compartments while providing big performance, flows enough to handle 1,000 HP fuel pumps. Ideal for EFI systems where only one inlet is needed. Adj from 30 to 70 PSI. New design, equipped with removable -6 AN male fittings for inlet and outlet ports eliminates the need to buy additional fittings and O-rings. Dedicated, 1/8" NPT gauge port located opposite the side inlet. Vacuum/boost port relocated to the side of the cap for easier pressure adjustments. Fuel pressure will rise on a 1:1 ratio when referencing boost. Bright zinc-plated steel bracket.

AER13105.....\$242.94

**Universal Bypass Regulator**

Dual purpose, universal regulator for carbureted or EFI fuel systems in street or track applications. Base pressure adjustable from 3 to 20 PSI with standard spring (installed) or 20 to 60 PSI with high pressure spring (included). Ideal for carbureted and EFI bypass applications where more flow and superior pressure control are desired.

AER13301.....\$170.57

**Pro-Series Boost Reference EFI Regulator**

For high horsepower EFI applications - the only regulator that can deliver enough flow to support 2000 HP. If your EFI Engine requires high volume, high pressure fuel delivery, you need the Pro-Series Boost Reference EFI Regulator. Recommended for use with Aeromotive Eliminator Fuel Pump and Pro-Series Fuel Pump.

AER13110.....\$359.01

**Belt / Hex Drive EFI Regulator**

Ultra-High Flow EFI Regulator, adjustable from 40-100 PSI. Engineered for our Belt-Drive and Hex-Drive Fuel Pumps, the Belt Drive EFI Regulator is suitable for engines making up to 4,000 HP on gasoline and is compatible with gasoline and methanol. Perfect for any mechanically driven EFI fuel pump developing over 200 GPH at EFI pressure. Base pressure adjustable from 40-100 PSI. References Vacuum/Boost on a 1:1 ratio. Includes two boost line adapters, one barbed for rubber hose, the other for AN-04 braided line. (Prevents blow-off in high boost applications) Ports available for nitrous fuel supply, pressure gauges and transducers. (4) ORB-08 inlet ports, (1) ORB-10 inlet port and (1) ORB-10 return port.

AER13113.....\$292.84

**Carbureted Adj Regulator**

Regulator re-seats after the needle shuts down, reducing pressure creep. -6AN female inlet & outlet ports on AER13201. 3/8" NPT inlet & outlet ports on AER13205. 1/8" NPT gauge port. Adjustable from 5-12 PSI.

-6AN Port.....AER13201.....\$109.24

3/8" NPT Port.....AER13205.....\$121.46

Fittings sold separately AER13205 3/8" NPT ports

**A2000 Carbureted Bypass Regulator**

Adjustable base pressure from 2 to 20 PSI--recommended for A-2000; P/N 11202 and Belt Drive; P/N 11105 Drag Race fuel pumps. Ideal for use with high volume electric or mechanical fuel pumps of any make, where dynamic flow and rock steady pressure control is desired. Fittings Sold Separately.

AER13202.....\$201.77

**A4 Carbureted Regulator**

This is the only four-port regulator on the market that uses a "soft seat" design, eliminating pressure creep at idle and on the throttle stop. Used by many of the best "Super Class" racers in the country. Adj from 5-15 PSI. Fittings Sold Separately.

AER13203.....\$267.76

**A1000 Carbureted Bypass Regulator**

Perfect from the street to the track, naturally aspirated or supercharged. One -10 AN inlet and one -8 AN return port with two -6 AN outlet ports and 1/8" NPT gauge port. Stainless steel vacuum boost port - ideal for turbo-charged or supercharged engines. Fuel pressure rises on a 1:1 ratio with boost. Requires return line from bottom of regulator to top of tank. Fittings Sold Separately.

AER13204.....\$195.47

**Pro-Stock, 2-Port Regulator**

Designed to be used with the A2000 Fuel Pump (AER11202) in either single or dual carb apps. Adjustable from 4-8 PSI. ORB-12 inlet port. (Includes AN-12 to AN-10 male flare reducer fitting). P/N 13208 provides (4) ORB-06 outlet ports. AER13210 provides (2) ORB-08 outlet ports. 1/8" NPT gauge port. Includes mounting bkt.

4-Port.....AER13208.....\$298.21

2-Port.....AER13210.....\$252.59



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Double Adj. Bypass Regulator

Revolutionary design provides two independent pressure adjustments; one adjustment for idle and one for wide open throttle. Engineered for use with variable volume pumps tied to engine RPM. This regulator creates the smoothest and most repeatable fuel curve from idle to wide open throttle of any bypass system.

- ORB-10 return port.
- AER13209 provides (1) ORB-08 inlet and (3) ORB-08 outlet ports.
- AER13214 available with fuel log AER14201 or AER14202, fittings and gauge as AER17249 or AER17251.
- Can be configured for single or dual carbureted engines and provides superior pressure control and flow when installed before the carburetor or after a fuel log.
- Also available with a single inlet port for fuel logs. (AER13214) - provides ORB-10 inlet and return ports.

AER13209



AER13214



Double Adj. 0 Regulator.....AER13209...\$263.07
Double Adj. Bypass 2-Port Regulator.....AER13214...\$267.07

ORB-08 / AN-06 Male Flare Reducer Fitting..AER15605...\$17.23
ORB-06 / AN-06 Male Flare Fitting.....AER15606...\$14.06
ORB-08 / AN-08 Male Flare Fitting.....AER15607...\$17.29
ORB-10 / AN-10 Male Flare Fitting.....AER15608...\$17.36
ORB-10 / AN-06 Male Flare Reducer Fitting..AER15609...\$18.59
ORB-10 / AN-08 Male Flare Reducer Fitting..AER15610...\$18.59
ORB-12 / AN-12 Male Flare Fitting.....AER15612...\$29.76
ORB-12 / AN-10 Male Flare Reducer Fitting..AER15613...\$30.37
ORB-04 / AN-04 Male Flare Fitting.....AER15629...\$14.83

Cutoff Fittings



In-Line Fuel Filter

High-flow, 10-micron fabric (fine) replaceable element.
• Flows 2,000 lb/hr with a pressure drop of less than 1 PSI.

Red.....AER12301.....\$107.82
Black.....AER12321.....\$121.46

High-flow, 100-micron stainless steel (coarse) cleanable element.
• Flows 2,000 lb/hr with a pressure drop of less than 0.5 PSI.

Red.....AER12304.....\$130.94
Black.....AER12324.....\$140.07



SS Series Fuel Filter

• 3/8" NPT ports • Red, type II bright dip anodized finish • Compact size: 3.5" long x 1.25" dia
40-micron fabric replaceable element.....AER12303...\$102.99
100-micron stainless steel (coarse) cleanable element...AER12316...\$93.70

In-Line Fuel Filter

Designed to stand up to the destructive properties of alcohol based fuels, including ethanol & methanol. High-flow, 40-micron stainless steel, cleanable element. ORB-10 ports. Fittings available to adapt these filters to AN-10, -08 and -06 line sizes. Size: 5.5" long x 2" dia.
AER12335.....\$140.89



Pro Series Fuel Filter

ORB-12 ports. Fittings available to adapt these filters to AN-12, -10 line sizes. Pro-Series filters feature an indestructible electroless nickel finish. 7" long x 2.5" dia.
High flow, 10 micron fabric (fine) replacement element. Flows 2,000 lb/hr with a pressure drop of less than .5 PSI.....AER12310...\$164.04
High flow, 100 micron stainless steel (coarse) cleanable element. Flows 2,000 lb/hr w/ a pressure drop of less than .15 PSI.....AER12302...\$197.98



In-Line Fuel Filters w/Integrated Male Flare Ends

AN-06 Male Ends

10-m Microglass Element, AN-06 Male, Black, 2" OD.....AER12345...\$147.73
10-m Fabric Element, AN-06 Male, Black, 2" OD.....AER12347...\$121.59
40-m Stainless Mesh Element, AN-06 Male, Black, 2" OD.....AER12348...\$147.63
100-m Stainless Mesh Element, AN-06 Male, Black, 2" OD.....AER12349...\$147.63

AN-08 Male Ends

10-m Microglass Element, AN-08 Male, Black, 2" OD.....AER12375...\$147.73
10-m Fabric Element, AN-08 Male, Black, 2" OD.....AER12377...\$121.59
40-m Stainless Mesh Element, AN-08 Male, Black, 2" OD.....AER12378...\$147.63
100-m Stainless Mesh Element, AN-08 Male, Black, 2" OD.....AER12379...\$147.63

AN-10 Male Ends

10-m Microglass Element, AN-10 Male, Black, 2" OD.....AER12385...\$147.73
10-m Fabric Element, AN-10 Male, Black, 2" OD.....AER12387...\$121.59
40-m Stainless Mesh Element, AN-10 Male, Black, 2" OD.....AER12388...\$147.63
100-m Stainless Mesh Element, AN-10 Male, Black, 2" OD.....AER12389...\$147.63

Fuel Pressure Gauge

0-15 PSI (1-1/2")...AER15632...\$42.36
0-100 PSI (1-1/2")...AER15633...\$42.36



Fuel Pressure Gauge



Compact 1.5 inch dia. gauge can be mounted to fuel regulator or fuel block for convenient fuel pressure tuning. Includes 1/8" NPT Male Fitting

0-15 psi.....MOR65370...\$43.03
0-100 psi.....MOR65374...\$43.03



Fuel Pressure Gauge 0-15 PSI



Now you can know what your fuel pressure is at a glance with this easy to read 0-15 psi fuel pressure gauge.
Standard.....EAR100195...\$21.15
Oil Filled.....EAR100189...\$32.71



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.gov

Fuel Systems

This system includes everything needed for a complete Aeromotive system installation in a carbureted application. All systems include fuel pump, filters, regulator, port fittings, stainless steel braided hose, hose-ends, wiring and installation hardware.



SS Carbureted Fuel System.....AER17201.....\$1013.66
• AER11203 Fuel Pump • AER13201 Fuel Pressure Regulator

A1000 Carbureted Fuel System (single carb).....AER17242.....\$1804.93
• AER11101 A1000 Fuel Pump • AER13204 Fuel Pressure Regulator

A750 EFI Fuel System.....AER17136.....\$2133.43
• AER11106 A750 EFI Fuel Pump • AER13109 Fuel Pressure Regulator

A1000 EFI Fuel System.....AER17125.....\$2372.81
• AER11101 A1000 Fuel Pump • AER13101 Fuel Pressure Regulator

Eliminator EFI Fuel System.....AER17126.....\$2590.70
• AER11104 Eliminator Fuel Pump • AER13101 Fuel Pressure Regulator

Canister Style Fuel Filter

When an in-line fuel filter just won't work, these canister fuel filters are engineered to provide max flow with limited pressure drop in a canister style filter.

• 3/8" NPT ports. • 6.125" tall x 3.75" diameter
High flow, 10 micron fabric (fine) element.
Flows 1,500 lb/hr with a pressure drop of less than 1 PSI.

Red.....AER12308.....\$100.93
Black.....AER12317.....\$106.81

High flow, 100 micron stainless steel (coarse) cleanable element.

Red.....AER12318.....\$138.01
Black.....AER12319.....\$124.27



Shutoff Valve Fuel Filter

It allow you to shutoff fuel flow and replace your filter elements with little or no fuel loss. Both feature 100 micron stainless steel elements and are recommended for use between the fuel cell or sumped tank and the fuel pump inlet.

ORB-10 ports.....AER12331.....\$251.64
ORB-12 ports.....AER12332.....\$254.95



Replacement Elements

By simply replacing &/or cleaning your filter elements regularly, you can avoid costly repairs to your fuel system and ensure peak engine performance.

AER12601...\$16.60.....10 micron fabric element for 12301, 12306
AER12602...\$74.23.....ProSeries 100 micron st element for 12302, 12332, 12309.
AER12603...\$20.26.....40 micron fabric element for 12303
AER12604...\$42.14.....100 micron fabric element for 12304, 12331, 12307
AER12608...\$17.10.....10 micron fabric element for 12304, 12331, 12307
AER12610...\$22.00.....Pro Series 10-micron fabric element for 12310, 12311
AER12616...\$28.11.....100-micron stainless element for 12316
AER12618...\$61.60.....100-micron stainless element for 12318, 12319
AER12635...\$42.14.....40-micron stainless element for 12335



Billet Fuel Rails Kits

High Flow, Billet Fuel Rails combine 3,000 HP flow capabilities with "bolt-on" ease of installation. ORB-08 Ports with compact connections and positive, leak-free sealing. Full 5/8" ID through bore, capable of supporting up to 3,000 HP. Fully compatible with -10 AN line if combined with custom ORB-08/AN-10 adapter AER15641.

Ford 4.6 L Mustang 96-04 SOHC GT Kit.....AER14103...\$297.97
Ford 4.6 L Mustang 96-98 1/2 DOHC Cobra Kit.....AER14104...\$297.97
Ford 5.0 L Mustang 86-95 GT & Cobra Kit.....AER14101...\$281.58
Ford 5.0 L Mustang 86-95 GT & Cobra, Return Style.....AER14102...\$914.16
GM 97-04 LS1, 01-05 LS6 Kit.....AER14106...\$297.97

Y-Blocks

This CNC-machined, billet aluminum. Y-Blocks feature A/N Style Male inlets and outlets, which eliminate potential leak paths, fittings, O-Rings and "cost".

-12 to (2) -12.....AER15679.....\$87.47
-12 to (2) -10.....AER15678.....\$62.86
-12 to (2) -8.....AER15677.....\$64.26
-10 to (2) -10.....AER15676.....\$53.07
-10 to (2) -8.....AER15675.....\$53.07
-8 to (2) -8.....AER15674.....\$62.86
-8 to (2) -6.....AER15673.....\$48.90
-8 to (2) -4.....AER15672.....\$48.87
-6 to (2) -4.....AER15671.....\$48.87



Fuel Pump/Filter Brackets and Clamps

Billet 2.5" Pump/Filter Bkt. Can be used with the following fuel pumps & filters:
Fuel Pumps: 11103, 11106, 11156, 11211, 11212 11203, 11213, 11209, 11219, 11253, 11259.

Filters: 12302, 12310, 12332, 12309, 12311, 12352, 12360.
AER11703...\$100.73

2.5" T-Bolt Clamp Can be used with the following fuel pumps and filters:

Fuel Pump: 11103, 11106, 11156, 11211, 11212 11203, 11213, 11209, 11219, 11253, 11259.

Filters: 12302, 12310, 12332, 12309, 12311, 12352, 12360.
AER12702...\$20.54

Billet 2" Filter Bracket. Can be used with the following fuel filters:

Filters: 12301, 12304, 12306, 12307, 12321, 12324, 12351, 12354, 12331.
AER12305...\$85.81

4 Port Fuel Distribution Log

(2) ORB-08 Ports and (2) ORB-06 Ports
AER14601...\$71.40



High Flow "Y" Block

Features (1) ORB-10 Port to (2) ORB-08 Ports..AER15620...\$103.07



HORIZONTAL DRAG

**Horizontal Cells**

5 Gal. (13" x 13" x 8").....JAZ250-005-01...\$141.75
Mounting Kit.....JAZ400-005-03...\$38.21
8 Gal. (20" x 15" x 7.5").....JAZ250-008-01...\$153.80
Mounting Kit.....JAZ400-008-03...\$39.97
12 Gal.
(17.5" x 16" x 10")JAZ250-012-01...\$168.89
Mounting Kit.....JAZ400-012-03...\$43.20
16 Gal. (25" x 17" x 9").....JAZ250-016-01...\$220.16
Mounting Kit.....JAZ400-016-03...\$43.49

NHRA DRAG

SFI 28.1 Certified NHRA**Pro Stock Accepted****1.5 Gal Pro Stock I Fuel Cells**

- Aircraft Style Flush Mount Cap Assembly
 - 1 AN -10 Fast Flow Outlet Fitting in the Sump
 - 1 AN -8 Return Fitting w/Anti-Aeration Tube
 - 1 AN -8 Tip Over Valve Vent Fitting
- (7" x 9" x 8-1/2").....JAZ220-015-01...\$409.10
Mounting Kit.....JAZ400-002-03...\$42.95

CIRCLE TRACK CELLS

Flat Bottom Pro Street w/ Sender**Safety Foam Filled w/0-90 Ohm Sender****12 Gallon Cell**

(17.5" x 16" x 10").....JAZ202-012-01...\$256.22
Mounting Kit.....JAZ400-012-03...\$43.20

16 Gallon Cell

(25" x 17" x 10").....JAZ202-016-01...\$270.81
Mounting Kit.....JAZ400-016-03...\$43.49

22 Gallon Cell

(25" x 25" x 9").....JAZ202-022-01...\$316.99
Mounting Kit.....JAZ400-022-03...\$47.03

**Quick Fill****Fuel Components**

Re-Fueling Probe.....RRPR17-001-09...\$445.50
Replacement Bellow..RRPR17-002...\$26.25
Female Dry Break.....RRPR15-001...\$326.25
1.25" Vent w/spring.....RRPR16-001...\$65.25
Catch Can w/probe...RRPR14-005...\$70.00

**12 Gallon Alum Quick Fill Dump Cans**

RRPR14-001-2...\$322.00

Fuel Overflow Catch Can

Aluminum can will catch overflow when refueling. Includes 6" rod for use w/check valve and clear hose splash guard. 1.5 gallon capacity.

ALL10102\$64.99

**Quick Fill Can**

Aluminum fill can has an 11 gallon capacity and is ideal for quick pit stops. 45" neck eliminates unnecessary elbows and assures quick flow.

ALL10100\$154.99

VERTICAL DRAG

**1 Gallon Vertical Cell**

l x w x h	Part #	Price
6" x 6" x 12"	JAZ250-001-01	\$144.20
Straps	JAZ400-001-03	\$38.21

3 Gallon Vertical Cell

l x w x h	Part #	Price
8-1/4" x 8-1/4" x 14-1/2"	JAZ250-003-01	\$141.75
Straps	JAZ400-003-03	\$38.21

5 Gallon Vertical Cell

l x w x h	Part #	Price
9" x 11" x 18"	JAZ250-105-01	\$144.11
Straps	JAZ400-105-03	\$38.21

2 Gallon Pro Stock Cell

l x w x h	Part #	Price
7" x 9" x 10"	JAZ220-002-01	\$409.10
Straps	JAZ400-002-03	\$42.95

SFI 28.1 Certified**3 Gallon Pro Stock Cell**

l x w x h	Part #	Price
8" x 8" x 15"	JAZ220-303-01	\$414.21
Straps	JAZ400-303-03	\$38.21

SFI 28.1 Certified**3 Gallon Pro Modified Cell**

l x w x h	Part #	Price
8-1/4" x 8-1/4" x 14-1/2"	JAZ220-003-01	\$426.50
Straps	JAZ400-003-03	\$38.21

**1 Gallon Nitrous Enrichment Cell**

l x w x h	Part #	Price
6" x 6" x 12"	JAZ220-001-01	\$169.05
Straps	JAZ400-001-03	\$38.21

Flow Max Cell

Size	l x w x h	Price
2 Gal. Cell	10" x 12" x 12"	\$345.53
JAZ240-202-01		\$345.53

Straps
JAZ400-202-03.....\$32.91

3 Gal. Cell 11" x 13-1/2" x 13-1/2"
JAZ240-203-01.....\$345.53

Straps
JAZ400-203-03.....\$32.91

Dry Break Redhead Valve

Spring loaded female receptacle mts in a variety of locations & automatically closes when male dry break is removed. Female dry break accepts 2-1/2" fuel hose. Male dry break accepts 2-1/4" fuel hose.

Female.....ALL40213\$269.99

Male.....ALL40215\$279.99

Overflow Check Valves

Valves are 9-3/4" long and available in two styles. Use with ALL10102 overflow catch can.....ALL40203.....\$77.99

ALUMINUM CELLS

**3 Gallon Fuel Cell**

3 Gal. 8-1/8" x 8-1/8" x 15-1/2"
JAZ210-503-03\$211.06

4 Gallon Fuel Cell

4 Gallon 12-1/2" x 10-1/8" x 8-1/8"
JAZ210-504-03\$222.95

5 Gallon Fuel Cell

5 Gallon 12-1/8" x 12-1/8" x 8-5/8"
JAZ210-505-03\$240.26

10 Gallon Fuel Cell

10 Gallon 16-5/8" x 16-5/8" x 9-1/4"
JAZ210-510-03\$303.69

15 Gallon Fuel Cell

20-1/4" x 18-1/8" x 10-1/4"
JAZ210-515-03\$342.58

20-1/4" x 18-1/8" x 10-1/4" w/0-90 sending unit
JAZ210-615-03\$389.84

20 Gallon Fuel Cell

20-1/4" x 24-1/4" x 10-1/8"
JAZ210-520-03\$398.24

20-1/4" x 24-1/4" x 10-1/8"
w/0-90 sending unit
JAZ210-620-03\$435.81

Jr. Drag Cells

Size l x w x h
1 Qt. Cell 4" x 4" x 10-1/4"
JAZ230-025-01.....\$52.45

2 Qt. Cell 7-1/4" x 4" x 5-1/2"
JAZ230-050-01.....\$71.64

Straps..JAZ400-050-03..\$37.14

1 Gal.Cell 6" x 6" x 12"
JAZ230-001-01.....\$137.42

Straps..JAZ400-001-03..\$38.21

JAZ290-103-01

JAZ290-104-01

Econo Rail Cells

Size l x w x h
3 Gal. Cell 12" x 7-1/2" x 10-1/2"
JAZ290-103-01.....\$159.69

4 Gal. Cell 12-1/2" x 10-3/4" x 8-3/4"
JAZ290-104-01.....\$161.34

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

CIRCLE TRACK CELLS



Oval Track

Safety Foam Filled

8 Gallon (20"x 15"x 7.5")

CellJAZ200-008-01...\$158.25

Straps...JAZ400-008-03...\$39.97

10 Gallon (25"x 9"x 12")

CellJAZ200-010-01...\$167.54

Straps...JAZ400-010-03...\$39.97

12 Gallon (17.5"x 16"x 10")

CellJAZ200-012-01...\$166.54

Straps...JAZ400-012-03...\$43.20

16 Gallon (25"x 17"x 10")

CellJAZ200-016-01...\$200.11

Straps...JAZ400-016-03...\$43.49

16 Gallon (18-1/2"x 18-1/2"x 12")

CellJAZ200-116-01...\$204.11

Straps...JAZ400-016-03...\$43.49

22 Gallon (25"x 25"x 9")

CellJAZ200-022-01...\$253.69

Straps...JAZ400-022-03...\$47.03

22 Gallon (33"x 17-3/4"x 10")

CellJAZ200-122-01...\$234.70

Straps...JAZ400-122-03...\$41.73

22 Gallon (25"x 17"x 14")

CellJAZ200-222-01...\$252.64

Straps...JAZ400-222-03...\$47.03

32 Gallon (33"x 17"x 14")

CellJAZ200-032-01...\$295.09

Straps...JAZ400-032-03...\$52.32

32 Gallon (26"x 18"x 18")

CellJAZ200-132-01...\$295.09

Straps...JAZ400-132-03...\$45.25

Oval Track Cells w/ Cans

Foam filled w/ tip over valve

Pro Sport Cells

4 Gallon 13" x 11-1/8" x 9-1/8"

Cell...JAZ270-004-06...\$213.87

8 Gallon 20-5/8" x 15-1/2" x 8-3/8"

Cell...JAZ270-008-06...\$252.36

12 Gallon 18" x 16-1/2" x 10-1/2"

Cell...JAZ270-012-06...\$262.86

16 Gallon 26" x 18" x 10"

Cell...JAZ270-016-06...\$342.31

16 Gallon 19" x 19" x 12-1/2"

Cell...JAZ270-116-06...\$348.54

22 Gallon 25-5/8" x 25-5/8" x 9-1/4"

Cell...JAZ270-022-06...\$451.51

22 Gallon 34-1/2" x 18-3/4" x 10-1/2"

Cell...JAZ270-122-06...\$446.18

22 Gallon 25-3/4" x 17-3/8" x 14-1/2"

Cell...JAZ270-222-06...\$469.80

32 Gallon 34" x 17-3/8" x 14-3/8"

Cell...JAZ270-032-06...\$575.01

32 Gallon 26-5/8" x 18-5/8" x 18-5/8"

Cell...JAZ270-132-06...\$473.42

Late Model Specialized Pro Sport Cells

32 Gal 26-5/8"x18-5/8"x18-5/8"

Red...JAZ270-532-06...\$489.31

22 Gallon

Pro Lite Fuel Cell

25" x 16-3/4" x 13-3/4"

JAZ285-622-03...\$658.12

Late Model Cell Man O' War

Designed for Dirt Late Model and Dirt Modified apps. Fits all popular chassis including Edge Chassis and Rage Chassis.

22 Gallon 21-1/4" x 18-7/8" x 18-7/8"

JAZ285-722-01...\$677.19

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Bail Handle Cap

Replacement cap for circle track fuel cells. Can be used for custom fuel tank construction. Assembly comes with all hardware and gaskets.

Bail Handle Cap Assembly...JAZ350-301-03...\$61.62

Replacement Cap.....JAZ340-300-09...\$41.39

12 Hole Flange Gasket.....JAZ850-301-01...\$4.12

Bail Handle Cap Gasket.....JAZ850-300-01...\$4.12



Aircraft Style Flush Cap

6 Bolt Flush Cap Assembly...JAZ350-201-06...\$70.29

12 Bolt Flush Cap Assembly...JAZ350-202-06...\$136.07

Replacement Cap.....JAZ340-200-06...\$38.81

6 Hole Flange Gasket.....JAZ850-201-01...\$4.12

12 Hole Flange Gasket.....JAZ850-301-01...\$4.12

Replacement Cap Gasket.....JAZ850-200-01...\$5.72




Bail Threaded Caps

Billet style aluminum threaded cap (non vented) with matching bezel, in red anodized finish for 6-bolt version and blue anodizing for 12-bolt. Assemblies come complete with all hardware and gasket. These caps are approved for use by most racing sanctions.

Red.....JAZ391-725-06...\$80.91

Blue.....JAZ391-730-11...\$90.97



Dragster Fillers

Cast aluminum filler to replace 6 bolts caps. Great for dragsters with behind seat fuel cells. Available in straight or 45° styles. Short styles are approximately 5" long. Long styles are approximately 9" long. Comes with complete with all hardware and gasket.

45° short filler neck assy...JAZ345-251-03...\$109.87

45° long filler neck assy...JAZ345-252-03...\$132.79

Straight short filler assy...JAZ390-251-03...\$109.24

Straight long filler assy...JAZ390-252-03...\$121.40



Fast Fill Valves

Cast aluminum filler to replace 12 bolts D-ring caps. Features a spring loaded flapper for roll over protection. Available in straight or 45° styles. Filler neck available in 2-1/4" and 2-1/2" diameters. Gasket and bolt rings sold separately.

45° 2-1/4" filler valve.....JAZ345-225-03...\$107.80

45° 2-1/2" filler valve.....JAZ345-250-03...\$107.80

Straight 2-1/4" filler valve.....JAZ390-225-03...\$109.48

Straight 2-1/2" filler valve.....JAZ390-250-03...\$109.48

Split Nut Ring (required).....JAZ315-030-03...\$27.76

Replacement flange gasket.JAZ850-301-01...\$4.12



Fuel Level

Sending Unit

70-10 ohm 8" long.....JAZ378-070-03...\$118.68

70-10 ohm 11" long.....JAZ371-070-03...\$123.55

0-90 ohm 8" long.....JAZ378-090-03...\$118.93

0-90 ohm 11" long.....JAZ371-090-03...\$120.43

240-33 ohm 8" long.....JAZ378-240-03...\$119.11

240-33 ohm 11" long.....JAZ371-240-03...\$122.28

Poly Washers


AN-6.....JAZ850-506-04...\$1.40

AN-8.....JAZ850-508-04...\$1.40

AN-10.....JAZ850-510-04...\$1.40

AN-12.....JAZ850-512-04...\$1.41

AN-16.....JAZ850-516-04...\$1.41



Bat Wing Pickup

Designed to keep fuel pickup hose in place. Keeps pickup hose in lower corner of fuel cell. Designed to be used with 1/2" diameter hose. Must be used with foam to function properly.

JAZ305-050-01...\$25.06

Fender Filler Kit

To be used with remote fill fuel cells. Can be adapted to other brands of cells. Can be adapted to other brands of cells. Recessed fender filler cap flange. Bright Zinc plated steel. Vented twist lock cap assembly. 3 feet of clear fuel approved filler hose.


AN-8 to 1/2" hose barb fitting for vent line. 3 feet of 1/2" clear vent line hose. Can use split nut rings for mounting.

6 bolt hole 2-1/4" filler kit...JAZ300-001-20...\$124.42

12 bolt hole 2-1/2" filler kit JAZ300-000-20...\$151.76

6 bolt split nut ring.....JAZ315-030-03...\$27.76

12 bolt split nut ring.....JAZ315-040-03...\$27.76



AN Cap

& Plug Kit

It has 4 each of sizes

-6, -8, -10, -12 and -16.

JAZ730-000-11...\$15.94



Fuel Cell

Safety

Foam Kit

-001 cells.....JAZ360-001-11...\$29.00

-002 cells.....JAZ360-002-11...\$29.00

-003 cells.....JAZ360-003-11...\$32.45

-004 cells.....JAZ360-004-11...\$32.45

-005 cells.....JAZ360-005-11...\$35.36

-008 cells.....JAZ360-008-11...\$58.04

-010 cells.....JAZ360-010-11...\$69.10

-012 cells.....JAZ360-012-11...\$76.18

-016 cells.....JAZ360-016-11...\$95.15

-022 cells.....JAZ360-022-11...\$114.74

-032 cells.....JAZ360-032-11...\$161.48

-103 cells.....JAZ360-103-11...\$32.72

-104 cells.....JAZ360-104-11...\$32.61

-105 cells.....JAZ360-105-11...\$35.54

-116 cells.....JAZ360-116-11...\$109.56

-122 cells.....JAZ360-122-11...\$114.98

-132 cells.....JAZ360-132-11...\$161.48

-202 cells.....JAZ360-202-11...\$29.00

-203 cells.....JAZ360-203-11...\$32.45

-222 cells.....JAZ360-222-11...\$114.98

-303 cells.....JAZ360-303-11...\$32.45



12-Bolt

Fill Valve/Check Valve Flapper

This 12-bolt Fill Valve with Check Valve Flapper can be retrofitted to bolt onto any our standard 12-hole pattern cap assemblies. It has a 2-1/4" O.D. fill tube and twist-lock cap. It features a bolted-in plastic flapper for rollover protection and comes standard with an AN-10 Tip Over Valve Vent fitting. Designed to be used on fuel cells with or without who require rollover protection, but do not want the extra cost of a spring-loaded flapper. Fuel cells built with this new filter installed will also come with a bat wing attached to the pick-up hose to prevent the hose from curling or moving.

JAZ391-251-03...\$82.39

Fuel Cell Tip Over Valve

AN-6...JAZ834-006-11...\$24.82

AN-8...JAZ834-008-11...\$25.71

Fuel Cell Tip

Over/Breather

Valve

AN-8 Breather

JAZ834-108-06...\$35.16

Fuel Cell External

Tip Over Valve

AN-6...JAZ834-206-06...\$29.34

AN-8...JAZ834-208-06...\$29.34

Fuel Cell Fast Flow Fittings


AN-6...JAZ832-106-11...\$15.87

AN-8...JAZ832-108-11...\$17.12

AN-10...JAZ832-110-11...\$24.80

AN-12...JAZ832-112-11...\$32.17

AN-16...JAZ832-116-11...\$49.22



FUEL DELIVERY

845-651-7389 • www.behrents.com

DIRT MODIFIEDS



24 Gallon Complete Fuel Cell

24 Gallon 100 Series Super Cell regular fill in aluminum shoe box container, measures 25 x 17 x 14.5 comes with #8 or #10 pickups, includes dipstick.
ATLSU124B-AC.....\$1367.52

100 Series Bladder - 24 Gallon

Replacement 100 Series lightweight bladder and foam for SU124B
ATLFB124B.....\$810.64



22 Gallon Super Cell Steel Can

22 Gallon 100 Series Super Cell. Regular fill plate in steel container, measures 25 x 16.75 x 13.75" #8 outlet, used in Dirt mods and SK mods
ATLSU122B.....\$1270.15



100 Series Bladder 22 Gallon

Replacement 100 Series lightweight bladder and foam for SU122B
ATLFB122B.....\$766.75




22 Gallon Sports Cell w/Steel Can

22 Gallon B-Size Sports Cell regular fill plate in steel container, measures 25 x 16.75 x 13.75 #8 outlet, used in Dirt modifieds.
ATLSP122B.....\$1085.55



22 Gallon Replacement

Saver Cell & Sports Cell Bladder Replacement rotational molded bladder and foam for SP122B.
ATLMB122B..\$507.26



22 Gallon Replacement

Aluminum, 25 in. Length, 17 in. Width, 14 in. Height
ATLAC622B-SB..\$395.78



DIRT LATE MODELS

22 Gallon Dirt Late Model Style Sports Cell

It measures 25.13" x 16.75" x 13.75" Add - B for Black. W- for White. or ACAF for lightweight Aluminum can and Alum Fill (28 lbs.)
ATLSP122B-LM.....\$932.06



26 Gallon Dirt Late Model Style Sports Cell

It measures 25.25" x 16.85" x 17.25" Add - B for Black. W- for White. or ACAF for lightweight Aluminum can and Alum Fill (35 lbs.)
ATLSP126C-LM.....\$942.17



26 Gallon LW C-Size Dirt Late Model 100 Series Sports Cell

This cell measures at 25.25" x 16.85" x 17.25". Its in Aluminum Can Only and weighs just 25 lbs.
ATLSU126C-LM-AC.....\$1512.21



32 Gallon Dirt Late Model Style Sports Cell

It measures 26.13" x 19.00" x 17.18" Add - B for Black. W- for White. or ACAF for lightweight Aluminum can and Aluminum Fill.
ATLSP132B-LM.....\$1001.76



ASPHALT MODIFIED


200 Series 22 Gallon Super Cell

22 Gallon B-Size 200 Series Super Cell, NASCAR approved measures 25 x 16.75 x 13.75 includes TF193A-184A quick fill & steel container. NASCAR touring mods.
ATLSU222B...\$1732.99



Replacement Bladder - 22 Gallon

Replacement 200 Series 22 Gallon B-Size Bladder and foam for the SU222B
ATLFB222B...\$937.04



22 Gallon SK Mods

22 Gallon B-Size 100 Series Super Cell regular fill plate in steel container, measures 25 x 16.75 x 13.75 #8 outlet, used in SK and weekly modifieds
ATLSU122B.....\$1270.15



100 Series Bladder 22 Gallon

Replacement 100 Series lightweight bladder and foam for SU122B
ATLFB122B.....\$766.75



15 Gallon SK Mods

15 Gallon 100 Series Super Cell, regular TF600 fill plate, steel container measures 24.5 x 17.75 x 9.5, #8 outlet, used in SK and Weekly asphalt mods.....ATLSU115.....\$1078.90



100 Series Bladder - 15 Gallon

Replacement 100 Series 15 Gallon Bladder and foam for the SU115
ATLFB115.....\$658.35



ASPHALT LATE MODS

22 Gallon E-Size 100 Series Super Cell

22 Gal. E-size 100 Series Super Cell. regular fill plate in steel container, measures 33 x 17 x 9.25 #8 outlet, used in Asphalt Late Models.
ATLSU122E.....\$1270.15



100 Series Bladder 22 Gallon

Replacement 100 Series E-Size lightweight bladder and foam for SU122E
ATLFB122E.....\$766.75



22 Gallon 100 Series Super Cell

Gallon C-size 100 Series Super Cell. Regular fill plate in steel container, measures 34 x 17.5 x 9.5 #8 outlet, used in asphalt late models
ATLSU122C.....\$1270.15



100 Series Bladder- 22 Gallon

Replacement 100 Series C-size lightweight bladder and foam for SU122C
ATLFB122C.....\$766.75



22 Gallon C-Size Sports Cell

22 Gallon C-Size Sports Cell regular fill plate in steel container, measures 34 x 17.5 x 9.5 #8 outlet
ATLSP122C.....\$1085.55



SPRINT CAR

28 Gallon Kinser Designed Sprint Cell

28 gallon ATL style LW Complete Sprint Cell with mounting inserts. Only 21 lbs!
ATLSC428.....\$2047.50



Replacement Tail Tank for 28 Gal

ATLTT428.....\$349.70

Replacement 28 Gal Bladder

ATL Style..ATLFB428...\$1368.90

28 Gallon Sprint Cell

28-Gal Fuel Safe Style LW Complete Sprint Cell w/mounting inserts
ATLSC428-FS.....\$2101.25



Replacement Tail Tank for 28 Gallon

ATLTT428.-FS...\$318.72

Replacement Bladder 28 Gallon

Fuel Safe Style ..ATLFB428-FS..\$1424.80



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



ROAD RACING



8 Gallon Sports Cell

8 Gallon Sports Cell, includes standard fill in steel container, measures 20.5 x 12.4 x 9.1. SCCA, NASA and Vintage approved ATLSP108.....\$787.09



10 Gallon Sports Cell

10 Gallon Sports Cell, includes standard fill in steel container, measures 24.75 x 12.84 x 10.25. SCCA, NASA and Vintage approved ATLSP110.....\$804.25



12 Gallon Sports Cell

12 Gallon Sports Cell, includes standard fill in steel container, measures 20.5 x 17.75 x 9.5. SCCA, NASA and Vintage approved ATLSP112.....\$883.52



15 Gallon Sports Cell

15 Gallon Sports Cell, includes standard fill in steel container, measures 24.5 x 17.75 x 9.5. SCCA, NASA and Vintage approved ATLSP115.....\$923.82



12 Gallon Well Cell

12 Gallon Well Cell 22 dia 9" tall. SCCA, NASA and Vintage Approved ATL171110.....\$



3 Door Surge

w/High Pressure Pump

In-Tank 100 PSI pump & Surge Tank Includes: 3-Door Surge Tank. ATLTF602 Bulkhead. 5/16" Flex Tube. Wire Bulkhead. Filter Sock. Clamps. Diagram. ATL-CFD 104 Pump. Wire Harness ATLCFD-600-HP.....\$468.32



3-Door Molded Surge Tank

5" x 5" x 6" .6 Gallon for Road Race & Rally Apps. #8 AN (Optional #6) "ScavenJet I" ATLTF479 ATLST528.....\$224.42



5-Gallon Vent Bottle w/Elbow

5 Gallon/20 Liters Nom. It is foam-filled and mates with a dry break valve (not included) to collect vent overflow during pit stop fueling. It's a great "top-off" refueler bottle too! Elbow hose included. 13" dia. x 36" tall. ATLRE169.....\$264.33



METHANOL

26 Gal Saver Cell Complete

25" x 16" x 17", w/Methanol Compatible Foam Baffling. ATLSA126C-MF.....\$call

26 Gal Sports Cell Complete

25" x 17" x 17", w/Methanol Compatible Foam Baffling. ATLSP126C-MF.....\$call

24 Gal FluoroCell "600" Series Complete

25" x 17" x 15", w/Methanol Compatible Foam Baffling. ATLSU624B-MF.....\$2853.46

28 Gal Black Widow Dirt Late Model Complete

21.25"x24"x21.1" w/Methanol Compatible Foam Baffling. ATLSP128-LM-MF.....\$call

26 Gal Sports Cell Dirt Late Model Complete

25" x 17" x 17", w/Methanol Compatible Foam Baffling. ATLSP126C-LM-MF.....\$call

32 Gal Sports Cell Dirt Late Model Complete

26" x 19" x 17", w/Methanol Compatible Foam Baffling. ATLSP132B-LM-MF.....\$call

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

ACCESSORIES



Replacement Foam

8 Gallon.....ATLBF608.....\$90.02
10 Gallon.....ATLBF610.....\$102.20
12 Gallon.....ATLBF612.....\$114.80
15 Gallon.....ATLBF615.....\$143.08
22 Gallon, E-size.....ATLBF622E.....\$187.60
22 Gallon, B-size.....ATLBF622B.....\$187.60
24 Gallon.....ATLBF624B.....\$214.76



Regular Fill "Flap-Valve"

Anodized Aluminum Assembly
Standard Aluminum fill plate includes 2.25" twist on cap with rollover valve, #6 rollover vent valve, and (2) #6 or #10 outlets. ATLTF600-10.....\$235.98



Quick Fill

"Paddle Valve" Assembly

Alum, Spring Load "Bullet" Vent
Paddle Valve Quick fill plate with 2.25" 45 degree fill with paddle, 1.5" vent valve, #6 dipstick and (2) #8 outlets. ATLTF525.....\$530.47



Regular Fill "Flap-Valve" Powder Coated Steel Assy

2-1/4" O.D. 3" Tall Fill Neck, (2) #8 Out., (1) #6 Vent Valve, Cap & Flap Valve ATLTF195.....\$



Seal Kit

Gaskets, Seals, Flapper, Bolts and Washers. For ATLTF193A-184A, ATLTF183A. ATLKS161.....\$62.30



Heavy Duty Gasket 6" x 10" Dual 24 Bolt

ATLTF217.....\$9.94



4-3/4" B.C. 12 Bolt

ATLTF147.....\$6.16



4" x 6" Oval 12 Bolt

ATLTF236.....\$7.56




"Super Trick" Dump Can

11 Gallon Nom. Capacity ATL's "Super-Trick" dump can is made of seamless, impact-resistant polymer. It features smooth internal transitions, bell-mouth vent, anti-spiral vanes, shoulder recess & integral vent handle supports. Also includes a handy side-fill cap to allow filling without removing the male dry break & a sight glass window for viewing fuel flow. All of these items plus a full 2-1/4" neck combine for ultra-quick refueling times. ATLRE103-2.....\$366.53



Dipstick Kit

#6 Dip Stick Kit includes an AN #6 Bulkhead Fitting. ATLTF265.....\$57.68



Dip Stick w/ Threaded Cap ATLTF207.....\$33.18

No Dip Fuel Stick

Fits Fuel Safe and ATL 24 Gallon Dirt Modified Cells and ATL 28 Gallon Rocket Dirt Late Model. BRP9442.....\$89.23



Quick Fill Neck w/"Flapper-Valve"

4-3/4" B.C. 12 Hole 2-1/4" O.D. Fill, 90° ATLTF183A.....\$268.96



Quick Fill Neck w/"Flapper-Valve"

4-3/4" B.C. 12 Hole 2-1/4" O.D. Fill, 45° ATLTF184A.....\$251.16



Ultra Quick Fill Neck with "Paddle Valve"

4-3/4" B.C., 12 hole (2 sets) 3" O.D. Fill, 45° ATLTF689-570.....\$346.52



Remote Fill Cap Alum.

Cap Assembly w/Stepped Neck accepts 2" and 2-1/4" I.D. Hose, 2" Openings, 3" B.C. ATLTF429.....\$284.69



Cap Red

ATLTF243.....\$21.80



Recessed Cap Steel Fender Fill

2-1/4" Fill, 5" B.C. with 1/8" Drain. ATLRF108.....\$170.43



Paddle Valve Replacement Part

12 Bolt Hole, 4.75" B.C. Patented ATLTF570.....\$41.40



Aluminum Quick-Fill, Off-Set, "Paddle-Valve"

3" O.D. Paddle Ck Fill (22°), 1-1/2" O.D. Vent Valve (90°), (1) #8 Outlet - Dirt and Off-Road ATLTF702.....\$896.17



Duck Foot Fuel Pickups w/Filter/Separator

Overall Length = 22"
#6 AN (3/8") Pickup.....ATLTF239\$51.94
#8 AN (1/2") Pickup.....ATLTF240\$59.64
#10 AN (5/8") Pickup.....ATLTF442\$74.06



Hose Ready for use w/"Scaven-Jet II)

Has push-lock 90° fitting at end for pick-up connection. Overall Length is 22".



#8 AN (1/2") Pickup Red ATLTF240-S.....\$59.64

#10 AN (5/8") Pickup Black ATLTF442-S.....\$81.76

Male Red Head Dry Break

2-1/4" Male Probe, connects to dump can or overhead rig. ATLRE105.....\$461.30



Female Red Head Dry Break

2-1/4" Female Receptacle, Mounts in Fender or deck ATLRE104.....\$403.11





Hi-Flow Chrome Canister Type Fuel Filter

Canister-type filter flows up to 90 gallons per hour. Equipped with 3/8" NPT inlet/outlet ports and a replaceable 10 micron element.
ALL40250...\$37.99



Replacement Filters

FRAHPGC-1...\$8.95



Fuel Filters

(Paper Element Installed)

Add BK/BL/R to the end of the part # for colors.
(BK-Black, BL-Blue, or R-Red)

1/2" NPT Long Female.KLUKRC-4905(Color) . \$56.39
#6 AN Long InlineKLUKRC-4906(Color) . \$56.39
#8 AN Long InlineKLUKRC-4908(Color) . \$56.39
#10 AN Long InlineKLUKRC-4910(Color) . \$56.39
#12 AN Long InlineKLUKRC-4912(Color) . \$60.20

(Long Stainless Element Installed)

1/2" NPT Long Female.KLUKRC-4925(Color) . \$101.83
#6 AN Long InlineKLUKRC-4926(Color) . \$101.83
#8 AN Long InlineKLUKRC-4928(Color) . \$101.83
#10 AN Long InlineKLUKRC-4930(Color) . \$101.83
#12 AN Long InlineKLUKRC-4932(Color) . \$115.09

(Short Stainless Element Installed)

1/2" NPT Short Female KLUKRC-4705(Color) . \$78.14
#6 AN Short.....KLUKRC-4706(Color) . \$78.14
#8 AN Short.....KLUKRC-4708(Color) . \$78.14
#10 AN Short.....KLUKRC-4710(Color) . \$78.14
#12 AN Short.....KLUKRC-4712(Color) . \$88.46

KLUKRC-4500



Elements

Long Paper Element..KLUKRC-4500 ...\$8.97
Stainless Steel Element, 100 Mic Absolute
Short.....KLUKRC-4600 ...\$27.15
Long.....KLUKRC-4602 ...\$30.28



Fuel Filters

Inline Style Fuel Filter #8 ...BRP5038...\$49.19
Inline Style Fuel Filter #10 ...BRP5039...\$49.19
Also available in Black.

Inline Style Fuel Filter
Replacement Filter
FRACG-27....\$13.95



Fuel Mounts for Inline Style Filters

1 1/4" Tubing MountBRP5034...\$18.40
1 1/2" Tubing MountBRP5035...\$18.40
1 3/4" Tubing MountBRP5036...\$18.40
Also available in Black.

In-Line Aluminum Fuel Filters


Filter elements are 8" long and fit in a 9" housing. Overall length is 12" and outside dia is 2". Filter With 63 Micron Stainless Element And -10 Ends
ALL40219....\$65.99



Replacement Parts

In-Line Alum Fuel Filters

10 Micron Paper Fuel Filter Element.
ALL40220....\$10.99



Throttle Return Spring Set Dual Spring

Universal in design & engineered to provide positive throttle return for increased safety. Inner & outer spring are Electro-Nickel bright plated to resist rust. Universal design w/small bkt for simple installation.

MRG19\$11.44



600 Series Filters

Anodized billet aluminum body and end caps for durability & resistance to fluid corrosion.. stainless steel mesh screen and a pleated element for high flow.
Std 4.5" Long x 2" Dia • Ball Valve 5" Long x 2" Dia



45 Micron Filter StandardBall Valve

-6 ...PET09-0610.....\$145.30.....PET09-0600.....\$187.40
-8 ...PET09-0611.....\$145.30.....PET09-0601.....\$187.40
-10 ..PET09-0612.....\$145.30.....PET09-0602.....\$187.40
-12 ..PET09-0613.....\$145.30.....PET09-0603.....\$187.40

60 Micron Filter StandardBall Valve

-6 ...PET09-0616.....\$145.30.....PET09-0606.....\$187.40
-8 ...PET09-0617.....\$145.30.....PET09-0607.....\$187.40
-10 ..PET09-0618.....\$145.30.....PET09-0608.....\$187.40
-12 ..PET09-0619.....\$145.30.....PET09-0609.....\$187.40

100 Micron Filter StandardBall Valve

-6 ...PET09-0620.....\$145.30.....PET09-0624.....\$187.40
-8 ...PET09-0621.....\$145.30.....PET09-0625.....\$187.40
-10 ..PET09-0622.....\$145.30.....PET09-0626.....\$187.40
-12 ..PET09-0623.....\$145.30.....PET09-0627.....\$187.40

Small Body - 600 Series Filter Mount Brackets

Fits 1-1/4" tube - 2 pieces.....PET09-0690.....\$59.29
Fits 1-3/8" tube - 2 pieces.....PET09-0691.....\$59.29
Fits 1-1/2" tube - 2 pieces.....PET09-0692.....\$59.29
Fits 1-3/4" tube - 2 pieces.....PET09-0693.....\$59.29
Firewall mount- 2 pieces.....PET09-0694.....\$59.29

Fuel Filter Elements


600 Series Filters

45 Micron Gold/Red end caps.....PET09-0680...\$40.57
60 Micron Gold/Black end caps.....PET09-0660...\$40.57
100 Micron Gold/Purple end caps..PET09-0699...\$40.57

Rebuild Kits

The 600 series rebuild kit comes with all o-rings needed for the standard 600 series filter. Includes (2) o-rings for the endcaps and (1) element o-ring.

-8 thru -12 AN Filters (3) O-rings
For Methanol.....PET09-0689...\$5.31
For Viton.....PET09-0686...\$5.78
For Unleaded.....PET09-0688...\$5.46



Inline Ball Valves

Made from aircraft alum, these valves utilize hardcoated alum balls and bodies along with Teflon seals. Make fuel or oil shutoff easy, while allowing full flow when opened.

-8 AN x -8 AN Small BodyPET09-0920...\$123.42
-8 push-on x -8 push-on Small BodyPET09-0922...\$123.42
-10 AN x -10 AN Large BodyPET09-0940...\$129.94
-10 push-on x -10 push-on Large Body..PET09-0942...\$129.94



Throttle Linkage

It comes complete with carb bushings to hook up almost any carb. Aircraft alum is strong yet LW. Ends lock closed yet disconnect in seconds.

KLUKRC-1040...\$59.71



Chrome Fuel Filter fits 3/8" Hose

Polished & chrome-plated to compliment other under-hood chrome accessories, these canister fuel filters are perfect for any custom or performance engine. Inlet/outlet openings have a safety bead for positive fuel line retention.


MRG9746\$10.28



Inline Fuel Filter

Clearview 5/16" for Carb Apps 10 PSI Max

Chrome ends & a glass body for clear and quick viewing of fuel flow & debris trapped in the 100 Micron white mesh replaceable filter element. Supports up to 400 HP, Fits 5/16" fuel hose only.
MRG9747\$13.73



Inline Fuel Filter

Clearview 3/8" for Carb Apps 10 PSI Max


It has chrome ends and a glass body for clear and quick viewing of fuel flow and debris trapped in the 100 Micron white mesh replaceable filter element. Supports up to 400 HP, Fits 3/8" fuel hose only.
MRG9748\$13.73



Inline Fuel Filter

Clearview - for Carb Apps - 10 PSI MAX - Universal

No hoses or clamps included. Supports up to 400 HP, Includes 1/4", 5/16", and 3/8" in. hose barb fittings. Not for fuel injected apps - 10 PSI MAX Pressure.
MRG9706\$11.44



Throttle Cable Mounting Kit

Includes all necessary hardware to mount a Holley carb on a late model GM vehicle. Comes with a 1/8" blue anodized aluminum mounting plate and required clips, pivot, nuts and bolts to complete the job.

MOR65050.....\$49.13

*Not legal for sale or use on pollution-controlled vehicles



Throttle Return Spring Kit Manifold Mounted Chevy V6/V8

Provides positive throttle return required by several sanctioning bodies. Each kit fits Holley 2 or 4 bbl single carb applications.




18" SBC Cyl Heads, 5-7/16" Tall.....MOR64922...\$23.29
SBC and 90° V6, 1-13/16" Tall.....MOR64925...\$24.58
BBC, 1-13/16" Tall.....MOR64926...\$28.84
Tall Version to facilitate throttle return on spacer equipped SBC & 90° V6 eng, 4-3/4" Tall..... MOR64928...\$38.18

Carbureted Mounted

2300/4150 Series

The answer to your throttle return spring linkage problems if you're running a 2300/2305 series two-barrel or 4150/4160 series four-barrel Holley carb. Designed and built rugged enough for competition, yet it's polished chrome finish is suitable for the finest show car. Includes one set of heavy and one set of light springs.

MOR64927 ...\$27.76



Carburetor Mounted

4500 Series

Made from sturdy 14-gauge steel and finished in hand-polished chrome. Kit includes heavy and light sets of stainless steel return springs, all mounting hardware.

MOR64923\$32.68




Throttle Return Spring Kits

4150 Holley Series Including HP Series

Made to clear low-profile racing air cleaners. Manufactured from sturdy 12-gauge steel and finished in (electrostatic paint) E-coat satin black.

MOR64919\$41.10



Throttle Return Spring Kits

4500 Dominator and King Demon

Fits a 4500 series and King Demon carburetors. Made from sturdy 12-gauge steel & finished in (electrostatic paint) E-coat satin black.

MOR64918\$41.10



Throttle Return Springs

Pack of 2 stainless steel springs can be used as spares or replacements for Moroso Throttle Return Spring Kits.

MOR64929.....\$6.95



Carb Linkage Bushing Set Holley 4 bbl

Steel linkage bushing set allows the fitting of a 1/4" fastener to the 1/2" dia. hole found in the throttle linkage plate of Holley 4 barrel carbs. Split bushing design permits simple installation and eliminates the sloppiness present when rubber bushings are used.

MOR64920.....\$6.23



In Line

Fuel Filters

ORB -10 ports. Fittings available to adapt these filters to AN -10, -08, and -06 line sizes. Size: 5.5" long x 2" dia.

High flow, 10-micron fabric (fine) replacement element. Flows 2,000 lb/hr a press drop of less than 1 PSI.
10 micron replacement.....AER12301\$107.82
High flow, 100-micron stainless steel (coarse) cleanable element. Flows 2,000 lb/hr a press drop of less than .5 PSI.
100 micron replacement.....AER12304\$130.94

Replacement Stainless Elements

10 micron stainless element.....AER12601\$16.60
100 micron stainless element.....AER12604\$42.14



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Super Sonic Acoustical Mat

The ultimate acoustical control in an easy to install aluminum foil composite mat! Contains a high temp adhesive backing.

12" x 12" (2).....THE14700	\$14.63
36" x 24".....THE14710	\$27.50
36" x 60".....THE14720	\$57.33
Mat Roller.....THE14800	\$14.25



The Suppressor

Reduces road noise, rattles, engine noise, and any other noises that are bothersome. Also provides protection from radiant heat.

12" x 12" (2 pcs).....THE14600	\$13.57
12" x 33-1/2".....THE14600-12.....	\$227.35
36" x 24".....THE14610	\$26.55
36" x 60".....THE14620	\$52.86
36" x 33-1/2".....THE14620-36.....	\$354.28



Cool-It heat and sound insulating mat

Battles excessive heat and noise. Perfect for doors, under hoods and above trans housings.


24" x 48".....THE14100	\$33.46
48" x 48".....THE14110	\$66.93
24" x 50 foot roll.....THE14100-50	\$418.19



Thermo Guard FR

Absorbs sound and vibration. Provides protection from radiant heat. Available in two sizes.


48" x 72", 1 side foil.....THE14120.....	\$44.64
48" x 72", 2 side foil.....THE14125.....	\$63.34
24" x 48", 1 side foil.....THE14130.....	\$23.10
HD Spray Adhesive, 16 oz.THE12005.....	\$13.27



Kevlar Heat Barrier

Various uses as a heat barrier. Can be used as a header blanket. Improves driver comfort and protects engine components. Reflects 90% of radiant heat, up to 3000 deg F. Size: 26" x 40".

THE16850.....	\$105.98
---------------	----------



Kevlar Muffler Cover

Resists continuous direct contact with temperatures up to 1100° F. Includes all necessary fasteners. Uncut size is 26" X 40", trims easily with a strong sharp set of shears.

THE16800.....	\$127.80
---------------	----------



Heavy-Duty Spray Adhesive Hi-Heat Coating

Perfect for heavy-duty applications. Fast-drying, quick-bonding, and high-temperature contact adhesive.

Black, 11 oz.....THE12001	\$9.45
Aluminum, 11 oz.....THE12002.....	\$9.82
Copper, 11 oz.....THE12003.....	\$11.48
HD Spray Adhesive, 16 oz.THE12005.....	\$13.27



Flame Proof Paint

VHT FlameProof Coating will withstand temps up to 2000°F (1093°C) and is ideal for use on headers, exhaust systems, or wherever an extreme temp coating is needed. Temp: 1300°F-2000°F (704°C-1093°C)

Headers, Exhaust Manifolds, Piston Domes, Inside Heads
Flat BlackVHTSP102...\$9.51




Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Universal Exhaust Mount

It fits 5" or 6" muffler cans. Mounts to BRP 7100 rear nerf bar post. Clamp flips up or down and cradle spins front to back for infinite adjustment. Laser cut steel and powder coated. 2 springs included in kit to retain muffler to cradle. Replacement parts also sold separately. Cradle is BRP 9265 and clamp is BRP 9264. Bolts and seals for rear end are not included***

Exhaust Mt (Complete).....BRP9263	\$72.53
Alum. Exhaust Clamp.....BRP9263A	\$24.55
Laser Cut Slotted Bar.....BRP9263B	\$8.93




Mounts for Low Slung Exhaust

Universal mount fits 5" muffler cans.

Mounts on the BRP 7100 nerf bar post for hanging exhaust. Laser cut steel and black oxidized. Billet aluminum clamp and slotted steel strap make this fully adjustable for any position. Fits all brands of cars.

BRP9266.....	\$54.69
--------------	---------



Rear Exhaust 3" Tailpipe Mount

Mounts to Rear Shock Slider Post (1-1/4") Universal with 2 Slotted Mounting Tabs Rubber Mounted in 2 Places for Vibration Resistance Comes Complete with All Hardware

BRP9324.....	\$69.18
--------------	---------



Measure. order. Install. Fully customizable exhaust mts.

Muffler and header combinations are ever changing. A std "off the shelf" mount doesn't always cut it, but making one from scratch isn't any fun either. Enter the new "order what you need" kit. Pick between an 1-1/4" or 1-1/2" mounting clamp, pick the length of support link you need, grab one main saddle bracket, and then pick the size of the clamp you need from 3" up to 5". In most cases, its just what the Doctor ordered.

1-1/2" Chassis Clamp.....BRP9470	\$24.56
1-1/4" Chassis Clamp.....BRP9471	\$24.56
5" Support Link.....BRP9472	\$12.24
7" Support Link.....BRP9473	\$12.24

Main Saddle

(Clamp not included).....BRP9474	\$27.84
--	---------

Clamps

For 3" Pipe.....BRPSFPHC19-325.....	\$25.27
For 3-1/2" Pipe.....BRPSFPHC19-350.....	\$13.74
For 4" Pipe.....BRPSFPHC19-425.....	\$
For 4-1/2" Pipe.....BRPSFPHC19-475.....	\$13.66



Header Tab Kit

Weld to headers to hold slip-on collectors in place or use to retain primary tubes on adjustable headers. Kit includes 2 pairs of tabs, two 1/4" bolts and two hex nuts. 2 tabs are recommended to secure each collector. Tabs are .085" thick, 2-1/2" long (when combined are 4" long) and 1" tall. Header Tab Kit, 2-Pack.

ALL60040	\$9.89
----------------	--------



Crankcase Evacuation System

It reduces crankcase pressure throughout rpm range for increased piston ring seal, reduced intake charge contamination and fewer oil leaks. Includes breathers, grommets, one way valves and weld-in nipples.

Crankcase Evacuation System.....MOR25900	\$72.60
Positive Locking Billet Alum Breather.....MOR68788	\$108.89

Replacement Parts:

Oil Separator/Breathers:.....MOR68780	\$11.34
Check Valve for header collector:.....MOR97800	\$21.38
Weld-in Nipple for header collector:MOR97810	\$10.93



Insulating Header Wrap

Increases exhaust cycle efficiency; helps produce more horsepower with less fuel. Protects crew members from burns, and prevents starter wires and plug wires from coming into contact with hot header pipes. Reduces engine compartment temperature. Made from a silica-based formula that contains no asbestos.

2" x 1/16" x 100' roll.....MOR80807	\$109.32
2" x 1/16" x 50' roll.....MOR80808	\$60.78
1" x 1/16" x 50' roll.....MOR80809	\$34.78



Heat Barrier Blanket

1/2" thick 18" x 24" non-asbestos blanket can be easily cut to any shape with scissors, and wrapped around fuel lines, brake lines, dry sump lines, power steering lines, etc; withstands up to 2300° F. May also be used on firewalls and floorboards to reduce in-car temperature.

MOR80805.....	\$33.10
---------------	---------



Dirt Modified Headers

Forward design for muffler clearance. Fits Behrent, Bicknell, Olsen, TEO, Troyer & other chassis.

Small Block Chevy

Tube Dia.	Collector		
1 5/8"	3x8"	SCH1122B	\$249.95
1 5/8-1 3/4"	3x8"	SCH1122BV-3	\$299.95
1 5/8-1 3/4"	3 1/2x8"	SCH1122BV	\$299.95
1 3/4"	3x8"	SCH1124B-3	\$249.95
1 3/4"	3 1/2x8"	SCH1124B	\$249.95
1 3/4-1 7/8"	3 1/2x9"	SCH1124BV	\$309.95
1 5/8-1 3/4"	3x8"	SCH1122BV-3	\$299.95

SBC 358 DIRT

1 3/4-1 7/8"	3 1/2x9"	SCH1124BV	\$309.95
1-5/8"	3"x8"	SCH1122BVSH-3	\$299.95
1-5/8 - 1-3/4"	3"x8" Upswept	SCH1122BVUSH-3	\$299.95

Big Block Chevy

2"	3 1/2x9"	SCH2123	\$319.95
----	----------	---------	----------

602 Crate Motor Up Swept

1 5/8"	3x8"	SCH1122BU2	\$249.95
--------	------	------------	----------

Spec Head 358 DIRT

1 5/8"-1-3/4"	3x8"	SCH1122BVSH-3	\$299.95
---------------	------	---------------	----------


SCHOENFELD
Headers

DIRTcar
RACING
Crate Late Model Headers

GRT, Stinger, TNT, American Made, Barry Wright, Bullitt, Fegers, Larry Shaw, Raider, & Rayburn.

Tube Diam. Collector

1 5/8"-1 3/4"	3"	SCH141-605LVGCM-3	\$329.95
---------------	----	-------------------	----------

Fits Rocket Chassis

1 5/8"-1 3/4"	3"	SCH141-525LVCM-3	\$329.95
---------------	----	------------------	----------

**Street Stock Headers**

Camaro 70-81, Chevelle, Monte 64-77. Stock location or set back. Will not fit angle plug heads.

Tube Diam. Collector

1 5/8"	3x8"	SCH165	\$189.95
1 5/8-1 3/4"	3x8"	SCH165V	\$239.95
1 3/4"	3 1/2x8"	SCH166	\$189.95

Camaro 70-81, Monte, Grand Prix, Cutlass, Regal 78-86. Fits angle plug heads. Will not clear stock clutch linkage ball.

1 5/8"	3x8"	SCH185	\$189.95
1 5/8-1 3/4"	3x8"	SCH185V	\$239.95
1 3/4"	3 1/2x8"	SCH186	\$149.95


SCHOENFELD
Headers
Dirt Late Model Tri-Y Headers

4 into 2 into 1 Tube Configuration for Increased Torque. Fits Masterbilt, Rocket, & most other chassis.

Tube Dia. Coll. Dia.

1 3/4" - 1 7/8"	3 1/2"	Std Chevy	SCH14260LVY	\$709.95
1 3/4" - 1 7/8"	3 1/2"	Spread Port	SCH14260LVYSP	\$759.95
1 3/4" - 1 7/8"	3 1/2"	13", 15", 16"		
		Chevy 18"	SCH14260LVY18	\$759.95

4-7 Cam Swap**Tube Dia. Coll. Dia.**

1 3/4" - 1 7/8"	3 1/2"	Std Chevy	SCH14267LVY	\$709.95
1 3/4" - 1 7/8"	3 1/2"	Spread Port	SCH14267LVYSP	\$759.95
1 3/4" - 1 7/8"	3 1/2"	13", 15", 16"		
		Chevy 18"	SCH14267LVY18	\$759.95



- 4 into 2 into 1 Tube Configuration for Increased Torque.
- Fits Masterbilt, Rocket, and most other chassis.

**Exhaust Universal Mufflers**

Length	Outlet Dia	Inlet Dia	Body Dia	Part #	Price
6"	3"	3"	3 1/2"	SCH63030	\$15.95
6"	3 1/2"	3 1/2"	4"	SCH63535	\$15.95
8"	3"	3"	3 1/2"	SCH83030	\$15.95
8"	3 1/2"	3 1/2"	4"	SCH83535	\$15.95
9"	3 1/2"	3 1/2"	4 3/8"	SCH92535	\$38.95
10"	3 1/2"	3 1/2"	4"	SCH103535K	\$38.95
12"	3"	3"	3 1/2"	SCH123030	\$22.95
12"	3 1/2"	3 1/2"	4"	SCH123535	\$26.95
18"	3 1/2"	3 1/2"	4"	SCH183535	\$30.95

More sizes available!


IMCA
WRACING
IMCA Legal Slip in Mufflers

Fits 3" and 3 1/2" collectors. Removes 9dB

6" Long SCHIMCA609...\$39.95

3" Long SCHIMCA930...\$39.95


3 1/2" SCHIMCA935...\$39.95

Universal Mufflers

Fits 3 1/2" collectors. 8" to 24" lengths

**Header Gaskets**

A.) Small Port	BEYHG23SP	\$16.00
B.) Fast Burn 604	BEYHG604	\$20.00
C.) SBC 23"	BEYHG23	\$20.00
D.) SBC 23" Dart Platinum	BEYHG23DP	\$22.00
E.) 11x Spreadport 18 Brodix	BEYHG18B	\$22.00
F.) 18" Chevy	BEYHG18C	\$22.00
G.) 13" All Pro	BEYHG13AP	\$22.00
H.) Gasket	BEYHG913	\$22.00
I.) Big Block	BEYHGBBC	\$20.00
J.) Ford Yates D3/SC1	BEYHGFD3	\$26.00

Beyea
CUSTOM HEADERS

SCHOENFELD
Headers
IMCA

Headers • SBC • Adjustable


Tube diam. Coll. Angle

1 5/8-1 3/4"	3x8"	45°-90°	SCH161-68	\$199.95
--------------	------	---------	-----------	----------

1 5/8-1 3/4"	3x8"	90°-90°	SCH161-98	\$199.95
--------------	------	---------	-----------	----------

1 3/4-1 7/8"	3.5x8"	45°-90°	SCH162-68	\$249.95
--------------	--------	---------	-----------	----------

1 3/4-1 7/8"	3.5x8"	90°-90°	SCH162-98	\$249.95
--------------	--------	---------	-----------	----------


SCHOENFELD
Headers
Exhaust Turnouts

3" Turnout.....SCH3025...\$18.95

3 1/2" Turnout.....SCH3525...\$18.95

Straight Tubing

3" x 36".....SCH360030...\$17.45

3 1/2" x 36".....SCH360035...\$18.45

4" x 36".....SCH360040...\$28.45

Elbows

2-1/2" 45°.....SCH2545...\$23.95

2-1/2" 90°.....SCH2590...\$23.95

3" 13°.....SCH3013...\$23.95

3" 30°.....SCH3031...\$23.95

3" 30° long.....SCH3032...\$23.95

3" 45°.....SCH3045...\$23.95

3" 90°.....SCH3090...\$23.95

3-1/2" 13°.....SCH3513...\$23.95

3-1/2" 30°.....SCH3531...\$23.95

3-1/2" 30° long.....SCH3532...\$23.95

3-1/2" 45°.....SCH3545...\$23.95

3-1/2" 90°.....SCH3590...\$23.95

Reducers

2 1/2" x 3".....SCH2530...\$8.95

2 1/2" x 3 1/2".....SCH2535...\$10.95

3" x 3 1/2".....SCH3530...\$9.95

3 1/2" x 3 1/2".....SCH3535...\$9.95

4" x 3 1/2".....SCH4035...\$10.95

FELPRO
PERFORMANCE
GASKETS
Header Gaskets

Perforated Steel Core w/anti-stick coating.

SBC small race port 1.5"x1.5".....FEL1404...\$17.77

SBC large race port 1.55"x1.55".....FEL1405...\$24.39

SBC D-port.....FEL1406...\$22.47

SBC spread port.....FEL1409...\$23.69

BBC small race round 1.94".....FEL1411...\$24.92

BBC large race round 2.13".....FEL1412...\$23.50

**Adapter Plates**

Adapts Stahl Pattern big tube headers to standard SBC bolt pattern heads.

Aluminum.....SCH0101K.....\$144.95 pr.

**Crate Motor Gaskets**

Tube Dia.: 1-5/8" or 1-3/4".....SCH01560...\$9.00 CRATE

For 602 Crate Motor.....SCH01562...\$9.00 CRATE

Spiral Muffler

Spiral baffles specially tuned for high velocity gas flow. Continuous welds ensure leak-free sealing. 4" dia. x 12" long.

2.5" in & out.....MOR94050

3" in & out.....MOR94051

3.5" in & out.....MOR94052.....\$73.04

**Aluminum****Exhaust Port Cover**

SBC.....BSC90175...\$18.95

BBC.....BSC90176...\$18.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Northeast Dirt Modified (4-1 Headers)

Big Block Standard Header (BB 4-1 Header)

28" - 2" Tube 3-1/2" Collector	BEYNEDMBB2-28	\$360.00
36" - 2" Tube 3-1/2" Collector	BEYNEDMBB2-36	\$360.00
28" - 2-2-1/8" Tube 3-1/2" Collector	BEYNEDMBB-S428	\$360.00
36" - 2-2-1/8" Tube 3-1/2" Collector	BEYNEDMBB-S436	\$360.00

Small Block Header (SB 4-1 Header)

1-5/8" x 1-7/8" 28" Tube Length 3-1/2" Collector	BEYNEDMSB28-S1	\$340.00
1-3/4" x 1-7/8" 36" Tube Length 3-1/2" Collector	BEYNEDMSB36-S2	\$340.00
4-1 602 Header 1-5/8" x 1-3/4" x 3"	BEYNEDMSB-602	\$340.00
4-1 604 Header 1-5/8" x 1-3/4" x 3"	BEYNEDMSB-604	\$340.00
602 Crate Straight Tube Header 1-5/8" x 3"	BEYNEDMSB-602-10	\$480.00
525 Crate Motor Header 1-3/4" x 3"	BEYNEDMSB-525-S1	\$380.00
Small Block 4-1 Header 1-3/4" x 1-7/8" 3.5" Coll.	BEYNEDMSB-T2	\$340.00
358 - Upswept, 1 5/8" x 1 3/4" x 3", Dirt Spec	BEYNEDMSBUS-S1-DL	\$340.00

Northeast Dirt Modified (Tri-Y Headers)

Big Block Tri-Y Headers Upswept

2" x 2-1/8" x 3"	BEYNEDMBBTYUS-S4	\$850.00
2" x 2-1/8" x 3" w/ Side Oil Tank	BEYNEDMBBTYUS-S4-SOT	\$850.00
1-7/8" x 2-1/8" x 3"	BEYNEDMBBTYUS-D3	\$850.00
1-7/8" x 2-1/8" x 3" w/ Side Oil Tank	BEYNEDMBBTYUS-D3-SOT	\$850.00

Small Block Tri-Y Upswept Headers

1-5/8" x 1-7/8" x 3" Col Header Upswept	BEYNEDMSBTYUS-D1-3	\$780.00
1-5/8" x 1-7/8" x 3.5" Col Header Upswept	BEYNEDMSBTYUS-D1-35	\$780.00
1-5/8" x 1-7/8" x 3" Col Header Upswept	BEYNEDMSBTYUS-D2-3	\$780.00
1-5/8" x 1-7/8" x 3.5" Col Header Upswept	BEYNEDMSBTYUS-D2-35	\$780.00
1-3/4" x 1-7/8" x 3" Col Header Upswept	BEYNEDMSBTYUS-S2-3	\$780.00
1-3/4" x 1-7/8" x 3.5" Col Header Upswept	BEYNEDMSBTYUS-S2-35	\$780.00
1-7/8" x 2" x 3.5" Col Header Upswept	BEYNEDMSBTYUS-S3-35	\$780.00
1-5/8" x 1-7/8" x 3" 525 Crate Motor	BEYNEDMSBTYUS-525D1-3 TRI-Y	\$779.93

Dirt Sprint Tri-Y Headers

1-3/4" x 1-7/8" x 3"	BEYDSTY23S2	\$720.00
1-3/4" x 2" x 3"	BEYDSTYSP360D2	\$760.00

305 Dirt Sprint Car Headers

Dirt Sprint Car Tri-Y Sprint 1-3/4" x 1-7/8" x 3"	
8" Second Stage with 3" x 12" Collector	
BEYDSTY23S2	\$720.00

Dirt Late Model 4-1 Crate 602-604

8" Second Stage w/3" x 12" Collector with Divider Plate, Extension, & Mufflers.	
BEYDLM604-17	\$640.01

602 Northeast Crate

Dirt Modified Headers DIRT Approved

Up Swept. 602 Crate Header straight 1-5/8"	
BEYNEDMUS602-DL	\$280.00

Northeast 602 Sportsman Kit

Dirt Modified Upswept Tail Pipe Kit for Beyea 602 Upswept Headers	
BEYNEDMTPKUS602-BEY	\$135.30

Dirt Mod Upswept

602 Sportsman Kit for 2019 Assembled & Painted

2-Adaptors 2-3"-15 Tailpipes 2-MUF3DL	
BEYNEDMTPKUS602-19A	\$400.00

North East Dirt Modified Upswept

602 Sportsman Kit for '19 Unassembled 2-Adaptors 2-13" Tailpipes	
BEYNEDMTPKUS602-19	\$135.00

Header Studs - 3/8" diameter

SBC	Hex	12-Point
Black Oxide	ARP100-1412	\$50.90 ARP100-1402
Stainless 300	ARP400-1412	\$64.47 ARP400-1402
		\$113.43
BBC	Hex	12-Point
Black Oxide	ARP100-1413	\$67.15 ARP100-1403
Stainless 300	ARP400-1413	\$85.94 ARP400-1403
		\$157.34

Header Bolts - 3/8" diameter

Small Block Chevy

Black Oxide	Hex	12-Point
3/8" wrench	ARP100-1101	\$20.05 ARP100-1201
drilled 3/8" wrench	ARP100-1103	\$23.62 ARP100-1203
		\$24.82
Stainless 300	Hex	12-Point
3/8" wrench	ARP400-1101	\$21.56 ARP400-1201
drilled 3/8" wrench	ARP400-1103	\$40.41 ARP400-1203
		\$40.41

Big Block Chevy

Black Oxide	Hex	12-Point
3/8" wrench .750	ARP100-1102	\$20.14 ARP100-1202
3/8" wrench 1.670	ARP100-1112	\$27.10 ARP100-1212
		\$28.19
Stainless 300	Hex	12-Point
3/8" wrench .750	ARP400-1102	\$28.67 ARP400-1202
3/8" wrench 1.670	ARP400-1112	\$43.59 ARP400-1212
		\$46.12

Complete V8 stud kit with washers & hex or 12-point nuts. In chrome moly or stainless. Priced per set.

Northeast Dirt Modified DIRT Legal 358 Spec Headers

Small Block Upswept 1-5/8" x 1-3/4" 3 Dirt Legal Spec Header	
BEYNEDMSBUS-S1-3-DL	\$340.00

Northeast 358 Modified Spec Kit

Dirt Modified Upswept Tail Pipe Kit for 3"-3.5" Ext,	
3.5 Tail Pipe for Beyea Dirt Spec Upswept Headers	
BEYNEDMTPKUS3-3.5-BEY	\$140.00

Dirt Legal 3.5" Mufflers

3.5" x 8" x 3.5" Dirt Modified Muffler	
BEYMUF35DL	\$105.00

Mufflers Dirt Late Model & IMCA Modified

2.5" x 2.5" 6" Body	BEYMUF2.5	\$48.00
2.75" x 2.75" 6" Body	BEYMUF2.75	\$45.00
3" x 3" 6" Body	BEYMUF3	\$45.00
3.5" x 3.5" 6" Body	BEYMUF3.5	\$49.98

Dirt Late Model Crate Muffler..BEYMUF2.75-17...

BEYMUF2.75-17	\$45.00
---------------------	---------

Mufflers North East Dirt Modified

2.5" x 2.5"; 8" Body	BEYMUF2.5DM	\$85.00
3" in, 3" out; 8" Body	BEYMUF3DM	\$85.00
3" in, 3" out; 8" Body - Dirt Legal	BEYMUF3DL	\$100.00
3.5" x 3.5"; 8" Body	BEYMUF35DM	\$100.00
3.5" x 3.5"; 8" Body - Dirt Legal	BEYMUF35DL	\$105.00

Pro Stock Muffler

2.5" in, 2.5" out; 8" Body - Dirt Legal	BEYMUF25DL	\$99.99
---	------------------	---------

Tail Pipe Kits - Northeast Dirt Modified SB & BB

Upswept 3" Tailpipe Kit 15 Degree	
BEYNEDMTPK-3US	\$86.00

Upswept 3.5" Tailpipe Kit 15 Degree	
BEYNEDMTPKUS35	\$90.00

Upswept Tailpipe Kit for Side Oil Tank. Kit includes: 3" SOT Elbow,	
1) 3.5 30 degree Tailpipe & 1) 3.5 15 degree tail pipe	
BEYNEDMTPKUS3-3.5-BEY	\$140.00

3.5" Upswept Tailpipe Kit for Side Oil Tank	
BEYNEDMTPKUS-3.5-SOT	\$128.00

W16 Header and Kit

North East Dirt Modified W16 Engine Single	
Step 1 3/4 - 1 7/8 - 3.5" Collector	
BEYNEDMSBTY-LS-S2-3.5	\$700.00

North East Dirt Modified W16 Exhaust kit	
BEYNEDMTPK-W16	\$140.00

Dirt Modified 3" Dirt Legal Muffler 3" x 8" x 3"	
BEYMUF3DL	\$100.00

Header Bolts

3/8-16 x 3/4" - 12 per Package, Grade-5, Hex Head, 7/16"	
Wrench Size...MRG915	\$7.99

Header Allen Bolts

These are high quality steel bolts, that have a black oxide coating to resist rust and work well where space is minimal (like in most header apps), the smaller allen head allows you to get that smaller allen wrench on the bolt to tighten it. Made From Grade 8 Steel. They Have A Black Oxide Coating. They Have A Allen Head. 12 EA Per Set.

MRG916	\$14.88
--------------	---------

Header Bolts 3/8-16X1

These are high quality bolts that are proven performers. They have a black oxide coating that resists rust. Fits: AMC 290-401 SBC 262-400 BB Chrysler 383-440 (Doesn't Fit 426 Hemi) Pontiac 326-455 Oldsmobile 330-455. Has A Black Oxide Coating. Made Of High Quality Grade 8 Steel. Have A Hex Head w/Flange. Design for Minimal Clearance Apps. 12 per Pkg.

MRG917	\$12.60
--------------	---------

Headlock Locking Header Bolts

Fits AMC 290-401, SBC 262-400, BB Chrysler 383-440 (Doesn't Fit 426 Hemi), Pontiac 326-455, and Oldsmobile 330-455

MRG2230G	\$33.38
----------------	---------

16 per Pkg. Includes a ball-head/hex-key socket-installation tool that makes it easy to get them started. 410 stainless steel. Minimum 180,000 PSI tensile strength. 24 equally spaced clockwise teeth.

MRG2231G	\$40.05
----------------	---------

Header Bolt Lock Washers

This is a good addition to your header installation. These washers will help to prevent loosening caused by vibration, and they also help maintain fastener clamp load for positive flange seal. These Washers Have A Black Oxide Coating. They Have 12 In A Set.

MRG3416	\$10.28
---------------	---------

Header Bolts

Both socket and allen head configuration which allows for ease of installation. AMC 290-401 SBC 262-400 BB Chrysler 383-440 (Doesn't Fit 426 Hemi) Pontiac 326-455 Olds 330-455. Made From High Strength Steel. Corrosion Resistant Black Coating. 12 per Pkg

MRG3420G	\$14.88
----------------	---------

Header Bolts


3/8" -16 x 3/4" hex head bolts for SBC, BBC & 90° V6 Chevy engines, SBF & other engines where a 3/8" -16 bolt is used, pack of 16.

MOR38710	\$10.84
----------------	---------

Exhaust Insulating Wrap

Increase horsepower and efficiency, and reduce underhood temps up to 70%.

1" x 15' ...THE11151\$8.33
1" x 50' ...THE11001\$26.49
2" x 15' ...THE11152\$13.90
2" x 50' ...THE11002\$44.15
2" x 25' ...THE11002-25\$23.18
2" x 100' ...THE11003\$88.30
6" x 100' ...THE11006\$208.06

**Graphite Black Exhaust Insulating Wrap**

The original exhaust insulating header wrap comes in two colors. Withstands continuous heat up to 2000 degrees fahrenheit.

1" X 50' ...THE11021\$29.43
2" X 50' ...THE11022\$47.07
2" X 25' ...THE11022-25\$47.07
2" X 100' ...THE11023\$91.20
1" X 15' ...THE11153\$9.33
2" X 15' ...THE11154\$14.78

**Generation II Copper Exhaust Insulating Wrap**

Improves heat resistance up to 20% more than current technology, by utilizing a new proprietary coating developed by Thermo-Tec.

1" X 50' ...THE11031\$29.15
2" X 50' ...THE11032\$48.56

Hi Heating Coating, Copper
THE12003\$11.48

**High Velocity Exhaust Jackets**

Can be installed with the headers mounted. Reduces underhood temps up to 70%

4-6 Cyl Kit...THE11246\$67.91
8 Cyl Kit...THE11248\$88.74

**Clamp-On Heat Shield**

For exhaust pipes. Installs in minutes using supplied clamps and new stand offs. Blocks over 95% of radiant heat of the exhaust.


1'THE11600\$29.57
2'THE11620\$44.94
3'THE11630\$60.32
4" x 1'THE11650\$26.61
4" x 2'THE11660\$49.19

**Header Manifold Blanket**

Clips into place on the upper portion of the headers. Protects from heat & spills.

- (2) 20" by 24" blankets for V6 and V8 applications, and
- (1) 36" by 40" blanket for straight 6 and 4 cyl engines.

(2) 20" X 24" Blankets ...THE14003\$84.08
(1) 36" X 40" Blankets ...THE14004\$79.05

**Turbo Insulating Kit**


Will reduce turbo lag and increase performance. Comes in a cut-to-fit kit.

4 Cylinder Kit.....THE15001\$94.49
6 and 8 Cylinder KitTHE15002\$110.37
Turbo Insulating Cover Only....THE15003\$32.37

**Snap Strap Kit**


Easily secures the exhaust insulating wrap with no tools needed. Made of high temperature stainless steel. New precut lengths with a tough multi-lock system.

V-8 Kit 8-9" Strap • 4-18" Strap ...THE13101\$29.43
V-8 Kit 4-9" Strap • 2-18" Strap ...THE13102\$16.22
V-6 Kit 6-9" Strap • 4-18" Strap ...THE13105\$24.99
V-6 Kit 6-9" Strap • 4-18" Strap ...THE13150\$26.61
6-Pack 18" • 6-18" Strap.....THE13160\$17.48

**Cool Fuel Jug Cover**

The highly reflective surface reflects radiant heat, solar radiation and harmful UV rays. Protect your fuel at the track, in the truck and in the shop with this Cover, which can reduce fuel temps by as much as 20° F.

Square 5 gallon cover THE14175\$27.02
Round 5 gallon cover .27.02\$27.02

**Battery Wrap Heat Barrier**

Adhesive backed heat barrier that absorbs battery acid and protects from radiant heat up to 2000°F.
THE13200.....\$25.97

**Express Sleeves**


Highly reflective mylar foil with a Velcro closure to provide max protection.

3 ft x 1"THE14030\$23.13
12 ft x 1"THE14031\$92.53
3 ft x 1-1/2"THE14035\$27.00
12 ft x 1-1/2"THE14036\$108.02
50 ft x 1-1/2"THE14035-50\$450.05

**Thermo-Sleeve seamless heat sleeve**

Laminated high-temp aluminized fabric sleeves to protect your wires and hoses.

3 ft 1/4" to 1/2"THE14005\$12.35
50 ft 1/4" to 1/2"THE14005-50\$205.39
3 ft 5/8" to 1"THE14010\$16.39
50 ft 5/8" to 1"THE14010-50\$273.36
3 ft 1-1/8" to 1-1/2"THE14015\$20.60
3 ft 1-5/8" to 2"THE14020\$24.69
50 ft 1-5/8" to 2"THE14020-50\$411.26
3 ft 2-1/8" to 2-1/2"THE14025\$28.76
50 ft 2-1/8" to 2-1/2"THE14025-50\$479.23
12 ft 1/4" to 1/2"THE14006\$49.33
12 ft 5/8" to 1"THE14011\$65.64
12 ft 1-1/8" to 1-1/2"THE14016\$82.40
12 ft 1-5/8" to 2"THE14021\$98.71
12 ft 2-1/8" to 2-1/2"THE14026\$115.02

**Starter Heat Shield**

7"x 22". Insulates the starter and solenoid from radiant heat. Installs using snap straps.

THE14150.....\$25.68
---------------	--------------

**Spark Plug Shield**

Ultimate protection for your spark plug wires. Reflects radiant heat up to 2000 degrees fahrenheit.

6" x 1-1/2" (2).....THE14200\$16.24
6" x 1-1/2" (4).....THE14250\$32.47

**Cool-It Plug Wire Sleeves**

Keeps the spark plug and ignition wire cool while extending its life. Comes in 5 colors and packs of 4 & 6.

Natural, 4 pack.....THE14260\$30.74
Red, 4 packTHE14261\$30.74
Black, 4 packTHE14262\$30.74
Black, 4 packTHE14263\$30.74
Silver, 6 packTHE14270\$46.12
Red, 6 packTHE14271\$46.12
Black, 6 packTHE14272\$46.12
Blue, 6 pack.....THE14273\$46.12

**Cool-Air Tube Heat Shield**

3 ft adjustable dia shield. The unique lace up tube cover design allows these heat shields to fit from 2.5" to 4" air tubes up to 36" long. The lace on heat shield blocks over 98% of the radiant heat of the turbo and exhaust.

THE14500.....\$49.16
---------------	--------------

**Heat Sleeves**

Protective barrier for extreme heat exposure. Excellent thermal and abrasion resistance.

1/2" x 3' black.....THE18050\$22.89
3/4" x 3' black.....THE18075\$29.18
1" x 3' black.....THE18100\$39.25
1/2" x 3' silver.....THE18051\$22.89
3/4" x 3' silver.....THE18076\$29.18
1" x 3' silver.....THE18101\$39.25

Also available in 10 ft & 50 ft lengths.

**Ignition/Plug Wire Slewing**

Highly flexible and abrasion resistant, they offer max protection against spark loss. The inside is braided continuous e-glass insulation good up to 1000°F. The silicone outer surface is good for temps up to 500°F.

3/8" x 25', Black.....THE14040\$57.40
3/8" x 25', BlueTHE14045\$57.40

**Thermo-Flex**

Flexible protection for hoses and wiring. Can be slit for easy installation over existing wires.




5/8" x 10 ft silver.....THE17062-10\$43.93
3/4" x 10 ft silver.....THE17075-10\$49.16
1" x 10 ft silver.....THE17100-10\$56.81
1-1/4" x 10 ft silver.....THE17125-10\$63.95
1-1/2" x 10 ft silver.....THE17150-10\$72.53
3" x 10 ft silver.....THE17300-10\$117.87
5/8" x 3 ft silver.....THE17062\$13.18
3/4" x 3 ft silver.....THE17075\$14.75
1" x 3 ft silver.....THE17100\$17.05
1-1/4" x 3 ft silver.....THE17125\$19.19
1-1/2" x 3 ft silver.....THE17150\$21.73
3" x 3 ft silver.....THE17300\$35.33
5/8" x 3 ft black.....THE17063\$15.05
3/4" x 3 ft black.....THE17076\$17.05
1" x 3 ft black.....THE17101\$20.05

Adhesive Backed Heat Barrier

It is made up of woven silica with a flexible aluminized finish. The highly reflective surface of the material is capable of withstanding radiant temp in excess of 2000°F.

THE1350012" X 12"\$11.07
THE1357512" X 24"\$19.54
THE1358524" X 36"\$52.32
THE1359024" X 48"\$69.78
THE13575-50.....12" X 50 ft\$488.71
THE13590-50.....24" X 50 ft\$872.21

**Aluminum Heat Barrier**


Multipurpose radiant heat protection up to 2000° fahrenheit.

THE1400136" X 40"\$82.36
THE14001-50.....50" X 40"\$1372.86
THE1405136" X 20"\$42.69
THE1406118" X 20"\$22.08

**24 K Heat Barrier**

It helps protect vital engine components and provides a barrier against radiant heat up to 2000°F. Helps lower intake and under.

THE13700 ...12 in. x 24 in.\$26.27
THE13775 ...24 in. x 24 in.\$52.57

**Thermo-Shield Self Adhesive Wrap**

Aluminized adhesive backed tape for protecting wires, hoses or any wrapable part. **NOT FOR USE ON EXHAUST.**

1-1/2" x 15 ftTHE14002\$16.35
2" x 50 ftTHE13995\$44.37

**Muffler/Cat Heat Shield**


Highly flexible, very versatile MYLAR heat shield. Protects undercarriage from the radiant heat off an exhaust system.

24" x 40" Mylar.....THE16500\$61.48
------------------------------	--------------

**Competition Floor Insulating Mat**

Highest quality materials using Thermal Conductive technology to protect the driver from excessive radiant heat.

8" x 12"THE16510\$63.10
10" x 18"THE16520\$90.60
18" x 18"THE16530\$110.00
18" x 24"THE16540\$116.49
24" x 24"THE16550\$124.59
24" x 26"THE16560\$132.67



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



"Rattler"

Harmonic Balancer

All internal combustion engines display crankshaft torsional vibration. As the piston rises and falls so does cylinder pressure. The changing pressure results in forces being transmitted along the connecting rod and applied to the crankshaft journal. The TCI® Rattler® counteracts those vibrations by using internal rollers that automatically offset twisting forces that cause vibration. The Rattler® is an absorber that eliminates the root cause of torsional vibration. It is effective for the entire RPM range and extends crankshaft and bearing life, as well as increases valve train stability and life. The design does not utilize viscous fluids and requires virtually no maintenance. And the unit's timing marks are etched onto the body and cannot move relative to crankshaft centerline. The Rattler® is also lighter in weight than most units of the same size and material construction.

SBC 6.290" 7 lbs. 8oz.TCI870001.....\$333.88
SBC 7.170" 10 lbs. 6oz.TCI870002.....\$377.72

Harmonic Balancer Bolt Kits

They developed these ultra strong 200,000 psi bolts that let you exert max clamping force. Features include 1/4" thick, wide area washer & an extra tall 12-point head that accepts a deep socket.

SBC Dia/Thread Size: 7/16-20 • **UHL:** 2.470
Socket Size 5/8ARP134-2501.....\$25.62
Socket Size 13/16ARP234-2501.....\$29.90

BBC Dia/Thread Size: 1/2-20 • **UHL:** 1.550
Socket Size 5/8ARP135-2501.....\$25.53
Socket Size 13/16ARP235-2501.....\$29.83
Socket Size 1-1/16ARP235-2502.....\$31.74

Ford 289-460 cid (except 351C)
Dia/Thread Size: 5/8-18 • **UHL:** 2.050
Socket Size 5/8ARP150-2501.....\$24.88



Harmonic Balancer Bolt & Washer Sets

These Are Have A Zinc Dichromate Finish. Tall Hex Head Bolt To Prevent Slippage. Extra Thick Parallel Ground Washer. Washers Provides More Accurate And Uniform Torque. Grade 8 Alloy Steel.

BBC 396-454MRG946G\$18.32
SBC 283-400MRG945G\$9.14

MSD Ignition Timing Tapes for Harmonic Balancers

It comes with eight different tapes to fit common balancers ranging from 5.25" to 8" in dia. The tapes are marked off in one degree increments from 14° ATDC to 64° BTDC and are printed on a tough, chemical resistant material.

MSD8985.....\$5.00

Distributor Stud Kits

ARP offers these premium grade studs, which are equipped with vibration-resistant J-form threads, in your choice of black oxide finished chrome moly or rust-proof stainless steel. Washers included.

Chevy

Black Oxide 12- Point.....ARP130-1701 \$4.54
Stainless 300 12- Point...ARP430-1701 \$10.50

Engine Fastener Kit

Everything you need in one convenient kit. Includes: Intake Manifold bolts, Valve Cover bolts, Thermostat Housing bolts, Alternator Bracket bolts, Oil Pan bolts, Header bolts, Front Cover bolts, Water Pump bolts, and Fuel Pump bolts.

Chrome Moly Black Oxide		Stainless 300	
Hex	12-Point	Hex	12-Point
350-400 Chevy ARP534-9801 \$111.04	ARP534-9701 \$111.04	ARP534-9601 \$142.36	ARP534-9501 \$142.36
396-454 Chevy ARP535-9801 \$124.96	ARP535-9701 \$124.96	ARP535-9601 \$164.39	ARP535-9501 \$164.39
289-302 Ford ARP554-9701 \$199.42	ARP554-9701 \$199.42		ARP554-9501 \$255.94
351W Ford ARP554-9703 \$99.24	ARP554-9703 \$99.24		ARP554-9503 \$183.34

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Performer-Link Timing Chain

It has solid bushing design to eliminate chain stretch. Like all good timing chains, they have 3 keyway settings (normal, 4° advance, 4° retard) for specific timing selections.

EDE7800 ..'55-94 Chevy 262-400 V8\$49.95
EDE7808 ..'63-76 Ford 366-428\$63.95
EDE7810 ..'65-94 Chevy 396-454\$57.95
EDE7811 ..'62-65/'73-95 Ford 221-351W ..\$58.95
EDE7814* ..'62-65/'73-95 Ford 221-351W ..\$34.95
EDE7820 ..'65-721/2 Small Ford\$53.95
EDE7821 ..'62-80 Ford 351C, 351M & 400 \$64.95
EDE7803 ..'56-90 Chrysler 273-360 & 392..\$73.95



Race Roller Timing Kits

Billet cam gear, 3 keyway crank gear.
SBC w/brass shimMAN73111 ..\$104.31
SBC w/torrington bearing ..MAN73121 ..\$112.45

Race Roller with torrington bearings and roller thrust bearing, 3 keyway crank gear.

SBC '55 to '78.....MAN73141 ..\$103.00
BBCMAN73142 ..\$113.41



Polished Timing Cover

Polished die-cast alum w/allen-type bolts around the edge. Seals, gaskets, and washers included.

One-Piece.....EDE4240SBC V8\$59.95
One-Piece.....EDE4241BBC V8\$83.95
Two-Piece.....EDE4242SBC V8\$118.95



Timing Cover

SBC 1955-87 Steel - Chrome

This kit is for use with OEM style timing chains only. Double roller type chains or gear drives require checking for adequate clearance. This kit includes everything you need, including the timing cover, bolts, front oil pan seal, front seal & water pump gaskets.
MRG4590.....\$25.20



Square Drive Balancer Bolts

ARP offers a special version of its rugged 200,000 psi rated balancer bolt that can accept a std 1/2" drive ratchet or breaker bar to facilitate rotating the crank assembly.

- 1/2" square drive forged into bolt head, enabling the rotation of an engine with any 1/2" drive tool
- Made from heat-treated 8740 chrome moly steel w/heavy duty black oxide finish

SBCARP134-2503.....\$38.73
BBCARP135-2503.....\$38.73



Billet Aluminum Timing Cover

This CNC machined 2 pc. timing cover lets you adjust cam timing without breaking oil pan seal. All hardware.
COM210.....\$300.96

Steel Timing Cover

Don't be fooled by the stock appearance of this OEM style cover. Made from heavy gauge steel, it features built in cam button reinforcing, thrust bearing and all hardware. USA made. A very nice piece.
COM208.....\$131.85

Magnum Timing Gear Set

Industry's most reliable. Pre-stretched and heat treated. Double roller design. Dynamically balanced.

SBCCOM2100\$35.41
BBCCOM2110\$43.08

Timing Gear Drive

SBCCOM4100\$218.35
BBCCOM4110\$283.04

Timing Belt Set

Adjustable timing with vernier sprocket. Idler pulley.

SBCCOM6500\$1179.27
BBCCOM6200\$1175.73

Hi-Tech

Roller Race Sets

Double Roller Chain, Triple Index Gear, Designed for Extreme Racing, Oversized Rollers, Dynamically Balanced Chevy V8, 265-400, '55-91 (except w/factory roller cam)
COM3100.....\$52.31

SBC True Roller Race Set .005 undersized, For align bored blocks
COM3100-5\$127.10

SBC True Roller Race Set .010 undersized. For align bored blocks
COM3100-10\$127.10

Chevy V8, 265-400 Adj Timing Set w/Thrust Bearing
COM3100KT\$186.72

Chevy V8, 396-454, '65-96
COM3110\$58.78

BBC True Roller Race Set For align bored blocks
.005 undersizedCOM3110-5.....\$161.59
.010 undersizedCOM3110-10.....\$161.59

Chevy V8 396-454 Adj Timing Set w/Thrust Bearing
COM3110KT.....\$217.85



Reinforced Timing Cover

A replacement for distorted and leaky timing covers. Cover fits SBCs and has a reinforced cam thrust area and gasket flange. Attractive silver iridite finish.

ALL90010.....\$24.99

Timing Cover for SBC w/BBC Seal

Cover fits Small Block Chevy but has a big block seal. Anodized in black.

ALL90012.....\$99.99

Aluminum Timing Covers

Covers will clear most double roller timing chains.

SBC..ALL90008.....\$32.99
BBC..ALL90009.....\$48.99

Pro Series LW "I" Beam Connecting Rods

Many other lengths available, call. Forged from 4340 aircraft quality vacuum degassed material. Manufactured in our own CNC machining centers. Fully machined to produce the lightest and strongest rod possible. Shot peened after machining to Mil specs and 100% individually magnafluxed. Cap fasteners are 7/16" MAN230 (230,000 psi) ARP cap screws. Horsepower range for these rods is 750+ hp (small block) and 850+ (big block).

Small Block	Length	Journal Size	Center to Center	Gram Weight	
MAN14450-8.....StockSmall5.700"597	\$1621.32
MAN14454-8.....300" LongerSmall6.000"606	\$1621.32
MAN14350-8.....StockLarge5.700"599	\$1621.32
MAN14354-8.....300" LongerLarge6.000"607	\$1621.32
Big Block	Length	Journal Size	Center to Center	Gram Weight	
MAN14160-8.....Stock6.135"781	\$1734.53
MAN14162-8.....250" Longer6.385"786	\$1734.53
MAN14166-8.....400" Longer6.535"805	\$1734.53

MANLEY**Thermostat Housing Bolts**

These premium grade bolts are engineered to properly engage the manifold threads and resist loosening. They're application specific, and come in your choice of black oxide finished chrome moly or rust-proof stainless steel, with handy 12-point or std hex heads. Washers included.

Chevy 3 Pcs UHF: 1.00/2.00

Black Oxide Hex.....ARP130-7402.....	\$6.79
Black Oxide 12-Point.....ARP130-7401.....	\$6.79
Stainless 300 Hex.....ARP430-7402.....	\$8.40
Stainless 300 12-Point.....ARP430-7401.....	\$6.55

ARP**4340 I-Beam Rods**

High Tensile 4340 Chrome Moly. Doweled cap for superior fit. 12 pt ARP 8740 bolts. Sized and balanced. Bushed pin. 2.100 journal. Set of 8.

Add -7/16 at the end of the part # for ARP 8740 7/16" Cap Screw Bolt

SBC, 5.700".....SCA2-ICR5700.....	\$312.09
SBC, 6.000".....SCA2-ICR6000.....	\$312.09
SBC, 6.125".....SCA2-ICR6125-7/16.....	\$383.60
SBC, 6.200".....SCA2-ICR6200-7/16.....	\$383.60
BBC, 6.135".....SCA2-ICR6135.....	\$356.07
BBC, 6.385".....SCA2-ICR6385.....	\$356.07

**4340 H-Beam Rods**

High Tensile 4340 Chrome Moly. Doweled cap for superior fit. 12 pt ARP 8740 bolts. Sized and balanced. Bushed pin. 2.100 journal. Set of 8.

Add "A" at the end part # for ARP 2000 7/16" Cap Screw Bolts

SBC, 5.700", 2.000" PIN.....SCA2-350-5700-2000.....	\$526.72
SBC, 6.000", 2.000" PIN.....SCA2-350-6000-2000.....	\$526.72
SBC, 6.125", 2.000" PIN.....SCA2-350-6125-2000.....	\$526.72
SBC, 6.200", 2.000" PIN.....SCA2-350-6200-2000.....	\$526.30
SBC, 5.700", 2.100" PIN.....SCA2-350-5700-2100.....	\$474.41
SBC, 5.850", 2.100" PIN.....SCA2-350-5850-2100.....	\$509.86
SBC, 6.000", 2.100" PIN.....SCA2-350-6000-2100.....	\$474.41
SBC, 6.125", 2.100" PIN.....SCA2-350-6125-2100.....	\$509.86
BBC, 6.135", 2.200" PIN.....SCA2-454-6135-2200.....	\$510.08
BBC, 6.385", 2.200" PIN.....SCA2-454-6385-2200.....	\$510.08
BBC, 6.535", 2.200" PIN.....SCA2-454-6535-2200.....	\$510.08

Big Block Chevy

Dart Block with Dart Heads, 12pt	Head Stud Kit	ARP235-4317	\$259.30
Dart Block with Dart Heads, hex	Head Stud Kit	ARP235-4117	\$221.88
Cast block w/Brodix SR20 heads	Head Stud Kit	ARP235-4323	\$255.36

Small Block Chevy

LS-RHS Block w/RHS LS7 head	Head Stud Kit	ARP234-4339	\$587.03
Short, 12pt	Water Pump Bolt Kit	ARP134-3203	\$13.59
Short, hex	Water Pump Bolt Kit	ARP134-3204	\$13.15
Short, 12pt	Water Pump Bolt Kit	ARP434-3203	\$21.18
Short, hex	Water Pump Bolt Kit	ARP434-3204	\$20.47
LS Series w/12" clutch	Pressure Plate Bolt Kit	ARP134-2203	\$19.29
Dart SHP	Main Bolt Kit	ARP134-5204	\$58.09
Dart SHP	Main Stud Kit	ARP134-5605	\$92.60
Dart LS Next (15 bolt)	Head Stud Kit	ARP234-4340	\$325.92
Dart LS Next (23 bolt)	Head Stud Kit	ARP234-4341	\$507.22
Dart LS Next	Main Stud Kit	ARP134-5901	\$149.80

**Timing Pointers**

CNC-machined, black anodized billet aluminum timing pointers are fully adjustable and provide precise timing increments.

SBC 6-1/4" Dia. Fluidampr Bal.....ALL90023.....	\$28.99
SBC 6-3/8" Dia ATI Bal.....ALL90020.....	\$28.99
SBC 7" Dia ATI Bal.....ALL90021.....	\$28.99
SBC 7-1/4" Dia Fluidampr Bal.....ALL90024.....	\$28.99
SBC 8" Dia Fluidampr Bal.....ALL90025.....	\$28.99
BBC 6-1/4" Fluidampr Bal.....ALL90026.....	\$28.99
BBC 7" Dia ATI Bal.....ALL90022.....	\$28.99
BBC 8" Dia Fluidampr Bal.....ALL90027.....	\$28.99
SBF, SVO B, 3/8" Bolt.....ALL90034**	\$59.99
SBF, SVO C, 3/8" Bolt.....ALL90035*	\$59.99
SBF, SVO B, 5/16" Bolt.....ALL90036**	\$59.99
SBF, SVO C, 5/16" Bolt.....ALL90037*	\$59.99
* 10 O'Clock Tab Position ** 11 O'Clock Tab Position	

**Timing Pointer**

Adjustable Aluminum Timing Pointer (Use with ALL90030)
ALL90031.....**\$35.99**

ARP**Coil Bracket Bolt Kits**

Add a touch of class to your coil bracket installation with an ARP bolt kit. Available in black oxide finished chrome moly or rust-proof stainless steel, as well as with a conventional hex head or compact 12-point (great for use with those coils mounted in tight, hard-to-reach places). Washers included. Coil bracket bolts also included in ARP's popular Engine and Accessory kits.

Chevy Black Oxide Hex	
ARP130-2302.....	\$3.48

**Manual Piston Ring Filer**

To assure proper piston ring end-gap position the piston ring firmly against the dowel pins, crank the handle to turn the abrasive wheel. Using a feeler gauge, file the piston ring to meet the manufacturer's specification.

ROC66785.....	\$61.35
---------------	----------------

Replacement 120 Grit Grinding Wheel

ROC66786.....	\$11.24
---------------	----------------

**Storage Containers****Krank Kase**

Stores crankshaft in a clean safe environment. Available for Small Block and Big Block Chevy. Small block fits 350 and 400 style cranks. Built in recesses allow for multiple stacking. Keeps harmful dirt and moisture out. Great for transporting to and from machine shop. Strong enough to be used as shipping containers. 360 degree handles make them easy to carry.

SBC...JAZ700-300-07...	\$75.98
------------------------	----------------

BBC...JAZ700-301-11...	\$75.98
------------------------	----------------

**Flexplate Bolt Kits**

UHF: 0.680 • Thread Size: 7/16-20
Chevy 90° V6 & 265-454 V8 with 2 pc. rear seal
High Performance...ARP100-2901.....**\$10.74**
Pro Series.....ARP200-2902.....**\$15.40**

**Torque Converter Bolts**

You can forget about the problem of shearing a torque converter bolt after you install these super strong 200,000 psi gems. Kits come with hardened parallel-ground washers.

**GM Powerglides**

TH350 & TH400.....	UHL.....	Size
w/ production converter.....	750.....	3/8-24
ARP230-7301.....		\$17.24

w/ most aftermarket converter.....	725.....	7/16-20
ARP230-7302.....		\$11.40

w/ race converter 1/2" thick tabs.....	1.250.....	7/16-20
ARP230-7303.....		\$13.53

Clutch Cover/Pressure Plate Bolt Kits

Tarp offers High Perf Series bolts that are made from a premium grade chrome moly and hardened to a nominal tensile strength of 180,000 psi. The Pro Series bolts, originally developed for NASCAR Winston Cup competition, are stronger and rated at 200,000 psi. Both models feature a large diameter, low-profile design. Complete with washers.

Thread Size: 3/8-16

Chevy 265-502 V8..High Perf...ARP130-2201..	\$13.80
Pontiac 350-455 V8 Pro Series..ARP290-2201..	\$28.67

Auto Trans Pan Bolt Kits

Here's another area in which ARP provides a superior strength fastener that will provide better reliability than the OEM hardware. Made of rust-proof stainless steel, they're attractive, too. Includes washers.

GM Turbo 350-400.....ARP430-0401.....	\$21.40
---------------------------------------	----------------

Flexplate Bolts

GM 7/16"-20 x 11/16" Grade 8 Steel - Black Oxide
They are forged from steel and heat-treated to Grade 8 specs for max strength and durability. Ideal for high-performance use and compatible with countless GM V6 and V8 apps, these black-plated hex head fasteners resist rust and corrosion, come complete with matching washers, and are available in a set of 6.

MRG6710.....	\$14.88
--------------	----------------

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



CRANKSHAFT

Superlight

4340 Crankshaft

44 lb. overall weight. Micropolished, Nitride hardened and straightened. Airplane wing design counterweights. Lightening holes in rod throws. Large fillet radii on all journals.

Stroke..Weight..Rod.....Small Block

3.480".....43 lbs.....5.700".....SCA4-350-3480-5700-3.....\$1615.66

3.480".....43 lbs.....5.700".....SCA4-350-3480-5700-3-2IN.....\$1440.60

Stroke..Weight..Rod.....Big Block

4.000".....59 lbs.....6.385".....SCA4-454-4000-6385-3.....\$1903.81

4.250".....59 lbs.....6.385".....SCA4-454-4250-6385-3.....\$1903.81

Standard Weight

4340 Crankshaft

Micropolished, Nitride hardened & straightened. Heat treated & shot peened. Lightening holes in rod throws. Large radii on all journals.

Stroke.....Weight.....Rod.....Small Block Chevy

3.480".....51 lbs.....5.700".....SCA4-350-3480-5700.....\$718.20

3.500".....51 lbs.....5.700".....SCA4-350-3500-5700.....\$718.68

3.750".....52 lbs.....5.700".....SCA4-350-3750-5700.....\$718.68

3.750".....53 lbs.....6.000".....SCA4-350-3750-6000.....\$718.68

Stroke.....Weight.....Rod.....Big Block Chevy

4.000".....68 lbs.....6.135".....SCA4-454-4000-6135.....\$846.69

4.000".....71 lbs.....6.385".....SCA4-454-4000-6385.....\$846.69

Chevy Forged 4340 Lightweight Pro Comp Crankshafts

Profiled aero-wing counterweights, straight shot and chamfered oil holes, nitride hardened for superior wear resistance, lightening holes in all rods throws, large radius on all journals, CNC machined for absolute tolerances & symmetry for ease of balance.

SBC 350 & 400 Main 2-PC Rear Seal

Stroke.....Rod.....Part

3.480".....5.700".....SCA4-350-3480-5700-2.....\$1333.61

3.500".....5.700".....SCA4-350-3500-5700-2.....\$1333.61

3.750".....5.700".....SCA4-350-3750-5700-2.....\$1333.61

3.750".....6.000".....SCA4-350-3750-6000-2.....\$1333.61

Big Block Chevy 454 Main 2-PC Rear Seal

Stroke.....Rod Length

4.000".....6.135" ext balanced, std rod.....SCA4-454-4000-6135-2

4.000".....6.385" long rod, internal.....SCA4-454-4000-6385-2

4.250".....6.135" 4 lightening holes, standard rod.....SCA4-454-4250-6135-2

4.250".....6.385" 250 long rod.....SCA4-454-4250-6385-2.....\$1649.34

Series 9000 Chevy Cast

Pro Comp Stroker LW Crankshaft

A perfect way to increase cubic inches on mild to moderate street or race engines. Aero-wing counterweights increase horsepower. Lightening holes in all rod throws (except 3.480 stroke), precision ground and micropolished. Designed after our custom billets and made from Scat's exclusive space age 9000 material.

SBC 350 & 400 Main, 1 piece & 2 piece Rear Seal

Description.....Stroke.....Rod Length.....Rod Pin

350 2-PC Rear Seal.....3.480.....5.700.....2.100

SCA9-350-3480-5700.....\$257.55

350 2-PC Rear Seal.....3.750.....5.700.....2.100

SCA9-350-3750-5700.....\$257.55

350 2-PC Rear Seal.....3.750.....6.000.....2.100

SCA9-350-3750-6000.....\$257.55

Stock Replacement Crankshaft

Precision ground and micropolished, balanced and ready to install out of the box.

350 Chevy - 2 pc rear seal ...SCA9-10442 ...\$218.13

350 Chevy - 1 pc rear seal ...SCA9-10526 ...\$218.40

454 Chevy - 2 pc rear seal ...SCA9-10454 ...\$303.14

Flywheel Bolts

Chevy & Ford 7/16" - 20 x 31/32"

Engineered and manufactured for reliability, these alloy steel flywheel bolts are heat treated to Grade 8 specifications for extra strength. Kits are complete with lock washers (where needed) and have a black oxide finish to help resist rust and corrosion. Chevy & Ford 7/16"-20 x 31/32", 6 per kit. MRG912.....\$12.60

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

ARP

Main Studs

	2 Bolt Main	Set
SBC Big Journal	ARP134-5401.....	\$63.63
BBC	ARP135-5402.....	\$84.16
SBC 289-302	ARP154-5401.....	\$62.94
351 Windsor	ARP154-5403.....	\$80.04

4 Bolt Main Set	
ARP134-5601.....	\$96.37
ARP135-5601.....	\$160.01
ARP154-5606.....	\$143.56

Cam Bolt Kits

ARP quality delivers increased pre-load clamping force and assures positive timing gear register. Increased material strength overcomes valve train harmonics and stress.

Chevy 265-454 cid

Socket Size: 1/2" • Dia/Thread Size: 5/16-18 • UHL .750

High Perf. 180,000 psi.....ARP134-1001.....\$4.48

Pro Series 200,000 psi.....ARP234-1001.....\$5.57

Chevy 265-454 cid with oversize head for use with cam button

Socket Size: 7/16" • Dia/Thread Size: 5/16-18 • UHL .750

Pro Series 200,000 psi.....ARP300-1001.....\$7.02

ARP

Flywheel Bolt Kits

High Perf. series is rated at 180,000 psi, and the premium grade Pro Series, originally developed for NASCAR Cup competition, has a 200,000 psi rating. Complete with washers and nuts where applicable.

Application (High Performance is rated 180,000 psi) UHF.....Thread Size

Chevy 90° V6 & 265-454 V8 with 2 pc. rear seal.....1.000 ..7/16-20ARP100-2801 \$10.85

Ford 289-460 V81.000 ..7/16-20ARP100-2801 \$10.85

Application (Pro Series is rated 200,000 psi).....UHF.....Thread Size

Chevy 90° V6 & 265-454 V8 with 2 pc. rear seal.....1.000 ..7/16-20ARP200-2802 \$18.33

V8 with Tilton flywheel, uses 1/2" socket.....0.875 ..7/16-20ARP330-2801 \$36.22

Ford 289-460 V81.000 ..7/16-20ARP200-2802 \$18.33

Honda 1.6L, 1.7L, 1.8L & 2.0L DOHC, B Series (8 pcs.) 0.990 ..M12 x 1.0ARP208-2802 \$55.06

Pontiac 350-455 V8 with washers (6 pcs).....1.000 ..1/2-20ARP290-2802 \$34.96

Oil Pump Driveshaft

Kits for Chevy Drives

Made from premium grade 8740 and heat-treated to 190,000 psi, ARP uses a unique manufacturing process where the alignment sleeve is roll formed onto the shaft (not welded or pinned), enabling the sleeve to float, allowing for slight misalignment.

Small Block ChevyARP134-7901\$15.57

Big Block ChevyARP135-7901\$16.30

Oil Pump Driveshaft

Kits for Ford Drives

Made from ARP2000 and heat-treated to 220,000. These pump drives feature a CNC milled (not broached) hex, and has the retaining washer installed.

Ford 289-302 cid & Boss 302.....ARP154-7904\$20.42

Ford 351WARP154-7901\$20.42

Oil Pump Bolts and Studs

You've probably heard many a horror story about someone losing an engine when the oil pump fell off into the pan because of a broken bolt. Well, you can put your mind at ease when using ARP's premium grade oil pump bolt and stud kits. You have a choice of black oxide finished 8740 chrome moly steel or low maintenance stainless steel.

SBC, stud kit

Hex Black Oxide.....ARP230-7001\$5.76

12-Point Black Oxide.....ARP230-7002\$6.79

SBC and BBC, 3.125", high volume, stud kit

Hex Black Oxide.....ARP230-7003\$5.76

12-Point Black Oxide.....ARP230-7004\$6.79

4.000.....	ARP900-0000	\$57.51
4.030.....	ARP900-0300	\$57.51
4.040.....	ARP900-0400	\$57.51
4.060.....	ARP900-0600	\$57.51
4.125.....	ARP900-1250	\$57.51
4.135.....	ARP900-1350	\$57.51
4.155.....	ARP900-1550	\$57.51
4.280.....	ARP900-2800	\$60.84
4.310.....	ARP900-3100	\$60.84
4.470.....	ARP900-4700	\$60.84
4.500.....	ARP900-5000	\$60.84
4.560.....	ARP900-5600	\$60.84
4.600.....	ARP900-6000	\$60.84
4.625.....	ARP900-6250	\$60.84
78.00mm	ARP901-7800	\$60.60
95.00mm	ARP901-9500	\$60.60

Tapered Ring Compressors

CNC-machined from 6061-T6 billet tube material and feature a true radius for each different bore dia. They also relieved for wire O-rings on the bottom. Type 3 anodizing is used for long life, and the bore size is prominently engraved in 3/4 in. high numbers for easy identification. Their true-radius design is far superior to conventional tapered devices and they're widely acclaimed by professional engine builders.

Carrier Fasteners

When assembling a rear end, optimum reliability can be obtained by employing these rugged chrome moly bolts and studs.

Ford 9" Carrier Bearing Stud Kit UHL: 3.250 • Thread: 1/2-13, 1.2-20...ARP250-3004 ...\$29.32

Ford 9" Housing Stud Kit (10 pcs.) UHL: 1.645 • Thread: 3/8-24ARP250-3005 ...\$32.23

North East Modifieds for SBC

(Complete SBC NE Mod front belt drive).....JON1056-S...\$987.06

SBC Serp. WP & PS w/HTD Oil Pump Drive System Pieces

CS Pulley Register.....JONDH-5102-R\$15.20

Crank Pulley.....JONDH-5102-G\$85.90

Billet Al 1/4" Split V-Spacer.....JONDH-3102-WC-1/4.....\$19.90

3/8" dia 2.25" long al bolts.....JONSK-2109-M2\$12.90

1/2" Dual dowel assy spacer.....JONSP-6103-WC-C-1/2...\$15.90

Belt Guide.....JONBG-6108-WC.....\$10.40

HTD OP Drive Pulley.....JONCS-6102-WC-22.....\$63.95

Dowel Pin.....JONDP-2109-A.....\$3.05

End Cap with Large Nut.....JONEC-6111-WC-Nx1/2...\$28.26

Water Pump Pulley.....JONWP-5104-WC-5-DS...\$134.90

Shims and Bushings.....JONWP-2109-MK.....\$18.19

HD Serpentine WP Belt.....JON6PK-695HD.....\$27.90

PS Bracket.....JONPSH-8001-C.....\$73.40

PS Pump.....JONPS-9008-AL.....\$205.90

PS Pulley.....JONPS-5106-B-4.500.....\$68.15

HD Serpentine PS Belt.....JON5PK-735.....\$14.79

HTD Oil Pump Pulley.....JONOP-6103-38-11/4.....\$78.65

HTD Oil Pump Belt.....JON600-20HD.....\$31.30

SBC HTD Alternator Kit.....JON2041-RA.....\$556.79



JON1056-S with JON2041-RA

Synthetic Power Steering Fluid

This crystal clear, fully synthetic power steering fluid is capable of exceeding all others in overall performance. The steering system's demands of the fluid with high pump flow rates and extreme temperatures make this fully synthetic a top choice to provide the driver with a confident and consistent feel from start to finish of a race. This fluid will not develop foam, causing cavitation of the pump nor will it break down during long green flag runs at full operating temperatures.

JONPS-8009-32S.....\$11.55

**North East Modifieds for BBC**

(Complete BBC NE Mod front belt drive).....JON1055-S...\$988.48

BBC Serp. WP & PS w/HTD Oil Pump Drive Sys Pieces

CS Pulley Register.....JONDH-5102-R\$15.20

Crank Pulley.....JONDH-5102-G\$85.90

Bolt Kit.....JONSK-2109-H.....\$9.41

2 Crank Pulley Spacers.....JONSP-6103-WC-C-1/2...\$15.90

Belt Guide.....JONBG-6108-WC.....\$10.40

HTD OP Drive Pulley.....JONCS-6102-WC-22.....\$63.95

Dowel Pin.....JONDP-2109-A.....\$3.05

End Cap with Large Nut.....JONEC-6111-WC-Nx1/2...\$28.26

Water Pump Pulley.....JONWP-5104-WC-5-DS...\$134.90

Shims and Bushings.....JONWP-5104-MK.....\$18.90

HD Serpentine WP Belt.....JON6PK-695HD.....\$27.90

PS Bracket.....JONPSH-8001-BB.....\$73.40

PS Pump.....JONPS-9008-AL.....\$205.90

PS Pulley.....JONPS-5106-B-4.500.....\$68.15

HD Serpentine PS Belt.....JON5PK-690HD.....\$19.90

HTD Oil Pump Pulley.....JONOP-6103-38-11/4.....\$78.65

HTD Oil Pump Belt.....JON640-20HD.....\$32.46

BBC HTD Alternator Kit.....JON2031-RA.....\$544.01



JON2031-RA

BBC Radius Tooth Alternator Kit..2031-RA

45 amp, 1-Wire Alternator.....JONAL-9101-B-NS.....\$249.90

24 Tooth Alt. Pulley.....JONAL-9105-24-A.....\$62.90

32 Tooth Drive Pulley.....JONWP-9104-32.....\$59.22

Belt Guide.....JONBG-9108-W.....\$14.60

Radius Tooth Belt.....JON680-10HD.....\$16.89

Alternator Bracket.....JONAL-9100-CL-B.....\$73.40

Rear Support Bracket.....JONAL-9100-CL-BB-BB...\$28.90

Mounting Kit.....JONAL-9100-CL-BK-BB...\$15.65

Switch.....JONSW-9100-A.....\$12.48

Use kit JON2030 for V-Belt Setup

SBC Radius Tooth Alternator Kit..2041-RA

JON2041-RA

45 amp, 1-Wire Alternator.....JONAL-9101-B-NS.....\$249.90

24 Tooth Alt. Pulley.....JONAL-9105-24-A.....\$62.90

32 Tooth Drive Pulley.....JONWP-9104-32.....\$59.22

Belt Guide.....JONBG-9108-W.....\$14.60

Radius Tooth Belt.....JON672-10HD.....\$16.78

Alternator Bracket.....JONAL-9100-CL-B.....\$68.15

Rear Alternator Support.....JONAL-9100-CL-HM.....\$47.15

Mounting Kit.....JONAL-9100-CL-BK.....\$15.65

Switch.....JONSW-9100-A.....\$12.48

Use kit JON2040 for V-Belt Setup

Small Block Chevy Mid-Mount Alternator Bkts

Mounts from short water pump, mounts on left or right side of water pump.

45 Amp Alternator.....JONAL-9100-CL-B.....\$68.15


65 and 80 Amp.....JONAL-9100-CL-C.....\$61.34

Rear Support.....JONAL-9100-CL-HM.....\$47.15

Mounting Kit.....JONAL-9100-CL-BK.....\$15.65

GM Alternator.....JONAL-9100-CL-GM.....\$73.90

GM Mounting Kit.....JONAL-9100-CL-GM-BK...\$15.65



JON WPM-9101-C



JON WPM-9101-A

Big Block Chevy Mid-Mount Alternator Bkts

Mounts from short water pump, mounts on left or right side of water pump.

45 Amp Alternator.....JONAL-9100-CL-B-BB...\$73.40

65 and 80 Amp.....JONAL-9100-CL-C-BB...\$66.06

Rear Support.....JONAL-9100-CL-BB-BB...\$28.90

Mounting Kit.....JONAL-9100-CL-BK-BB...\$15.65

GM Alternator.....JONAL-9100-CL-GM.....\$73.90

GM Mounting Kit.....JONAL-9100-CL-GM-BK...\$15.65




JON WPM-9101-C

Adjusting Rods

JONADR-9100-6.....6".....\$48.20

JONADR-9100-6.5.....6.5" SB

JONADR-9100-8.....8" BB

**Circle Track, Crate:**

(Complete Chevy Crate Belt Drive w. Alternator kit).....JON1441-AR-CE.....\$1498.13

SBC Alum. PS to accept Remote Tank & Mini 1-Wire Alt w. Bkt Pulleys and Belts.....JON1441-AL-CE.....\$1377.01

SBC Alum. SWP, PS Pump w. Built-In Alum. Reservoir, Bkt, Pulleys and Belts.....JON1004-AR-CE.....\$929.15

SBC Alum. SWP, PS Pump to accept Remote Reservoir, Bkt, Pulleys and Belts.....JON1004-AL-CE.....\$808.03

(Pulleys, Belts & PS Bracket, Chevy crate) 6500 RPM.....JON1004-S-CE-6500.....\$371.04

(Pulleys, Belts & PS Bracket, Chevy crate) 7500 RPM.....JON1004-S-CE-7500.....\$371.04

(SBC Stand alone Water Pump Belt Drive, Chevy Crate).....JON1035-S-CE.....\$226.17

(Complete Ford Crate Belt Drive w. Alt. kit).....JON1565-AR-CE.....\$1502.63

SBF Alum. PS Pump to accept Remote Reservoir Bracket Pulleys and Belts.....JON1005-AL-CE.....\$748.08

(Pulleys, Belts & PS Bracket, Ford crate).....JON1005-S-CE.....\$543.74

SBC Serp. WP & PS Drive with Steel SWP, Remote Tank PS Pump.....JON1004-AL-DRT.....\$718.13

SBC Serp. WP & PS Drive with Steel SWP, Integrate, Alum Tank PS Pump.....JON1004-AR-DRT.....\$839.15

SBC Crate Engine WP, Power Steering and Alternator Drive.....JON2441-AR-CE.....\$1799.00

SBC Serp. WP & PS Drive and Radius Tooth Alt Kit with Steel SWP, Remote Tank PS Pump & 55/70 amp 1-wire Alt.....JON1441-AL-DRT.....\$1287.01

SBC Serp. WP & PS Drive and Radius Tooth Alt Kit with Steel SWP, Integrate, Aluminum Tank PS Pump & 55/70 amp 1-wire Alt.....JON1441-AR-DRT.....\$1408.13

Circle Track, Open Motors:

JON 72=7200 Max RPM, 75, 78, 80+ also available.

(Pulleys, Belts and PS Bracket, Chevy).....JON1004-S-75.....\$403.83

(Pulleys, Belts and PS Bracket, Ford).....JON1005-S-75.....\$533.78

JON 1004-AL-DRT (Cast Iron WP)
JON 1004-AL-CE (Aluminum WP)

JON2441-AR-CE



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Small Block Ford Kits

Alum PS Pump to accept Remote Reservoir, Bkt, Pulleys, & Belts
JON1005-AL-CE **\$748.08**

PS Pump w. Built-In Alum Reservoir, Bkt, Pulleys, & Belts
JON1005-AR-CE **\$869.20**

55 Amp Alternator Drive Kit, Mounts from WP **JON1005-AL-CE**
JON2065-RA **\$548.59**

WP, PS, and Alternator Complete Drive System,
WP sold separately (Remote PS Tank)
JON1565-AL-CE **\$1280.00**

WP, PS, and Alternator Complete Drive System,
WP sold separately (Built-In PS Tank)
JON1565-AR-CE **\$1502.63**

LS WP Drive Kit w. HP WP, Serp. Pulleys, Hardware, and Belts
JON1020-LS **\$749.31**

LS Drive Kit w. HP WP and PS Pump with Aluminum Tank
JON1006-LS **\$1245.78**

LS Alt Kit w. 55/75 Amp 1-Wire Mini Alternator
JON2046-LS **\$550.65**

JON1565-AL-CE

Billet Aluminum Water Pump Spacers

1/8" Small Block Billet Alum Water Pump Spacers ..JONWP-9104-1/8-SB...**\$17.01**
1/4" Small Block Billet Alum Water Pump Spacers ..JONWP-9104-1/4-SB...**\$26.01**
3/8" Small Block Billet Alum Water Pump Spacers ..JONWP-9104-3/8-SB...**\$28.90**
1/2" Small Block Billet Alum Water Pump Spacers ..JONWP-9104-1/2-SB...**\$26.01**
1/4" Big Block Billet Alum Water Pump Spacers ..JONWP-9104-1/4-BB...**\$34.90**
3/8" Big Block Billet Alum Water Pump Spacers ..JONWP-9104-3/8-BB...**\$31.41**
1/2" Big Block Billet Alum Water Pump Spacers ..JONWP-9104-1/2-BB...**\$31.41**

Replacement Pulleys & Belts**SB Kit 1004 7600**

3.250" diameter, 1-1/8" bore, serpentine, cs pulleyJONCS-5102-D.....**\$59.75**
4" diameter, 1.135" offset, 6-groove serp. wp pulley.....JONWP-5104-C-4.....**\$71.30**
4.500" diameter, 6-groove, press fit, serp ps pulleyJONPS-5106-B-4.500.....**\$68.15**
33.465" long, 5-groove serp. belt.....JON5PK-850.....**\$16.79**

SB Kit 1004 6200

3.750" diameter, 1-1/8" bore, serpentine, cs pulleyJONCS-5102-F.....**\$68.15**
4" diameter, 1.135" offset, 6-groove serp. wp pulley.....JONWP-5104-C-4.....**\$71.30**
4.500" diameter, 6-groove, press fit, serp ps pulleyJONPS-5106-B-4.500.....**\$68.15**

BBC Modified Kit 1055

4.000", dual dowel (WC), serp, cs pulleyJONDH-5102-G**\$85.90**
5.0" rear, 3-7/8" front double serp wp pulleyJONWP-5104-WC-5-DS...**\$134.90**
4.500", 6-groove, press fit, serp ps pulley.....JONPS-5106-B-4.500.....**\$68.15**
27.362" long, 5-groove serp. belt.....JON6PK-695HD**\$27.90**

Late Model Kit**1020 Kit**

4.000", dual dowel (WC), serp, cs pulleyJONDH-5102-G**\$85.90**
5.0" diameter, 2.320" offset, 6-groove serp. wp pulley.....JONWP-5104-WC-5.0.....**\$93.35**
27.362" long, 5-groove serp. belt.....JON5PK-695HD**\$19.90**

1035 kit

4.250", dual dowel (WC), serp, cs pulleyJONDH-5102-H**\$75.90**
4.5" diameter, 2.320" offset, 6-groove serp. wp pulley.....JONWP-5104-WC-4.5.....**\$86.00**
27.283" long, 5-groove serp. belt.....JON5PK-690HD**\$19.90**

Dirt Modified like UMP, USMTS, IMCA ect.

(SBC Stand Alone Serpentine WP Drive)

JON1020-S **\$325.00**

(SBC Stand Alone Serpentine WP Drive)

JON1026-S **\$385.59**

(Oil Pump Drive Pulleys, Bell housing mounted)

JON2004-RA **\$349.57**

Kit 1020 Add-on PS kit with Alum PS Pump
and Built-In Alum Tank

JON1020-PS **\$600.22**



JON1020-S JON1026-S

Alternators

55 Amp, Single Wire Alternator, SwitchlessJONAL-9101-B-NS**\$249.90**
55 Amp, 1-Wire, Switchless, 16+ Volt Adjustable Reg.JONAL-9101-B-NS-A**\$269.91**
24 Tooth, Rad. Tooth, Alt Pulley, Belt Guides, .590 BoreJONAL-9105-24-A**\$62.90**
55 Amp, SBC SWP Alternator Bracket AssemblyJONAL-9100-CL-BK**\$15.65**
High Amp Switch to protect alt when charging the systemJONSW-9100-A**\$12.48**

PS Pumps

(Alum PS Pump with Built-in Alum. Tank)JONPS-9008-AL-AR...**\$359.90** **CRATE**
(Alum PS Pump with Built-in Plastic Tank)JONPS-9008-AL-R**\$277.12**
(Alum PS Pump, Accepts Remote Tank)JONPS-9008-AL**\$205.90**
(Alum Remote Reservoir for PS Pump, Mounts to Frame)JONPS-8101-A**\$89.90**
(Alum Remote Reservoir for PS Pump, Mounts to Firewall)JONPS-8101-B**\$94.90**
SBC Head mount PS Bracket for PS-9008-AL-ARJONPS-8001-SB-R.....**\$85.95**

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

**3 Blade Aluminum Hustler Fans**

A True Racing Fan Blade Designed For High RPM Racing Engines. 3 Blade Fans Provide Improved Performance by not Stalling out at High RPM's and Creating Un-Wanted Drag and Power Loss on the Engine.

15" FanJONWP-9104-15-H3 ..**\$145.56**

17" FanJONWP-9104-17-H3 ..**\$145.56**

18" FanJONWP-9104-18-H3 ..**\$call**

19" FanJONWP-9104-19-H3 ..**\$call**

2" Fan Spacer Kit ..JONWP-9104-FS2.....**\$59.67**

3" Fan Spacer Kit ..JONWP-9104-FS3.....**\$62.66**

**Crate & Late Model Water Pump Drive Kit**

Lightweight Aluminum Serpentine Crankshaft to Water Pump **JON1020-S**

20% ReductionJON1020-S**\$325.00**

6% Reduction (Crate) ..JON1035-S-CE...**\$226.17**

**Radius Tooth HTD****10mm Wide, 8mm Pitch**

18.898" Long.....JON480-10HD.....**\$13.01**

22.047" Long.....JON560-10HD.....**\$14.95**

22.677" Long.....JON576-10HD.....**\$15.38**

23.307" Long.....JON592-10HD.....**\$15.43**

23.622" Long.....JON600-10HD.....**\$15.61**

23.937" Long.....JON608-10HD.....**\$15.82**

24.567" Long.....JON624-10HD.....**\$15.84**

24.882" Long.....JON632-10HD.....**\$16.08**

25.197" Long.....JON640-10HD.....**\$16.23**

25.827" Long.....JON656-10HD.....**\$16.45**

26.457" Long.....JON672-10HD.....**\$16.78**

26.772" Long.....JON680-10HD.....**\$16.89**


27.402" Long.....JON696-10HD.....**\$21.20**

28.346" Long.....JON720-10HD.....**\$17.12**

28.976" Long.....JON736-10HD.....**\$17.29**

30.551" Long.....JON776-10HD.....**\$15.72**

33.701" Long.....JON856-10HD.....**\$17.75**

**Radius Tooth HTD****30mm Wide, 8mm Pitch**

23.622" LongJON600-30HD.....**\$46.83**

24.567" LongJON624-30HD.....**\$43.34**

23.937" LongJON632-30HD.....**\$48.22**

25.197" LongJON640-30HD.....**\$48.69**

**Radius Tooth HTD****20mm Wide, 8mm Pitch**

22.047" Long.....JON560-20HD.....**\$29.91**

22.677" Long.....JON576-20HD.....**\$30.76**

23.622" Long.....JON600-20HD.....**\$31.30**

23.937" Long.....JON608-20HD.....**\$28.55**

24.567" Long.....JON624-20HD.....**\$31.84**

24.882" Long.....JON632-20HD.....**\$31.84**

25.197" Long.....JON640-20HD.....**\$32.46**


25.827" Long.....JON656-20HD.....**\$32.90**

26.457" Long.....JON672-20HD.....**\$30.21**

26.772" Long.....JON680-20HD.....**\$30.42**

30.551" Long.....JON776-20HD.....**\$31.42**

31.496" Long.....JON800-20HD.....**\$33.28**

**Serpentine****5 & 6 Groove Belts 20mm Wide, 8mm Pitch**


27.165" 5-Groove.....JON5PK-690HD...**\$19.90**

27.362" 5-Groove.....JON5PK-695HD...**\$19.90**

33.465" 5-Groove.....JON5PK-850HD...**\$18.65**

35.039" 5-Groove.....JON5PK-890HD...**\$18.65**

37.008" 6-Groove.....JON6PK-940.....**\$25.11**

**Pulley Installer / Removal Tool**

Tool to remove & install press on power steering pulleys.

JONPSR-7005-A **\$51.84**



JONAL-9101-B-NS

JONPS-9008-AL-AR

JONPS-9008-AL-R

JONPS-8001-SB-R

JONPS-9008-AL

JONPS-8101-A

JONPS-8101-B



Add "F" to Above Part #'s for smaller 49cc Chamber!

FOR MORE COMPRESSION!



SBC Platinum Series Heads

10% more air flow. Redesigned combustion chambers. Refined casting techniques. Hardened exhaust seats for better durability with unleaded fuel. Phosphorus exhaust guides. Manganese intake guides. 5 angle competition valve jon on intake, full radius on exhaust valve. Accepts most stock bolt-on components.

Port	Cham	Int/Exh	Spring	Vol	Vol	Valves	Dia	Notes
200	64	2.02/1.60	VJ	---	Bare	DAR10310010P	\$426.02	
200	64	2.02/1.60	1.250S	---	DAR10311111P	\$643.67		
200	64	2.02/1.60	1.437D	---	DAR10311122P	\$678.40		
200	64	2.02/1.60	1.550D	---	DAR10311133P	\$713.06		
215	64	2.05/1.60	VJ	---	Bare	DAR10510020P	\$425.71	
215	64	2.05/1.60	1.437D	---	DAR10511122P	\$678.40		
215	64	2.05/1.60	1.550D	---	DAR10511123P	\$713.06		
230	64	2.08/1.60	1.550D	---	DAR10711143P	\$713.06		

High Tech SS Roller Rockers

Using 15-5 PH stainless, a premium alloy, they are the choice of professionals. Tested to 52,000 psi! Extra large trunnions and more needle bearings spread out the load.

Desc	Stud	Ratio
SBC	3/8"	1.6

Magnum Rocker Arms

Magnums have low friction roller tips to reduce valve stem and guide wear, and keep an engine in race winning condition.

Description	Stud	Ratio
Chevy V8 265-400	3/8"	1.52
Chevy V8 265-400	3/8"	1.6
Chevy V8 396-454	7/16"	1.72
Chevy V8 265-400	3/8"	1.52
Chevy V8 265-400	3/8"	1.6

Ultra-Gold Aluminum Rocker Arms

Best of all, they are built to withstand extremely aggressive spring pressures and valve springs with as much as a 1.650-inch O.D., a feature not possible with any other rocker arm.

SBC V8 265-400, V6 200-262				
3/8"	1.5	COM19001-16		<u>\$353.01</u>
3/8"	1.6	COM19002-16		<u>\$353.01</u>
7/16"	1.5	COM19004-16		<u>\$353.01</u>
7/16"	1.6	COM19005-16		<u>\$353.01</u>
BBC V8 396-454				
7/16"	1.7	COM19021-16		<u>\$394.48</u>
SBF V8 289-302, 351W				
3/8"	1.6	COM19043-16		<u>\$357.26</u>
7/16"	1.6	COM19044-16		<u>\$357.26</u>

Sportsman Series Shaft Rockers

Affordable upgrade from stud rockers eliminates the need for studs, guide plates, polylocks & stud girdles. Fits SBC with standard valve spacing.

1.5 in./1.5 ex.	JES-KSS-335050	\$1250.00
1.6 in./1.5 ex.	JES-KSS-336050	\$1250.00
1.6 in./1.6 ex.	JES-KSS-336060	\$1250.00

Pro Series Rocker Arm System & Competition Series. Call for Application!

Cylinder Head Bolts

170,000 psi bolts are 15% stronger than grade 8 bolts. Available in hex or 12-point head, and include hardened parallel-ground washers.

	Hex Head	Set	12-Point Head	Set
Buick V6, Duttwieler & M&A alum. heads	ARP123-3602	\$80.56		
Small Block Chevy				
Dart II heads	ARP134-3602	\$97.37	ARP134-3702	\$97.37
Cast iron OEM, LT-AFR, Brodix -8, -10, -11, -11xb	ARP134-3601	\$87.12	ARP134-3701	\$91.52
Big Block Chevy				
Cast Iron OEM	ARP135-3601	\$87.12	ARP135-3701	\$91.52
Late Bowtie Alum., World Prod Merlin, Iron Dart	ARP135-3603	\$120.94	ARP135-3703	\$126.98
Mk V Block w/World Merlin, Late Bowtie, and Dart Alum.	ARP135-3607	\$115.72	ARP135-3707	\$120.80
Mk V or Mk IV w/ Brodix alum.	ARP135-3609	\$128.48	ARP135-3709	\$116.23



* Provides 35% Reduction for Small Block Chevys.
17% Reduction Substitute BRP952-2 for BRP952.

Serpentine Pulleys

3.5" Dia Upper Serp. Pulley	BRP950	\$61.46
4.25" Dia PS Serp. Pulley	BRP951	\$61.46
2.6" Dia Lower Serp. Pulley*	BRP952	\$73.74
3.0" Dia Lower Serp. Pulley SBC	BRP952-2	\$73.74
Lower Pulley Spacer	BRP953	\$20.54

Serpentine Belts

36" S.B. Serpentine Belt for Std. Pulleys	BRP949	\$30.18
36-1/2" when using BRP268 Mount	BRP949-3	\$35.05
37" S.B. Serpentine Belt for (-2) Pulleys	BRP949-2	\$31.50

7" Billet Double Groove Top Pulley

Hard coated, Chevy or Ford. Double groove. 15% reduction.	BRP1003	\$104.52
---	---------	----------

5-1/2" Billet Double Groove Lower Pulley

SBC	BRP1006	\$47.92
BBC	BRP1006B	\$49.16

Crate SBC Serpentine Pulley Kit

Crate SBC Serpentine Pulley Kit Complete w/Alt. & Power Steering Pump & Red Bkts, 17% Reduction. All Pulleys and Belts BRP1442BK...\$694.84

Kit Includes:

Serpentine Pulley	BRP952-2	\$73.74
Pulley Spacer	BRP953	\$20.54
Serpentine Belt	BRP949-3	\$35.05
Power Steering Mt Assembly	BRP268	\$45.46
Pump and Serpentine Pulley	BRP581	\$209.49
SBC Alternator Mount	BRP9068	\$83.70
Serpentine Pulley WP/3 Rib Alt	BRP946	\$72.90
3 Rib Serpentine Belt	BRP947	\$18.52
Alt w/Serpentine Pulley	BRPPOW8172-172	\$230.76

Serpentine Pulley Idler Kit

It bolts onto the lower block mounts, not the water pump and/or other accessories to eliminate shimming due to varying bolt on components. It comes with different spacer combinations to allow the use of power steering mounts, motor plates, single sided engine mounts and dry sump pumps. BRP9429\$217.62

Lower Pulley Hex Drive

Works great with BRP952, 952-1, 952-2, to help turn engine over when setting valves or whistle testing. BRP9149\$18.00



Small Block Chrysler

	Hex Head	Set
"A" block w/W2	ARP144-3601	\$78.66
"A" block 273-360	ARP144-3602	\$86.97

Big Block Chrysler

B & RB Wedge 383-440 7/16"	ARP145-3606	\$100.75
----------------------------	-------------	----------

Small Block Ford

289-302 std.	ARP154-3601	\$52.58
351 Windsor	ARP154-3603	\$88.07
Fontana SVO,		
Yates Head	88.07	\$88.07

Big Block Ford

390-428 FE, 460	ARP155-3601	\$90.18
-----------------	-------------	---------

Stud Girdles

The valves not opening if the stud is flexing. These stud girdles keep it all where it's supposed to be. In your choice of spring loaded (2 piece design) or solid bar (1 piece design).

Desc. Stud Design

SBC ...3/8"solid bar	COM4007	\$235.61
SBC ...7/16"solid bar	COM4009	\$235.61
SBC ...3/8"spring loaded	COM4001	\$259.69
SBC ...7/16"spring loaded	COM4004	\$259.69
BBC ...7/16"solid bar	COM4021	\$342.22



Rocker Arm Stud Kits

SBC	High Perf.	Set	Pro Series	Set
3/8"	ARP134-7101	\$50.58	ARP234-7201	\$90.35
7/16" 1.770" OAL	ARP134-7103	\$50.58	ARP234-7202	\$90.35
7/16" roller rocker	ARP100-7101	\$45.27		



BBC	High Perf.	Set	Pro Series	Set
OEM	ARP135-7101	\$50.59	ARP235-7203	\$67.15
Alum. head exh. only			ARP235-7204	\$67.15
Alum. head int. only				



Stainless Steel Valves

Severe Duty Valves made from XH-428 (exh.) and NK-844 (int.). Chrome stems and hard tips. Swirl polished and fully machined. Stem Diam. .3415.

Small Block Chevy - set of 8

Type	Head Dia.	Installed Height	
Intake	2.02	stock	MAN11596-8 \$239.36
Intake	2.02	100 longer	MAN11826-8 \$239.36
Intake	2.05	stock	MAN11598-8 \$247.77
Intake	2.05	100 longer	MAN11846-8 \$239.36
Exhaust	1.60	stock	MAN11595-8 \$239.36
Exhaust	1.60	100 longer	MAN11539-8 \$239.36

Big Block Chevy - set of 8

Type	Head Dia.	Installed Height	
Intake	2.19	stock	MAN11800-8 \$239.36
Intake	2.19	100 longer	MAN11822-8 \$247.77
Exhaust	1.88	stock	MAN11843-8 \$239.36
Exhaust	1.88	100 longer	MAN11815-8 \$239.36
Exhaust	1.90	stock	MAN11817-8 \$239.36
Exhaust	1.90	100 longer	MAN11811-8 \$239.36

Superior Head Bolts

SBC V-8	MAN42171	\$29.82
SBC Brodix -12 & Pontiac 10093328		
	MAN42312	\$29.82
SBC Brodix Alum & Pontiac 10033867		
	MAN42313	\$29.82
BBC	MAN42170	\$29.82
BBC with Brodix Heads	MAN42192	\$29.82
BBC w/Bow Tie, Dart alum or Merlin heads		
	MAN42322	\$29.82



Motor Mount Bolts

Secure any engine with complete confidence with ARP's rugged motor mount bolts. You can choose between black oxide finished 8740 chrome moly or corrosion-resistant stainless steel; choice of hex or 12-point head. Kits come complete with flat washers.

Chevy All V6 and V8

Black Oxide Hex. ARP130-3102.....\$10.73

Perma-Loc


The ultimate valve adjusting lock. Made of premium 8740 chrome moly, heat treated and flush ground to apply even pressure to rocker.

Stamped Steel Rocker

3/8-24	ARP300-8241	\$78.85 set
7/16-20		\$78.85 set

Aluminum Rocker

3/8-24	ARP300-8243	\$78.85 set
7/16-20	ARP300-8245	\$78.85 set
w/Stud Girdle		
7/16-20	ARP300-8247	\$218.43 set



BBC 12-Point Head w/ Washers

Grade 8 bolts have a 12 pt smaller-than-std head & flange, ideal where space is tight. Extra thick washers supply optimum clamping. Bright zinc plated.....MRG6093MRG.....\$35.53

Head Bolt Washer Kit

Manufactured from high-grade steel and come in a corrosion-resistant zinc finish. .120-inch thick, consistent clamp load and optimum gasket seal every time, and come in sets of 34. MRG87\$14.88

Racing Cams

Most of the cams listed here are from Comp's "Magnum" series.

Mechanical Roller Available

Application.....**Lifters**.....**RPM Range**.....**In. Dur**.....**Ex. Dur**.....**In. Lift**.....**Ex. Lift**.....**Lobe Sep**

SBC, pro street/bracket, limited street, intake, gears, 3500 stall, 10.5:1, racy idle	Hyd	3000 to 7000	305	305	525	525	110°	COM12-214-4	\$162.89
SBC, street/strip, 3500+ stall, low gears, intake, headers, 10.5:1, racy idle	Solid	3000 to 7000	306	306	555	555	110°	COM12-225-4	\$162.89
SBC, oval, 1/4 - 3/8 mile, broad torque range	Hyd	3500 to 6300	286	292	490	485	108°	COM12-330-4	\$162.89
SBC, oval, short tracks, small engines in heavy car, very good torque	Solid	2800 to 6200	280	285	507	532	106°	COM12-608-5	\$201.26
SBC, oval, 1/4 - 3/8 with fast corners	Solid	3700 to 7000	290	304	540	534	106°	COM12-611-5	\$201.26
SBC, tight lash, 327-350 on short track, 2 bbl. and cast manifold	Solid	2800 to 6300	276	280	520	530	106°	COM12-500-5	\$201.26
SBC, tight lash, 350-400 on big 3/8 to 1/2 mile, sustained high rpm. Big carb and good intake	Solid	3000 to 6700	280	288	530	550	106°	COM12-512-5	\$201.26
SBC, good winged sprint, aggressive intake, more torque	mech. roller	3800 to 7000	288	300	660	630	106°	COM12-910-9	\$383.37
SBC, 355 Late Model on 1/4 - 3/8, good heads and intake	mech. roller	3000 to 7000	290	300	645	630	106°	COM12-940-9	\$383.37
SBC, drag, 3000+ stall in heavy car, 10:1	Hyd	2500 to 6500	292	292	501	501	110°	COM12-213-3	\$143.72
SBC, drag, 3500-4000 stall or 4 spd, 11:1	Hyd	3500 to 7000	305	305	525	525	110°	COM12-214-4	\$162.89
SBC, drag, 4000 stall, 12:1	Solid	3500 to 6500	280	288	530	550	106°	COM12-512-5	\$201.26
SBC, drag, 4000 stall, 10.5:1 and up	Solid	4000 to 7000	290	304	540	534	106°	COM12-611-5	\$201.26

Hi-Tech Endurance Valve Springs

Part #	Price	I.D.	Seat Load	Open Load	Coil Bind Rate	(Lbs./In.)	Description
COM26089-16	\$426.24	.812	230 @ 2.000	580 @ 1.300	1.230	500	1.550 2 Spring Assembly Pacaloy material
COM26094-16	\$316.61	.752	174 @ 1.900	441 @ 1.300	1.200	445	1.550 2 Spring Assembly Chrome Silicone material
COM925-16	\$127.61	.697	122 @ 1.900	340 @ 1.350	1.100	395	1.510 2 Spring Assembly w/Damper (920/975)
COM951-16	\$369.30	.846	230 @ 1.950	710 @ 1.200	1.100	640	1.620 Inter-Fit Pacaloy

**Lifters**

Description (Fit SBC or BBC)



High Energy Hyd.....	COM812-16..	\$87.16
(RV or OEM replacement)		
Pro Magnum Hyd. (high rpm).....	COM858-16..	\$107.07
Solid (SBC or BBC)	COM813-16..	\$117.42
Solid	COM833-16..	\$111.75
(Ford or Chevy w/.875" lifter bore)		

High Tech Roller Lifter

Hi-Tech Roller Lifters (SBC)	
COM818-16	\$488.95
Hi-Tech Roller Lifters (BBC)	
COM819-16	\$488.95

**Pushrods**

The thick-walled, Hi-Tech Racing Push Rods are powered forged of 4130 chrome moly and heat treated for more strength. One-piece design, with an .080" wall thickness, pushrods are black oxide finished w/ a minimum hardness of 60 on the Rockwell "C" scale.

Part #	Diameter/Wall	Description	Length	set of 16
COM7972-16	5/16"/.080"	stock SBC	7.800"	\$155.98
COM7974-16	5/16"/.080"	+.050" Long	7.850"	\$155.98
COM7993-16	5/16"/.080"	+.100" Long	7.900"	\$155.98
COM7994-16	5/16"/.080"	+.150" Long	7.950"	\$155.98
COM7995-16	5/16"/.080"	+.200" Long	8.000"	\$155.98
COM7996-16	5/16"/.080"	+.250" Long	8.050"	\$155.98
COM7997-16	5/16"/.080"	+.300" Long	8.100"	\$155.98

Fuel Pump Pushrods

When a high press fuel pump is run w/a steel roller cam core, the stock one isn't compatible w/the steel core. You can damage an expensive roller cam as a result of wear at the fuel pump lobe.

LW Tubing w/Bronze Tip for Steel Cam	COM4607	\$15.34
Olds Rocket Block w/Bronze Tip for Steel Cam	COM4620	\$19.37
Steel Rod w/Roller Tip (Not for BBC)	COM4609	\$130.76
LW Tubing w/Steel Tip for Cast Iron Cam	COM4616	\$18.71
Chrysler 383-440, Hemi w/Steel Tip	COM4626*	\$24.01
Chrysler 383-440, Hemi w/Bronze Tip	COM4646*	\$23.49



* For use with cast flat tappet cams only, 3.220" in length.

Pushrod Length Checker

Determine correct pushrod length quickly and easily when building race engines. Made from a thin wall 5/16" pushrod that is cut and threaded with over 1" of travel. Checker has 5/16" ball on each end and extends from 7.5" to 8.7".....COM7901-1.....\$15.96

Fuel Pump Pushrod Kit ARP

They're made from premium grade aerospace chrome moly and centerless ground to precise diameter. A hollow core serves to reduce the reciprocating mass, which requires less energy to operate.

Diameter: 1/2 • OAL: 5.750	
SBC	ARP134-8701 .\$18.66
BBC	ARP135-8701 .\$18.66

**Lightweight HD Fuel Pump Pushrods**

SBC Bronze Tip .498" Diameter x 5.750" Long	
CV4000-8	\$20.95
SBC Heavy Duty Bronze Tip (Same size as above).....	CV4000-8SD...\$28.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

**MANLEY****5/16" Pushrods**

4130 Chrome Moly 5/16" Swedged End Pushrods .080" Wall Meticulously formed ends with exact radii. Excellent concentricity, closely controlled length. Heat treated and black oxide finished.

SBC	Length	Dimensions	
MAN25709-16	265-350 Stock	7.800"	\$130.18
MAN25711-16	.050" Longer	7.850"	\$130.18
MAN25712-16	.100" Longer	7.900"	\$130.18
MAN25733-16	Late Model 350	7.200"	\$130.18
MAN25735-16	LS-1 Stock	7.400"	\$130.18

SBF	Length	Dimensions	
MAN25627-16	Stock 5.0 L	6.272"	\$130.18
MAN25744-16	Stock 351 W	8.150"	\$130.18
MAN25706-16	Stock 351 C	8.400"	\$130.18
MAN25710-16	Yates +.150"	8.550"	\$130.18

3/8" Pushrods

4130 Chrome Moly 3/8" Swedged End Pushrods .080" Wall **Features:** Meticulously formed ends with exact radii. Excellent concentricity, closely controlled length. Heat treated and black oxide finished

MAN25795-8	BBC - Stock Intake	8.280"	\$75.07
MAN25796-8	BBC - Stock Exhaust	9.250"	\$75.07
MAN25797-8	BBC - .400" Longer Int	8.680"	\$75.07
MAN25798-8	BBC - .400" Longer Exh	9.650"	\$75.07

**LW Fuel Pump Push Rods**

LW design with hardened ends reduces reciprocating mass to prevent pump arm float & subsequent fuel starvation.

LW Fuel Pump Push Rod. SBC and BBC	MOR65750	\$23.65
LW Fuel Pump Push Rod. 0.200" longer to fit World Products Merlin and Oldsmobile Rocket Block	MOR65752	\$27.06

**SBC Raised Steel Guide Plates**

Part #	Qty	Pushrods	Slots	
MAN42151-8	8	5/16"	On-Center	\$24.26
MAN42150-8	8	3/8"	On-Center	\$31.14

**SBC Flat Steel Guide Plates**

Part #	Qty	Pushrods	Slots	
MAN42355-8	8	5/16"	On-Center	\$19.82
MAN42356-8	8	3/8"	On-Center	\$31.14

**BBC Steel Guide Plates**

Part #	Qty	Pushrods	
MAN42164-8	8	3/8"	\$44.87
MAN42149-8	8	7/16"	\$44.87



INTAKE MANIFOLD GASKETS



Intake Gaskets 2 per set

SBC, 1.23x1.99 blocked crossover .060	FEL1204	\$17.42
SBC, 1.23x1.99 open crossover .060	FEL1256	\$20.69
SBC, 1.08x2.11 Vortec .120 thick	FEL1255	\$24.20
SBC, 1.25x2.04 LT1 .060 thick	FEL1284	\$25.99
SBC, 1.28x2.09 rect. .060 thick	FEL1205	\$17.69
SBC, 1.31x2.02 raised runner .060	FEL1263	\$22.41
SBC, 1.31x2.21 rect. .060 thick	FEL1206	\$19.72
SBC, 1.31x2.21 rect. .120 thick	FEL1266	\$25.37
SBC, 1.38x2.28 rect. .060 thick	FEL1207	\$19.63
SBC, 1.38x2.28 rect. .120 thick	FEL1267	\$26.37
SBC, 1.38x2.38 rect. .060 thick	FEL1209	\$21.43
BBC, 1.82x2.05 stk.oval .060 thick	FEL1210	\$26.88
BBC, 1.82x2.54 rect. .060 thick	FEL1211	\$21.12
BBC, 1.90x2.70 spread .060 thick	FEL1249	\$20.62
BBC, 1.25x2.36 trim to fit .060	FEL1251	\$21.51
BBC, 1.82x2.54 rect. .060 thick	FEL1275	\$20.21
SBF, 1.20x2.00 stock	FEL1250	\$27.74
SBF, 1.28x2.10 TFS, GT-40 .060 thick	FEL1262	\$24.55



Intake Manifold Gasket Set - Ultra-Seal - 262-400 SBC Gen I 1955-91

Rectangular Port, Small Race Port, Port Dimensions W-1.25" x 2.13", .060 Thick, SBC 1955-1991 262-400 CID. This is a high quality gasket with excellent sealing properties it has proven to be an excellent performer in all applications. Made From Cellulose/Nitrile Composition Material. Provides Excellent Sealing And Durability. This Gasket Has Silicone Beading On Both Sides. Complete with manifold end seals, and distributor gasket. For OE replacement, high performance street, and drag race.

MRG5821\$22.90

Intake Manifold Gasket Set 262-400 SBC Gen I 1955-91

Intake Manifold gasket set fits 1955-91 SBC w/ Medium size ports. Manufactured from cellulose/nitrile composition gasket material. Provides excellent sealing and durability. Can be trimmed if necessary for modified port applications. Complete with manifold end seals and distributor gasket. For OE replacement, high performance street, drag race and oval track use.

MRG106\$24.04

VALVE COVER GASKETS



Valve Cover Gaskets

Cork gaskets with steel core, 2 per pack.	
SBC, 5/16"	FEL1604 ..\$38.25
SBC, 1/4" 18° & Brodix	FEL1644 ..\$47.47
BBC, 5/16"	FEL1630 ..\$45.06
SBF, 3/16"	FEL1613 ..\$17.34
SBF, 5/16"	FEL1645 ..\$40.24

Rigid-Core Molded-Rubber Valve Cover Gaskets

Silicone Molded Rubber with Steel Core, Steel Compression Limiters. 2 per pack. SBC V8 - 283, 302, 305, 327, 350, 400 Engines

.250 Thickness (Most Cylinder Heads)	
FEL1628	\$58.58

BBC V8 - 396, 402, 427, 454 Engines .137 Thick 3 Up Bolt Holes & 4 Low Bolt Holes

FEL1635	\$48.88
---------	---------



Valve Cover Gasket Performance

262-400 SBC Gen I 1955-86

Cork/Rubber, SBC, Pair. Extra Thick 5/16" Cork-rubber gaskets use evenly sized cork particles distributed evenly throughout the rubber binder. Result is a compressible valve cover gasket without leak paths. Our gasket gaskets are .170 in thicker than standard valve cover gaskets. These gaskets create a positive seal by controlled swelling of the gasket material when exposed to hot engine oil. Provides excellent flange sealing and durability.

MRG179\$27.50



HEAD GASKETS



SBC Head Gaskets

Fel-Pro performance head gaskets have a wire-ring combustion seat w/stainless steel 'armor' for extra sealing force around combustion chambers. Made w/a pre-flattened steel-wire ring.

application / bore, volume, thickness

Iron or alum. 4.166 bore, 9.1cc, .041	FEL1003	\$42.57
Alum. only 4.166 bore, 8.9cc, .039	FEL1010	\$53.13
Iron or alum. 400 block, 4.200 bore, 9.3cc, .041	FEL1034	\$48.93
Sm. chamber, not OEM heads, 4.08 bore, 8.2cc, .039	FEL1043	\$52.41
Iron or alum. must o-ring head 4.166 bore, 9.1cc, .041	FEL1045	\$77.68
LT-1 & LT-4 only, 4.125 bore, 8.7cc, .039	FEL1074	\$46.84
Iron or alum. flat top piston 4.100 bore, 3.2cc, .015	FEL1094	\$25.05



BBC Head Gaskets


Iron or alum. 4.540 bore, 10.9cc, .041	FEL1017-1	\$50.66
Alum. only, 4.370 bore, 9.7cc, .039	FEL1027	\$59.86
Iron or alum. 4.370 bore, 9.7cc, .039	FEL1037	\$52.91
Iron or alum. 4.540 bore, 10.5cc, .039	FEL1047	\$56.39
Iron or alum. 4.630 bore, 11.3cc, .039	FEL1057	\$55.51
Iron or alum. Pro-Stock, 4.620 bore, 13.9cc, .051	FEL1093	\$109.92

SBF Head Gaskets

Must o-ring head, 4.145 bore, 8.7cc, .039	FEL1006	\$81.69
1962-82, 4.100 bore, 9.0cc, .041	FEL1011-1	\$41.27
1983-93, 4.100 bore, 8.5cc, .039	FEL1011-2	\$41.29
302 SVO, 351 SVO, 4.100 bore, 9.2cc, .041	FEL1021	\$47.53

Perma Torque MLS Perf Head Gaskets

They feature a PermaTorque/blue gasket body with a solid-steel core to minimize torque loss and gasket blowout. Fel-Pro performance head gaskets also have a wire-ring combustion seat with stainless steel "armor" for extra sealing force around combustion chambers. Made with a pre-flattened steel-wire ring, Fel-Pro perf head gaskets have the strength of steel-wire sealing and the minimum brinelling of aluminum heads.



Part #Application Notes.....Gasket Bore.Thick...Vol SBC V8 Gen III - LS-1 and LS-6

FEL1160L...All, L.H.	3.945	.053	10.6	\$95.12
FEL1160R...All, R.H.	3.945	.053	10.6	\$95.31
FEL1161L...All, L.H.	4.100	.053	11.5	\$95.12
FEL1161R...All, R.H.	4.100	.053	11.5	\$95.12
FEL1162L...All, L.H.	4.175	.053	11.9	\$95.31
FEL1162R...All, R.H.	4.175	.053	11.9	\$95.31

SBC V8 - 302, 327, 350, 400 Engines & Specialized Race Engines

FEL1142.....Cast iron or aluminum heads	4.100	.041	9.0	\$85.32
FEL1143.....Cast iron or aluminum heads	4.165	.041	9.2	\$80.54
FEL1144.....Cast iron or aluminum heads	4.200	.041	9.3	\$86.35
FEL1144-1 ..SB2 w/outboard cooling	4.200	.041	9.3	\$75.73
FEL1144-2 ..SB2 w/symmetrical cooling	4.200	.041	9.3	\$89.01

BBC V8 - 396, 402, 427, 454 Engines and Specialized Race Engines

FEL1071Gen IV, Gen V, Gen VI Engines	4.380	.041	10.6	\$88.45
FEL1071-1 ..Gen IV, Gen V, Gen VI Engines	4.380	.053	13.7	\$106.07
FEL1075Gen IV, Gen V, Gen VI Engines	4.580	.041	11.2	\$88.45
FEL1075-1 ..Gen IV, Gen V, Gen VI Engines	4.580	.053	14.5	\$108.63
FEL1077Gen IV, Gen V, Gen VI Engines	4.640	.041	11.4	\$88.45
FEL1077-1 ..Gen IV, Gen V, Gen VI Engines	4.640	.053	14.8	\$108.63

AIR FILTER GASKETS



Air Filter Gaskets

Holley, Carter, Q-Jet	FEL2104	\$9.45
Dominator 4500	FEL2105	\$11.05



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



CARB GASKETS



Carb Base Gaskets (Holley)

The Fel-Pro range of throttle body gaskets and carburetor gaskets help protect one of your car's most vital systems from leaks and issues.

4150/4777 Open Plenum ..FEL1900...\$5.16
4150/4777 4-Hole 1 3/4"....FEL1901...\$5.47
4500 Dominator OpenFEL1903...\$5.27
4412 2-Bbl 1 3/4"FEL1904...\$4.62



Standard Edelbrock, Demon, Carter, Holley 4150 4160 - Aluminum

1" carb spacer fits square flange Edelbrock, Demon, Carter, Holley 4150 4160 model number carburetors. These precision die-cast alum Carb spacers help increase power and performance expanding the plenum area of the manifold to help improve Air/Fuel atomization and distribution! Includes studs, washers, nuts and gaskets.

MRG6005\$27.74




Carburetor Adapter Kit

Square Flange

Carb to Quadra-Jet 4 Barrel Manifold

It adapts square flange carburetors to Quadra-jet 4-barrel intake manifolds and is 3/4" thick with an open center, square bore to spread bore. This kit install quickly and easily. Gaskets, studs, nuts and washers are included. Adapters are made of die cast aluminum. Open Center Provides Better Air Fuel Distribution. Allows For Easy Installations. Die Cast Aluminum. Includes Hardware & Gaskets. Thickness 3/4" (without gaskets).

MRG1932\$20.62




Carburetor Adapter Kit

Square Flange Carb to

Quadra-Jet 4 Barrel Manifold

Gaskets, studs, nuts and washers are included. Adapters are made of die cast aluminum. Open Center. Die Cast aluminum. Includes Hardware & Gaskets. Thickness 1" (with-out gaskets).


MRG1933\$20.62



Carburetor Base Gasket 4-Barrel Sq Flange - 4-Hole Bulk Packaged

Fits Holley, Carter AFB and AVS, Demon Race, Speed, and Road, and Edelbrock Performer Sq Flange 4 Barrel Carbs. Made from durable 1/16 in thick cellulose/nitrile composite gasket material. Precision die cut for excellent seal and fit. High-Temp Composite Gasket Material.

MRG55\$6.85



Carburetor Gasket Rochester 2bbl LG

It is made from a durable heat-resistant nitrile rubber compound material and precision die cut for an excellent fit. Rochester Carb: 2 bbl. - 2 Hole, large base 2" x 3 11/16". (Bulk Packaged, 1/16" Thick).

MRG52\$6.85




Carburetor Base Gasket

4-bbl - Sq Flange - Open Center

Fits Holley, Carter AFB and AVS, Demon Race, Speed, and Road, and Edelbrock Performer Square Flange 4 Barrel Carbs. Made from durable 1/16 in thick cellulose/nitrile composite gasket material. Precision die cut for excellent seal and fit. Can be trimmed if necessary. High-Temp Composite Gasket Material.

Skin PackagedMRG54\$6.85

Bulk PackagedMRG54C\$6.85



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



OIL PAN GASKETS



One Piece Oil Pan Gasket

SBC V8 1975-79 thick front seal. Side rails trimmed for strokers.

Left Hand DipstickFEL1880.....\$41.41
Right Hand Dipstick....FEL1881.....\$44.06
Straight RailFEL1882.....\$42.05

BBC V8 Thickness 3/32" Molded rubber, One piece with rigid carrier FEL1884R.....\$38.47



Oil Pan Gaskets

These gaskets feature a fiber sheet core covered in latex rubber. The core resists crushing and splitting while giving a distinct feel when torqued. The latex offers the ultimate leak protection.

SBC, 57-74, thin front seal, LH dipFEL1802....\$13.88

SBC, 75-79, thick front seal, LH dip...FEL1803....\$15.27

SBC, 80-85,thick seal, RH dipFEL1818....\$17.34

SBC, trimmed for strokers,

thick or thin, L or R dipFEL1821....\$29.32

SBC, DART Iron Eagle,

Olds Rocket, steel coreFEL1839....\$31.37

BBC, 65-90FEL1804....\$17.17

BBC, trimmed for rod clearance,

steel core.....FEL1893....\$28.68

SBF, 62-92 except 351WFEL1809....\$16.41

SBF, 351WFEL1810....\$16.67



COLLECTOR GASKETS



Thermostat / Water Outlet Gaskets

3/32" with steel core.....FEL2201\$9.27

1/8" plastic.molded rubber o-ringFEL2202\$20.19



Rear Main Seals

SBC, 59-85, 2 pc siliconeFEL2900.....\$12.66

SBC, 59-85, 2 pc prem./hi-vac.FEL2912.....\$29.60

SBC, large OD for align bored 400 also tall deck

DART/Rocket blocksFEL2909.....\$25.91

SBC, 86-92, full circleFEL2919.....\$24.11

BBC, 65-79, silicone 2 pc.FEL2904.....\$14.97

BBC, 91-92 1 pc.FEL2920.....\$24.42

BBC, 65-79 hi vacuumFEL2918.....\$31.44

SBF, 62-82, 302, 2 pc premiumFEL2901.....\$24.43

SBF, 83-93, 302 351W, 1 pc. prem.....FEL2921.....\$25.06

SBF, 82-83, 302 SVO, 1 pc premFEL2922RS ..\$16.68



Collector Gasket Performance - 3"

Collector Gasket, square shape with 3" Dia hole. 4 1/16" bolt circle. Made from Mr.Gaskets Performance Exhaust material.

MRG1205\$6.85



Collector Gaskets - Ultra Seal - 3"

Manufactured from high-temp steel core/graphite faced exhaust material. Expanded steel core provides stability and max torque retention to eliminate gasket failure. Graphite facing provides excellent heat resistance and thermal conductivity to transfer heat away from the cylinder head.

MRG5971\$13.73



Thermostat Gasket Chevy Reusable

Edge molded rubber water outlet gasket is reusable, great for engines that require constant disassembling maintenance. Incorporates solid alum carrier for strength and rigidity. Can be used with OE replacement or aftermarket chrome water outlets. Requires no gasket sealer. Edge Molded Rubber Water Outlet Gasket Is Reusable. Requires No Gasket Sealer. Solid Aluminum Carrier For Strength/rigidity. Reusable - Ideal for Engines That Are Frequently Taken Apart & Reassembled.

MRG738G\$20.62



HEADER GASKETS



Header Gaskets

Perforated Steel Core w/anti-stick coating.


SBC, 1.38x1.38 stk. square	FEL1444	\$19.97
SBC, 1.5x1.5 stk. square	FEL1404	\$17.77
SBC, 1.55x1.55 square	FEL1405	\$24.39
SBC, 1.53x1.63 D-shaped	FEL1406	\$22.47
SBC, 1.74x1.60 18° head	FEL1482	\$31.28
SBC, 1.81 round Hooker/Stahl	FEL1407	\$24.14
SBC, 2.19 round Hooker	FEL1408	\$25.17
SBC, 1.81 Brodix spread port	FEL1409	\$23.69
BBC, 1.94 small race round	FEL1411	\$24.92
BBC, 2.13 large race round	FEL1412	\$23.50
SBF, 1.25x1.48 rect.	FEL1415	\$23.66
SBF, 1.40x1.40 J302 & K302	FEL1486	\$27.15
SBF, 1.42x1.62 Dart & TFS, E351	FEL1487	\$26.51



Header Gaskets - Ultra-Seal - 262-400 SBC Gen I 1955-91

Round Ports, 1.50". Manufactured from high-temp steel core/graphite faced exhaust material. Expanded steel core provides stability and max torque retention to eliminate gasket failure. Graphite facing provides excellent heat resistance and thermal conductivity to transfer heat away from the cylinder head. Conforms to and seals minor surface irregularities. High recovery material allows header or manifold flange to stay sealed if flange loses clamp-load. Can be trimmed if necessary for modified port applications. For OE replacement, high performance street, drag race and oval track use.

MRG5907\$22.90



Header Gaskets

396-454 BBC MARK IV 1965-90

Ultra-Seal Material, Round Ports, 1.92" Manufactured from high-temperature steel core/graphite faced exhaust material. Expanded steel core provides stability and maximum torque retention to eliminate gasket failure. Graphite facing provides excellent heat resistance and thermal conductivity to transfer heat away from the cylinder head. Conforms to and seals minor surface irregularities. High recovery material allows header or manifold flange to stay sealed if flange loses clamp-load. Can be trimmed if necessary for modified port applications. For OE replacement, high performance street, drag race and oval track use.

MRG5911\$25.20



Header Gaskets

396-454 BBC Mark IV 1965-90

Ultra-Seal Material, Round Ports, 2.15". Manufactured from high-temperature steel core/graphite faced exhaust material. Expanded steel core provides stability and maximum torque retention to eliminate gasket failure. Graphite facing provides excellent heat resistance and thermal conductivity to transfer heat away from the cylinder head. Conforms to and seals minor surface irregularities. High recovery material allows header or manifold flange to stay sealed if flange loses clamp-load. Can be trimmed if necessary for modified port applications. For OE replacement, high performance street, drag race and oval track use.

MRG5912\$26.34



Header Gaskets

262-400 SBC GEN I 1955-91

Ultra-Seal Material, Square Port, 1.45" x 1.55" Withstands Intense Exhaust Heat. Graphite-Impregnated Facing. Steel Expanded Metal Core. Superior Tensile Strength. Resists Deteriorating. Anti-stick Properties. Easy Removal For Disassembly.

MRG5901\$22.90



Header Gaskets - Alum Layered 262-400 SBC Gen I

Square Ports. Withstands Intense Exhaust Heat. Reusable header, exhaust manifold and collector flange gaskets. Resists Deteriorating. Manufactured from "dead soft" alum layers - .125" thick. Easy Removal For Disassembly. Conforms easily to surface irregularities (warped flanges). Compresses down to 0.60" to create a tight leak-proof seal. Will not shrink, deteriorate, or blow out- eliminating gasket leaks. For high performance street, drag race and oval track use.

MRG7401G\$28.06



Header Gaskets - Alum Layered 262-400 SBC Gen I 1955-91

"Dead-Soft" Layered Alum Material, Round Ports. Withstands Intense Exhaust Heat. Reusable header, exhaust manifold and collector flange gaskets. Resists Deteriorating. Manufactured from "dead soft" alum layers - .125" thick. Easy Removal For Disassembly. Conforms easily to surface irregularities (warped flanges). Compresses down to 0.60" to create a tight leak-proof seal. Will not shrink, deteriorate, or blow out- eliminating gasket leaks. For high performance street, drag race and oval track use.

MRG7402G\$28.06



Header Gaskets

302 Boss, 351C Ford Boss 1964-95 - 4 bbl

Ultra-Seal Material, Rectangular Ports, 1.90" x 2.20". Manufactured from high-temperature steel core/graphite faced exhaust material. Expanded steel core provides stability and maximum torque retention to eliminate gasket failure. Graphite facing provides excellent heat resistance and thermal conductivity to transfer heat away from the cylinder head. Conforms to and seals minor surface irregularities. High recovery material allows header or manifold flange to stay sealed if flange loses clamp-load. Can be trimmed if necessary for modified port applications. For OE replacement, high performance street, drag race and oval track use.

MRG5932\$25.20



Header Gaskets

351C, 351M, 400 Ford Cleveland/Modified 1970-74 - 2 bbl

Ultra-Seal Material, Rectangular Ports, 1.58" x 1.96". Manufactured from high-temperature steel core/graphite faced exhaust material. Expanded steel core provides stability and maximum torque retention to eliminate gasket failure. Graphite facing provides excellent heat resistance and thermal conductivity to transfer heat away from the cylinder head. Conforms to and seals minor surface irregularities. High recovery material allows header or manifold flange to stay sealed if flange loses clamp-load. Can be trimmed if necessary for modified port applications. For OE replacement, high performance street, drag race and oval track use.

MRG5951\$32.51



FULL GASKETS



Full Gasket Sets

Kit: head gaskets, intake manifold gaskets & end seals, exhaust header gaskets, valve stem seals, timing cover gaskets & seal, water pump gaskets, water outlet, oil pan gaskets & seals, rear main, dist mounting seal, oil drain plug seal and valve cover gaskets.

SBC, small intake & exhaust ports, open heat crossover ..FEL2802\$136.17
BBC, oval intake, square exhaust ports, open crossover ..FEL2805\$164.65



Race Set

This sets allow you to purchase the correct specialized gaskets for your particular application separately, while still getting all the commonly used gaskets to complete your rebuild. These sets typically include gaskets and seals for the water pump, timing cover, fuel pump, thermostat housing, oil pump, and a rear main seal.

Small BlockFEL2702.....\$22.03
Big BlockFEL2703.....\$32.24



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



BULK GASKETS



Exhaust Header Gasket

SBC, 1.5 x 1.5 stock, square
FELP1404\$7.74



Exhaust Header Gasket

SBC, Sq, large race, 1.55" x 1.55"
FELP1405\$8.45



Exhaust Header Gasket

SBC, D-port (Brodix Track 1) 1.53" x 1.63"
FELP1406\$9.90



Exhaust Header Gasket

SBC, 1.81 Brodix spread port
FELP1409\$9.62



Exhaust Header Gasket

BBC, 1.880, square port
FELP1410\$9.28



Exhaust Header Gasket

BBC, 2.13 large race round
FELP1412\$9.86



SBC Valve Cover, 5/16"

FELP1604\$13.88



BBC Valve Cover, 5/16"

FELP1630\$20.16



Oil Pan Gasket

Rubber/Steel Core, Chrysler, Dodge, Plymouth, Big Block, Each
FELP1834\$25.01



Head Gasket

Composition Type, 4.410 in. Bore, .039 in. Compressed Thickness, Chrysler, Big Block, Each Gasket
FELP1009\$47.31



BBC Timing Cover Gasket

FELP45060\$0.77



SBC Timing Cover Gasket

FELP2324\$1.77



BBC Timing Cover Balancer Seals

FELP16020\$4.20



SBC Timing Cover Balancer Seals

FELP14842\$1.77



Exhaust Header Gaskets

They offer exhaust header gaskets made with steel and SS core laminate to provide stability, max torque retention, and excellent heat resistance.



Steel Core Laminate, Brodix Spread Port, Chevy, Small Block, Each

Port Height (in):1.715 in.
Port Width (in):1.665 in.
Thickness (in):0.062 in.
SCH01533.....\$10.50



Steel Core Laminate, D Port, Chevy, Small Block, Each

Port Height (in):1.520 in.
Port Width (in):1.480 in.
Thickness (in):0.062 in.
SCH01560.....\$9.00



Exhaust Header Gaskets

1.625 in 1.875 in Round Port, GM LS-Series, Each
SCH01780.....\$11.50



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Base Gasket, Holley 4-bbl, Open Center

Base Gasket, Holley 4-bbl, Open Center
FELP1900\$4.11



Base Gasket, Holley 2-bbl, 2 Hole, 1 3/4" Dia.

Base Gasket, Holley 2-bbl, 2 Hole, 1 3/4" Dia.
FELP1904\$3.64



BBC Water Pump Gasket

FELP30060\$0.81



SBC & BBC Outlet Water Pump

FELP2200\$0.89



SBC Water Pump Gasket

FELP93164\$0.48




SBC Water Pump Gasket

FELP5152\$0.45



Water Pump Covers

SBCFEL13032B\$0.95
BBCFEL11725B\$0.40



Fuel Pump Gasket

FELP70573\$0.42



Fuel Pump Plate Gasket

FELP70576\$0.56



SBC Rear Main Seal

FELP2900\$10.90



BBC Hi Vacuum Rear Main Seal

FELP29182\$22.33



Air Cleaner Housing Seal

FELP2104\$10.95




Distributor Gasket

FELP70165\$0.36




Quick Change Rear End Gasket 10-bolt cover, 1/32" thick

Quick Change Rear End 10-bolt cover, 1/32" thick
FELP2303\$9.08



Headers Gaskets

A.) Small PortBEYHG23SP ..\$16.00
B.) Fast Burn 604.....BEYHG604\$20.00
C.) SBC 23"BEYHG23\$20.00
D.) SBC 23" Dart Platinum.....BEYHG23DP ..\$22.00
E.) 11x Spreadport 18 Brodix.BEYHG18B\$22.00
F.) 18" ChevyBEYHG18C\$22.00
G.) 13" All ProBEYHG13AP ..\$22.00
H.) GasketBEYHG913.....\$22.00
I.) Big BlockBEYHGBBC\$20.00
J.) Ford Yates D3/SC1.....BEYHGFD3.....\$26.00



Carbon Steel "Economy" CM Series

QA1

Size	Bore	Thread	Right Hand	Left Hand
10/32	10/32		QA1CMR3.....\$2.49	QA1CML3.....\$2.49
10/32	1/4		QA1CMR3-4.....\$2.59	QA1CML3-4.....\$2.59
1/4	1/4		QA1CMR4.....\$2.59	QA1CML4.....\$2.59
1/4	5/16		QA1CMR4-5.....\$2.74	QA1CML4-5.....\$2.74
5/16	5/16		QA1CMR5.....\$2.89	QA1CML5.....\$2.89
5/16	3/8		QA1CMR5-6.....\$2.96	QA1CML5-6.....\$2.96
3/8	3/8		QA1CMR6.....\$3.07	QA1CML6.....\$3.07
7/16	7/16		QA1CMR7.....\$3.83	QA1CML7.....\$3.83
7/16	1/2		QA1CMR7-8.....\$4.63	QA1CML7-8.....\$4.63
1/2	1/2		QA1CMR8.....\$4.56	QA1CML8.....\$4.56
1/2	5/8		QA1CMR8-10.....\$6.81	QA1CML8-10.....\$6.81
5/8	5/8		QA1CMR10.....\$7.01	QA1CML10.....\$7.01
5/8	3/4		QA1CMR10-12.....\$8.81	QA1CML10-12.....\$8.81
3/4	3/4		QA1CMR12.....\$9.32	QA1CML12.....\$9.32
3/4	.757		QA1CMR12-757.....\$9.32	

CF Series

Size	Bore	Thread	Right Hand	Left Hand
10/32	10/32		QA1CFR3.....\$2.49	QA1CFL3.....\$2.49
10/32	1/4		QA1CFR3-4.....\$2.59	
1/4	1/4		QA1CFR4.....\$2.59	QA1CFL4.....\$2.59
5/16	5/16		QA1CFR5.....\$2.89	QA1CFL5.....\$2.89
3/8	3/8		QA1CFR6.....\$3.07	QA1CFL6.....\$3.07
7/16	7/16		QA1CFR7.....\$3.83	QA1CFL7.....\$3.83
1/2	1/2		QA1CFR8.....\$4.56	QA1CFL8.....\$4.56
5/8	5/8		QA1CFR10.....\$7.01	QA1CFL10.....\$7.01
3/4	3/4		QA1CFR12.....\$9.32	QA1CFL12.....\$9.32

Aluminum "Over 10% Lighter" AM Series

Size	Bore	Thread	Right Hand	Left Hand
10/32	10/32		QA1AMR3.....\$5.55	QA1AML3.....\$5.55
1/4	1/4		QA1AMR4.....\$5.71	QA1AML4.....\$5.71
5/16	5/16		QA1AMR5.....\$6.48	QA1AML5.....\$6.48
5/16	3/8		QA1AMR5-6.....\$9.44	QA1AML5-6.....\$9.44
3/8	3/8		QA1AMR6.....\$9.44	QA1AML6.....\$9.44
3/8	7/16		QA1AMR6-8.....\$10.89	
7/16	7/16		QA1AMR7.....\$10.89	QA1AML7.....\$10.89
7/16	1/2		QA1AMR7-8.....\$13.05	QA1AML7-8.....\$13.05
1/2	1/2		QA1AMR8.....\$13.05	QA1AML8.....\$13.05
1/2	5/8		QA1AMR8-10.....\$13.40	QA1AML8-10.....\$13.40
5/8	5/8		QA1AMR10.....\$15.96	QA1AML10.....\$15.96
5/8	3/4		QA1AMR10-12.....\$18.14	QA1AML10-12.....\$18.14
3/4	3/4		QA1AMR12.....\$18.14	QA1AML12.....\$18.14

AF Series

Size	Bore	Thread	Right Hand	Left Hand
10/32	10/32		QA1AFR3.....\$5.55	QA1AFL3.....\$5.05
1/4	1/4		QA1AFR4.....\$5.71	QA1AFL4.....\$5.71
5/16	5/16		QA1AFR5.....\$6.48	QA1AFL5.....\$6.48
3/8	3/8		QA1AFR6.....\$9.44	QA1AFL6.....\$9.44

Chromoly Steel "High Performance" PCM Series

Size	Bore	Thread	Right Hand	Left Hand
1/2	1/2		QA1PCMR8.....\$6.54	QA1PCML8.....\$6.54
1/2	5/8		QA1PCMR8-10.....\$8.70	QA1PCML8-10.....\$8.70
5/8	5/8		QA1PCMR10.....\$8.70	QA1PCML10.....\$8.70
5/8	3/4		QA1PCMR10-12.....\$11.62	QA1PCML10-12.....\$11.62
3/4	3/4		QA1PCMR12.....\$11.62	QA1PCML12.....\$11.62

Clevis

Size	Bore	Thread	Right Hand	Left Hand
1/4	5/16		QA1CLR4-5.....\$5.25	QA1CL4-5.....\$5.25
5/16	5/16		QA1CLR5-5.....\$5.25	QA1CL5-5.....\$5.25
5/16	3/8		QA1CLR5-6.....\$5.25	QA1CL5-6.....\$5.25
5/16	1/2		QA1CLR5-8.....\$5.77	QA1CL5-8.....\$5.77
3/8	1/2		QA1CLR6-8.....\$5.77	QA1CL6-8.....\$5.77
3/8	5/8		QA1CLR6-10.....\$7.35	QA1CL6-10.....\$7.35
3/8	3/4		QA1CLR6-12.....\$7.35	QA1CL6-12.....\$7.35
7/16	1/2		QA1CLR7-8.....\$7.35	QA1CL7-8.....\$7.35
7/16	5/8		QA1CLR7-10.....\$7.35	QA1CL7-10.....\$7.35
1/2	5/8		QA1CLR8-10.....\$7.35	QA1CL8-10.....\$7.35
5/8	3/4		QA1CLR8-12.....\$7.35	QA1CL8-12.....\$7.35

Chromoly Steel "Best for Racing" XM Series

Size	Bore	Thread	Right Hand	Left Hand
10/32	10/32		QA1XMR3.....\$8.13	QA1XML3.....\$8.13
1/4	1/4		QA1XMR4.....\$8.20	QA1XML4.....\$8.20
5/16	5/16		QA1XMR5.....\$8.34	QA1XML5.....\$8.34
5/16	3/8		QA1XMR5-6.....\$9.44	QA1XML5-6.....\$9.44
3/8	3/8		QA1XMR6.....\$9.44	QA1XML6.....\$9.44
7/16	7/16		QA1XMR7.....\$11.62	QA1XML7.....\$11.62
7/16	1/2		QA1XMR7-8.....\$14.15	QA1XML7-8.....\$14.15
1/2	1/2		QA1XMR8.....\$14.15	QA1XML8.....\$14.15
1/2	5/8		QA1XMR8-10.....\$18.49	QA1XML8-10.....\$18.49
5/8	5/8		QA1XMR10.....\$18.49	QA1XML10.....\$18.49
5/8	3/4		QA1XMR10-12.....\$26.85	QA1XML10-12.....\$26.85
3/4	3/4		QA1XMR12.....\$26.85	QA1XML12.....\$26.85
3/4	7/8		QA1XMR12-14.....\$32.55	QA1XML12-14.....\$32.55

XF Series

Size	Bore	Thread	Right Hand	Left Hand
10/32	10/32		QA1XFR3.....\$8.13	QA1XFL3.....\$8.13
1/4	1/4		QA1XFR4.....\$8.20	QA1XFL4.....\$8.20
5/16	5/16		QA1XFR5.....\$8.34	QA1XFL5.....\$8.34
3/8	3/8		QA1XFR6.....\$9.44	QA1XFL6.....\$9.44
7/16	7/16		QA1XFR7.....\$11.62	QA1XFL7.....\$11.62
1/2	1/2		QA1XFR8.....\$14.15	QA1XFL8.....\$14.15
5/8	5/8		QA1XFR10.....\$18.49	QA1XFL10.....\$18.49
3/4	3/4		QA1XFR12.....\$26.85	QA1XFL12.....\$26.85

Com Series

Size	Bore	Thread	Right Hand	Left Hand
3/8			QA1COM6.....\$4.95	
1/2			QA1COM8.....\$4.79	
5/8			QA1COM10.....\$5.37	
3/4			QA1COM12.....\$7.87	

Standard Jam Nuts

High quality cadmium plated steel or aluminum jam nuts for locking rod ends on steering, radius rods, 4-links, etc.

Steel	LH thread #	RH thread #
1/4"-28	JAM004L.....\$0.29	JAM004.....\$0.21
5/16"-24	JAM005L.....\$0.42	JAM005.....\$0.32
3/8"-24	JAM006L.....\$0.37	JAM006.....\$0.21
7/16"-20	JAM007L.....\$0.53	JAM007.....\$0.42
1/2"-20	JAM008L.....\$0.65	JAM008.....\$0.55
5/8"-18	JAM010L.....\$0.85	0.85.....\$0.85
3/4"-16	JAM012L.....\$1.10	JAM012.....\$0.65
Aluminum	LH thread #	RH thread #
1/2"-20	JAM008LA.....\$0.77	JAM008A.....\$0.77
1/2"-20 Black	JAM008LABK.....\$1.21	JAM008A BK.....\$1.32
5/8"-18	JAM010LA.....\$0.88	JAM010A.....\$0.88
5/8"-18 Black	JAM010LABK.....\$1.38	JAM010A BK.....\$1.54
5/8"-18 Red	JAM010LARD.....\$1.74	JAM010A RD.....\$1.74
3/4"-16	JAM012LA.....\$1.05	JAM012A.....\$1.05

Ultra Lite Jam Nuts

5/8" thread jam nuts with 3/4" head instead of 15/16" and 3/4" jam nuts with 15/16" heads instead of 1/16" not only reduce total weight of the car, but when used on suspension pieces, reduce unsprung weight. Not only that, but 3/4" is the same size as your radius rod and the 1/2" bolts used on your rod ends.

Steel	LH thread	RH thread
5/8"-18 x 3/4"	JAM010L-3/4.....\$0.94	JAM010-3/4.....\$0.94
Aluminum	LH thread	RH thread
5/8"-18 x 3/4"	JAM010LA-3/4.....\$0.94	JAM010A-3/4.....\$0.94
5/8"-18 x 3/4" Bk	JAM010LA-3/4BK.....\$1.32	JAM010A-3/4BK.....\$1.32
5/8"-18 x 3/4" Red	JAM010LA-3/4RD.....\$1.58	JAM010A-3/4RD.....\$1.58

Aluminum Flanged Jam Nuts

Made out of 7075 Aluminum.

Aluminum	LH thread	RH thread
1/2"- 3/4"	JAMFA008L.....\$1.00	JAMFA008.....\$1.00
5/8"- 3/4"	JAMFA010L.....\$1.38	JAMFA010.....\$1.38
3/4"- 15/16"	JAMFA012L.....\$1.22	JAMFA012.....\$1.22
1/2"- 3/4"	JAMFA008LBK.....\$1.33	JAMFA008BK.....\$1.33
5/8"- 3/4"	JAMFA010LBK.....\$1.33	JAMFA010BK.....\$1.33
3/4"- 15/16"	JAMFA012LBK.....\$1.54	JAMFA012BK.....\$1.54

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

RADIUS RODS



Radius Rods / Panhard Bars

Hi-strength polished aluminum in 1" or 1 1/4", tapered 5/8" left and right threads. Use as radius rods, drag links, panhard bars, 4-link bars, or tie rods.

1" Radius Rods

5.5"	RAD0055M	\$11.85
7"	RAD0070M	\$12.12
8"	RAD0080M	\$12.38
9"	RAD0090M	\$12.65
10"	RAD0100M	\$12.92
11"	RAD0110M	\$13.18
12"	RAD0120M	\$13.69
13"	RAD0130M	\$13.71
14"	RAD0140M	\$13.98
14.5"	RAD0145M	\$14.25
15"	RAD0150M	\$14.25
15.5"	RAD0155M	\$14.51
16"	RAD0160M	\$14.51
16.5"	RAD0165M	\$14.78
17.0"	RAD0170M	\$14.78
17.5"	RAD0175M	\$15.05
18"	RAD0180M	\$15.05
18.5"	RAD0185M	\$15.31
19"	RAD0190M	\$15.31
19.5"	RAD0195M	\$15.58
20"	RAD0200M	\$15.58
20.5"	RAD0205M	\$15.85
21"	RAD0210M	\$15.85
21.5"	RAD0215M	\$15.85
22"	RAD0220M	\$16.11
22.5"	RAD0225M	\$16.38
23"	RAD0230M	\$16.38
23.5"	RAD0235M	\$16.65
24"	RAD0240M	\$16.65
24.5"	RAD0245M	\$16.50
25"	RAD0250M	\$16.50
25.5"	RAD0255M	\$17.18
26"	RAD0260M	\$17.18
26.5"	RAD0265M	\$17.45
27"	RAD0270M	\$17.45
27.5"	RAD0275M	\$17.71
28"	RAD0280M	\$17.71
28.5"	RAD0285M	\$17.98
29"	RAD0290M	\$17.98
29.5"	RAD0295M	\$18.25
30"	RAD0300M	\$18.25

1-1/4" Radius Rods

14.5"	RAD1145M	\$19.68
15"	RAD1150M*	\$19.68
17"	RAD1170M*	\$20.66
17.5"	RAD1175M*	\$21.16
18"	RAD1180M*	\$21.16
18.5"	RAD1185M*	\$21.65
19"	RAD1190M	\$21.65
19.5"	RAD1195M	\$22.14
20"	RAD1200M	\$22.14
21"	RAD1210M	\$22.63
22"	RAD1220M	\$23.12
23.5"	RAD1235M	\$24.11
24"	RAD1240M	\$24.11
24.5"	RAD1245M	\$24.60
25"	RAD1250M	\$24.60
25.5"	RAD1255M	\$25.09
26"	RAD1260M	\$25.09
26.5"	RAD1265M	\$25.58
27"	RAD1270M	\$25.58
27.5"	RAD1275M	\$26.08
28"	RAD1280M	\$26.08
28.5"	RAD1285M	\$26.57
29"	RAD1290M	\$26.57
30"	RAD1300M	\$27.06
30.5"	RAD1305M	\$27.55
32"	RAD1320M	\$28.04
33"	RAD1330M	\$30.59
33.5"	RAD1335M	\$31.08
45.5"	RAD1455M	\$36.98
46"	RAD1460M	\$36.98
46.5"	RAD1465M	\$37.47
47"	RAD1470M	\$37.47
47.5"	RAD1475M	\$37.97
48"	RAD1480M	\$37.97
48.5"	RAD1485M	\$38.46
49"	RAD1490M	\$38.46
49.5"	RAD1495M	\$38.95
62"	RAD1620M	\$44.85
64"	RAD1640M	\$45.84
64.5"	RAD1645M	\$46.33
65"	RAD1650M	\$46.33
65.5"	RAD1655M	\$46.82
66"	RAD1660M	\$46.82
66.5"	RAD1665M	\$47.31
67"	RAD1670M	\$47.31
67.5"	RAD1675M	\$47.81
68"	RAD1680M	\$47.81
68.5"	RAD1685M	\$48.30



Black 1" Radius Rods

14.5"	RAD0145BK	\$18.86
15.0"	RAD0150BK	\$18.86
21"	RAD0210BK	\$20.46
21.5"	RAD0215BK	\$20.46
24.5"	RAD0245BK	\$21.00
25"	RAD0250BK	\$21.00
25.5"	RAD0255BK	\$21.79
26"	RAD0260BK	\$21.79

Black 1-1/4" Radius Rods

14.5"	RAD1145BK	\$24.29
14.5" (3/4)	RAD1145BK-3/4	\$24.29
15.0"	RAD1150BK	\$24.29
15.0" Teo PH 3/4 x 5/8	RAD1150BKR	\$24.29
17.5"	RAD1175BK	\$25.77
17.5" Spring Rod 3/4 x 5/8	RAD1175BKs	\$25.77
17.5" Spring Rod 5/8 x 5/8	RAD1175BKs-5/8	\$25.77
18.0"	RAD1180BK	\$25.77
18.0" Spring Rod 3/4 x 5/8	RAD1180BKs	\$25.77
18.5" (3/4)	RAD1185BK-3/4	\$25.85
18.5" Spring Rod 3/4 x 5/8	RAD1185BKs	\$26.26
24.5"	RAD1245BK	\$29.21
25.0"	RAD1250BK	\$29.21
27.5"	RAD1275BK	\$30.69
28"	RAD1280BK	\$30.69
47"	RAD1470BK	\$58.49
47.5"	RAD1475BK	\$58.98
48"	RAD1480BK	\$58.98
48.5"	RAD1485BK	\$59.47
64"	RAD1640BK	\$66.85
65"	RAD1650BK	\$67.34
66"	RAD1660BK	\$67.83



ABS Anti Bind Radius Rod System

Teo Pro proudly introduces the ABS Anti Bind Radius Rod System. With this great product you will get rid of front end hidden bind on your race car.

24.5"	TEOT040	\$112.57
25"	TEOT04025	\$112.57

Replacement Parts

25" Rod Only	TEOT04025A	\$30.58
Radius Rod Only	TEOT040A	\$30.58
RR Housing	TEOT040B	\$38.61
RR Bolt	TEOT040C	\$17.71
RR End Cap	TEOT040D	\$19.85

Aluminum Hex Suspension Tubes

Used in steering and suspension systems, hex tubes are easy to install and adjust. Available in 7/8" hex with 5/8" threads tapped RH and LH, and 1-1/8" hex with 3/4" threads tapped RH & LH, tubes are black anodized for appearance & corrosion resistance.

Size 5/8" Thread		
7"	ALL56607	\$10.99
8"	ALL56608	\$11.59
9"	ALL56610	\$11.89
10"	ALL56611	\$11.99
11"	ALL56612	\$13.59
12"	ALL56613	\$13.59
13"	ALL56614	\$13.59
14"	ALL56615	\$13.59
15"	ALL56616	\$13.59
16"	ALL56617	\$13.59
17"	ALL56618	\$13.59
18"	ALL56619	\$15.39
19"	ALL56620	\$15.39
20"	ALL56621	\$15.39
21"	ALL56622	\$15.39



Size 3/4" Thread		
3"	ALL56703	\$10.39
4"	ALL56704	\$10.39
5"	ALL56705	\$10.39
6"	ALL56706	\$10.39
7"	ALL56707	\$11.39
8"	ALL56708	\$11.39
9"	ALL56709	\$11.39
10"	ALL56710	\$11.79
11"	ALL56711	\$12.19
12"	ALL56712	\$12.99
13"	ALL56713	\$12.99
14"	ALL56714	\$12.99
15"	ALL56715	\$12.99
16"	ALL56716	\$13.29
17"	ALL56717	\$13.49
18"	ALL56718	\$13.69
19"	ALL56719	\$13.89
20"	ALL56720	\$13.99
21"	ALL56721	\$14.29
22"	ALL56722	\$14.59
23"	ALL56723	\$14.99



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Chassis Brackets

3/16" Tab	2-3/4" Height	No Hole	4 Pack	ALL60000	\$12.49
3/16" Tab	2-3/4" Height	3/8" Hole	4 Pack	ALL60001	\$12.49
3/16" Tab	2-3/4" Height	1/2" Hole	4 Pack	ALL60002	\$12.49
0.125" Tab	2" Height	1/4" Hole	4 Pack	ALL60003	\$9.99



Universal Flat Tabs

3/16" Tab	1.825" Height	1/2" Hole	4 Pack	ALL60006	\$9.99
1/4" Tab	2" Height	3/8" Hole	4 Pack	ALL60007	\$12.99
1/4" Tab	2" Height	1/2" Hole	4 Pack	ALL60008	\$12.99
1/8" Tab	1-1/2" Height	1/4" Hole	4 Pack	ALL60009	\$8.99



Radius Tabs

1-1/4 Radius

1/8" Tab	1-1/2" Height	1/4" Hole	4 Pack	ALL60010	\$6.99
1/8" Tab	1-1/2" Height	3/8" Hole	4 Pack	ALL60011	\$6.99



Gusset Tab

1-1/2 Radius

1/8" Tab	2.050" Height	3/8" Hole	4 Pack	ALL60016	\$12.79
----------	---------------	-----------	--------	----------	---------



Seat Tab

.187" Tab	2-3/8" Height	1/2" Hole	4 Pack	ALL60018	\$4.99
.250" Tab	2-3/8" Height	1/2" Hole	4 Pack	ALL60019	\$4.99



16 Gauge Window Frame

1" x 1" Steel	10 Pack	ALL60020	\$11.29
3/4" x 3/4" Steel	10 Pack	ALL60021	\$10.99



Bumper Tab .937" Flat to Center of Hole

1/4" Tab, 1-1/4" Long	1/4" Hole	4 Pack	ALL60022	\$9.89
-----------------------	-----------	--------	----------	--------



Rub Rail Flange Tab 3/8" Small Holes, 2-1/4" between center of holes

3/16" Tab, 1-1/4" Dia Hole	4 Pack	ALL60023	\$14.99
----------------------------	--------	----------	---------



Bell Crank Tab

.085" Tab	1.550 Height	3/8" Hole	4 Pack	ALL60024	\$7.99
-----------	--------------	-----------	--------	----------	--------




Brake Line Adapter Tab

Bolt-On Tab.....	2 Pack.....	ALL60029 ..	\$8.99
Weld-On Tab 1-1/4 Height.....	.650" Hole 4 Pack	ALL60030 ..	\$5.99



Double Shear Seat Belt Bracket

Double Shear Seat Belt Bracket	1 Pack	ALL60031	\$7.99
--------------------------------	--------	----------	--------



Seat Belt Mount Backing Plates

Seat Belt Mount Backing Plates	2 Pack	ALL98120	\$6.99
--------------------------------	--------	----------	--------



Solid Trans Mount, Chevy

Sturdy mount is constructed from 3/16" steel and features slotted holes on top for trans mounting and threaded nuts welded to bottom for crossmember mounting. Black zinc finish. NOTE: Solid Trans Mounts must be used in conjunction with Solid Motor Mounts to prevent breakage of engine block and trans case due to torsional stress. 58-'88 Chevy except 82-'92 Camaro/Firebird, fits Powerglide, TH-350, TH-400, and all Borg-Warner, Muncie, Saginaw, Chrysler 4-Speed and Doug Nash 5-Speed trans.

MOR62600\$29.74



Solid Motor Mount Pad Kits, Chevy

It replace soft rubber-cushioned frame mts supplied as OEM equipment on 74-'97 Camaro/Firebirds & other GM vehicles. Control excessive engine movement, prevent linkage binding & eliminate the need for torque straps. 2 per package. Zinc & yellow chromate plating. 74-81' Camaro/Firebird; 73-88' Chevelle, Malibu, El Camino, Monte Carlo; 73-79' Nova; 76-90' Impala, Caprice; Small Block, use with Moroso Steel Motor Mts MOR62515

MOR62630\$60.50



Chevrolet Motor Mounts

Zinc plated steel.	
.250" Replaces OEM #3990914	MOR62500\$36.92
.188" Replaces OEM #3962748	MOR62510\$33.25
.188" Replaces OEM #332648 when used w/62630	MOR62515\$32.96
.188" Replaces OEM #6258154	MOR62530\$33.96

Available Option: Chrome plated Bolt Kit MOR38721




Economy Ballast Brackets

Brackets are tapped with a 1/2"-13 hole for ballast mounting stud. Stud and nut sold separately.

ALL14195...1-1/2", Round ..\$10.99

ALL14197...1-3/4", Round ..\$10.99



Ballast Brackets

Aluminum brackets have a 1/2"-13 tapped hole for a ballast mounting stud. Stud and nut sold separately.

ALL14178 .1.00", Round...\$13.49

ALL14183 .1.250", Round...\$13.49

ALL14185 .1.500", Round...\$13.49

ALL14187 .1.750", Round...\$13.49



Ballast Mounts

1" Round.....BRP5113.....\$22.07

1-1/8" Round.....BRP5114.....\$22.07

1-1/4" Round.....BRP5115.....\$22.07

1-1/2" Round.....BRP5117.....\$22.07

1-3/4" Round.....BRP5119.....\$22.07

1 1/2"x 1-1/2" Square.....BRP5121\$22.07

2"x 2" Square.....BRP5122\$22.07

2"x 2-1/2" Square.....BRP5123\$22.07



Chevy Motor Mount Fabricated Chassis

Designed primarily for oval track or any fabricated chassis application. (They do not fit any particular OEM chassis). Allows for quick, easy engine removal and installation. Manufactured from .250" thick steel with zinc plating to resist corrosion. 2 per package.

.250" zinc plated steel, SBC, BBC & 90° Chevy V6 in fab chassis

MOR62550.....\$26.07



Chevy LS Series Motor Mount Adapter Plates

Simple and efficient way to adapt motor mounts to fit LS Series Engines. Manufactured from 6061 T-6 Aluminum Black anodized finish resists corrosion. Works with G.M. Factory 3-Bolt Mounts and Moroso Solid Motor Mounts MOR62500, MOR62510, MOR62515 and MOR62530. 2 per pack, with hardware. Made in USA.

MOR62555.....\$93.62



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Inner Bushings

Bushings mount on the inside end of a strut-style lower control arm and act as a spacer between each side of the 3/4" inner rod end and the crossmember. Sold in packs of two.

Cross Member (2-Pack).....ALL56188\$6.99

Spacer Kits

Spacer Kits for UMP Tubular Lower Control Arms

'68-72 Chevelle, 4pcsALL56322\$13.99
'68-74 Nova, 5pcs.ALL56325\$14.59

Steel Rod Clevises

3/4" clevises attach strut rod to A-frame (3/4"-16 with a .500" hole). 5/8" clevises, commonly used with Left-hander style upper A-frames, connect to Ball Joint holder (5/8"-18 with a .385" hole).

3/4" RH Steel ClevisALL56192.....\$10.49
3/4" RH Aluminum Clevis.....ALL56193.....\$11.99
5/8" RH ClevisALL56194.....\$14.29

Upper A-Arm Brackets

Stamped steel, 3/16" thick mild steel brackets weld to chassis, providing a mounting point for upper control arm. Brackets are sold in pair and have two 5/8" mounting holes, spaced 7/8" apart for additional adjustment. May be trimmed to desired height.

Upper A-Arm Bkts.....ALL60025.....\$6.99

Upper A-Arm Mount

Mount is flame cut from 1/2" thick steel, with a 6" bolt spacing. Welds to frame and accepts upper A-frame.

4 Hole Upper A-Arm Mt ...ALL60190...\$16.79

Upper Control Arm Shims

Shims allow easy adjustment of caster/camber during front end alignment. Available in various thicknesses.

0.0625" Individual, 10-Pack ...ALL60200 ...\$6.99
0.125" Individual, 10-PackALL60201 ...\$7.69
0.125" Dual Mount, 1-Piece ...ALL60203 ...\$8.99
0.185" Dual Mount, 1-Piece ...ALL60204 ...\$9.19
0.250" Dual Mount, 1-Piece ...ALL60205 ...\$9.59
0.375" Dual Mount, 1-Piece ...ALL60206 ...\$10.69
0.500" Dual Mount, 1-Piece ...ALL60207 ...\$10.99
0.750" Dual Mount, 1-Piece ...ALL60208 ...\$13.99
1.000" Dual Mount, 1-Piece ...ALL60209 ...\$15.39
A-Arm Shim Kit, Includes ALL60203-60209
One of each sizeALL60210 ...\$64.99

Metric Spindle Savers

Stamped steel spindle savers reinforce the steering arm portion of GM Metric spindles to make them suitable for wheel-to-wheel racing. IMCA-legal and easily installed, spindle savers are retained by the lower ball joint and tie rod end retaining nuts. Sold in pairs.

ALL42130\$15.99



Proposition 65 Warning: These products contain chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Fine 1-1/8-12 Thread Jack Bolt Collar

Steel collar measures 1-3/8" tall x 1-5/8" dia. and welds onto frame. Complete with grease fitting. 1-1/8" -20 Thread.

ALL56098\$9.99

Bolt-On Upper Spring Plates

Bolts to internal thread jack bolts. Keeps spring centered to the jack bolt.

L/W Steel ...ALL56097.....\$14.89

"Swiveler" Spring Cups

Used with conventional coil springs, this mono-ball and stud helps eliminate binding between the spring cup and jack bolt. The stud threads into jack bolts with an internal thread (Allstar ALL56090). Two styles available: Welded Style, where spring sleeve is welded to the plate, and Pro-Series with bolt-on spring sleeves to accommodate various spring diameters and rates.

Welded Style

Swiveler Spring Cup 3.25" OD
ALL56080\$49.99

Replacement Spring Sleeve

3.25" ODALL56086\$11.49
3.50" ODALL56087\$11.49
3.75" ODALL56088\$13.49

3" Coil Spring Spacer

Steel spacers are used with conventional coil springs. May be shortened to required length.

ALL56116\$17.99

Coil Spring Shims

Used with #ALL56116, or whenever weight jack bolts are not allowed, to raise car height for set-up purposes. 5" diameter, 3-5/8" I.D.

3/16"ALL56120.....\$5.99
1/8"ALL56121.....\$5.69

Adj. Spring Spacer

Spacer adapts racing front springs for use on street stock cars where weight jack bolts are not allowed.

All Steel AssemblyALL56118 ...\$39.99
Steel Sleeve with Alum. Adj. Nut.....ALL56119 ...\$41.99

Rear Lower Spring Plate

Welds to 3" dia rear end tube and works with conventional-style 5" coil springs. Length is 7". Sold individually.

ALL56124.....\$11.29

Weight Jack Bolts w/ Internal Thread

Bolts feature an internal thread, 7/16" -20, on one end for use with bolt-on and swiveler spring cups. Fine thread bolts have 1-1/8" -20 outer threads, while coarse thread bolts are 1"-8. Available in steel or aluminum.

6" Aluminum, Fine Thread ...ALL56090 ...\$15.99
8" Aluminum, Fine Thread ...ALL56091 ...\$15.99
6" Steel, Fine ThreadALL56092 ...\$14.99
8" Steel, Fine ThreadALL56093 ...\$14.99
4" Steel, Coarse ThreadALL56094 ...\$12.39
6" Steel Coarse ThreadALL56095 ...\$12.99

Leaf Spring Perch

Welds to 3" diameter rear end housing and works with most leaf springs. Sold individually.

ALL56126\$6.99



Rear Axle Spring Perch, 2-1/2" Wide

Fits: Ford 9", Dana 60 and other 3" diameter axle housings. Precision stamped for easy weld-on installation. Two per package.

MOR85090.....\$25.01



Aluminum Lowering Blocks

Easily adjust ride height on leaf spring type cars. Standard and adjustable styles, sold individually.

Extruded Aluminum

Width/Length: 2-1/2" x 5" • Pin Dia.: 6/16"

1" HeightALL56130 ...\$10.49
1-1/2" Height.....ALL56131 ...\$11.49
2" Height.....ALL56132 ...\$12.69
2-1/2" Height.....ALL56133 ...\$13.99
3" Height.....ALL56134 ...\$14.99

Billet Aluminum

Width/Length: 2-1/2" x 5" • Pin Dia.: 5/8"

3/4" Height.....ALL56060 ...\$23.99
1" Height.....ALL56061 ...\$24.99
1-1/2" Height.....ALL56062 ...\$25.99
2" Height.....ALL56063 ...\$29.99
2-1/2" Height.....ALL56064 ...\$31.99
3" Height.....ALL56065 ...\$32.99

Width/Length: 2-1/4" x 5" • Pin Dia.: 5/8"

1-1/2" Adj Hgt .ALL56136 ...\$38.99
2-1/2" Adj Hgt .ALL56138 ...\$38.99

U-Bolt Pads

Designed for use on 3" dia. axle tubes, Allstar Perf. U-Bolt pads have a provision for a single shock mount.

Right U-Bolt Pad ...ALL60036...\$23.99
Left U-Bolt Pad.....ALL60037 ...\$23.99
Dual Mount Pad ...ALL60038...\$24.99

Leaf Spring Slider Box

It replaces conventional leaf spring shackles to enable effortless suspension movement and prevent binding. May be welded, or bolted directly to chassis. Includes two nylon bushings.

Leaf Spring Slider BoxALL60034....\$19.59
Replacement Bushings.....ALL99055.....\$11.49

Coil-Over Load Bolt Assembly

Threaded bolt is 6" long with 1-1/8"-12 fine threads and is commonly used on big bar soft spring cars. Load bolt offers the ability to easily change corner weights, change the center to center distance of the shock, adjust bump stop distances without adding shims and adjust ride height without running out of shock travel. Commonly used with ALL56098 threaded sleeve.

ALL56074\$48.99

Weight Jack Bolt Sleeves

Weld-in mild steel sleeve provides a mounting point for jack bolts or adjustable shock mounts. Sleeves are 2" long and have a 1-3/8" O.D. for welding into chassis tubing.

ALL56073\$11.99

Weight Jack Plate

Heavy-duty steel plate has a threaded boss welded to the center to accept jack bolts with 1" coarse threads. O.D. is 5".

ALL56112\$8.99

Upper Spring Plates

Use Steel Upper Spring Plates with conventional coil springs and most common weight jack bolts.

Upper Spring PlateALL56114\$9.99
Oversize Spring Plate .ALL56115\$12.39

Clamp-On Lower Spring Pad

Steel clamp-on leaf spring pad fits 3" dia. axle tubes. Perch measurements are similar to ALL56126. Sold individually.

ALL56127\$29.99



Chevy Solid Motor Mount

Solid Motor Mounts are 1/4" thick steel and replace stock Chevy mounts to eliminate the torque loss and excessive engine movement associated with stock rubber mounts. Sold individually.

ALL38080..\$11.99

SBC Raised Motor Mounts

Use these mounts to raise the engine in the chassis instead of spacers and longer bolts. Use when changing from a dry sump to a wet sump engine when extra clearance is required. 1" or 1-1/2" raised mounts are 1/4" steel and slotted for easy installation.

Front Mount, Raised 1".....ALL38060..\$15.99

Front Mount, Raised 1-1/2".....ALL38061..\$15.99

Rear Mount, Raised 1".....ALL38064..\$15.49

Rear Mount, Raised 1-1/2".....ALL38065..\$15.49



Motor Mounts For Small Block Chevy

Front motor mts are available in std centered, or 1", 2", & 3-3/8" offsets. Rear motor mts are available with a tab welded on, or in kit form allowing the tab to be welded on at any location or angle. Made from 1/4" thick steel.

Front Motor Mt (1).....ALL38100..\$8.99

Rear Motor Mt (1).....ALL38101..\$11.99

Front Motor Mt, Unwelded (1).....ALL38102..\$9.99

Front Motor Mt, 1" Offset (Pair).....ALL38108..\$23.99

Front Motor Mt, 2" Offset (Pair).....ALL38109..\$23.99

Front Motor Mt, 3-3/8" Offset (Pair).....ALL38110..\$26.99

Polished Motor Mounts

Universal mounts work with existing chassis brackets and come with urethane bushings to isolate engine vibrations from the chassis.

ALL38106.....\$149.99

Motor Mount Pad

Ideal for building custom motor mounts or adding mount pads to homemade engine stands. Sold per pair.

Motor Mount Pad (Pair)
ALL38090.....\$14.99

Clamp-On Rings

Steel brackets bolt to 3" diameter axle tubes.

ALL60145...\$11.99



Solid Transmission Mount

Solid 3/16" steel mount fits most TH350, TH400, Powerglide, and all Borg Warner, Muncie, and Chrysler 4-speed trans. Mount eliminates unwanted twisting, flex, and distortion under racing conditions. Not recommended for use with rubber engine mounts.

ALL38070..\$19.99

Transmission Mount Bracket

May be welded to chassis to support manual or automatic transmissions. Steel bracket is 1/8" thick with 1" x 7/16" slots for mounting bolts.

ALL38072.....\$14.59

Transmission Supports For Bert

Transmission supports fasten to the rear tail shaft housing of Bert Late Model Standard and Ball Spline transmissions adding support to bellhousing mounted dry sump oil pumps or directly to the chassis. Multiple holes in brackets offer many different support options.

Trans. Support, Bert With Standard Tailhousing

ALL38075.....\$24.99

Trans. Support, Bert With Ball Spline

ALL38076.....\$24.99



Mid Plate SB Ford 5/8"

Allstar engine mid-plates are CNC machined from 1/4" thick 6061-T6 alum, to be lw and strong. Excess material has been removed, weight is less than 4 lbs. Dual mounting holes allow engine to be raised 1" in the chassis. Plates are powder coated in black to be good looking and durable. Fits Dirtworks and other chassis. Weight 3.6 lbs.

ALL38133...\$99.99

In-Line Duct Blowers

Many uses include cooling brake systems or assisting helmet cooling efforts. CFM ratings at 13.6 volts with a 3.5 amp draw.

3" Heavy Duty Inline Blower, 8" Long

170 CFM.....ALL13008.....\$25.99

240 CFM.....ALL13009.....\$25.99

3" Compact Inline Blower, 5" Long

140 CFM.....ALL13010.....\$28.99

90/10 Shock Brackets

Weld brackets to the chassis, then mount shock between the chassis and the differential to control "unloading" during deceleration or hard braking. Brackets fit 1-1/2" dia. tubing and have four 1/2" holes, spaced 1" apart. Sold in pairs.

ALL60026.....\$8.49



Aluminum Shifter Assemblies

Lightweight anodized aluminum shifters include with 3/8" rod ends, locknuts, and rods. Shifter rods are tapped for right and left hand 3/8" rod ends. Shifter arms must be ordered separately.

1 Lever Shifter - Gold...ALL54108....\$64.99

2 Lever Shifter - Gold...ALL54110....\$69.99

3 Lever Shifter - Gold...ALL54112....\$91.99

Aluminum Shifter Arm...ALL54118....\$6.99

2 Lever Shifter - Black...ALL54120....\$69.99

2 Lever Shifter - Red...ALL54121....\$69.99

2 Lever Shifter - Purple...ALL54122....\$69.99

2 Lever Shifter with Lock

Black anodized shifter has a built-in lock which holds the transmission into gear when track conditions are rough. Shifter includes one 16" long x 3/8" shifter rod, one 24" long x 3/8" shifter rod, 3/8" rod ends, and hardware.

ALL54125..\$84.99

Steel Quick Pins

They have 3 holes and are available with or without a built-in shoulder. ALL60108 fits Allstar coil-over brackets without using a separate bushing. ALL60109 is commonly used with non-bushing type brackets but will fit Allstar brackets using a separate bushing.

Pin With Shoulder.....ALL60108....\$7.99

Positive Cam Lock Shifter

CNC-machined billet aluminum shifter clamps to the frame on driver's right side. Includes all steel hardware, heavy duty cable, and quick release end for easy rear end changes.

ALL54135..\$156.99

Positive Lock Shift Cable

Shift cable is designed to be used with position lock type shifters to engage rear end of most sprint cars. 43" long with 10/32" threaded ends. Shift cable is sold less rod end. Use Aurora AURCW-3.

ALL54142....\$41.99

Side Grip Cleco Fastener

A very strong spring clamp to hold pieces together when drilling is not an option. The smooth throat prevents paint damage and is 1" deep w/a max clamping range of 1/2". Works w/ALL18220 Cleco pliers.

ALL18230..\$4.99

Heel Riser

Aluminum heel riser is pre-drilled for easy mounting and includes a non-skid pad. 1" tall x 4-1/2" wide.

ALL54090..\$16.99

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Floor Mount Gas Pedal

It is lightweight with safety toe return. It easily bolts on the floor for many different applications.
BSC90501.....\$52.95



Adjustable Gas Pedals

Fully adjustable gas pedals are available for straight or angled foot box panels. Bronze bushings and nylon rollers provide smooth operation. Linkage arm has .250" diameter holes spaced every 1/2" for adjustment of throttle linkage. Aluminum construction.
Straight.....ALL54098.....\$136.99
Angled.....ALL54099.....\$136.99



Gas Pedal

Unique gas pedal assemblies allow driver to pull them back if throttle sticks. Flat design allows mounting through the foot box or to brackets on dash bar. A roller style gas pedal, designed by renowned racer Brian Birkhofer, is also available and uses a nylon roller for smooth throttle control and has multiple linkage holes for adjustment.



Foot Box Mt Std. Gas Pedal.....ALL54100 \$19.99
Foot Box Mt Roller Style Gas Pedal .ALL54101 \$65.99
Firewall Mt Gas Pedal.....ALL54107 \$28.49

Sprint Throttle Pedal Assembly

LW, yet rugged alum pedal assembly, which may be mounted to the floor pan or lower frame rail, provides smooth, safe throttle control. Includes return spring bkt & fasteners. Weighs just 1/2 lb.
ALL54106.....\$49.99



Throttle Cable Kit - SS Braided

36" cable with 24" sleeve. Completely adjustable, can be cut to length for custom applications. 1/4-20 thread on connection.
MRG5657..\$29.78



Spindle Checker Tools

Assure correct alignment of the upper and lower ball joint when checking for bent spindles. Kits fit most popular spindles with common 1-1/2" taper per foot upper ball joints (ALL56214) & GM (ALL56206) or Chrysler (ALL56216) style lower ball joints.
Spindle Checker Kit With GM Lower ALL11176..\$56.99



Throttle Cable

Throttle cable is designed for fuel injected or carbureted Sprint car applications. Smooth-working cable is 5' in length and features 10/32" threaded ends.....ALL54145.....\$44.99



Throttle Bell Cranks

Designed for Sprint car apps, each bell crank is fitted with a pressed bearing for smooth throttle operation and has optional locations for connecting push rods of various lengths. Typically 2 are required to complete an app. ALL54150 pivot hole is .275", ALL54152 pivot hole is .250". Option holes on each crank are .188" and spaced 3/8" apart.
Arms Set 75° Apart, Alum, 35 G.....ALL54150 \$26.79
Arms Set 70° Apart, 6061 Alum, 40 G.....ALL54152 \$29.99



Wrap Around Gussets

Gussets fit 1.50" to 1.75" tubing and can be used to join tubing from 70 deg to 110 deg. Gussets provide more support and rigidity than a std flat gusset. Sold in packs of 10..... ALL22199.....\$18.99



4 Hole Upper A-Arm Mount

Mount is flame cut from 1/2" thick steel, with 6" bolt spacing. Welds to frame & accepts upper A-frame..ALL60190...\$16.79



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Body Radius Tool

Solid Oak tool can be used to flare edges of wheel openings when fabricating fenders and quarter panels out of aluminum. Tool has 2 different radiuses.
ALL23100..\$47.99



Access Panel Kits

Aluminum panels mount with rivets or bolts and provide easy access to dry sump pump tanks, fuel cells or other under panel items. Kits include frame, access door, hinge, flush head quick turn fastener and quick turn fastener spring.
6" x 6".....ALL18530...\$29.99
6" x 14".....ALL18532...\$42.99



Hinge Kits

Use steel hinge kits on hoods and deck lids for quick, one person inspection of engine compartment or truck area. Universal kits include two complete hinges.
2-1/4" L. x 5/8" H., 1/4" Hole.ALL18522...\$6.39
3" L. x 1-1/4" H., 1/4" Hole, Radius Edges
ALL18523.....\$7.39




Body Bolt Kits

Bolts are designed for easy installation and removal, have 1/4"-20 thread, are 3/4" long and have a built-in captured washer. Nuts have built-in serrations which prevent loosening. Body bolts are commonly found on dirt late models to fasten fenders and side skirts but may be used anywhere a bolt with a captured washer is needed. Black phosphate coated.
10-Pack.....ALL18560...\$8.69




Body Brace Kit

Slotted aluminum kit simplifies installation of body panels. 3 door braces, 2 lower quarter, 2 upper quarter, and 2 front fender pieces are included. Use flat stock, spring steel, or slotted strapping to complete assembly (sold separately).
ALL23105..\$99.99



Lead Ballast

Lead Ballast can be used to add weight where it's needed. Available in 25, 30 and 40 pound blocks.
30 lb Lead Ballast.....ALL14179.....\$82.99
25 lb Lead Ballast.....ALL14180.....\$71.99
40 lb Lead Ballast.....ALL14182.....\$107.99



Clamp-On 25 Lb. Ballast

Clamp-on design is formed of 2 halves which bolt together around 1" to 1-3/4" round tubing allowing easy installation & removal. Bolts are included for use on tubing up to 1-5/8". When clamping to 1-3/4" tubing, longer bolts (not included) are required.
25 Lb. Bolt Together Ballast 4-1/2" Long x 5-1/2" Wides
ALL14181...\$81.99



Sprint Wash Plug Sets

Aluminum plugs have O-rings for a water tight seal and will keep dirt out of injectors while cleaning sprint car. 4-piece set includes a nylon storage pouch.



2.4375" Dia ALL26032...\$244.99
2.500" Dia...ALL26033...\$254.99
2.8125" Dia ALL26035...\$254.99
2.900" Dia...ALL26036...\$254.99
3.000" Dia...ALL26038...\$254.99

Sprint Fuel Pressure Gauge

Fuel pressure indicator gauge allows pre-adjustment of the high speed, secondary & main valve opening pressures using a compressed air source. Gauge can be mounted directly to the wall or tool box. 4-1/2" dia dial has a 0-160 psi range.
ALL40330.....\$189.99



Torsion Bar Plug Kit

Tapered plugs provide a snug fit yet can be easily removed from torsion bars. Red plugs sold in a package of 10.
ALL50852.....\$6.99



Hood Pins Kit 7/16"


Safety Pin Style Clips

These 7/16"-20 thread safety pins secure hoods with a competition look. Allows quick removal of hood/deck. Two chromed safety pins, scuff plates, & hardware included. 4" pin length with 2-1/2" threads.
MRG1016.....\$11.44



Hood & Decking Pining Kits with Screw-On Scuff Plates

They give your car that race-car look and are the fastest, easiest way to remove your hood or rear deck. Chrome-plated and compatible with virtually any vehicle, these durable kits include two 4-inch-long 7/16-inch steel hood pins, matching torsion clips, screw-on scuff plates, and all the necessary hardware.
MRG1017.....\$12.60



Fuel Cell Mounting Bkts

Steel bkts are .085" thick & available in 3 different heights. All have 3/8" holes.
2".....ALL60060...\$3.59
4-3/4".....ALL60062...\$5.29




Spring Steel

Use to make braces when hanging body and fender pieces. Hardened and tempered coil is 40' long x 1" wide x .062" thick.
ALL23110.....\$74.99



Steel Hood Pin Kits

(2) each: 1/2" dia. chrome steel pins, chrome steel scuff plates, clips, and four nuts. Available with flip-over or hairpin-style clips.
3/16" Dia. Flip-Over Clips...ALL18512...\$8.49
1/4" Dia. Flip-Over Clips...ALL18513...\$9.49
5/32" Dia. Hairpin Clips.....ALL18514...\$7.99



Aluminum Hood Pin Kits

1/2" Pins & 1/4" Clips

(2) each: 1/2" dia. alum pins, alum scuff plates, flip over style, 1/4" dia. steel clips, and four nuts. Clip flips over stud, locks into place and over center action keeps pin in place.
Silver (Plain) Kit.....ALL18500...\$10.99
Red Anodized Kit.....ALL18501...\$10.99
Blue Anodized Kit.....ALL18502...\$10.99
Gold Anodized Kit.....ALL18503...\$10.99
Black Anodized Kit.....ALL18504...\$10.99



Aluminum

Hood Pin Kits

3/8" Pins & 3/16" Clips

(2) alum 3/8" dia. pins, (2) alum scuff plates, (2) flip over style 3/16" dia. steel clips, & locks into place. Over-center action keeps clip in place.
Silver (Plain) Kit.....ALL18480...\$10.99
Red Anodized Kit.....ALL18481...\$10.99
Blue Anodized Kit.....ALL18482...\$10.99
Black Anodized Kit.....ALL18484...\$10.99
Replacement Pin Silv 2-Pk...ALL18487...\$6.99



Lightweight Hood Pin Kits

Kits include 2 gun-drilled aluminum pins, 2 steel clips, 2 LW aluminum plates, and 4 nuts.
3/8" Silver...ALL18472...\$12.99
3/8" Black...ALL18473...\$12.99
1/2" Silver...ALL18476...\$12.99
1/2" Black...ALL18477...\$12.99



Hood Pin Mounts

Mounts ease hood pin installation. Choose from threaded boss or tab style.



1/2"-20, Hood Pin Boss (2-Pack) .ALL18520...\$3.99
3/8"-24, Hood Pin Boss (2-Pack) .ALL18521...\$3.69
Mounting Tab (4-Pack).....ALL60030...\$5.99



Screw-In Upper Ball Joint

Fits Lefthander chassis style upper A-Frame or where a screw-in type ball joint is required. (Alternate - Moog K772 or AFCO 20034)

Screw-In Upper Ball Joint ALL56214\$18.59

Bolt-In Upper Ball Joint

Fits U-B Machine style upper A-Frames where a bolt-in style ball joint is required. (Alternate - Moog K6024, TRW 10185 or AFCO 20031)

Bolt-In Upper Ball Joint.....ALL56204\$18.99

Bolt-in type joint fits Impala spindle. Can be used to raise roll center on street stock and modified cars. Fits Impala, Camaro and Chevelle spindles. (Alternate - Moog K6136, TRW 10269 or AFCO 20032-1)

Bolt-In Upper Ball Joint ALL56208\$15.99

Fits popular full-size 1971-94 Impala spindles. Also fits 1971-81 Camaro and 1973-88 Chevelle/Monte Carlo. (Alternate - Moog K5208, TRW 10268 or AFCO 20032)

Upper Ball Joint.....ALL56220.....\$14.99

Steel Upper Ball Joint Wrench

Wrench is designed to remove and install common upper screw-in upper ball joint that are 1.900" wide (ALL56214).

ALL11190.....\$14.99

Ball Joint Spreader Tool

Tool separates ball joint from control arm or spindle. Inside of cyl is shaped to fit tapered stud of ball joint.

Ball Joint Spreader ToolALL11174\$34.99

1" Extensions (Set of 2).....ALL11175\$26.79

Low Friction Upper Ball Joints

They are high performance units designed for smooth suspension travel. Some ball joints are available with longer than stock pin length for correcting roll centers. Ball joints have hardened pins with stock type housings and are not rebuildable. Legal for classes that require non-take apart ball joints. For off-road use only.

Type.....Length..Taper Per Ft.

ALL56214 and Moog K772

Screw-In..Standard.....1-1/2".....ALL56010..\$52.99

Screw-In..1/2" Longer..1-1/2".....ALL56011..\$52.99

Screw-In..1" Longer.....1-1/2".....ALL56012..\$52.99

ALL56204 and Moog K6024

Bolt-In.....Standard.....1-1/2".....ALL56014..\$52.99

ALL56208 and Moog K6136

Bolt-In.....3/8" Longer..1-1/2".....ALL56015..\$52.99

ALL56220 and Moog K5208

Bolt-In.....Standard.....2".....ALL56018..\$52.99

Bolt-In.....1/2" Longer.....2".....ALL56019..\$52.99

Adjustable Upper Ball Joints

Mono-ball joints enable upper control arm angles to be adjusted. Joints include plate, ball, tapered shaft, adjuster bushings and nut. Specify right or left when ordering.

Large GM Ball Joint LH.....ALL56260..\$54.99

Large GM Ball Joint RH.....ALL56261..\$54.99

Mid-Size GM Ball Joint LH.....ALL56264..\$54.99

Mid-Size GM Ball Joint RH.....ALL56265..\$54.99

Screw-In Upper Ball Joint.....ALL56267..\$71.99

Replacement Parts

Stud for 56260, 56261, & 56267.....ALL56262..\$20.99

Stud for 56264 & 56265.....ALL56266..\$20.99

Replacement Mono Ball Bearing 5/8".ALL99098..\$20.99

Ball Joint Sleeves

Steel sleeves allow custom fabrication of control arms.

Small Screw-In Upper

Fits Ball Joint ALL56214..ALL56250..\$10.99

Large Screw-In Lower

Fits Ball Joint ALL56216..ALL56251..\$11.49

Large Press-In Lower

Fits Ball Joint ALL56206..ALL56252..\$9.99

Medium Press-In Lower

Fits Ball Joint ALL56212..ALL56253..\$10.49

Screw-In Lower Ball Joints

Fits Lefthander chassis style lower A-Frame or where a large screw-in type ball joint is required. (Alternate - Moog K727 or AFCO 20036). Large Thread Low Ball Joint.

ALL56216.....\$22.99

Universal Ball Joint

Compatible with stock lower control arms modified with UB Machine UBM40-3303 weld-in threaded sleeve. (Alternate - Moog K719)

Threaded Lower Ball Joint

ALL56217.....\$19.99

Lower Ball Joint

Weld-in joint fits most tubular A-Frames including popular 1971-76 Impala A-Frames. Taper fits most tubular and Impala spindles. Base O.D. is 2.190" (Alternate - Moog K6141, TRW 10267 or AFCO 20038)

Weld-In Lower Ball Joint ..ALL56206.....\$16.99

Weld-in lower joint fits 1964-72 Chevelle and 1967-69 Camaro, control arms and spindles.

(Alternate - Moog K5103, TRW 10197, or AFCO 20033).

Lower Ball Joint..ALL56210.....\$15.99

Weld-in joint fits Impala spindle. Can be used to raise the roll center on street stock or modified cars. Base O.D. is 1.975". (Alternate - Moog K6117, TRW 10264 or AFCO 20038-1)

Weld-In Lower Ball Joint ..ALL56212.....\$16.99

Fits popular full-size 1977-89 Impala spindles. Also fits 1971-81 Camaro and 1973-88 Chevelle/Malibu. (Alternate - Moog K6145, TRW 10277 or AFCO 20039)

Lower Ball Joint ..ALL56218.....\$16.49

Ball Joint Adapter Sleeve

Adapter sleeve is ideal for modifying stock style Chevelle lower control arms to accept a screw-in style ball joint. Adapter sleeve has an O.D. of 2.010" to take the place of a press-in style ball joint (ALL56210/K5103) allowing for installation of a screw in style ALL56214 with a (1.5" taper/ft.) pin or ALL56049 with a (2" taper/ ft.) pin ball joint.

ALL56256.....\$11.99

Low Friction Lower Ball Joints

Low friction economical OEM ball joints are high performance units designed for smooth suspension travel. Some ball joints are available with longer than stock pin length for correcting roll centers. Ball joints have hardened pins with stock type housings and are not rebuildable. Legal for classes that require non-take apart ball joints. For off-road use only.

Type.....LengthTaper Per Ft..Part #.....Price

ALL56126 and Moog K727

Screw-In Standard.....1-1/2".....ALL56030..\$52.99

Screw-In 1/2" Longer1-1/2".....ALL56031..\$52.99

ALL56216 Housing with ALL56206 Pin

Screw-In Standard.....2".....ALL56034..\$52.99

Screw-In 1/2" Longer.....2".....ALL56035..\$52.99

ALL56214 Housing with ALL56206 Pin

Screw-In Standard.....2".....ALL56049..\$52.99

Screw-In 1/2" Longer.....2".....ALL56050..\$52.99

Screw-In 1" Longer.....2".....ALL56051..\$52.99

ALL56206 and Moog K6141

Weld-In ..Standard.....2".....ALL56038..\$52.99

ALL56210 and Moog K5103

Weld-In ..Standard.....1-1/2".....ALL56042..\$52.99

ALL56210 Housing with ALL56206 Pin

Weld-In ..Standard.....2".....ALL56027..\$52.99

Weld-In ..1/2" Longer.....2".....ALL56028..\$52.99

Weld-In ..1" Longer.....2".....ALL56029..\$52.99

ALL56212 and Moog K6117

Weld-In ..Standard.....2".....ALL56044..\$52.99

ALL56218 and Moog K6145

Weld-In ..Standard.....2".....ALL56046..\$52.99

Weld-In ..1/2" Longer.....2".....ALL56047..\$52.99

Weld-In ..1" Longer.....2".....ALL56048..\$52.99

Adjustable Lower Ball Joints

Replace std ball joint with an adjustable mono-ball style lower ball joint. Complete with adapter sleeve, ball, adjuster bushings, stud and nut.

Screw-In Chrysler Joint (Common Dirt, 56216 Style).....ALL56270.....\$71.99

Screw-In GM Impala Stud Joint (Common Asphalt, 56216 Style with 56206 Pin).....ALL56276.....\$69.99

Press-In Large GM Joint (Common Asphalt, 56206 Style).....ALL56272.....\$71.99

Press-In Mid-Size GM Joint (ALL56218 Style)ALL56274.....\$79.99

Replacement Parts

Stud for 56270.....ALL56271.....\$20.99

Stud for 56272 & 56276.....ALL56273.....\$20.99

Stud for 56274.....ALL56275.....\$20.99

Housing for 56270 & 56276.....ALL99092.....\$34.99

Housing for 56272.....ALL99093.....\$34.99

Housing for 56274.....ALL99094.....\$34.99

Replacement Mono-Ball.....ALL58002.....\$7.99

Replacement Snap Ring.....ALL99096.....\$2.69

Replacement Spacer Kit.....ALL99097.....\$13.49

Adapter Bushing

Convert a 2" taper per foot hole to accept a ball joint with a 1-1/2" taper per foot. For lower ball joints only.

ALL56225.....\$12.79

4-Bolt Style Ball Joint

QA1's 4-Bolt Style Ultimate Ball Joint is ideal for a variety of racing applications. Exclusive to QA1, this patented, self-lubricating design is 100% owner rebuildable.

Fits Upper Taper of Pinto Spindles

Upper GM.....QA11210-101.....\$54.95

73-95 Chevy Blazer, GMC Trucks, Modifieds, Street Stocks

Upper Gm.....QA11210-103.....\$54.95

71-96 Impala, 70-81 Camaro/Firebird, 73-83 Chevelle/Malibu, 73-88 Monte Carlo, 71-81 GTO, 75-79 Nova/Chevy II and S-10 Trucks

Upper GM.....QA11210-104.....\$54.95

Screw-In Style Ball Joint

This patented, self-lubricating design is 100% owner rebuildable and is exclusive to QA1. With multiple stud lengths available, geometry changes can easily be made.

Fits 71-76 Impala, Popular Late Models, Most Wide Type Cars

Lower Gm.....QA11210-102.....\$54.95

Fits Upper and Lower Tapers in Pinto Spindle

Upper Mount...QA11210-105.....\$54.95

Fits 60-66 Imperial, Nearly All Strut Cars and Large Taper Late Models • Lower Mopar

NASCAR • Lower.....QA11210-106.....\$54.95

73-78 Charger, 73-74 GTX, 68-73 Road Runner, 79-80

Duster, Most Modifieds, Most Wide Type Cars

Lower Mopar...QA11210-107.....\$54.95

NASCAR • Upper Nascar...QA11210-111.....\$54.95

Press-In Style Ball Joint

A 100% owner rebuildable design, the Ultimate Ball Joint is a QA1 exclusive. This patented, self-lubricating ball joint is offered with multiple stud lengths, providing for easy geometry changes.

Fits Impala Spindle, Impala Type Mods, Street

Stocks

Lower GM.....QA11210-108.....\$54.95

Fits 70-02 Camaro/Firebird, 73-88 Chevelle/Malibu,

71-96 Impala, 73-88 Monte Carlo, 75-79 Nova/Chevy II, 77-81 GTO, Mini Stocks

Lower GM.....QA11210-109.....\$54.95

Fits 67-69 Camaro/Firebird, 64-72 Chevelle/Malibu,

70-72 Monte Carlo, 68-74 Nova/Chevy II, 64-70 GTO,

Most Popular Modifieds

Lower GM.....QA11210-110.....\$54.95

All Howe, Rayburn, GRT, Warrior, Port City, Popular

LM, Most Wide Type Dirt Cars

Lower.....QA11210-112.....\$54.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Adjustable Centerlinks

Links add strength and adjustability. Correct bump steer with specially designed inserts (available separately or in kits). Insert kits include one each of four different off-sets. Lower center design adds engine oil pan clearance.

Centerlink Metric GM '78-88 ALL56330...\$179.99
Centerlink Camaro '70-81...ALL56331...\$179.99
Insert Kit 0, 1/8", 1/4", 3/8"...ALL56334...\$36.99
Insert 0" Offset (Centered)...ALL56335...\$9.99
Insert 1/8" Offset...ALL56336...\$9.99
Insert 3/8" Offset...ALL56338...\$9.99

Center Links

Brand new center links for many GM applications. Mounting hardware included.

'68-72 Buick Special, Skylark, Grand Sport, '64-72 Chevy Chevelle, El Camino, Monte Carlo, Olds Cutlass, Hurst, 442

ALL56310.....\$47.99

'73-77 Buick Century, Regal, Chevy Chevelle, El Camino, Monte Carlo, Olds Cutlass, Hurst, 442

ALL56311.....\$45.99

'78-81 Buick Century, Regal GN, GNX, '78-88 Chevy Malibu, El Camino, Monte Carlo, '82-86 Pontiac Bonneville, '78-87 Grand Prix

ALL56312.....\$45.99

'77-84 Cadillac Fleetwood, Brougham, Deville, '77-96 Chevy Caprice, Impala, Impala SS, '77-85 Olds Delta 88, '77-81 Pontiac Bonneville, Catalina, '83-86 Parisienne ALL56313.....\$47.99

Inner Tie Rod End

Common taper fits most center-links along with Sweet and other popular steering racks with tapered eyes. Tie rod end has 5/8" RH threads that measure 3-1/2" long. Measures 7" from joint centerline to end of thread.

ALL56200.....\$14.49

Lower A-Frames

Allstar Lower A-Frames fit Port City as well as other racing chassis. Complete with ball joint and rod end.

Left Lower A-Frame.....ALL56180.....\$79.99

Right Lower A-Frame.....ALL56181.....\$79.99

RH - Lower Control Arm...ALL56182.....\$79.99

Lower Control Arm Kits

Univ kits are 2" longer than std arms and must be cut to length before welding slug into place. Ball joint sold separately.

RH Kit, Use With Press-In Ball Joint (ALL56206)

ALL56185.....\$69.99

RH Kit, Use With Screw-In Ball Joint

ALL56187.....\$78.99

Panhard Bar/3rd Link Bkts

Brackets are manufactured with a built-in arch to allow adjustment of the Panhard bar or third link angle without changing the length of the arm. Brackets are 1/8" thick. Sold as a pair.

6 Hole Bkt 5/8" Holes...ALL60163...\$9.99

6 Hole Bkt 3/4" Holes...ALL60165...\$10.79

5 Hole Bkt (Pair).....ALL60167...\$10.89

Panhard Bar Bkt

Weld-on bkt is made from 1/4" steel and has six different 3/4" mount holes for Panhard bar. Measures 8-1/2" tall by 2" wide.

6 Hole Panhard Bracket...ALL60168...\$16.99



Ball Joint Holders

Holder are ideal for the racers who fabricate their own A-arms. The holders have a 5/8" male RH thread and a 3/8" hole which is commonly used with a clevis. Holders accept Screw-in Ball Joints, which are sold separately

Angled Stud, Angled Tab, Std Spread

LH.....ALL56290...\$21.49

RH.....ALL56292...\$21.49

Angled Stud, Angled Tab, Wide Spread

LH.....ALL56294...\$21.49

RH.....ALL56295...\$21.49

Universal Straight Stud, Straight Tab, Wide Spread

ALL56296.....\$21.49

5/8" RH Steel Clevis (Commonly Needed)

ALL56194.....\$14.29

Screw-In Ball Joint.....ALL56214...\$18.59

Adjustable

Panhard / J-Bar w/Rubber Center

It has a rubber center to cushion side loading and improve handling. Bar is 1-1/2" diameter steel tubing. Center-to-center length adjusts from 18-1/2" to 23".

ALL56157.....\$109.99

Seals-it

Rod End Seals

Keep dirt out of your rod ends. Sold in package of 6.

5/16" Seals.....SEAWS31256PK...\$12.36

3/8" Seals.....SEAWS3750.....\$10.95

7/16" Seals.....SEAWS4375.....\$10.95

1/2" Seals.....SEAWS5001.....\$10.95

5mm Seals.....SEAWS5MM6PK...\$14.22

5/8" Seals.....SEAWS6250.....\$12.95

3/4" Seals.....SEAWS7500.....\$13.95



Pull Bar

Cover

• Length: 7" • Material: Denier • Circumference: 15-3/4" OUT30-2608-01.....\$23.95



UMP Tubular

Lower Control Arms

They are made with 1-1/4" D.O.M. tubing for max strength. Black powder coated with high quality rod ends, arms accept stock replacement ball joints. Conventional springs must be mounted with the closed end seated in the control arm and the open end in the upper spring cup.

RH, '68-72 Chevelle.....ALL56320.....\$149.99

LH, '68-72 Chevelle.....ALL56321.....\$149.99

RH, '68-74 Nova.....ALL56323.....\$149.99

LH, '68-74 Nova.....ALL56324.....\$149.99



Ball Joint Socket

Installing ball joints has never been easier. They are machined out of steel, zinc plated and accepts a 1/2" drive ratchet or breaker bar. Now you don't have to use that big old clumsy Crescent wrench.

Upper.....JOE40050.....\$44.95

Lower.....JOE40075.....\$44.95

Upper Link Brackets

Weld-on brackets have curved 3/4" slots to maintain pinion angle as the 3rd link is raised or lowered. Both brackets are notched for 1-3/4" round tubing and are 3/16" thick.

5-1/2" Upper Link Bkt.....ALL60065.....\$28.99

8-5/8" Upper Link Bkt.....ALL60066.....\$25.99

Quick Change

Upper Link Brackets

Bracket bolts to top of quick change and accepts upper link. ALL60154 is 1/4" thick, gold anodized alum and has a 3/4" x 4-1/2" slot for quick adjustment. ALL60150 is steel with three 3/4" holes, 3" to the rear for forward traction. ALL60156 is 1/4" thick steel with multiple holes, popular on modifieds. Sold in pairs.

Steel w/3 Holes.....ALL60150...\$36.99

Aluminum w/4-1/2" SlotALL60154...\$49.99

Steel w/Multiple Holes .ALL60156...\$59.99

Upper Link Bracket Kit

Bracket bolts to top of most quick change rearends to provide mounting locations for upper link and 90/10 shocks. Made 1/4" alum, each bracket kit includes Grade 8 mounting hardware and aluminum sleeve spacers that can be cut to position upper link and shocks.

ALL60155.....\$79.99

9" Ford Upper Link Brackets

They provide a mounting point for upper link. Weld-on bkts fit std steel Ford housings. Bkts have 1" dia holes unless noted.

Weld-On Upper Link Bkt (2 Required, Sold Individually)...ALL60160.....\$13.99

Weld-On Upper Link Bkt (1 Required)
ALL60161.....\$49.99

Weld-On Upper Link Bkts, 3/4" Dia. Holes (2-Pack).....ALL60166.....\$23.99

Steel Control Arm Bushings

They replace stock rubber bushings and eliminate deflection, a common problem with original equipment bushings.

Lower Control Arm Bushing

Apps Chevelle, Mont Carlo, GM Int Hole

Description.....Length..Size

1.345" '64-66 (Front)**..2.100"...500".ALL56230...\$16.99

1.345" '67-74 (Front).....2.100"...500".ALL56230...\$16.99

1.645" '64-66 (Front)*...2.100"...500".ALL56232...\$16.99

1.645" '75-77 (Front).....2.100"...500".ALL56232...\$16.99

1.645" '64-72 (Rear).....2.100"...500".ALL56232...\$16.99

1.645" '78-88 (Rear).....2.100"...500".ALL56232...\$16.99

1.645".....2.100"...562".ALL56233...\$16.99

1.900" '73-77 (Rear).....2.100"...500".ALL56234...\$16.99

1.900".....2.100"...562".ALL56235...\$16.99

1.440" '78-88 (Front).....2.750"...500".ALL56236...\$16.99

Camaro, Firebird

1.345" '67-74 (Front).....2.100"...500".ALL56230...\$16.99

1.645" '75-Up (Front).....2.100"...500".ALL56232...\$16.99

1.645" '67-72 (Rear).....2.100"...500".ALL56232...\$16.99

1.900" '73-88 (Rear).....2.100"...500".ALL56234...\$16.99

Upper Control Arm Bushing Apps

Chevelle, Mont Carlo, GM Int

1.275" '67-72 (All).....1.250"...675".ALL56238...\$11.69

1.530" '78-88 (All).....1.500"...695".ALL56240...\$11.69

1.394" '73-77 (Front).....1.500"...690".ALL56242...\$11.69

1.311" '73-77 (Rear).....1.425"...690".ALL56244...\$11.69

Camaro, Firebird

1.275" '67-69 (All).....1.250"...675".ALL56238...\$11.69

1.394" '74-79 (Front).....1.500"...690".ALL56242...\$11.69

1.311" '74-79 (Rear).....1.425"...690".ALL56244...\$11.69

* 1st Design ** 2nd Design

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

BUY ONE PIECE OR IN BULK

3/16" Oval Head

Grip	Steel
.250 grip	PAN3250..\$1.49
.300 grip	1.49.....\$1.49
.400 grip	PAN3400..\$1.52



1/4" Oval Head

Grip	Steel
.250 grip	PAN4250..\$1.49
.400 grip	PAN4400..\$1.52
.550 grip	PANA4550..\$1.69 Aluminum



5/16" Oval Head

Grip	Steel	Aluminum	Aluminum Black
.350 grip	PAN5350..\$1.49	PANA5400..\$1.63	
.400 grip	PAN5400..\$1.32	PANA5450..\$1.63	
.450 grip	PAN5450..\$1.34	PANA5500..\$1.63	
.500 grip	PAN5500..\$1.46	PANA5550..\$1.69	PANABK5500 \$1.69
.550 grip	PAN5550..\$1.57	PANA5600..\$1.73	
.600 grip	PAN5600..\$1.57	PANA5650..\$1.73	
.650 grip	PAN5650..\$1.61		



5/16" Big Oval Steel

Grip	Steel
.400 grip	PANBIG-5400..\$1.87
.450 grip	PANBIG-5450..\$1.93
.500 grip	PANBIG-5500..\$1.96



Grip	Steel Black NEW
.450 grip	PANBK6450..\$2.09
.500 grip	PANBK6500..\$2.09
.600 grip	PANBK6600..\$2.15

7/16" Oval Head

Grip	Steel	Aluminum	Aluminum Black
.400 grip	PAN6400..\$1.35	PANA6400..\$1.47	
.450 grip	PAN6450..\$1.35	PANA6450..\$1.51	PANABK6450..\$1.79
.475 grip	PAN6475..\$1.35		
.500 grip	PAN6500..\$1.35	PANA6500..\$1.54	PANABK6500..\$1.83
.550 grip	PAN6550..\$1.38	PANA6550..\$1.54	PANABK6550..\$2.11
.600 grip	PAN6600..\$1.38	PANA6600..\$1.63	PANABK6600..\$2.13
.650 grip	PAN6650..\$1.50	PANA6650..\$1.79	
.750 grip	PAN6750..\$1.63	PANA6750..\$1.83	
1.000 grip	PAN6100..\$1.86	PANA6100..\$1.96	

7/16" Big Oval

Grip	Steel	Aluminum
.450 grip	PANBIG-6450..\$1.93	PANBIG-A6450..\$1.98
.500 grip	PANBIG-6500..\$1.93	PANBIG-A6500..\$1.98
.550 grip		PANBIG-A6550..\$2.10
.600 grip	PANBIG-6600..\$1.98	PANBIG-A6600..\$2.12
.650 grip	PANBIG-6650..\$2.01	
.750 grip	PANBIG-6700..\$2.05	
Black		
.500 grip	PANBIG-BK6500..\$2.51	
.550 grip	PANBIG-ABK6550..\$2.65	
.600 grip	PANBIG-BK6600..\$2.54	



5/16" Flush Head

Grip	Steel	Aluminum
.400 grip	PANF5400..\$1.49	PANFA5400..\$1.56
.450 grip	PANF5450..\$1.49	PANFA5450..\$1.60
.500 grip	PANF5500..\$1.52	PANFA5500..\$1.63
.550 grip	PANF5550..\$1.51	PANFA5550..\$1.66
.600 grip	PANF5600..\$1.54	PANFA5600..\$1.66
.650 grip	PANF5650..\$1.54	PANFA5650..\$1.69



7/16" Flush Head

Grip	Steel	Aluminum
.400 grip	PANF6400..\$1.40	PANFA6400..\$1.63
.450 grip	PANF6450..\$1.43	PANFA6450..\$1.66
.500 grip	PANF6500..\$1.43	PANFA6500..\$1.66
.550 grip	PANF6550..\$1.46	PANFA6550..\$1.66
.600 grip	PANF6600..\$1.49	PANFA6600..\$1.73
.650 grip	PANF6650..\$1.61	PANFA6650..\$1.76



7/16" Allen Flush

Grip	Steel	Aluminum
.400 grip	PANBF6400..\$1.50	PANBFA6400..\$1.63
.450 grip	PANBF6450..\$1.50	PANBFA6450..\$1.66
.500 grip	PANBF6500..\$1.50	PANBFA6500..\$1.66
.550 grip	PANBF6550..\$1.53	PANBFA6550..\$1.71
.600 grip	PANBF6600..\$1.55	PANBFA6600..\$1.76
.650 grip	PANBF6650..\$1.57	PANBFA6650..\$1.76



5/16" Allen Oval

Grip	Steel
.400 grip	PANB5400..\$1.40
.450 grip	PANB5450..\$1.54
.500 grip	PANB5500..\$1.54



7/16" Allen Oval

Grip	Steel	Aluminum
.400 grip	PANB6400..\$1.54	PANBA6450..\$1.69
.450 grip	PANB6450..\$1.54	PANBA6500..\$1.73
.500 grip	PANB6500..\$1.57	PANBA6550..\$1.76
.550 grip	PANB6550..\$1.57	PANBA6600..\$1.76
.600 grip	PANB6600..\$1.63	
.650 grip	PANB6650..\$1.63	
.750 grip	PANB6750..\$1.66	
1.00 grip	PANB6100..\$1.75	
.500 grip	Alum Black: PANBARK6500..\$2.08 • Alum Red: PANBARD6500..\$2.08	



3000 Series - 3/16" Oval Head Undercut

Grip	Steel
.300 grip (.050 undercut)	PANU3300..\$1.46

1/4" Nylon Washers
.31 Thickness PAN 8414



FASTENERS
SHOWN IN
ACTUAL SIZE



4000 Series 1/4" Oval Head Undercut

Grip	Steel	Aluminum
.400 grip (.050 undercut)	PANU4400..\$1.51	PANUA4400..\$1.61
.500 grip (.050 undercut)	PANU4500..\$1.57	PANUA4500..\$1.66
.550 grip (.275 undercut)		PANUA4550-275..\$1.82

5/16" Nylon Washers
.31 Thickness PAN8415
\$0.23




5000 Series 5/16" Oval Head Undercut

Grip	Steel	Aluminum
.300 grip	PANU5300..\$1.49	
.350 grip	PANU5350..\$1.49	
.400 grip	PANU5400..\$1.52	PANUA5400..\$1.63
.450 grip	PANU5450..\$1.54	PANUA5450..\$1.63
.500 grip	PANU5500..\$1.54	PANUA5500..\$1.66
.550 grip	PANU5550..\$1.57	PANUA5550..\$1.69
.600 grip	PANU5600..\$1.57	PANUA5600..\$1.73
.650 grip	PANU5650..\$1.61	PANUA5650..\$1.73
.750 grip	PANU5750..\$1.63	PANUA5750..\$1.79
.900 grip	PANU5900..\$1.68	PANUA5900..\$1.86



3/8" Nylon Washers
.31 Thickness PAN8416
\$0.14



5/5000 Series 3/8" Oval Head Undercut

Grip	Steel	Aluminum
.400 grip .150"	PANU5/5400.....\$1.54	PANUA5/5400..\$1.63
.500 grip .150"	PANU5/5500.....\$1.54	PANUA5/5500..\$1.66
.500 grip .190"	PANU5/5500-190..\$1.54	
.500 grip .238"	PANU5/5500-238..\$1.54	
.600 grip .150"	PANU5/5600.....\$1.54	PANUA5/5600..\$1.69
.700 grip .350"	PANU5/5700-350..\$1.57	
.900 grip .150"	PANU5/5900.....\$1.61	PANUA5/5900..\$1.79



7/16" Nylon Washers
.31 Thickness PAN 8417
\$0.21



6000 Series 7/16" Oval Head Undercut

Grip	Steel	Aluminum
.400 grip	PANU6400..\$1.54	PANUA6400..\$1.66
.450 grip	PANU6450..\$1.54	PANUA6450..\$1.69
.500 grip	PANU6500..\$1.54	PANUA6500..\$1.73
.550 grip	PANU6550..\$1.54	PANUA6550..\$1.73
.600 grip	PANU6600..\$1.54	PANUA6600..\$1.76
.650 grip	PANU6650..\$1.63	PANUA6650..\$1.79
.750 grip	PANU6750..\$1.66	PANUA6750..\$1.83
.900 grip	PANU6900..\$1.72	PANUA6900..\$1.89
.500 grip	Flush NEW	PANFAU6500..\$1.69



5/16" Nylon Washers
.31 Thickness PAN8415
\$0.23



5/16" Allen Head Undercut

Grip	Steel
.450 grip	PANBU5450..\$1.54
.500 grip	PANBU5500..\$1.54
.600 grip	PANBU5600..\$1.57
.650 grip	PANBU5650..\$1.61



7/16" Nylon Washers
.31 Thickness
PAN8417
\$0.14



7/16" Big Head Oval Alum Undercut

Grip	Aluminum
.450 grip	PANBIG-UA6450.....\$1.99



7/16" Allen Big Oval

Grip	Aluminum
.500 grip	PANBIG-BA6500.....\$2.07 Silver
.500 grip	PANBIG-BABK6500....\$2.60 Black



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



BUY ONE PIECE OR IN BULK

5/16" Winged Oval

Grip	Steel
.400 grip	PANW5400..\$2.05
.450 grip	PANW5450..\$2.08
.500 grip	PANW5500..\$2.08
.550 grip	PANW5550..\$2.11
.600 grip	PANW5600..\$2.11
.650 grip	PANW5650..\$2.13



7/16" Winged Oval

Grip	Steel
.400 grip	PANW6400..\$2.20
.450 grip	PANW6450..\$2.20
.500 grip	PANW6500..\$2.08
.550 grip	PANW6550..\$2.22
.600 grip	PANW6600..\$2.26
.650 grip	PANW6650..\$2.28



7/16" Winged Flush

Grip	Steel
.450 grip	PANBKW6450..\$2.75 - Black
.500 grip	PANWF6500..\$2.20
.550 grip	PANWF6550..\$2.20



1/4" Nylon Washers
.31 Thickness PAN8414..\$0.23

D-Ring Undercut 1/4" Stud

Grip	Aluminum	Black
.400 grip	PANDRAU4400..\$3.85	PANDRAU4400BK..\$4.40
.500 grip	PANDRAU4500..\$3.85	PANDRAU4500BK..\$4.40



1" Steel Panel Spring

Grip	Gold	Stainless Steel
.200 total grip	PANS5200..\$0.60	PANSSS5200..\$0.60
.225 total grip	PANS5225..\$0.60	PANSSS5225..\$0.60
.250 total grip	PANS5250..\$0.60	PANSSS5250..\$0.60
.275 total grip	PANS5275..\$0.60	PANSSS5275..\$0.60
.300 total grip	PANS5300..\$0.60	PANSSS5300..\$0.60
.325 total grip	PANS5325..\$0.60	PANSSS5325..\$0.60
.350 total grip	PANS5350..\$0.60	PANSSS5350..\$0.60
.375 total grip	PANS5375..\$0.60	PANSSS5375..\$0.60



1 3/8" Steel Panel Spring

Grip	Gold	Stainless Steel
.225 total grip	PANS6250..\$0.60	PANSSS6225..\$0.60
.250 total grip	PANS6250..\$0.60	PANSSS6250..\$0.60
.275 total grip	PANS6275..\$0.60	PANSSS6275..\$0.55
.300 total grip	PANS6300..\$0.60	PANSSS6300..\$0.60
.325 total grip	PANS6325..\$0.60	PANSSS6325..\$0.60
.350 total grip	PANS6350..\$0.60	PANSSS6350..\$0.60
.375 total grip	PANS6375..\$0.60	PANSSS6375..\$0.60



.375 total grip PANS6375SV..\$0.60 - Silver NEW

.400 total grip PANS6400..\$0.60 PANSSS6400..\$0.60

.425 total grip PANS6425..\$0.60 PANSSS6425..\$0.60

.425 total grip PANS6425SV..\$0.60 - Silver NEW

5/8" Stainless Steel Panel Spring

PANSSS3175..\$0.60	5/8" spring .175 total grip
PANSSS3225..\$0.60	5/8" spring .225 total grip



Use with 3/32" Rivets

3/4" Stainless Steel Panel Spring

PANSSS4200..\$0.60	3/4" spring .200 total grip
PANSSS4250..\$0.60	3/4" spring .250 total grip



Use with 3/32" Rivets

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

5/16" Winged Self-Eject

Grip	Steel
.400 grip	PANEW5400..\$3.91
.450 grip	PANEW5450..\$3.91
.500 grip	PANEW5500..\$3.91
.550 grip	PANEW5550..\$3.91
.600 grip	PANEW5600..\$3.96
.650 grip	PANEW5650..\$3.98


7/16" Winged Self-Eject

Grip	Steel
.400 grip	PANEW6400..\$4.06
.450 grip	PANEW6450..\$4.09
.500 grip	PANEW6500..\$4.14
.550 grip	PANEW6550..\$4.14
.600 grip	PANEW6600..\$4.17
.650 grip	PANEW6650..\$4.21

5/16" Self-Eject

Grip	Steel
.400 grip	PANE5400..\$2.74
.450 grip	PANE5450..\$2.77
.500 grip	PANE5500..\$2.82
.550 grip	PANE5550..\$2.82
.600 grip	PANE5600..\$2.85
.650 grip	PANE5650..\$2.89
.700 grip	PANE5700..\$3.36
.750 grip	PANE5750..\$3.36
.800 grip	PANE5800..\$3.39
.850 grip	PANE5850..\$3.39
1.00 grip	PANE51100..\$3.87

Grip	Aluminum
.500 grip	PANEA5500..\$3.30
.550 grip	PANEA5550..\$3.30



Grip	Aluminum Black
.450 grip	PANEABK5450..\$3.95
.500 grip	PANEABK5500..\$3.96
.550 grip	PANEABK5550..\$4.13
.600 grip	PANEABK5600..\$4.13
.650 grip	PANEABK5650..\$4.13
.700 grip	PANEABK5700..\$4.13
1.100 grip	PANEABK51100..\$4.40

7/16" Self-Eject

Grip	Steel
.400 grip	PANE6400..\$3.28
.450 grip	PANE6450..\$3.28
.500 grip	PANE6500..\$2.85
.550 grip	PANE6550..\$2.89
.600 grip	PANE6600..\$2.93
.650 grip	PANE6650..\$3.16
.700 grip	PANE6700..\$3.39
.750 grip	PANE6750..\$3.43

Grip	Aluminum	Aluminum Black
.400 grip	PANEA6400..\$3.30	
.450 grip	PANEA6450..\$3.30	
.500 grip	PANEA6500..\$3.30	PANEABK6500..\$4.13
.550 grip	PANEA6550..\$3.31	PANEABK6550..\$4.13
.600 grip	PANEA6600..\$3.31	PANEABK6600..\$4.13
.650 grip	PANEA6650..\$3.31	PANEABK6650..\$4.29
.700 grip	PANEA6700..\$3.01	PANEABK6700..\$4.29



5/16" Allen Self-Eject

Grip	Steel
.500 grip	PANBE5500..\$3.23
.550 grip	PANBE5550..\$3.23

5/16" Allen Self-Eject - Black

Grip	Aluminum
.500 grip	PANBEABK5500..\$4.10
.550 grip	PANBEABK5550..\$4.13
.600 grip	PANBEABK5600..\$4.174.17



7/16" Allen Self-Eject

Grip	Steel
.500 grip	PANBE6500..\$3.31
.550 grip	PANBE6550..\$3.36
.600 grip	PANBE6600..\$3.36

7/16" Allen Self-Eject

Grip	Gold
.500 grip	PANBE6500G..\$3.36
.550 grip	PANBE6550G..\$3.36

7/16" Allen Self-Eject

Grip	Aluminum
.400 grip	PANBEA6400..\$3.30
.450 grip	PANBEA6450..\$3.30
.500 grip	PANBEA6500..\$3.30
.550 grip	PANBEA6550..\$3.34
.600 grip	PANBEA6600..\$3.39
.650 grip	PANBEA6650..\$3.42



Black - PANBEABK6500..\$4.07
Black - PANBEABK6550..\$4.07
Black - PANBEABK6600..\$4.24

BUY ONE PIECE OR IN BULK

Weld Plates

1/4" Weld Plate 3/4" Spring

Steel Plates are .060 thick. Unless Noted.


Plates are .090 material.



PAN8041..\$0.63
PAN8041A..\$0.81



PAN8042..\$0.63
PAN8042A..\$0.81




PAN8040..\$0.63



Countersunk Center
PAN8350-90..\$1.26
FlatCenter
PAN8350-90..\$1.26

5/16" Self Eject 1" Spring



PAN8130
\$0.63



PAN8131
\$0.63



PAN8132 \$0.63
PAN8132A..\$0.81




PAN8350..\$0.68



PAN8130-E5 \$0.98



PAN8100-E5
\$0.98



PAN8131-E5 \$0.98



PAN8140
\$0.96

7/16" Weld Plate 1-3/8" Spring



PAN8200A090..\$0.81 (.090 material)
PAN8200A120..\$0.95 (.120 material)



PAN8220A090 \$0.81 (.090 material) Alum
PAN8220-090 \$0.81 (.090 material) Steel
PAN8220-075 \$0.81 (.075 material) Steel



PAN8121
\$0.72

For 5/16" Self Eject 1" Spring

3/16" Weld Plate 5/8" Spring



PAN8030..\$0.63

7/16" Self-Eject Weld Plates For 1-3/8" Spring



PAN8215..\$0.63



PAN8224..\$0.63



PAN8214..\$0.63

Plates are .060 material.

For 1" or 1-3/8" Spring




PAN8122
\$0.96

For 5/16" Self Eject 1" Spring


Weld Plates for 5/16" Fasteners for 1" Springs

Steel Plates are .060 thick. Unless Noted.



Flat Weld Plates for 7/16" Fasteners 1-3/8" Springs

Steel Plates are .060 thick. Unless Noted.



Dimpled Weld Plates for 7/16" Fasteners 1-3/8" Springs



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

PANELfast



Body Studs w/Plunge Slot

1/2" Thread Height
1" Head: 1/4-20-1/2" Stud
1-1/4" Head: 1/4-20-1/2" Stud

Steel
PAN9S160408C.....\$1.97

Aluminum
PAN9A160408C.....\$2.02
PAN9A200408C.....\$2.51

Aluminum (Black)
PAN9ABK160408C.....\$2.63

3/4" Thread Height
1" Head: 1/4-20-3/4" Stud
1-1/4" Head: 1/4-20-3/4" Stud

Steel
PAN9S160412C.....\$2.15

Aluminum
PAN9A160412C.....\$2.27
PAN9A200412C.....\$2.85

Aluminum (Black)
PAN9ABK160412C.....\$2.85
PAN9ABK200412C.....\$3.42

1" Thread Height
1" Head: 1/4-20-1" Stud
1-1/4" Head: 1/4-20-1" Stud

Steel
PAN9S160416C.....\$2.30

Aluminum
PAN9A160416C.....\$2.49
PAN9A200416C.....\$3.18


Aluminum (Black)
PAN9ABK160416C.....\$3.06
PAN9ABK200416C.....\$3.78

1-1/4" Thread Height
1" Head: 1/4-20-1-1/4" Stud
1-1/4" Head: 1/4-20-1-1/4" Stud

Steel
PAN9S160420C.....\$2.49
PAN9S200420C.....\$3.11

Aluminum
PAN9A160420C.....\$2.70
PAN9A200420C.....\$3.53

Aluminum (Black)
PAN9ABK160420C.....\$3.30
PAN9ABK200420C.....\$4.11



Plunge Slot Buttons

A.) Plunge Slot Steel Oval Head

7/16" Steel Oval Head .400".....PANP6400.....\$1.54
7/16" Steel Oval Head .450".....PANP6450.....\$1.54
7/16" Steel Oval Head .500".....PANP6500.....\$1.57
7/16" Steel Oval Head .550".....PANP6550.....\$1.61
7/16" Steel Oval Head .600".....PANP6600.....\$1.61
7/16" Steel Oval Head .600".....PANP6650.....\$1.63

B.) Plunge Slot Aluminum Oval Head

7/16" Alum Oval Head .500".....PANAP6500.....\$1.73
7/16" Alum Oval Head .500" Black.....PANAPBK6500.....\$2.08

C.) Plunge Slot Aluminum Big Oval Head

7/16" Alum Big Oval Head .500".....PANBIG-AP6500.....\$2.05
7/16" Alum Big Oval Head .500" Black.....PANBIG-APBK6500.....\$2.63

D.) Plunge Slot Undercut


3/8" Undercut .150" Alum Oval .500".....PANUA5/5500P.....\$1.66
3/8" Undercut .150" Alum Oval .500" Black.....PANUA5/5500PBK.....\$2.28
7/16" Undercut Alum Oval .600".....PANPUA6600.....\$1.56

E.) Plunge Slot Taper Undercut

7/16" Undercut Taper Alum Oval .550" Grip.....PANPUA6550TAPER ..\$1.76

F.) Plunge Flush Slot Aluminum Taper Undercut

7/16" Undercut Flush Taper Alum Oval .500".....PANPFUA6500DSR\$1.66



Plunge Buttons have a deeper slot in the button.



Panel Spring Adjuster

It pulls in both directions. We have always been told "The right tool, for the right job." But for years there was never the right tool to adjust your Panel springs. Push on them with a screwdriver and it would kink and weaken the spring, grip with a pair of pliers and again you would crimp and weaken the spring. Worse you would break the spring and have to drill it out and put in another. It pulls the spring evenly like a panel button so you don't get kinks, or worse, breaks. The panel spring adjuster is quick and easy to use, lightweight, and durable. This is a must have tool for any racing tool box.

Panel Spring Adjuster.....PAN7602.....\$48.00
Replacement Shaft.....PAN7603.....\$22.00

PAN7603



PANELfast

Panelfast Dual Purpose 7/16" Slotted and Hex Tool

Made specifically to be used with Behrent's own Panelfast line. It has hex on one side and 7/16" slotted on the other. It is small enough to fit in your back pocket.

PAN7606.....\$12.95



Quick Fastener Wrench w/Easy Grip Handle

Removing and installing 1/4-turn fasteners just got quicker. Features an easy grip handle and redesigned steel shank plated with black zinc for durability.

Slotted Wrench.....MOR71606..\$20.68
3/16" Hex Drive Wrench ..MOR71607...\$18.30



Drill Bits

Ideal for sinking flush-mount quick fasteners. The 2 piece steel tool dimples a single metal panel using one end and a double panel using the other. Zinc plated.

1/8"-1/2" Step Drill 1/4" Shank 13 Step
BSC80110...\$12.50

3/16"-7/8" Step Drill 3/8" Shank 12 Step
BSC80112...\$18.56



Quick Fastener Wrench w/Easy Grip Handle BSC

Removing and installing 1/4-turn fasteners just got quicker. Features an easy grip handle and redesigned steel shank plated with black zinc for durability.

Wrench Black.....BSC90008.....\$12.00
Wrench Green.....BSC90008-GR.....\$12.00



Step Drill Set

Drill multiple size holes with one bit. Drill sheet metal and alum w/o deforming or distorting. Bits start on contact, deburr and chamfer while drilling and do not require a center punch. Titanium nitride coated high speed steel. 1/4" hex shank.

• 6 step bit drills: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".
• 9 step bit drills: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4".
• 13 step bit drills: 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2".
Step Drill Set...ALL11040.....\$18.99



Fastener Wrench

Manufactured of zinc plated spring steel with 3 different sized radii to match the slots in various 1/4-turn fasteners. Includes non-slip, plastic hand grip
MOR71600.....\$6.48



Fastener Sinking Tool

Ideal for sinking flush-mount quick fasteners. The 2 piece steel tool dimples a single metal panel using one end and a double panel using the other. Zinc plated.
MOR71605...\$41.13



Deburring Tool

A fast and easy way to remove burrs from the edges of machined or cut metals. Comes with 2 Blades.
BSC90009.....\$8.00



Deburring Tool

5 piece kit includes handle, telescopic blade holder and three unique blades. Handle has built-in storage for blades. Blade holder adjusts from 1" to 5".... ALL11036...\$18.99



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



POP PS-15 Rivet Pliers

Includes nose pieces for 3/32", 1/8", 5/32", & 3/16" rivets. Wrench stores inside handle for changes.
BSC90002...\$28.00



Rivets (Box of 250)

3/16" Dia.	x 3/8" Grip	x 3/8" Head - Exploding	Colors: Black, Mill, Red, White, Chev Blue, Flat Black, Orange, Pepsi-Blue, & Yellow	...BSC90030(color)	\$27.78	...\$24.74
3/16" Dia.	x 3/8" Grip	x 5/8" Head - Exploding	Colors: Black, Mill, Red, White, Chev Blue, Flat Black, Orange, Pepsi-Blue, & Yellow	...BSC90031(color)	\$35.20	...\$30.10
3/16" Dia.	x 3/8" Grip	x 1/2" Head - Exploding	Colors: Black, Mill, & White	...BSC90032(color)	\$33.54	...\$31.88
3/16" Dia.	x 3/8" Grip	x 3/8" Head	Colors: Black, Mill, Red, White, Chev Blue, Flat Black, Orange, Pepsi-Blue, & Yellow	...BSC90033(color)	\$13.73	...\$12.45
3/16" Dia.	x 3/8" Grip	x 5/8" Head - Multi Grip	Colors: Black, Mill, Red, White, Chev Blue, Flat Black, Orange, Pepsi-Blue, & Yellow	...BSC90034(color)	\$19.16	...\$17.58
1/8" Dia.	x 3/8" Grip	x 1/4" Head Alum/Steel	Colors: Black, Mill, & White	...BSC90035(color)	\$8.70	...\$7.98
1/8" Dia.	x 3/8" Grip	x 3/8" Head Alum/Steel	Colors: Black, Mill, Red, White, & Chev Blue	...BSC90036(color)	\$12.30	...\$9.48
3/16" Dia.	x 1/2" Grip	x 1/2" Head Alum/Steel	Colors: Black, Mill, Red, & White	...BSC90037(color)	\$16.57	...\$16.02
3/16" Dia.	x 3/4" Grip	x 3/8" Head Alum/Steel	Colors: Black, Mill, & White	...BSC90038(color)	\$25.16	...\$19.95
3/16" Dia.	x 1/2" Grip	x 5/8" Head Alum/Steel	Colors: Black, Mill, Red, & White	...BSC90039(color)	\$24.40	...\$22.64
3/4" Dia.	x 5/8" Grip	x 3/16" Head	Colors: Black, Mill, & White	...BSC90040(color)	\$28.21	...\$25.38

RT-66 Pneumatic Rivet Tool

Big Power in a little package * Rivet Setting
Capacity: Steel 3/32", 1/8", 5/32", 3/16"
Aluminum 3/32", 1/8", 5/32" & 3/16"
- Stainless Steel (3/32", 1/8", 5/32")
• Nosepieces Included (3/32", 1/8", 5/32" & 3/16")
• Traction Power: 1300 lbs • Air Inlet: 1/4"
• Length: 7.7" • Weight: 2.8 lbs
BSC90005...\$78.95



Air Rivet Gun

Used with steel or alum rivets from 3/32" to 3/16".
ALL18207...\$83.99



Thin Locknut Kit

This kit includes the following nylon - inserted locknuts in a compartment plastic case.

Coarse	Fine
• 1/4"-20 (30)	• 1/4"-28 (30)
• 5/16"-18 (25)	• 5/16"-24 (25)
• 3/8"-16 (20)	• 3/8"-24 (20)
• 7/16"-14 (15)	• 7/16"-20 (15)
• 1/2"-13 (15)	• 1/2"-20 (15)

Full Locknut Kit

This kit includes the following nylon - inserted locknuts in a compartment plastic case.

Coarse	Fine
• 1/4"-20 (25)	• 1/4"-28 (25)
• 5/16"-18 (20)	• 5/16"-24 (20)
• 3/8"-16 (20)	• 3/8"-24 (20)
• 7/16"-14 (15)	• 7/16"-20 (15)
• 1/2"-13 (12)	• 1/2"-20 (12)

AN Washer Kit Stainless

This kit includes the following stainless steel washers in a compartment plastic case.

Std (.060)	Thin (.030)
• 1/4" AN (35)	• 1/4" AN (35)
• 5/16" AN (35)	• 5/16" AN (35)
• 3/8" AN (30)	• 3/8" AN (30)
• 7/16" AN (25)	• 7/16" AN (25)
• 1/2" AN (20)	• 1/2" AN (20)

Cap and Plug Plastic Kits (72 Piece)

This kit is labeled resealable in a clear plastic bag.

• #3 Caps (6)	• #3 Plugs (6)
• #4 Caps (6)	• #4 Plugs (6)
• #6 Caps (6)	• #6 Plugs (6)
• #8 Caps (6)	• #8 Plugs (6)
• #10 Caps (6)	• #10 Plugs (6)
• #12 Caps (6)	• #12 Plugs (6)

Cap and Plug Plastic Kits (156 Piece)

This kit contains the following in a clear case w/a snap shut lid. Each size has its own compartment.

• #3 Caps (12)	• #3 Plugs (12)
• #4 Caps (12)	• #4 Plugs (12)
• #6 Caps (12)	• #6 Plugs (12)
• #8 Caps (12)	• #8 Plugs (12)
• #10 Caps (12)	• #10 Plugs (12)
• #12 Caps (12)	• #12 Plugs (12)
• #16 Caps (6)	• #16 Plugs (6)



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Cordless Rivet Tool

14.4 Volt DC, 0.82" pulling stroke,
2,023 lb. pulling force, pulling capacity up to 3/16" alum/steel blind rivets.
Tool comes with 4 nosepieces, 2 - 14.4 volt/1.5 Ah Li-ion battery packs, 120 Volt battery charger, Spanner wrench (3 in 1), tool weight w/battery 2.78 lbs., packed in black blow molded carrying case.
BSC90004...\$349.50



Threaded Insert Adapter Tool

For #6, #8, #10, 1/4"-20" Inserts
BSC90050...\$77.52



Rivet Adapter Tool For Cordless Drill

Use with 3/32", 1/8", 5/32", and 3/16" Rivets
BSC90052...\$74.20



Jet Nut Kit

Includes the following jet nuts in a compartment plastic case.
• 10-32 (10) • 1/4"-28 (10)
• 5/16"-24 (10) • 3/8"-24 (10)
BSCFS-12...\$29.95



Black Locknut Kit Thin Ht

Includes the following locknuts - inserted locknuts in a plastic case.

Fine
• 10"-32 (30) • 1/4"-28 (30)
• 5/16"-24 (25)
• 3/8"-24 (20) • 1/2"-20 (20)

BSCFS-15...\$20.95




Stover Locknut Kit

This kit includes the following all metal locknuts - in a compartment plastic case.

Fine Thread
• 1/4"-28 (25) • 5/16"-24 (20)
• 3/8"-24 (20) • 7/16"-20 (15)
• 1/2"-20 (15)

BSCFS-10...\$16.95



Ladder Pin Kits

Steel Standard Kit. Feature:

• 3/8" x 3.7" Pins (2)
• 1/2" x 1.3" Pin (1)

BSCFS-16...\$16.95



Torsion Bolt

Grade 8 with Nut

BSCFS-17...\$4.50

Bumper Bolt Kits

This kit contains:

• 10-32 thin locknuts (12)
• 10-32 x 1-1/2" bumper bolts (12)

Hex Head (Stainless)BSCFS-18...\$5.50

Socket Head (Stainless) .BSCFS-19...\$5.50



Locknuts 1/2"-20

They are a thin series locknut.


(25 Pack) ..BSCFS-20A...\$6.50

(50 Pack) ..BSCFS-20B...\$12.00



Rolled Plastic

Quality 24" wide by .070" thick plastic can be used for spoilers, skirts, body patchwork, etc. Available in 10', 25', and 50' rolls



	10 FT	25 FT	50 FT
Black	...ALL22400	...ALL22401	...ALL22402
	\$91.99	\$91.99	\$91.99
White	...ALL22405	...ALL22406	...ALL22407
	\$103.99	\$103.99	\$103.99

Red	...ALL22410	...ALL22411	...ALL22412
Pepsi Blue	...ALL22415	...ALL22416	...ALL22417
Orange	...ALL22420	...ALL22421	...ALL22422
Yellow	...ALL22425	...ALL22426	...ALL22427
Purple	...ALL22430	...ALL22431	...ALL22432
Chevy Blue	...ALL22440	...ALL22441	...ALL22442
	\$104.99	\$104.99	\$104.99

4' x 8' Plastic Sheets

HDPE sheet plastic is 4' x 8' & available in .100" thicknesses.

.100" Thick White Plastic	...ALL22460	...\$49.99
.100" Thick Black Plastic	...ALL22461	...\$49.99
.100" Thick Red Plastic	...ALL22462	...\$49.99

Tin Snips

Durable tin snips have offset blades to keep hands clear of metal while cutting. Non-slip jaws cut through sheet alum & up to 18 gauge low carbon steel. Blade length 1-1/4", total tool length 9-1/4".
Left Hand Cut, Red GripsALL11030 ...\$25.99
Right Hand Cut, Green Grips .ALL11031 ...\$25.99



Body Bolt Kit

For easy install & removal, have 1/4"-20 thread, are 3/4" long & have a built-in captured washer. Nuts built-in serrations which prevent loosening.
Body Bolt Kit, 10-Pack.....ALL18560\$8.69
Body Bolt Kit, 50-Pack.....ALL18560-50 ...\$34.99



Cleco Pliers

Unique tool easily installs & removes Cleco pins.
ALL18220...\$9.99

Cleco Pins

They allow quick, easy installation and removal of sheet metal during fitting. Pins will work with thicknesses up to 1/4".

1/8" Cleco Pins (10-Pack)ALL18222	...\$8.79
1/8" Cleco Pins (25-Pack)ALL18223	...\$19.99
1/8" Cleco Pins (100-Pack)ALL18224	...\$74.99
3/16" Cleco Pins (10-Pack)ALL18226	...\$8.79
3/16" Cleco Pins (25-Pack)ALL18227	...\$19.99
3/16" Cleco Pins (100-Pack)ALL18228	...\$74.99

Plastic Lower Nose Support

Provides support between the front nose piece and front bumper of Dirt Late Models. 38" long supports are sold per nose half. 8" Width Black Support, 3/8" Thk., 3.7 Lbs.ALL23061\$45.99

Spoiler Brackets

Alum spoiler bkts rivet directly to the rear spoiler and bolt to the side support. Curved slot allows quick spoiler adjustment. Bkts are sold flat & require a 90° bend for LH or RH use. Sold in 2-pks. 6-1/2" Tall Bkts For 8" Spoiler.....ALL23250\$14.99



Gussets

Add support to tubing joints when building roll cages or chassis mts. Solid, 1 or 3 hole gussets are 1-7/8" tall x 1/8" thick. Reinforced gussets are 2-1/8" tall x 1/8" thick with a rolled edge for added strength. 1/8" Gusset Solid, 10-Pack.....ALL22192...\$4.99





Sold Each



Steel Tapered Spacers (Add SPA in front of part # example: SPA0804)

Diameter									
Dia. ID	Dia. (OD)	1/4"	3/8"	1/2"	5/8"	3/4"	1"	1-1/4"	1-1/2"
1/2" ID (1" OD)		0804\$1.38	0806\$1.38	0808\$1.38	0810\$1.65	0812\$1.65	0816\$1.65	0824\$2.09	0828\$2.20
5/8" ID (1" OD)		1004\$1.38	1006\$1.38	1008\$1.38	1010\$1.65	1012\$1.65	1016\$1.65	1024\$2.09	1028\$2.20
3/4" ID (1-1/8" OD)		1204\$1.76		1208\$1.76		1212\$1.76	1216\$1.76	1224\$2.09	

Aluminum Tapered Spacers (Add SPA in front of part # example: SPA0404A)

Diameter									
Dia. ID	Dia. (OD)	1/4"	3/8"	1/2"	5/8"	3/4"	1"		
1/4" ID (1/2" OD)		0404A\$1.10	0406A\$1.10	0408A\$1.10					
5/16" ID (5/8" OD)		0504A\$1.10	0506A\$1.10	0508A\$1.10		0512A\$1.38			
3/8" ID (11/16" OD)		0604A\$1.10		0608A\$1.10		0612A\$1.38	0616A\$1.38		
7/16" ID (3/4" OD)		0704A\$1.10		0708A\$1.10		0712A\$1.38	0716A\$1.38		
1/2" ID (1" OD)		0804A\$1.10		0808A\$1.10		0812A\$1.38	0816A\$1.38		
5/8" ID (1" OD)		1004A\$1.38		1008A\$1.38		1012A\$1.65			
3/4" ID (1-1/8" OD)		1204A\$1.76		1208A\$1.76		1212A\$1.76	1216A\$1.76	1224A\$2.09	

Aluminum Flat Spacers

Aluminum Thickness	1/8" Thick	3/16" Thick	1/4" Thick	5/16" Thick	3/8" Thick	7/16" Thick	1/2" Thick	
3/8" ID x 11/16" OD	SPAF0602A	SPAF0603A	SPAF0604A	SPAF0605A	SPAF0606A	SPAF0607A	SPAF0608A	\$1.10
7/16" ID x 3/4" OD	SPAF0702A	SPAF0703A	SPAF0704A	SPAF0705A	SPAF0706A	SPAF0707A	SPAF0708A	\$1.10
1/2" ID x 1" OD	SPAF0802A	SPAF0803A	SPAF0804A	SPAF0805A	SPAF0806A	SPAF0807A	SPAF0808A	\$1.38

Reducer

Bushings - Steel

Push it into your rod ends to reduce the bore size to meet your bolt size needs.

OD to ID

1/2" - 3/8".....	RED008-06.....	\$1.10
5/8" - 1/2".....	RED010-08.....	\$1.10
3/4" - 1/2".....	RED012-08.....	\$1.10
3/4" - 5/8".....	RED012-10.....	\$1.10




1" Aluminum

Reinforcing Washer for Bolts

1" washer with #10 Tapered Hole.....	PAN8610.....	\$0.77
1" washer for a #10 Bolt.....	PAN8611.....	\$0.88
3/4" #10 Flat Allen Bolt & Lock Nut.....	PAN8612.....	\$0.14
1" #10 Flat Allen Bolt & Lock Nut.....	PAN8613.....	\$0.14

PAN 8610

PAN 8611



1" Aluminum

Reinforcing Washer for Bolts


For a 1/4" Bolt.....	PAN8618.....	\$0.88
For a 1/4" Tapered Bolt.....	PAN8619.....	\$0.75
For a 1/4" Tapered Bolt - Black.....	PAN8619BK.....	\$1.50
For a 1/4" Tapered Bolt - Red.....	PAN8619RD.....	\$1.65

Sold Each

PAN 8618

PAN 8619

PAN 8619BK



PAN 8620

PAN 8620BK

PAN 8625



1-1/4" Aluminum

Reinforcing Washer for Bolts

1-1/4" washer for a 1/4" flat allen bolt.....	PAN8620.....	\$0.80
1-1/4" black washer for 1/4" flat allen bolt.....	PAN8620BK.....	\$1.35
1-1/4" washer for a 5/16" Bolt.....	PAN8625.....	\$0.99

3/4" x 1/4" Flat Allen Bolt & Lock Nut.....	PAN8622.....	\$0.17
3/4" x 1/4" Flat Allen Bolt & Lock Nut - Black.....	PAN8622BK.....	\$0.21

1" x 1/4" Flat Allen Bolt & Lock Nut.....	PAN8623.....	\$0.19
1" x 1/4" Flat Allen Bolt & Lock Nut - Black.....	PAN8623BK.....	\$0.23

Sold Each

Rivet Back Up

Plate and Washers

3/16" Rivet Back Up Alum .074 x 5/8 x 1.5"		
Qty 50.....	BSC90010.....	\$10.50
Bulk Quantity PAN8450.....		\$1.00

Back Up Washers .080" Thick

Aluminum (Qty 100)		
1/8"- Rivet x 1/2" : Dia	BSC90015.....	\$10.00
3/16"- Rivet x 1/2" : Dia	BSC90011.....	\$10.00
3/16"- Rivet x 5/8" : Dia	BSC90012.....	\$8.40
3/16"- Rivet x 1" : Dia	BSC90014.....	\$10.50



PAN 8201-1/4-20

PAN 8201-5/16-18



PAN 8202-1/4-20

PAN 8203-1/4-20



BSC 90041



PAN 8203-5/16-18

Reinforcing Plate w/ 1/4-20 Zerk

PAN 8201-1/4-20.....	Length 1.75" x Width 1.25"
PAN 8201-5/16-18.....	Length 1.75" x Width 1.25"
PAN 8202-1/4-20.....	Length 1.75" x Width 1.25"
PAN 8203-1/4-20.....	Length 1.75" x Width 0.920"
PAN 8203-5/16-18.....	Length 1.75" x Width 0.920"
BSC 90041.....	1/4-20" Zerk Thread Insert Std Length 100 qty
BSC 90041BULK.....	1/4-20" Zerk Thread Insert Std Length - Each
BSC 90042.....	3/8-16" Zerk Thread Insert Std Length 100 qty
BSC 90043.....	10-24" Zerk Thread Insert Std Length 100 qty

Bright Plated Reinforcing Plates

Make aluminum & fiberglass body parts resistant to wear & cracking under the constant abuse of racing.	
7/16" Reinforcing Plate.....	PAN8201.....\$0.81
5/16" Reinforcing Plate.....	PAN8202.....\$0.81

Spacer Reducers

Requires 2 pieces

5/8" to 1/2" x 1/4" (1-1/4")	
Steel SPA0804-10.....	\$1.65
Aluminum SPA0804-10A.....	\$1.65

5/8" to 1/2" x 3/8" (1-1/2")	
Aluminum SPA0806-10A.....	\$1.65

5/8" to 1/2" x 1/2" (1-3/4")	
Steel SPA0808-10.....	\$1.65
Aluminum SPA0808-10A.....	\$1.65



Aluminum Washer for 1/4" Body Bolt

1" Alum. Washer for 1/4" Body Bolt - Qty: 50	
Silver.....	PAN8600.....\$59.86
Black.....	PAN8601.....\$59.86

1/4-20" Body Bolt w/Washer - Qty: 50	
Silver.....	PAN8604.....\$11.40
Black.....	PAN8604-BK.....\$8.56




1/4-20" x 1-1/4" Flanged Body Bolt w/Captured Washer Qty: 50.....	PAN8605.....\$12.98
---	---------------------

Aluminum Reinforcing Washer for Fasteners

Spread out the clamping force of the fastener over more area.

5/16" washer 1" OD head.....	PAN8400.....\$1.10
7/16" washer 1-1/2" OD head.....	PAN8401.....\$1.10



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



WELD PLATES WITH RIVETED SPRING

PANELfast



Part #'s = PAN(Weld Plate)-(Spring)



8100 Weld Plate & 1" .250 Spr Riveted.....	PAN8100-5250	\$1.38
8100-E5 Weld Plate & 1" .250 Spr Riveted.....	PAN8100-E5250	\$2.38
8111 Weld Plate & 1" .250 Spr Riveted	PAN8111-5250	\$1.38
8115 Weld Plate & 1" .250 Spr Riveted.....	PAN8115-5250	\$1.38
8116 Weld Plate & 1" .250 Spr Riveted.....	PAN8116-5250	\$1.38
8121 Weld Plate & 1" .250 Spr Riveted.....	PAN8121-5250	\$1.38
8121 Weld Plate & 1" .325 Spr Riveted.....	PAN8121-5325	\$1.38
8122 Weld Plate & 1" .200 Spr Riveted.....	PAN8122-5200	\$2.38
8122 Weld Plate & 1" .225 Spr Riveted.....	PAN8122-5225	\$2.38
8122 Weld Plate & 1" .250 Spr Riveted.....	PAN8122-5250	\$2.38
8122 Weld Plate & 1" .275 Spr Riveted.....	PAN8122-5275	\$2.38
8122 Weld Plate & 1" .300 Spr Riveted.....	PAN8122-5300	\$2.38
8122 Weld Plate & 1" .325 Spr Riveted.....	PAN8122-5325	\$2.38
8130 Weld Plate & 1" .250 Spr Riveted.....	PAN8130-5250	\$1.38
8130-E5 Weld Plate & 1" .250 Spr Riveted.....	PAN8130-E5250	\$2.38

8131-E5 Weld Plate & 1" .250 Spr Riveted...	PAN8131-E5250	\$2.38
8200 Weld Plate & 1-3/8" .375 Spr Riveted	PAN8200-6375	\$1.38
8200 Weld Plate & 1-3/8" .425 Spr Riveted	PAN8200-6425	\$1.38
8210 Weld Plate & 1-3/8" .375 Spr Riveted	PAN8210-6375	\$1.38
8220 Weld Plate & 1-3/8" .375 Spr Riveted	PAN8220-6375	\$1.38
8220 Weld Plate & 1-3/8" .400 Spr Riveted	PAN8220-6400	\$1.38
8220 Weld Plate & 1-3/8" .425 Spr Riveted	PAN8220-6425	\$1.38
8221 Weld Plate & 1-3/8" .375 Spr Riveted	PAN8221-6375	\$1.38
8221 Weld Plate & 1-3/8" .425 Spr Riveted	PAN8221-6425	\$1.38
8225 Weld Plate & 1-3/8" .375 Spr Riveted	PAN8225-6375	\$1.38
8350 Weld Plate & 1-3/8" .425 Spr Riveted	PAN8350-90-6425	\$1.79


Custom Order, Ask Sales for details.

WELD PLATES WITH FLUSH HEAD

Plates for Flush Head

Round or Square • Steel or Aluminum • Mill or Black

1-3/4" Round Steel Plate for Flush Head .030"	PAN8450	\$1.00
1-3/4" Round Alum. Plate for Flush Head .040"	PAN8450A	\$1.00
1-3/4" Round Steel Plate for Flush Head .030" - Black	PAN8451	\$1.30
1-3/4" Round Alum. Plate for Flush Head .040" - Black	PAN8451A	\$1.35
1-3/4" Round Steel Plate for Flush Head .030"	PAN8452	\$1.96
1-1/2" Square Steel Plate for Flush Head .030"	PAN8460	\$1.00
1-1/2" Square Alum. Plate for Flush Head .040"	PAN8460A	\$1.00
1-1/2" Square Steel Plate for Flush Head .030" - Black	PAN8461	\$1.30
1-1/2" Square Alum. Plate for Flush Head .040" - Black	PAN8461A	\$1.35



Plates with Self Eject Buttons

1-3/4" Round Alum. Plate w/ 7/16" Self Eject .500 Grip	PANEA6500-8450A	\$4.50
1-3/4" Round Alum. Plate w/ 7/16" Self Eject .550 Grip	PANEA6550-8450A	\$4.50
1-3/4" Round Alum. Plate w/ 7/16" Self Eject .500 Grip - Black	PANEA6K6500-8451A	\$4.50
1-3/4" Round Alum. Plate w/ 7/16" Allen Self Eject .500 Grip - Black	PANBEABK6500-8451A	\$call
1-3/4" Round Alum. Plate w/ 7/16" Self Eject .550 Grip - Black	PANEA6K6550-8451A	\$5.00
1-3/4" Round Alum. Plate w/ 7/16" Allen Self Eject .550 Grip - Black	PANBEABK6550-8451A	\$call
1-1/2" Square Alum. Plate w/ Self Eject .500 Grip - Black	PANEA6K6500-8461A	\$5.00
1-1/2" Square Alum. Plate w/ Allen Self Eject .500 Grip - Black	PANBEABK6500-8461A	\$call
1/2" Square Alum. Plate w/ Self Eject .550 Grip - Black	PANEA6K6550-8461A	\$5.00
1/2" Square Alum. Plate w/ Allen Self Eject .550 Grip - Black	PANBEABK6550-8461A	\$call
1-1/2" Square Alum. Plate w/ 7/16" Self Eject .500 Grip	PANEA6500-8460A	\$4.50
1-1/2" Square Alum. Plate w/ 7/16" Self Eject .550 Grip	PANEA6550-8460A	\$4.50



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

wilwood

Forged Superlite FSLI/ST Caliper

FSLI4 and FSLI4/ST calipers provide the pad wear performance advantages of differential bore pistons with the option for ultimate heat protection using Thermlock pistons in the ST models.


Bore Size.....Rotor Width

1.88/1.75.....1.25.....4 Piston Lug Mount RH.....	WIL120-11331.....	\$288.09
1.88/1.75.....1.25.....4 Piston Lug Mount LH.....	WIL120-11332.....	\$288.09
1.88/1.75.....1.25.....4 Piston Lug Mount RH.....	WIL120-11329.....	\$164.17
1.88/1.75.....1.25.....4 Piston Lug Mount LH.....	WIL120-11330.....	\$164.17
1.88/1.75.....0.81.....4 Piston Lug Mount RH.....	WIL120-11137.....	\$164.17
1.88/1.75.....0.81.....4 Piston Lug Mount LH.....	WIL120-11138.....	\$164.17
1.75/1.75.....1.25.....FSLI 4 Piston Lug Mount.....	WIL120-11136.....	\$155.53
1.75/1.75.....1.10.....FSLI 4 Piston Lug Mount.....	WIL120-11135.....	\$155.53
1.75/1.75.....0.81.....FSLI 4 Piston Lug Mount.....	WIL120-11134.....	\$155.53
1.75/1.75.....0.81.....FSLI 4 Pi. Lug Side Inlet.....	WIL120-11134-SI.....	\$170.34
1.62/1.62.....1.25.....FSLI 4 Piston Lug Mount.....	WIL120-11133.....	\$155.53
1.62/1.62.....1.10.....FSLI 4 Piston Lug Mount.....	WIL120-11132.....	\$155.53
1.62/1.62.....0.81.....FSLI 4 Piston Lug Mount.....	WIL120-11131.....	\$155.53
1.38/1.38.....1.25.....FSLI 4 Piston Lug Mount.....	WIL120-11130.....	\$155.53
1.38/1.38.....1.10.....FSLI 4 Piston Lug Mount.....	WIL120-11129.....	\$155.53
1.38/1.38.....0.81.....FSLI 4 Piston Lug Mount.....	WIL120-11128.....	\$155.53
1.25/1.25.....1.25.....FSLI 4 Piston Lug Mount.....	WIL120-11127.....	\$155.53
1.25/1.25.....0.81.....FSLI 4 Piston Lug Mount.....	WIL120-11126.....	\$155.53
1.12/1.12.....0.81.....FSLI 4 Piston Lug Mount.....	WIL120-11125.....	\$155.53

Polymatrix 7420 Pad

Axle Set Pin.....Pad Type

WIL15A-5938K.....A.....	\$156.54
WIL15B-5939K.....B.....	\$136.86
WIL15E-6084K.....E.....	\$94.69
WIL15H-8114K.....H.....	\$178.85
WIL15Q-6829K.....Q.....	\$104.31
WIL150-8854K.....BP-10.....	\$68.01
WIL150-9416K.....BP-20.....	\$73.44



WIL150-9864K.....BP-30.....	\$
WIL150-12245K.....BP-40.....	\$141.94

Superlite Radial Mount

Mounts the Forged Superlite Radial Mount calipers to 3.50" center to center lug mount. Mounting height is optimized to allow mounting this caliper in all apps.....WIL250-6309.....\$57.43



GM III Single Piston Floater Caliper

It is the most rigid, highest torque, LW alum caliper with weights starting at 3.36 pounds. Requires use of hardened Wilwood slide pins (sold separately), request WIL230-0619 (slide pin kit) contains 4 slide pins, enough for 2 calipers.


Bore Size.....Rotor Width.....Description

2.75.....1.25.....1 Piston Floating Mount.....	WIL120-5289.....	\$117.25
2.75.....1.00.....1 Piston Floating Mount.....	WIL120-5861.....	\$123.42
2.75.....0.81.....1 Piston Floating Mount.....	WIL120-5288.....	\$117.25
2.38.....1.25.....1 Piston Floating Mount.....	WIL120-5344.....	\$117.25
2.38.....0.81.....1 Piston Floating Mount.....	WIL120-5343.....	\$117.25

Polymatrix D52

Axle Set Pin.....Pad Type

WIL15A-5737K.....A.....	\$133.47
WIL15B-3994K.....B.....	\$126.25
WIL15C-4419K.....C.....	\$123.00
WIL15E-6102K.....E.....	\$90.75
WIL15Q-6830K.....Q.....	\$98.58
WIL150-8939K.....BP-10.....	\$54.62
WIL150-9421K.....BP-20.....	\$61.19
WIL150-12249K.....BP-40.....	\$131.47



GM Metric Iron Caliper

These all new cast, not rebuilt iron calipers are bolt-on replacements for 1978 and later GM Metric calipers widely used in "spec" racing categories and low cost disc brake conversions. Requires use of hardened Wilwood slide pins (sold separately), request WIL230-0619 (slide pin kit) contains 4 slide pins, enough for 2 calipers.

Bore.....Rotor


Size.....Width.....Description.....Part

2.75.....1.00.....1 Piston Floating Mount.....	WIL120-8924.....	\$74.69
2.00.....1.00.....1 Piston Floating Mount.....	WIL120-9333.....	\$74.69

Polymatrix D52

Axle Set Pin.....Pad Type

WIL15A-6219K.....A.....	\$133.47
WIL15B-3998K.....B.....	\$126.25
WIL15C-4420K.....C.....	\$119.59
WIL15E-6103K.....E.....	\$90.75
WIL15Q-6831K.....Q.....	\$98.58
WIL150-8936K.....BP-10.....	\$54.62
WIL150-9422K.....BP-20.....	\$61.19
WIL150-12250K.....BP-40.....	\$121.00



Billet Narrow Dynalite Radial Mount

Starting at 2.70 pounds, this compact and lw proven performer is now available in a radial mt configuration.

Bore Rotor

Size.....Width.....4 Piston Radial Mount Side Inlet

1.75/1.75.....0.81.....WIL120-13406-SI.....	\$185.81
1.75/1.75.....0.38.....WIL120-13405-SI.....	\$185.81

Radial Mt Bkt Kit - 3.50" Mt Center


12.19" Rotor Dia..WIL250-13365.....\$68.69



Polymatrix 7816 Pad

Axle Set Pin.....Pad Type

WIL150-10290K.....CM.....	\$
WIL15A-7263K.....A.....	\$125.13
WIL15B-7264K.....B.....	\$121.74
WIL15E-7266K.....E.....	\$87.05
WIL15Q-7268K.....Q.....	\$101.84



Radial Mount 3.5" Bolt-On Mount.

Primarily for birdcage or Teo splined remote brackets.

WIL250-13365.....\$67.86



wilwood

Forged Narrow Dynalite Caliper

They are the strongest calipers in the class. FNDL calipers are a direct replacement for all previous Wilwood NDL's and similar competitive brands with 3.50" centered mounting tabs.

Bore Size.....Rotor Width

1.75/1.75.....1.25.....4 Piston Lug Mount.....	WIL120-11573.....	\$115.52
1.75/1.75.....0.81.....4 Piston Lug Mount.....	WIL120-11572.....	\$115.52
1.75/1.75.....0.81.....4 Piston Lug-Side Inlet.....	WIL120-11572-SI.....	\$127.87
1.75/1.75.....0.38.....4 Piston Lug Mount.....	WIL120-11571.....	\$115.52
1.75/1.75.....0.38.....4 Piston Lug-Side Inlet.....	WIL120-11571-SI.....	\$127.87
1.38/1.38.....1.25.....4 Piston Lug Mount.....	WIL120-11576.....	\$115.52
1.38/1.38.....0.81.....4 Piston Lug Mount.....	WIL120-11575.....	\$115.52
1.38/1.38.....0.38.....4 Piston Lug Mount.....	WIL120-11574.....	\$115.52
1.12/1.12.....1.25.....4 Piston Lug Mount.....	WIL120-11579.....	\$119.72
1.12/1.12.....0.81.....4 Piston Lug Mount.....	WIL120-11578.....	\$119.72
1.12/1.12.....0.81.....4 Piston Lug Mt-Polish.....	WIL120-11578-P.....	\$182.69
1.12/1.12.....0.38.....4 Piston Lug Mount.....	WIL120-11577.....	\$119.72
1.12/1.12.....0.38.....4 Piston Lug Mt-Polish.....	WIL120-11577-P.....	\$182.69
1.62/1.62.....0.38.....4 Piston Lug Mount.....	WIL120-14330.....	\$117.99
1.62/1.62.....0.81.....4 Piston Lug Mount.....	WIL120-14331.....	\$117.99
1.62/1.62.....1.00.....4 Piston Lug Mount.....	WIL120-14332.....	\$117.99
1.62/1.62.....1.25.....4 Piston Lug Mount.....	WIL120-14333.....	\$117.99
1.75/1.75.....1.00.....4 Piston Lug Mount.....	WIL120-15254.....	\$115.52
1.38/1.38.....1.00.....4 Piston Lug Mount.....	WIL120-15255.....	\$115.52

Polymatrix 7816 Pad

Axle Set Pin.....Pad Type

WIL15A-7263K.....A.....	\$125.13
WIL15B-7264K.....B.....	\$121.74
WIL15E-7266K.....E.....	\$87.05
WIL15Q-7268K.....Q.....	\$101.84
WIL150-8946K.....BP-10.....	\$46.43
WIL150-9419K.....BP-20.....	\$55.50
WIL150-12248K.....BP-40.....	\$121.30




Photo by Boris Rudzinski

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Billet Dynapro Lug Mt Caliper

A sleek profile with superior strength and a fully detail machined finish provide the perf and looks for competition or show.


Bore Size..Rotor Width

1.75/1.75...1.25.....4 Piston Lug Mount.....	WIL120-9691.....	\$155.53
1.75/1.75...1.00.....4 Piston Lug Mount.....	WIL120-9692.....	\$161.70
1.75/1.75...0.81.....4 Piston Lug Mount.....	WIL120-9693.....	\$155.53
1.75/1.75...0.81.....4 Piston Lug Side Inlet.....	WIL120-9693-SI.....	\$145.62
1.75/1.75...0.50.....4 Piston Lug Mount.....	WIL120-9694.....	\$161.70
1.75/1.75...0.38.....4 Piston Lug Mount.....	WIL120-9695.....	\$155.53
1.75/1.75...0.38.....4 Piston Lug Mount.....	WIL120-9695-SI.....	\$145.62
1.38/1.38...1.25.....4 Piston Lug Mount.....	WIL120-9701.....	\$155.53
1.38/1.38...1.00.....4 Piston Lug Mount.....	WIL120-9702.....	\$161.70
1.38/1.38...0.81.....4 Piston Lug Mount.....	WIL120-9703.....	\$155.53
1.38/1.38...0.81.....4 Piston Lug Side Inlet.....	WIL120-9703-SI.....	\$153.03
1.38/1.38...0.50.....4 Piston Lug Mount.....	WIL120-9704.....	\$161.70
1.38/1.38...0.38.....4 Piston Lug Mount.....	WIL120-9705.....	\$155.53
1.38/1.38...0.38.....4 Piston Lug Side Inlet.....	WIL120-9705-SI.....	\$153.03
1.00/1.00...0.81.....4 Piston Lug Mount.....	WIL120-9706.....	\$167.87

Polymatrix 7812 Pad

Axle Set Pin.....Pad Type	
WIL15A-9835K A.....	\$119.72
WIL15B-9836K B.....	\$117.90
WIL15E-9837K E.....	\$85.83
WIL15H-10644K H.....	\$121.61
WIL15Q-10385K Q.....	\$96.06
WIL15O-9136K BP-10.....	\$42.97

WIL150-9418K BP-20.....	\$54.81
WIL150-12247K BP-40.....	\$118.04

**DynaPro 4 Piston Radial Mt**

As light as 3.58 lbs, the DynaPro is for a broad range of sports, rally, and off-road driving apps.


Bore Size..Rotor Width

1.75/1.75...1.00.....4 Piston Radial Mount.....	WIL120-8545.....	\$181.26
1.75/1.75...0.81.....4 Piston Rad Side Inlet.....	WIL120-8544-SI.....	\$191.35
1.75/1.75...0.50.....4 Piston Rad Side Inlet.....	WIL120-8543-SI.....	\$169.00
1.62/1.62...1.00.....4 Piston Radial Mount.....	WIL120-8542.....	\$181.26
1.62/1.62...0.81.....4 Piston Radial Mount.....	WIL120-8541.....	\$181.26
1.38/1.38...1.00.....4 Piston Radial Mount.....	WIL120-8539.....	\$181.26
1.38/1.38...0.81.....4 Piston Radial Mount.....	WIL120-8538.....	\$181.46
1.25/1.25...0.50.....4 Piston Radial Mount.....	WIL120-8534.....	\$181.26

Polymatrix 7816 Pad

Axle Set Pin.....Pad Type	
WIL15A-7263K A.....	\$125.13
WIL15B-7264K B.....	\$121.74
WIL15E-7266K E.....	\$87.05
WIL15H-10645K H.....	\$129.57
WIL15Q-10385K Q.....	\$96.06
WIL15O-8946K BP-10.....	\$46.43

WIL150-9419K BP-20.....	\$55.50
WIL150-12248K BP-40.....	\$121.30

**Forged Dynalite Caliper**

They has wide spread application over many forms over motor-sports. It serves as the base model in the majority of Bolt-On Disc Brake Kits. Add 5.25 center on center mt.


Bore Size..Rotor Width

1.75/1.75...1.25.....4 Piston Lug Mount.....	WIL120-6814.....	\$116.02
1.75/1.75...1.00.....4 Piston Lug Mount.....	WIL120-6815.....	\$127.13
1.75/1.75...0.81.....4 Piston Lug Mount.....	WIL120-6816.....	\$116.02
1.75/1.75...0.50.....4 Piston Lug Mount.....	WIL120-6817.....	\$127.13
1.75/1.75...0.38.....4 Piston Lug Mount.....	WIL120-6818.....	\$116.02
1.62/1.62...1.00.....4 Piston Lug Mount.....	WIL120-6810.....	\$127.13
1.62/1.62...1.00.....4 Piston Lug Mt-Polish.....	WIL120-6795-P.....	\$169.65
1.62/1.62...0.81.....4 Piston Lug Mount.....	WIL120-6811.....	\$127.13
1.62/1.62...0.38.....4 Piston Lug Mount.....	WIL120-6813.....	\$127.13
1.62/1.62...0.38.....4 Piston Lug Mt-Polish.....	WIL120-6798-P.....	\$169.65
1.38/1.38...1.25.....4 Piston Lug Mount.....	WIL120-6804.....	\$127.13
1.38/1.38...1.00.....4 Piston Lug Mount.....	WIL120-6805.....	\$127.13
1.38/1.38...0.81.....4 Piston Lug Mount.....	WIL120-6806.....	\$116.02
1.38/1.38...0.50.....4 Piston Lug Mount.....	WIL120-6807.....	\$127.13
1.38/1.38...0.38.....4 Piston Lug Mount.....	WIL120-6808.....	\$116.02

Polymatrix 7112 Pad

Axle Set Pin.....Pad Type	
WIL15A-5734K A.....	\$99.37
WIL15B-3991K B.....	\$98.31
WIL15C-4415K C.....	\$86.00
WIL15E-6096K E.....	\$74.58
WIL15H-8291K H.....	\$101.06
WIL15Q-6824K Q.....	\$78.33

WIL150-8850K BP-10.....	\$42.92
WIL150-9413K BP-20.....	\$48.08
WIL150-12243K BP-40.....	\$95.67

**Forged Superlite Internal 4 ST**

These are for hard braking on dirt and asphalt ovals and a wide range of off-road, rally and road course apps.


Bore Size..Rotor Width

1.88/1.75...0.81.....Right Hand.....	WIL120-13155.....	\$288.09
1.88/1.75...0.81.....Left Hand.....	WIL120-13156.....	\$288.09

Polymatrix 7420 Pad

Axle Set Pin.....Pad Type	
WIL15A-5938K A.....	\$156.54
WIL15B-5939K B.....	\$136.86
WIL15E-6084K E.....	\$94.69
WIL15H-8114K H.....	\$178.85

WIL15Q-6829K Q.....	\$104.31
WIL150-8854K BP-10.....	\$68.01
WIL150-9416K BP-20.....	\$73.44



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Dynapro Single Caliper

It is the newest generation of calipers available as an upgrade or replacement for applications previously using the Dynalite Single (DLS) series. DPS calipers combine superior strength with performance enhancements to make these the best "Dyna" series calipers ever.


Bore Size.....Rotor W.....DynaPro Single

1.75/1.75...0.38.....2 Piston 3.25" Lug Mount.....	WIL120-9687.....	\$92.22
1.75/1.75...0.38.....2 Piston 3.25" Lug Mt-Polish.....	WIL120-9687-P.....	\$159.24
1.75/1.75...0.38.....2 Piston 3.25" Lug Mt-LW.....	WIL120-10188.....	\$92.22
1.75/1.75...0.38.....2 Piston 3.75" Lug Mount.....	WIL120-9689.....	\$92.22
1.75/1.75...0.38.....2 Piston 3.75" Lug Mt-Polish.....	WIL120-9689-PLP.....	\$161.71
1.38/1.38...0.38.....2 Piston 3.25" Lug Mount.....	WIL120-9688.....	\$95.93
1.38/1.38...0.38.....2 Piston 3.75" Lug Mount.....	WIL120-9690.....	\$95.93

Bore Size	Rotor W	Dynalite Single	Part #	Price
1.75/1.75	0.38	2 Piston 3.75" Lug Mount	WIL120-4060	\$99.98
1.75/1.75	0.38	2 Piston 3.25" Lug Mount	WIL120-4062	\$102.91

Polymatrix 6812 Pad

Axle Set Pin.....Pad Type	
WIL15A-10142K A.....	\$85.44
WIL15B-9819K B.....	\$77.59
WIL15E-9820K E.....	\$66.63
WIL15Q-10144K Q.....	\$71.57
WIL150-9764K BP-10.....	\$40.60
WIL150-9765K BP-20.....	\$45.43
WIL150-12242K BP-40.....	\$75.61
WIL150-9766K Alum Rotor.....	\$60.08

**GP320 Caliper**


Weighing just 1.70 pounds, it was purpose built as an upgrade with increased pad size over 2 piston calipers on LW open wheeled race cars. The GP 320 bridge configuration will accommodate rotors between .75" and .81" thick, with overall dia between 9.00" & 11.50".

Bore Size.....Rotor Width

1.25/1.25...0.81.....4 Piston Lug Mount RH.....	WIL120-10714.....	\$146.67
1.25/1.25...0.81.....4 Piston Lug Mount LH.....	WIL120-10715.....	\$146.67
1.25/1.25...0.24.....4 Piston Lug Mount RH.....	WIL120-8524.....	\$133.34
1.25/1.25...0.24.....4 Piston Lug Mount LH.....	WIL120-8525.....	\$133.34

Polymatrix 6211 Pad

Axle Set Pin.....Pad Type	
WIL15H-8596K H.....	\$104.93

**Dynalite Single Floater Caliper**


Weighing 1.40 lbs, the caliper uses the same .49" thick, 1.1 cubic inch Dynalite Single quick change pads. Multiple 1/8-27 NPT inlet & bleed screw locations allow for versatile mounting positions.

Bore Size..Rotor Width

1.75.....0.38.....1 Piston Floating Mount.....	WIL120-3277.....	\$103.66
1.75.....0.25.....1 Piston Floating Mount.....	WIL120-2498.....	\$103.66

Polymatrix 6812 Pad

Axle Set Pin.....Pad Type	
WIL15A-10142K A.....	\$85.44
WIL15B-9819K B.....	\$77.59
WIL15E-9820K E.....	\$66.63
WIL15Q-10144K Q.....	\$71.57
WIL150-9764K BP-10.....	\$40.60
WIL150-9765K BP-20.....	\$45.43

**Forged Superlite 6/ST Radial Mt**

6 piston differential bore configuration provides balanced loading for even pad wear in sustained high heat.

Bore Size..Rotor Width

1.62/1.12...1.12.....Right Hand.....	WIL120-13267.....	\$389.63
1.62/1.12...1.12.....Left Hand.....	WIL120-13268.....	\$389.63

**Polymatrix 7420 Pad**

Axle Set Pin.....Pad Type	
WIL150-12245K BP-40.....	\$141.94

WIL15A-5938K A.....	\$156.54
WIL15B-5939K B.....	\$136.86
WIL15H-8114K H.....	\$178.85

Powerlite Radial Mount Caliper


It starts at 2.26 lbs with a sleek profile, superior strength, lightweight and durable in higher temp situations.

Bore Size..Rotor Width

1.38/1.38...0.86.....4 Piston Radial Mount.....	WIL120-8729.....	\$127.12
1.38/1.38...0.50.....4 Piston Radial Mount.....	WIL120-8726.....	\$127.12
1.25/1.25...0.86.....4 Piston Radial Mount.....	WIL120-8728.....	\$127.12
1.25/1.25...0.50.....4 Piston Radial Mount.....	WIL120-8725.....	\$127.12
1.00/1.00...0.86.....4 Piston Radial Mount.....	WIL120-8727.....	\$127.12
1.00/1.00...0.50.....4 Piston Radial Mount.....	WIL120-8724.....	\$127.12

Polymatrix 7912 Pad

Axle Set Pin.....Pad Type	
WIL15A-8809K A.....	\$86.83
WIL15B-8949K B.....	\$123.42
WIL15E-8810K E.....	\$67.02
WIL15H-8811K H.....	\$89.49
WIL15Q-8812K Q.....	\$72.60
WIL150-8813K BP-10.....	\$57.22
WIL150-9420K BP-20.....	\$64.13
WIL150-12842K BP-40.....	\$103.47



**NE DIRT
Modified Bkt**


WIL250-9656.....	\$74.02
------------------	---------

PS-1 Caliper

IT is compact, lightweight (.93 pounds) and combines the strength of cast alum construction with a sleek low profile design. This caliper utilizes two stainless steel deep cup pistons to minimize heat transfer from the .30" thick pad to the brake fluid while employing high temperature square piston seals to control piston retraction. Internal crossover brake fluid passages eliminate the use of external crossover tubes. The PS-1 fits rotors with diameters ranging from 6.00" to 9.00", thickness sizes from .15" to .20".

**Bore Size.Rotor Width**

1.120.192 Piston Lug Mount - RH	...WIL120-8373	...\$75.52
1.120.192 Piston Lug Mount - LH	...WIL120-8374	...\$75.52
1.000.192 Piston Lug Mount - RH	...WIL120-5453	...\$75.52
1.000.192 Piston Lug Mount - LH	...WIL120-5456	...\$75.52




PS-1 Pad Axle Set Pin.....Pad Type
WIL150-4091KPS-1
Sintered
Metallic
\$42.59

Billet Go-Kart Caliper

Our Kart/Jr. Dragster Caliper is designed specifically for racing. A unique self retracting and adjusting piston system has been incorporated which enables the piston to retract as the brake line pressure is reduced. The caliper can be mounted on either side of the vehicle and comes in three rotor widths. At just 1.20 pounds, the caliper comes with high performance, high friction brake pads. Additional features include deep cup stainless steel piston for reduced heat transfer, cotter pin, pad retainer, internal fluid passage and blue anodized finish. A specifically designed master cylinder is also available for use with this caliper.

**Bore Size.Rotor Width**

1.000.502 Piston Body Mount	...WIL120-5499	...\$117.24
1.000.192 Piston Body Mount	...WIL120-5750	...\$117.24



Polymatrix 4308 Pad Axle Set Pin.....Pad Type
WIL150-5602K .2 Pk Sintered Metallic\$39.46


Billet Spot Caliper

Wilwood's 1.75" diameter single piston Billet Spot Caliper is ideal for Micro and Mini Sprint, Kart, Off Road, Motorcycle, Drag Race Spindle Mount and industrial applications. Designed for light duty use, this floating caliper weighs just 1.20 pounds and holds a round .25" thick, .7 cubic inch brake pad, and accommodates rotors from 6.00" to 13.00" diameter and widths starting at .12". Maximum rotor width can be adjusted by specific bracket and spacer dimensions. The pads are held in place by stainless steel 10-24 x .38" long flat head cap screw (screws are included), and the caliper is available black anodized.

**Bore Size.Rotor Width**

1.750.251 Piston Floating Mount	..WIL120-1064\$123.41
1.750.251 Piston Floating-Polish	..WIL120-1064-P\$154.28

Spot 10 BP-10 Smart Pad Axle Set Pin.....Pad Type
WIL150-1251K...Spot 10 BP-10
\$32.45

**Master Cylinder**

1-1/32" tandemWIL260-2414\$32.41
3/4" remoteWIL260-3881\$22.71
7/8" remoteWIL260-3882\$22.71
1" remoteWIL260-3883\$22.71
1-1/2" remoteWIL260-3884\$22.71

Rebuild Kits**Square Caliper O-Ring Kits**

1.75"/1.62"(4pk) ..SLWIL130-3082\$9.73
1.75" (4pk) ..DLS/DL/SLWIL130-2655\$7.95
1.62" (6pk) ..GNWIL130-2656\$11.93
1.38" (4pk) ..DL/SLWIL130-2658\$7.95

Round O-Ring Kits (4-pack)

1.75" ..DLS/DL/SLWIL130-0047\$9.73
1.38" ..DL/SL2WIL130-0053\$9.73
2.75" ..GMWIL130-4955\$9.73

Differential Bore O-Ring Kits

BSLWIL130-5100\$9.73
Tube Adapters (4 pack)WIL220-0628\$7.52

**Brake Pad Compounds****Perf. Range Data****A**

Heat Range: X-High

Heat Range: X-High

BP-40

Cold Torque: X-High

Cold Torque: Medium

H

Heat Range: X-High

Hot Torque: X-High

Hot Torque: X-High

Cold Torque: High

Heat Range: High

BP-30

Wear Rate: Med-Low

Hot Torque: X-High

Cold Torque: Medium

B

Wear Rate: Low

Heat Range: High

Heat Range: High

C

Wear Rate: Med-Low

Heat Range: High

CM

Wear Rate: Medium

Heat Range: Medium

E

Wear Rate: Low

Heat Range: Medium

BP-10

Wear Rate: Medium

Heat Range: Med-High

BP-20

Wear Rate: Medium

Cold Torque: Medium-Low

Q

Wear Rate: Medium

Cold Torque: Med-High

Heat Range: High

PM

Wear Rate: Medium

Cold Torque: Medium

A.) Bridge Bolt Kits

1.38" rotorGNIIIWIL230-3029\$15.27
1.25" rotorSLIIIWIL230-3052\$15.27
.81" rotorWIL230-3079\$15.27	
7/16"-20x3 3/8" GM (4-pk)WIL230-3079\$15.27	

B.) Cotter Pins

3/16"x 4"WIL180-0052\$11.05
1/8"x 2 1/2"WIL180-0054\$8.58
1/8"x 3"WIL180-0055\$8.58
1/8"x 3 1/2"WIL180-0056\$8.58

C.) C-Clips

.38" rotorDLWIL180-3861\$9.87
.81" rotorDLWIL180-3862\$9.87
1.25" rotorDLWIL180-3863\$9.87

D.) Brake Caliper Pistons

1.12 x 1.05 ss replaces WIL200-6307	...WIL200-7513	...\$10.62
1.25 x 1.05 ss replaces WIL200-4655	...WIL200-7514	...\$10.62
1.38 x 1.03 ss replaces WIL200-3176	...WIL200-7516	...\$10.62
1.38 x 0.88 ss replaces WIL200-1117	...WIL200-7518	...\$10.62
1.62 x 1.03 ss replaces WIL200-1114	...WIL200-7519	...\$10.62
1.62 x 0.88 ss replaces WIL200-4106	...WIL200-7520	...\$10.62
1.88 x 1.03 ss replaces WIL200-5037	...WIL200-7521	...\$10.62
1.88 x 1.07 ss replaces WIL200-3032	...WIL200-7522	...\$10.62
1.75 x 0.88 ss replaces WIL200-1118	...WIL200-7528	...\$10.62
1.75 x 1.00 ss replaces WIL200-1116	...WIL200-7530	...\$10.62
1.75 x 1.03 ss replaces WIL200-3062	...WIL200-7531	...\$10.62
1.75 x 1.08 ss replaces WIL200-3236	...WIL200-7532	...\$10.62

E.) Bleeders (4-pk)

WIL220-0627\$9.26
-------------	-------------

Immediate cold response with highest friction values at all

Improved friction formula for heavy braking asphalt ovals,

Improved friction formula for intermediate asphalt ovals & temps. Severe duty use on oval tracks & road courses or

extreme braking on dirt, and all types of off-road and road

Smooth initial engagement with all tires, immediate cold start and

other applications that require immediate high response at

course apps. Predictable & linear response w/excellent mod-

pressure beds. Severe duty use on road courses and road

low temps. Long wear rate for severe duty, sustained high

ulation on iron & titanium rotors. Long wear rate with iron &

Downing on oval tracks, ovals. Predictable response with ex-

temp braking. Compatible with all iron, steel, & titanium rotors.

Traditional favorite for asphalt LMs, modifieds, and sprints.

steel rotors. High torque on titanium rotors. Very high heat

cellent modulation at all temps. Long wear rate for durability

Gradual fade resistance in the medium high torque applications

fade resistance.

in sustained high heat. Compatible with all iron and steel ro-

Increased longevity and high temp fade resistance during

Composite metallic compound for high temp durability on ti-

tators. High torque on stainless steel rotors.

Pad for iron and steel rotors with high temp ovals. Re-

sistant linear response through all types of road courses. Long wear

duced friction after to B. Compatible with all iron, steel, & ti-

tanium rotors. High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

High performance street compound with improved friction,

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



GT Curved Vane Rotor

They are manufactured from a proprietary iron alloy developed to withstand extreme temps with the highest possible degree of resistance against distortion, warping, cracking, and wear. The formulation for this alloy is a derivative of technology and materials that were significant in the development of the extreme duty military spec rotors that are manufactured by Wilwood. Every Spec 37 rotor is precision machined to less than .001" run-out, flatness, and parallelism.

Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	RH/LH	Part #	Price
12.19"	1.25"	8 x 7.00"	.0313"	8.41"	6.53"	12.7	RH	WIL160-11839	\$123.42
12.19"	1.25"	8 x 7.00"	.0313"	8.41"	6.53"	12.7	LH	WIL160-11840	\$123.42
12.19"	.081"	8 x 7.62"	5/16-24	8.41"	7.13"	9.3	RH	WIL160-12293	\$142.55
12.19"	.081"	8 x 7.62"	5/16-24	8.41"	7.13"	9.3	LH	WIL160-12294	\$142.55
12.19"	.081"	8 x 7.00"	.0325"	8.34"	6.38"	9.6	RH	WIL160-12291	\$110.94
12.19"	.081"	8 x 7.00"	.0325"	8.34"	6.38"	9.6	LH	WIL160-12292	\$110.94
12.00"	.081"	8 x 7.00"	.0325"	8.41"	6.38"	9.0	RH	WIL160-12287	\$142.55
12.00"	.081"	8 x 7.00"	.0325"	8.41"	6.38"	9.0	LH	WIL160-12288	\$142.55
11.75"	.081"	8 x 7.00"	.0325"	7.87"	6.38"	9.0	RH	WIL160-12285	\$110.94
11.75"	.081"	8 x 7.00"	.0325"	7.87"	6.38"	9.0	LH	WIL160-12286	\$110.94



HD Curved Vane Rotor

All HD rotors are cast from premium grade, long grain carbon iron for long wear, high thermal stability and resistance to distortion. Thick wall pad sweep faces with directional cooling vanes provide superior heat absorption and dissipation qualities to prevent heat fade and realize long service life from the pads and rotors. All HD rotor faces are precision turned to less than .001" for flatness, parallelism, and run-out for smoother engagement and reduced vibration.


Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	RH/LH	Part #	Price
12.19"	1.25"	8 x 7.62"	5/16-24	8.41"	6.90"	12.7	RH	WIL160-3872	\$123.42
12.19"	1.25"	8 x 7.62"	5/16-24	8.41"	6.90"	12.7	LH	WIL160-3873	\$123.42
12.19"	1.25"	8 x 7.00"	.0313"	8.41"	6.53"	12.7	RH	WIL160-11835	\$111.08
12.19"	1.25"	8 x 7.00"	.0313"	8.41"	6.53"	12.7	LH	WIL160-11836	\$111.08
11.75"	.099"	8 x 7.00"	.0326	8.46"	6.38"	7.1	RH	WIL160-13980	\$106.67
11.75"	.099"	8 x 7.00"	.0326	8.46"	6.38"	7.1	LH	WIL160-13981	\$106.67
11.75"	.099"	8 x 7.00"	.0326	8.46"	6.38"	7.1	RH	WIL160-13978	\$71.00
11.75"	.099"	8 x 7.00"	.0326	8.46"	6.38"	7.1	LH	WIL160-13979	\$71.00
11.75"	.081"	8 x 7.00"	.0325"	7.87"	6.38"	8.5	RH	WIL160-12283	\$92.42
11.75"	.081"	8 x 7.00"	.0325"	7.87"	6.38"	8.5	LH	WIL160-12284	\$92.42



UL Series Curved Vane Rotor

Ultra-Light ULHP-32 directional vane rotors provide an excellent balance of efficient cooling and lower rotating mass on hard braking dirt tracks or rear axle service on pavement cars. UL rotors are cast from premium grade, long grain carbon iron for long wear, high thermal stability, and resistance to distortion. ULHP-32 rotors offered the added performance and smoother operation of precision turned faces with less than .001" variation in flatness, parallelism, or run-out.


Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	RH/LH	Part #	Price
12.19"	1.25"	8 x 7.62"	5/16-24	8.50"	7.13"	10.1	RH	WIL160-2900	\$69.10
12.19"	1.25"	8 x 7.62"	5/16-24	8.50"	7.13"	10.1	LH	WIL160-2901	\$69.10
12.19"	1.25"	8 x 7.00"	.0325"	8.50"	6.38"	10.5	RH	WIL160-2894	\$66.05
12.19"	1.25"	8 x 7.00"	.0325"	8.50"	6.38"	10.5	LH	WIL160-2895	\$66.05
11.75"	1.25"	8 x 7.00"	.0325"	8.34"	6.38"	9.6	RH	WIL160-2898	\$38.86
11.75"	1.25"	8 x 7.00"	.0325"	8.34"	6.38"	9.6	LH	WIL160-2899	\$38.86



Super Alloy Scalloped Rotors

Our newest Super Alloy rotor in 11.75" diameter is targeted directly to Dirt Late Model and Modified racing. Wilwood's proprietary Super Alloy material provides the lowest rotating and un-sprung weight, without degradation, shrinkage and warping like comparable Iron & Steel lightweight rotors. Super Alloy rotors provide a durable lightweight option in applications where sustained temperatures remain in the low to moderate range, and high heat spikes are only observed on an intermittent basis. Our special alloy and proprietary manufacturing processes give these rotors high resistance to thermal distortion with excellent friction and wear characteristics against the pads.


Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	RH/LH	Part #	Price
11.75"	.081"	8 x 7.00"	.0326"	8.19"	6.38"	5.0	RH/LH	WIL160-13373	\$177.75
11.75"	1.25"	8 x 7.00"	.0326"	8.19"	6.38"	5.0	RH/LH	WIL160-12041	\$179.95



UL Series Straight Vein Rotors

When it comes to rotors, racers are constantly searching for the ultimate balance between the lowest weight & the ability to effectively manage heat. Lower weight also benefits handling with improved spring & shock control over the unsprung suspension mass. WIL ULD-32 drilled iron rotors provides effective LW options for sprints, late models, modifieds, & other competition apps that race in low to medium temp ranges.


Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	RH/LH	Part #	Price
12.19"	.081"	8 x 7.00"	.0325"	8.50"	6.38"	8.0	RH/LH	WIL160-5865	\$64.77
11.75"	1.25"	8 x 7.00"	.0325"	8.34"	6.38"	7.7	RH/LH	WIL160-5864	\$46.66
11.75"	.081"	8 x 7.00"	.0325"	8.34"	6.38"	7.2	RH/LH	WIL160-5863	\$64.77



Wave Brake Rotor



3/8" x 12.00 (8 Holes)	BER544-2	\$99.83
3/8" x 12.19 (8 Holes)	BER544-3	\$99.83
3/8" x 12.00 (3 Holes)	BER544	\$105.08
.810" x 12.19 (8 Holes) Left	BER547-L	\$208.33
.810" x 12.19 (8 Holes) Right	BER547-R	\$208.33



Bert engineering is offering an interesting alternative to the times spent of safety wiring your rotor bolts. The answer is the nord-lock. This unique securing system used tension to make the bolt self locking from cold to hot and from hot to cold your rotor will not loosen.

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Ultralite HPS 32 Vane Rotor

It provide high value performance and rugged durability for a wide range of competition, high performance, and sport driving applications. Don't confuse these rotors with bargain priced off-brand named parts. Wilwood's modern manufacturing capability, combined with large scale economies, make it possible to offer this level of quality and performance at such an affordable price.

ULHP Series

Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	Rotor Type	Part #	Price
12.19"	1.10"	8 x 7.00"	0.325"	8.34"	6.38"	13.9	ULHP-32	WIL160-12206*	\$86.37
12.19"	0.81"	8 x 7.78"	0.251"	8.53"	7.29"	8.7	ULHP-32	WIL160-6984	\$92.54
12.19"	0.81"	8 x 7.78"	0.251"	8.53"	7.29"	8.7	ULHP-32	WIL160-9585*	\$104.89
12.19"	0.81"	8 x 7.62"	5/16-24	8.50"	7.13"	8.8	ULHP-32	WIL160-5844	\$72.36
12.19"	0.81"	8 x 7.00"	0.325"	8.50"	6.38"	8.9	ULHP-32	WIL160-5843	\$72.36
11.75"	0.81"	8 x 7.00"	0.325"	8.34"	6.38"	8.1	ULHP-32	WIL160-5841	\$72.36
11.00"	0.81"	6 x 6.25"	0.325"	7.00"	5.59"	7.9	ULHP-30	WIL160-5840	\$72.36
11.00"	0.81"	6 x 6.25"	0.325"	7.00"	5.59"	7.9	ULHP-30	WIL160-10358*	\$96.30
10.75"	0.81"	6 x 6.25"	0.325"	7.00"	5.59"	7.4	ULHP-30	WIL160-5839	\$72.36

UL Series

Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	Rotor Type	Part #	Price
12.19"	0.81"	8 x 7.00"	0.325"	8.50"	6.38"	8.9	UL-32	WIL160-0277	\$35.00
12.00"	1.20"	8 x 7.00"	0.325"	8.34"	6.38"	8.6	UL-32	WIL160-0586	\$49.12
11.75"	1.25"	8 x 7.00"	0.325"	8.34"	6.38"	8.8	UL-32	WIL160-0483	\$33.45
11.75"	0.81"	10 x 6.81"	0.325"	8.00"	6.28"	9.1	UL-30	WIL160-0790	\$79.96
11.75"	0.81"	8 x 7.00"	0.325"	8.34"	6.38"	8.1	UL-32	WIL160-0471	\$33.45
11.75"	0.75"	8 x 7.62"	5/16-24	8.50"	7.13"	6.9	UL-32	WIL160-1949	\$77.00
10.50"	0.75"	8 x 5.50"	0.325"	6.75"	4.94"	6.6	UL-30	WIL160-3450	\$61.67
10.25"	0.75"	8 x 5.50"	0.325"	6.75"	4.94"	6.1	UL-30	WIL160-3747	\$61.67

*These rotors have a unique asymmetrical face groove pattern.

Ultralite 32 Vane Scalloped Rotor

They feature a fully machined scallop configuration that provides the highest degree of weight reduction on a vented straight vane iron rotor. It will remove as much as 3 lbs, or nearly 33% of the rotor mass. The vented castings provide increased cooling capacity over machined steel plate rotors, with improved structural durability over drilled rotor designs. It provides effective lightweight options for sprints, late models, modifieds, and other competition applications that race in low to medium temp ranges.

Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	RH/LH	Part #	Price
12.19"	0.81"	8 x 7.00"	0.325"	8.50"	6.38"	5.9	RH/LH	WIL160-8136	\$79.96
11.75"	1.25"	8 x 7.00"	0.325"	8.34"	6.38"	5.8	RH/LH	WIL160-8343	\$79.96
11.75"	1.25"	8 x 7.00"	0.325"	8.75"	6.38"	6.7	RH/LH	WIL160-8814	\$79.96
11.75"	0.81"	8 x 7.00"	0.325"	8.34"	6.38"	5.4	RH/LH	WIL160-8135	\$79.96
10.50"	0.75"	6 x 5.50"	0.325"	7.30"	4.94"	3.8	RH/LH	WIL160-8427	\$90.69

Titanium Super Alloy Scalloped Rotor

Super Alloy and Titanium 10.50" x 8.10" Vented Rotors are one of Sprint racing's lightest .810" rotor at a weight of only 2.40 to 3.20 pounds. Proprietary Super Alloy Titanium or Steel greatly enhances the durability and lifespan of this rotor over comparable lightweight steel or aluminum rotors. A Drilled, slotted, and scalloped design with 24 cooling vanes provides excellent high temperature stability, rapid heat dissipation, and consistent performance from the brake pads. The fine micro-finish surface beds quickly with new pads. It provides a cost effective, lightweight solution with quick response, long service life from the pads, and consistent braking at all temperatures. Lowered rotating weight promotes quick acceleration, deceleration, and improved handling.

Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	Rotor Type	Part #	Price
10.50"	0.81"	6 x 5.50"	0.325"	7.03"	4.94"	2.9	ULS-24 Super Alloy	WIL160-11217	\$177.75
10.50"	0.16"	9 x 7.00"	0.266"	7.49"	6.25"	1.1	Scalloped Super Alloy	WIL160-10717	\$141.99
12.00"	0.36"	8 x 7.00"	0.320"	N/A	6.36"	3.3	Titanium	WIL160-12571	\$729.60

SRP Drilled and Slotted for Street Application Performance Rotor

It feature a specially engineered directional cross drill and face slot pattern that improve brake response and pad performance throughout the entire range of light to heavy braking. The venting and cleaning action of the holes and slots will reduce pad glaze and disperse gasses and heat generated during the pad to rotor interface. The holes and slots also inhibit irregular pad compound build-up on the rotor faces resulting in smoother engagement and improved pedal response in all conditions. The material removed also contributes to lower rotating and unsprung suspension weight.

Dia.	Width	Bolt Circle	Hole Type	Far Side I.D.	Lug I.D.	Weight LBS	RH/LH	Part #	Price
12.19"	1.10"	8 x 7.00"	0.325"	8.34"	6.38"	13.4	RH	WIL160-12204-BK	\$135.76
12.19"	1.10"	8 x 7.00"	0.325"	8.34"	6.38"	13.4	LH	WIL160-12205-BK	\$135.76
12.19"	0.81"	8 x 7.78"	0.251"	8.53"	7.29"	8.6	RH	WIL160-6924-BK	\$129.35
12.19"	0.81"	8 x 7.78"	0.251"	8.53"	7.29"	8.6	LH	WIL160-6925-BK	\$129.35
12.19"	0.81"	8 x 7.62"	5/16-24	8.50"	7.13"	8.6	RH	WIL160-7105-BK	\$121.74
12.19"	0.81"	8 x 7.62"	5/16-24	8.50"	7.13"	8.6	LH	WIL160-7106-BK	\$121.74
12.19"	0.81"	8 x 7.00"	0.325"	8.50"	6.38"	8.8	RH	WIL160-7103-BK	\$121.74
12.19"	0.81"	8 x 7.00"	0.325"	8.50"	6.38"	8.8	LH	WIL160-7104-BK	\$121.74
12.00"	0.81"	8 x 7.00"	0.325"	8.41"	6.38"	8.3	RH	WIL160-8496-BK	\$164.91
12.00"	0.81"	8 x 7.00"	0.325"	8.41"	6.38"	8.3	LH	WIL160-8497-BK	\$164.91
11.75"	1.25"	5 x 4.75"	---	7.06"	---	19.0	RH	WIL160-11285-BK	\$106.13
11.75"	1.25"	5 x 4.75"	---	7.06"	---	19.0	LH	WIL160-11286-BK	\$106.13
11.75"	1.25"	5 x 4.75"	---	7.06"	---	17.2	RH	WIL160-11287-BK	\$106.13
11.75"	1.25"	5 x 4.75"	---	7.06"	---	17.2	LH	WIL160-11288-BK	\$106.13
11.75"	0.81"	8 x 7.00"	0.325"	8.34"	6.38"	8.0	RH	WIL160-7101-BK	\$121.74
11.75"	0.81"	8 x 7.00"	0.325"	8.34"	6.38"	8.0	LH	WIL160-7102-BK	\$121.74

Drilled Steel Dynamic Mount Rotor






Steel rotors have applications in all types of motorsports. Steel rotors provide a durable lightweight option in applications where sustained temperatures remain in the low to moderate range, and high heat spikes are only observed on an intermittent basis. This could be anything from a hard stopping drag race car at the end of a quarter mile, or a high speed stock car coming in from a qualifier at a super speedway. Steel rotors can also be found in lighter weight open wheel cars such as sprints and modifieds, and a variety of light weight, open wheel road course racers. A special alloy and proprietary manufacturing processes give these rotors high resistance to thermal distortion with excellent friction and wear characteristics against the pads.

Dia.	Width	Bolt Circle	Hole Type	Lug I.D.	Bolt Kit	LBS	Rotor Type	Part #	Price
12.90"	0.38"	12 x 8.75"	SLOT	8.25"	---	5.7	SSP	WIL160-4766	\$196.68
12.19"	0.35"	8 x 7.00"	0.325"	6.38"	(1, 2)	4.5	SCALLOP (Direct Mount)	WIL160-9773	\$77.78
12.19"	0.35"	8 x 7.00"	SLOT	6.56"	(1, 2)	4.8	SCALLOP	WIL160-5538	\$135.76
11.75"	0.35"	8 x 7.00"	0.325"	6.38"	(1, 2)	4.1	SCALLOP (Direct Mount)	WIL160-9772	\$74.07
11.75"	0.35"	8 x 7.00"	SLOT	6.56"	(1, 2)	4.5	SCALLOP	WIL160-5855	\$142.60

(1) To mount this rotor on a 5/16-18 threaded hat or hub, use bolt and t-nut kit WIL230-5308.

(2) To mount this rotor on a sprint car or open wheel axle mount clamp, use bolt kit and t-nut kit WIL230-5567.

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Standard Mount Steel Rotors

Steel rotors provide a durable lightweight option in apps where sustained temps remain in the low to moderate range, and high heat spikes are only observed on an intermittent basis. This could be anything from a hard stopping drag race car at the end of a quarter mile, or a high speed stock car coming in from a qualifier at a super speedway. Steel rotors can also be found in lighter weight open wheel cars such as sprints and modifieds, and a variety of lightweight, open wheel road course racers. A special alloy and proprietary manufacturing processes give these rotors high resistance to thermal distortion with excellent friction and wear characteristics against the pads.

6 and 8 Bolt									
Dia.	Width	Bolt Circle	Hole Type	Lug I.D.	Weight LBS	Rotor Type	Part #	Price	
12.00"	0.31"	8 x 7.62"	5/16-24	7.00"	4.6	DRILLED	WIL160-0495	\$70.36	
12.00"	0.35"	8 x 7.00"	0.325"	6.38"	5.4	DRILLED	WIL160-0525	\$70.36	
11.75"	0.35"	8 x 7.00"	0.325"	6.38"	5.9	SOLID	WIL160-3201	\$81.00	
11.75"	0.35"	8 x 7.00"	0.325"	6.38"	5.3	DRILLED	WIL160-3202	\$70.36	
11.44"	0.35"	8 x 7.00"	0.325"	6.38"	5.4	SOLID	WIL160-0201	\$71.07	
11.44"	0.35"	8 x 7.00"	0.325"	6.38"	4.7	DRILLED	WIL160-1601	\$70.36	
10.75"	0.35"	6 x 6.25"	0.316"	5.54"	5.2	SOLID	WIL160-3305	\$71.07	
10.75"	0.35"	6 x 6.25"	0.316"	5.54"	4.7	DRILLED	WIL160-3306	\$70.36	
10.50"	0.35"	6 x 5.50"	0.325"	4.94"	4.7	DRILLED	WIL160-3455	\$70.36	
10.25"	0.35"	6 x 5.50"	0.325"	4.94"	4.6	DRILLED	WIL160-3748	\$148.11	

3 and 5 Bolt									
Dia.	Width	Bolt Circle	Hole Type	Lug I.D.	Weight LBS	Rotor Type	Part #	Price	
11.00"	0.31"	3 x 5.00"	0.500"	4.10"	4.6	DRILLED	WIL160-2084	\$70.36	
11.00"	0.31"	3 x 5.00"	0.500"	4.10"	3.3	DRILLED	WIL160-10475	\$74.07	
10.25"	0.31"	3 x 5.00"	0.500"	4.10"	4.1	DRILLED	WIL160-3458	\$105.49	
10.00"	0.32"	5 x 3.88"	0.391"	3.12"	4.8	DRILLED	WIL160-2182	\$70.36	
10.00"	0.25"	5 x 5.00"	0.391"	4.10"	3.2	DRILLED	WIL160-1602	\$93.78	

OEM or Street Stock Replacement Racing Rotor

Wilwood's GM OEM Replacement Racing Rotors for Modifieds: These rotors were designed utilizing the latest developments in iron formulation technology using our proprietary blend ferrous alloy to bring you the strongest, lightweight, most dependable rotor available in the market place. The rotors are new castings, not reworked parts and our tolerances are held to the high standards you have come to expect from Wilwood Engineering. Rotors are offered in two configurations - GM Metric and Ford Hybrid and come standard with races and 5/8" coarse wheel studs installed in the 5 on 5 bolt pattern. The GM Metric rotor is 10.50" diameter by 1.00" thick and fits the 1979-1988 GM spindles. The Ford Hybrid version is 10.15" diameter by .810" thick rotor that fits the 1974-1980 Pinto spindles.

Dia.	Width	Bolt Circle	Stud Dia.	Installation Kit	Weight LBS	Rotor App.	Part #	Price	
10.50"	1.00"	5 x 5.00"	0.625"	WIL370-9537	14.9	GM Metric	WIL160-9239	\$55.54	
10.15"	0.81"	5 x 5.00"	0.625"	WIL370-9545	14.5	Ford Hybrid	WIL160-9240	\$55.54	

Aluminum Sprint / Midget Rotor-42T

Wilwoods 3.00" x 42 splined axle mount rotors are manufactured from the same high strength billets with the same precision as our 3 hole mount front rotors. Full symmetrical machining provides perfect balance, perfect flatness and the truest rotation of any aluminum rotor being built. Wilwoods engineered drill pattern combines the highest degree of weight reduction with the highest resistance to thermal distortion in the contact faces. You get smooth engagement and a consistent full pedal from the low knock-back characteristics of this design. A durable black anodized finish prevents corrosion and simplifies the visual inspection of the contact faces. The best results are always achieved using PolyMatrix Q compound brake pads with these rotors.

3 Hole Mount									
Dia.	Width	Bolt Circle	Hole Type	Weight LBS	Rotor Type	Part #	Price		
10.95"	0.31"	3 x 5.00"	0.516"	1.8	DRILLED	WIL160-3327	\$62.97		
10.20"	0.31"	3 x 5.00"	0.516"	1.6	DRILLED	WIL160-3411	\$62.97		

Splined Axle Mount									
Dia.	Width	Bolt Circle	Hole Type	Weight LBS	Rotor Type	Part #	Price		
10.95"	0.31"	3 x 42 Spline	-----	2.3	DRILLED	WIL160-3275	\$49.90		
10.20"	0.31"	3 x 42 Spline	-----	1.9	DRILLED	WIL160-3270	\$75.18		

Zero Offset Rotor Adapter for Wide 5 Hubs

Wilwood's new Zero Offset Rotor Adapter for Wide 5 hubs adapts any standard fixed mount rotor hub with an 8 x 7.00" bolt circle, to a dynamic rotor mount. Adapter is supplied with a standard 8 x 7.00" pattern for hub mounting and an 8 x 7.00" dynamic pattern for rotor mounting. Made from high strength aluminum alloy and hard anodized for wear resistance. Use Dynamic mount bolt kit part # 230-10483 and Adapter to hub bolt kit 230-8390.

Zero Offset Rotor Adpter for Wide 5 Hub	WIL300-14294	\$97.74
Dynamic Mount Bolt Kit, 12PT	WIL230-14414	\$44.44
Dynamic Mount Bolt Kit, SHCS	WIL230-8454	\$44.44
Adapter to Hub Bolt Kit	WIL230-8390	\$13.52



Dynamic Mount Rotor Plates for Wide 5 Hubs

These plates attach directly to the rotor mount bosses on wide 5 hubs & use the T-Nut rotor bolt kits to "float" mount any std 5/16" hole rotor with an 8 on 7" bolt circle. use of these plates requires hubs that have been specially machined to compensate for the plate thickness to maintain the original rotor position.

Rotor Bolt Circle	Hub Mounting Pattern	Plate Offset	Hub Mount Hole I.D.	Plate Lug I.D.	Plate O.D.	Plate Thickness	Rotor Mount	Plate Part #	WIL300-8431	Price
8 x 7.00"	8 x 7.00"	0"	.32"	5.50"	7.60"	.24"	T-SLOT	Bolt & T-Nut SHCS	WIL230-8454	\$44.44
								Bolt & T-Nut 12PT	WIL230-14414	\$44.44

Fixed Mount Rotor Mounting Hats

HD Series hats are manufactured from premium grade aluminum alloys offering high strength, low weight, and show quality appeal. HD hats have not only been a mainstay in many of Wilwood's brake conversion kits, but they can cover a range of applications from an OE four lug axle shaft to a Grand National stock car racing hub. HD hats feature a straight bell construction with a flanged rotor mount ring. These features combine to provide maximum radial clearance between the caliper body and the hat. This can be a critical factor when trying to squeeze a large caliper inside a small wheel. Many hats offer multi-lug wheel patterns for added versatility.

HD Fixed Mount Aluminum Hats for 5/16-24 Threaded Hole Rotors									
Rotor Bolt Circle	Wheel Lug Pattern	Hat Offset	Stud Hole Diameter	Center Hole I.D.	Face Thickness	Clearance I.D.	Mount Hole	Hat Part #	Rotor Bolt Kit #
8 x 7.62"	6 x 5.00"	2.00"	0.64"	3.50"	0.25"	6.50"	0.323"	WIL170-0089	\$91.32
								WIL230-0150	\$11.05
HD Fixed Mount Aluminum Hats for 5/16 Through Hole Rotors									
Rotor Bolt Circle	Wheel Lug Pattern	Hat Offset	Stud Hole Diameter	Center Hole I.D.	Face Thickness	Clearance I.D.	Mount Hole	Hat Part #	Rotor Bolt Kit #
8 x 7.00"	5 x 4.50/4.75/5.00"	1.96"	0.52"	3.06"	0.25"	6.14"	5/16-18	WIL170-0208	\$77.74
								WIL230-0233D	\$9.37
8 x 7.00"	5 x 4.50/4.75/5.00"	1.59"	0.52"	3.06"	0.25"	6.14"	5/16-18	WIL170-0317	\$77.74
								WIL230-0233D	\$9.37

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



wilwood

Starlite 55's Wide 5

It kit provides a basis to bolt dynamic rotor rotor mounting of standard 8 x 7.00" bolt pattern rotors. Contains rotor adapter and dynamic rotor mounting bolt kit. Made from high strength aluminum. It provides a LW and strong solution for rotor mounting.

Rear 5 Bolt Drive

Offset.....Finish.....Studs

Standard.....Aluminum.....5/8" Coarse.....	WIL270-6513C.....	\$129.59
Standard.....Aluminum.....5/8" Coarse Drilled.....	WIL270-6513D.....	\$135.76
Standard.....Black.....5/8" Coarse.....	WIL270-6513BC.....	\$141.93
Standard.....Black.....5/8" Coarse Drilled.....	WIL270-6513BD.....	\$148.11

Front w/Snap Cap

Offset.....Finish.....Studs.....Part #.....Price		
Standard.....Aluminum.....5/8" Coarse.....	WIL270-6735C.....	\$141.93
Standard.....Aluminum.....5/8" Coarse Drilled.....	WIL270-6735D.....	\$148.11
Standard.....Black.....5/8" Coarse.....	WIL270-6735BC.....	\$154.28
Standard.....Black.....5/8" Coarse Drilled.....	WIL270-6735BD.....	\$160.45



WIL270-12127C

Starlite 55's

WIL270-12111C

Starlite 55-XD hubs elevate performance and versatility for racing applications that require uncompromised strength without excessive additional weight. At just over 7 pounds, the 55-XD achieves it superior strength and modest weight through a highly efficient redesign of racing's most popular wide 5 hub, the Starlight 55. The 55-XD employs a bolt-on rotor mount plate that adds overall strength by eliminating the brake torque loading from the main hub body, by taking the stress loads of the braking torque out of the hub body and moving it to the thicker, stronger section of the hub near the inner wheel bearing, provides a measurable decrease in stress deflection in the body.

Front.....WIL270-12127C ..	\$191.33
RearWIL270-12111C...	\$185.16

Wide 5 Hub Parts and Accessories

Starlite "55" Drive Flanges/Hub Caps Ordering Information

Drive Flange Bolts with Washers - 5 Pack.....	WIL230-6911 ..	\$13.50
Std Five Bolt Drive Flange with Bolts, Washers	WIL270-6732 ..	\$63.59
LW Five Bolt Drive Flange with Bolts, Washers.....	WIL270-6733 ..	\$67.29
Snap Cap Front Hub Dust Cover	WIL270-6913 ..	\$14.17
Five Bolt LW Steel Front Hub Cap, Gold Cad Plated.....	WIL270-9498 ..	\$7.95
Drive Flange Bolts with Washers - 5 Pack.....	WIL230-6911 ..	\$13.50
O-Ring, Snap Cap.....	WIL211-6950 ..	\$0.61

Starlite Drive Flanges/Hub Caps Ordering Information

Eight Bolt LW Steel Front Hub Cap, Gold Cad Plated	WIL270-0374 ..	\$8.69
Drive Flange/Hub Cap Bolt Kit - 8 Pack.....	WIL230-1378 ..	\$20.40

Bolt Kit (5-Bolt Drive Flange)

Stop buying 8-bolt kits for your 5-bolt flanges like above. 7/16"-14 bolts come w/12 heads predrilled for safety wire.

WIL230-6911	\$13.50
-------------------	---------



AP Racing PRF Racing Brake Fluid

Developed for extreme, high temp racing conditions (dry boiling point of 608° F). Exceeds DOT 4 spec. Sold in 16.9 oz. bottle.

ALL78116	\$29.99
----------------	---------

AP 600 Hi-Temp Racing Brake Fluid

Designed for extreme, high temp racing conditions with a dry boiling point in excess of 572 degs Fahrenheit. Exceeds DOT 3 stds. 1 pint container.

ALL78108	\$23.99
----------------	---------

Castrol SRF Brake Fluid

Castrol SRF brake fluid has a wet boiling point of 518 deg. F (270 deg. C) which exceeds DOT 3 and 4 stds. Do not mix Castrol SRF and other brake fluids, as this will reduce the benefits of Castrol SRF. Sold in 1 liter containers (33.8 ozs.)

ALL78115	\$79.99
----------------	---------

5 Bolt - 3/8" Aluminum Rotor Spacer

BRP9481 3/8" thick spacer is required to maintain current caliper spacing if converting from 8 on 7 floating setup

BRP9481.....	\$27.84
--------------	---------



BRP9481

Self Bleed Check Valve

Wilwood Check Valves, or Flow Control Valves are used in conjunction with our caliper Self Bleed Lines. Together they form a closed loop brake fluid system that allows small amounts of brake fluid to circulate every time the brake pedal is depressed, thereby eliminating the possibility of localized fluid boiling and build-up of gases within the brake fluid. Gases end up being vented back into the master cylinder reservoir rather than trapped within the caliper and brake lines. Our Check Valve accepts standard 1/8-27 NPT fittings. For plumbing instructions request Wilwood's Data Sheet, DS-213.

Check Valve (flow control valve).....	WIL260-3501.....	\$56.75
---------------------------------------	------------------	---------

Residual Pressure Valve 10 lbs

With drum brakes, a ten pound valve is used to compensate for pressure difference and maintain fluid level in the system.

10 lbs.....	WIL260-13707	\$15.95
-------------	--------------------	---------

Residual Pressure Valve 4 lbs

Residual Brake Pressure Valves retain a minimum brake line pressure to eliminate excessive travel in disc or drum brakes. Use the 4 psi valve (gold) for disc brake systems to reduce caliper piston retraction and pad knockback.

4 lbs.....	WIL260-15365.....	\$17.77
------------	-------------------	---------

Residual Pressure Valve 2 lbs

The 2 lbs valve is used in disc brake applications where the master cylinder is mounted below the horizontal plane of the calipers and fluid drain back occurs from gravity and vibration, thereby causing excessive caliper piston retraction and a longer brake pedal stroke. The minimal 2 lbs residual pressure prevents fluid from flowing back without causing the brakes to drag. Valves with fittings are supplied with two 1/8-27 NPT to 3/24 inverted flare female fittings that will most domestic 3/16th hard brake line.

2 lbs.....	WIL260-13706.....	\$15.95
------------	-------------------	---------

Brake Bias Cable

It is used with balance bars to adjust front-to-rear brake bias during changing race conditions. The five foot cable and housing provides an optimum bending radius for easy installation and smooth performance in tight confines. The assembly comes with two label faces for either front-to-rear or rear-to-front adjustment.

WIL340-4990.....	\$42.23
------------------	---------

TCI Roll Stop

Pump the brake and hold, push the Roll Stop button, release the brake and the front wheels are locked. Now you can burnout like the pros. If you don't have enough pressure on the front brakes just pump again. The one way valve lets you add pressure once the button is depressed. Includes all hardware.

TCI861700.....	\$102.61
----------------	----------

570 Hi-Temp Brake Fluid

Pint.....	WIL290-0632 ..	\$9.25
Case of 24.....	WIL290-0633 ..	\$135.95

Super Hi-Temp EXP600 Plus Brake Fluid

Pint	WIL290-6209 ..	\$17.50
Case of 20	WIL290-6210 ..	\$319.95

DOT 4 Brake Fluid

Designed to lubricate and protect critical brake system componentry while providing reliable stopping power. Anti-vapor lock formulation maintains responsiveness and performance by fighting both water contamination and vaporization. Advanced chemistry resists corrosion, oxidation and is compatible with SBR, EPDM and natural rubbers.

16.9oz Bottle.....	MAX80-87916 ..	\$16.95
--------------------	----------------	---------

Anti-Roll Kit

Kit contains a heavy duty push button switch, switch bkt, coiled wire, rebuildable line-lock valve, fuse holder & indicator light. Continuous use of solenoid for 30+ seconds will damage the coil.

MOR44050	\$129.80
----------------	----------

Brake Ducts

Durable plastic brake ducts direct outside air for cooling brakes, oil coolers even the driver, and are available in centered, offset and dual outlet configurations.

Clear Teardrop.....	ALL42143	\$22.99
---------------------	----------	---------

Brake Duct Hose

Hose is designed to direct air from front mounted air ducts to spindle ducts for brake cooling. Flexible, non kinking hose is available in 3 temp ranges. Sold in 10 ft. lengths. 275° -3" single ply thermoplastic rubber wall with a spring steel wire support. 300° -3" or 4" double ply neoprene coated woven fiberglass hose with a spring steel wire inner and an external fiberglass cord support. 550° -3" or 4" double ply silicon coated woven fiberglass hose with a spring steel wire inner and an external fiberglass cord support. Brake Duct Hose, 3" x 10', Black, 300 degrees

ALL42151.....	\$59.99
---------------	---------



Seal Wide 5 Hub

BEA7210	\$4.95
---------------	--------

Inner Bearing Wide 5

BEA7324	\$10.91
---------------	---------

Outer Bearing Wide 5

BEA7325	\$10.91
---------------	---------

Hub Bearing Kits

Kits contain inner bearing, outer bearing and seal.

Wide 5 Bearing Kit, Wilwood, Sierra, Winters

ALL72300	\$23.99
----------------	---------

Wide 5 Bearing Kit, Howe (Hub Only)

ALL72301	\$24.99
----------------	---------

5 x 5 Bearing Kit, Allstar, Howe, PCR

ALL72302	\$25.99
----------------	---------

5 x 5 Bearing Kit, SPC Rear

ALL72303	\$44.99
----------------	---------

wilwood

Dynapro Radial Sprint Inboard Brake Kit

Features: A fully engineered bolt-on brake sys. for sprint car quick change rears with 3.00 x 46 splined axles. With titanium or Super Alloy .810 vented discs and a newly designed dynamic mt rotor axle clamp, are the lowest rotating weights available for Sprint racing. The lw advantages of the titanium rotor are fortified with the high durability, long wear, and superior heat control properties of advanced PolyMetallic coating tech. Forged billet DynaPro radial mt calipers with Composition Metallic pads, produce superior stopping power and consistent fade-free response. Kit includes Axle Clamp with Dynamic Mt Rotor Adapter assembly with T-nuts and Radial Mount Bracket and mounting hardware.

WIL140-11762.....\$1004.46

Billet Narrow Dynapro Radial Sprint Rear Inboard Kits

Features: A fully engineered bolt-on brake system for sprint car quick change rears with 3.00 x 46 splined axles. With Supery Alloy Titanium 12.00" x .36" disc and a newly designed dynamic mt rotor axle clamp, are the lowest rotating weights available for Sprint racing. The lw advantages of the steel rotor mean a lower cost. Forged billet DynaPro radial mt calipers with Composition Metallic pads, produce superior stopping power and consistent fade-free response. Kit includes Axle Clamp with Dynamic Mt Rotor Adapter assembly with T-nuts and Radial Mt Bkt and mounting hardware.

WIL140-12764.....\$1163.95

Dynapro Radial Sprint Inboard Brake Kit

Features: A fully engineered bolt-on brake system for sprint car quick change rears with 3.00 x 46 splined axles. With Super Alloy.810 vented discs and a newly designed dynamic mount rotor axle clamp, are the lowest rotating weights available for Sprint racing. • The lightweight advantages of the Super Alloy rotor are combined with high durability & long wear. • Forged billet DynaPro radial mount calipers with Composition Metallic pads, produce superior stopping power and consistent fade-free response. Kit includes Axle Clamp with Dynamic Mount Rotor Adapter assembly with T-nuts and Radial Mount Bracket and mounting hardware.

WIL140-11206.....\$650.41

Sprint - Open Wheel Live Axle Clamp-on Rotor Mount

Wilwood's Sprint inboard hub and adapter kit provides a basis to bolt dynamic rotor rotor mounting of standard 8 x 7.00" bolt pattern rotors. Contains rotor adapter and dynamic rotor mounting bolt kit. Made from high strength aluminum. It provides a lightweight and strong solution for rotor mounting.

Sprint, Inboard, Splined, 4" OD..GEN II w/Rotor Adapter, 8 x 7.00 ...WIL270-12633....\$180.22

Midget, Inboard, Splined, 4" OD GEN II w/Rotor Adapter, 6 x 5.50 ...WIL270-12634....\$180.22

Sprint, Inboard, Splined, 4" OD..GEN II w/Rotor Adapter, 6 x 5.50 ...WIL270-12635....\$180.22

Sprint/Midget Rotor Adapter

Rotor adapter for Sprint / Midget front hubs. Adapter is supplied with a standard 3 x 5.00" pattern for hub mounting and a dual 8 x 7.00" dynamic or fixed bolt pattern for rotor mounting. Made from high strength aluminum alloy and hard anodized for wear resistance.

Rotor Adaptor Floating/Fixed - Sprint/Modified Hub 8 x 7.00 BC 3 x 5.00 BCWIL300-13474.....\$46.29

Rotor Bolt Kit - Dynamic Rear 8 Bolt with T-NutsWIL230-5308.....\$46.86

Dynamic Mount Bolt Kits for through Hole Rotors with T-Slotted Hats or Plates

Bolt kits in this group include bolts, t-nuts, and associated hardware to attach a standard through-hole mount rotor to a dynamic mount, t-slot machined hat or rotor plate. All bolts are lock-wire drilled.

Qty	Bolt Size	Bolt Type	Applications	Part #	Price
12	1/4-28 x 0.75"	Stainless Steel 12 Point	GT Hats	WIL230-6656	\$74.02
8	1/4-28 x 0.75"	Stainless Steel 12 Point	GT Hats	WIL230-6709	\$44.44
8	5/16-24 x 0.81"	Stainless Steel 12 Point	GT Hats, 5 x 5 Hub Plate	WIL230-6710	\$49.99
8	5/16-24 x 0.75"	Grade 8 Socket Head	Wide 5 Hub Plate	WIL230-8454	\$44.44

Dynamic Mount Bolt Kits for Slotted Hole Steel Rotors

These bolt kits include bolts, t-nuts, and associated hardware to attach a specially machined slotted hole plate steel rotor to a threaded hat, hub, or live axle rotor clamp. All kits are supplied with either lock-wire drilled bolts or crimp nuts.

Qty.....Bolt Size.....Bolt Type.....Applications
8.00" ...5/16-24 x 1.25".....Grade 8 Countersunk ..Live Axle Rotor Clamp
WIL230-5567.....\$44.44

8.00" ...5/16-24 x 0.81".....Grade 8 Socket Head ..Threaded Hats, Wide 5 Hubs
WIL230-5308.....\$46.86

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Dynapro Radial Sprint Inboard Brake Kit

Features: A fully engineered bolt-on brake system for sprint car quick change rears with 3.00 x 46 splined axles. With Steel Scalloped 11.75" x .35" disc and a newly designed dynamic mount rotor axle clamp, are the lowest rotating weights available for Sprint racing. The lightweight advantages of the steel rotor mean a lower cost. Forged billet DynaPro radial mount calipers with Composition Metallic pads, produce superior stopping power and consistent fade-free response. Kit includes Axle Clamp with Dynamic Mount Rotor Adapter assembly with T-nuts and Radial Mount Bracket and mounting hardware.

WIL140-11323.....\$532.81

GP320 Sprint Left Front Brake Kit

It offers increased braking torque and thermal performance of the GP320 4 piston calipers. A definitive increase in braking and durability over traditional aluminum or steel rotor systems. Mounts are included for standard Sprint spindle to match the included 10.50 x 0.19" Super Alloy rotor. Also includes Composition Metallic brake pads, lightweight aluminum dynamic mount 3-pin rotor adapter and T-nut hardware kit.

WIL140-11773.....\$463.27

GP320 Sprint Right Rear Brake Kit

It offers increased braking torque and thermal performance of the GP320 4 piston calipers. A definitive increase in braking and durability over traditional aluminum rotor systems. Kit includes 10.50 x 0.19" Super Alloy steel rotor, Composition Metallic brake pads, lightweight aluminum dynamic mount splined rotor adapter and T-nut hardware kit.

WIL140-11774.....\$463.27

Narrow Dynapro Lug Mount Sprint Inboard Brake Kit

Wilwood's Narrow Dynapro Lug Mount Sprint Inboard Kit Features: A fully engineered bolt-on brake system for sprint car quick change rears with 3.00 x 46 splined axles. With an economical 12.19 x .810 diameter cast iron vented rotor and a newly designed dynamic mount rotor axle clamp. Forged billet DynaPro lug mount calipers with Poly-Matrix B compound pads, produce superior stopping power and consistent fade-free response. Kit includes Axle Clamp with Dynamic Mount Rotor Adapter assembly with T-nuts.

WIL140-11507.....\$532.81

wilwood

DISC BRAKES

PEDAL ASSEMBLY

Reverse Facing Single Pedal Assemblies

(Master Cylinder Not Included)

With balance bar for dual master brake systems. Reverse facing masters. Both are swing mount type.

10" pedal (5.1:1 ratio)WIL340-13837
11.7" pedal (6.25:1 ratio).....WIL340-12509 ..\$145.65

Adjustable Forward Swing Mount Triple Master Cylinder Pedal - Aluminum

It features all alum frame and forged aluminum pedal arms with ladder style construction. Pedal pads are of special adjustable design that allows fine-tuning of the pedal location and clearance. Also included with the assembly: mounting studs, hardware, new clevis and pivot pin balance bar assembly to provide smooth and accurate settings of the brake pedal bias. The balance bar can be set and locked down with the jam nut, or attached to a remote cable for quick on-track adjustments. With a 6.25 to 1 pedal ratio on both clutch and brake pedals.

ForwardWIL340-11295 \$200.87
ReverseWIL340-11299 \$200.87

Tru-Bar Balance Bar Brake Pedal Assembly

It utilizes a fixed trunnion bearing in the pedal arm with spherical rod ends at the pushrod connections. It provides the ultimate in precision bias adjustment, control and fine tuning on race prepped vehicles equipped with twin brake master cylinder systems and proportionately sized calipers. Pedal shown with optional master cylinders.

Dual Master Cylinder

Reverse Swing Mt
5.1:1 Ratio BrakeWIL340-15076 ..\$300.37
6.25:1 Ratio BrakeWIL340-15077 ..\$300.37
Forward Mt
6:1 Ratio BrakeWIL340-15078 ..\$270.25
7:1 Ratio BrakeWIL340-15079 ..\$270.25

Triple Master Cylinder

Forward Swing Mount
6.25:1 Ratio, Brake & Clutch...WIL340-15072 ..\$355.59

Reverse Swing Mount

5.1:1 Ratio, Brake & Clutch.....WIL340-15073 ..\$355.59
6.25:1 Ratio, Brake & Clutch...WIL340-15074 ..\$355.59
6.25:1 Ratio, Brake & 5.1:1 Ratio Clutch
WIL340-15075 ..\$355.59

Balance Bar Replacement

It is designed to max travel and adjustability providing increased front-to-rear bias control. The precision spherical bearing with corrosion resistant finish is durable and smooth performing. The 3/8-24 threaded adjuster bar is high strength aircraft alloy and fitted with LW, maintenance free clevises and thrust washers to eliminate binding under extreme pivot angles. Includes steel sleeve for easy weld on operation to fabricated steel pedal assemblies.

With Sleeve.....WIL340-1757 ...\$54.27
Without SleeveWIL340-4745...\$47.56



Forward Facing Single Pedal Assemblies

(Master Cylinder Not Included)
Complete with balance bar for dual master brake systems.

10" pedal (6:1 ratio) - Floor Mount
WIL340-13831.....\$115.53
12" pedal (7:1 ratio) - Swing Mount
WIL340-13832.....\$115.53

Clutch Pedal Assemblies

(Master Cylinder Not Included)
For clutch pedal or single master cylinder brake applications.

10" pedal (6:1 ratio) - Floor Mount
WIL340-13833.....\$76.49
12" pedal (7:1 ratio) - Swing Mount
WIL340-13834.....\$76.49

60 Degree Balance Pedal Assembly

This lightweight unit is ideal for Dirt Modifieds, Champ Cars, Sprint Cars & Midgets where master cylinders must be mounted in a remote location because of tight space constraints. Usually mounted to the driver's left side chassis rail, the unit's balance bar controls two standard mount master cylinders with remote mounted reservoirs. The 60 degree mounting angle allows for tight fit applications and easy accessibility. Strong cast aluminum housing and balance bar weighs only 1.8 pounds. An adjuster knob is included with each assembly.

WIL340-4630...\$168.86

Knob Style Combination Proportioning Valve

It substantially simplifies mounting, plumbing, wiring and brake proportioning adjustments on vehicles with custom brake systems. The rear circuit has a single inlet and single outlet with the adj proportioning valve. The front circuit has a single inlet with two outlets. It can be run as a single outlet with one outlet plugged, or used to split the plumbing on its way to the front calipers.

WIL260-11179.....\$79.96



Reverse Swing Mount Triple Master Cylinder Clutch and Brake Pedal

w/Balance Bar
(Master Cylinder Not Included)

This assembly combines the brake and clutch pedals together in 1 unit and positions the master cylinder inside the firewall and away from the engine heat.

Triple Mt Clutch & Brake Pedal w/Balance Bar
(5.1:1 ratio)WIL340-13835...\$200.87
(6.25:1 ratio)WIL340-11295 ...\$200.87
6.25:1 Brake/5.1:1 Clutch ...WIL340-13836...\$200.87

Adjustable Pedal Retrofit Kit

These retrofit kits will upgrade your existing forward (near right photo) or reserve (far right photo) swing mount triple master cylinder pedal assemblies to our new adjustable style without having to replace the complete pedal assembly. Installation is quick and simple.

Adjustable Forward Mount Triple Master Cyl Pedal Retrofit Kit 6.25:1WIL340-12043 ..\$106.13

Adjustable Reverse Mount Triple Master Cyl Pedal Retrofit Kit 6.25:1WIL340-12044 ..\$98.72

Clutch Slave Cylinder

This "Pull Type" slave cylinder is made from billet aluminum for high strength and plated with a tough anti-corrosion finish. The stainless steel push rod has a longer stroke than most cylinders assuring a full release of the clutch. Ideal for Drag Racing, Late Model Stock, Pro Series and Off Road applications. Recommended master cylinder sizing is 3/4".

WIL260-1333.....\$72.31

Slave Cylinder Rebuild Kit

Rebuild kit for Wilwood Slave Cylinder. Contains o-ring seals, spring assembly, inlet fitting and bleed screw. All parts necessary for maintenance and repair of your slave cylinder.

WIL260-5524.....\$13.29


Tru-Bar 60 Degree Remote Pedal Master Cylinder Mount

For remote brake pedal applications utilizes a fixed trunnion bearing within the pivot lever and pushrod spherical bearing ends. This provides smooth operation and precise adjustment of the brake bias with zero chance of balance migration, eliminating all side play. A larger dia, higher strength 4340 steel 7/16-20 balance bar adds rigidity and increases bias influence. A step-down shoulder on each end allows use of the direct mount adjusting knob or a standard 3/8-24 coupler remote adjuster cable. The new model is interchangeable with the previous slider bearing model, with upgrade kits available for older units. It's race proven to deliver championship caliber performance in all racing conditions.

WIL340-14380...\$226.61

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

MASTER CYLINDERS



Aluminum Master Cylinders

This popular lightweight, compact design is used for clutch and small master cyl requirements and is well known for its dependability. It incorporates an improved plastic screw-on filler cap and is available in all three bore sizes.

5/8" bore	WIL260-2636	\$51.72
3/4" bore	WIL260-1304	\$51.72

Alum Tandem Chamber Master Cylinder

High-pressure die casting of a premium alloy produces a high-capacity body that is lightweight, looks great, and has the durability for competition. A black anodized, machined billet lid captures a pressure balanced bellows gasket with 100% sealing against moisture invasion or fluid leakage. The mounting flange is slotted to accommodate installation on bolt centers between 3.22" and 3.40".

7/8" Bore Std Finish	WIL260-9439	\$177.75
7/8" Bore Std Black	WIL260-9439-BK	\$213.31
7/8" Bore Bright Finish	WIL260-9439-P	\$213.31
1" Bore Std Finish	WIL260-8555	\$177.75
1-1/8" Bore Std Finish	WIL260-8556	\$177.75
1-1/8" Bore Std Black	WIL260-8556-BK	\$213.31
1-1/8" Bore Bright Finish	WIL260-8556-P	\$213.31

Tandem Master Cylinder

Made from alum w/a large capacity plastic reservoir, this master utilizes standard OEM internal components. LW master can be used for everything from drag racing to street rods.

1 1/16" bore	WIL260-4893	\$101.40
Rebuild Kit	WIL260-4896	\$28.34
Tandem Master Cylinder Kit (includes m/c, boot, pushrod, retainer)	WIL260-4894	\$113.74

TM1 5/8 Tandem Master Cylinder

It is manufactured from LW alum with a 5/8" bore and dual 10mm x 1.00 outlets. Side mounting on 3.53" bolt spacing using 5/16" bolts, it's compact design is perfect for applications where space is limited. Includes push rod, dust boot and a permanent mount .39" dia clevis. An alternative 5/16-24" threaded pushrod is available under part # 230-7134.

7 Ounce Remote Reservoir Kit with 30" of Hose (2 required per master cyl)	WIL260-11097	\$76.71
---	--------------------	---------

GS Compact

Integral Master Cylinder

Wilwood's new GS Compact Integral Master Cylinders are an all new rebuildable design

featuring a high pressure die cast aluminum body with a protective e-coat finish. Integral cylinders feature a positive seal internal bellows cap. Internally, a refined return spring and piston assembly assures positive pressure control along with a quick and complete release.

0.625" Bore	WIL260-15096	\$59.55
0.700" Bore	WIL260-15097	\$59.55
0.750" Bore	WIL260-15098	\$59.55



Remote Master Cylinder Kits

Allows you to place reservoirs in an easy to reach location. Great for race cars.

5/8" bore	WIL260-3372	\$71.59
3/4" bore	WIL260-3374	\$71.59
7/8" bore	WIL260-3376	\$71.59
1" bore	WIL260-3378	\$71.59
1-1/8" bore	WIL260-3380	\$71.59

Rebuild Kits

5/8"	WIL260-3880	\$22.71
3/4"	WIL260-3881	\$22.71
7/8"	WIL260-3882	\$22.71
1"	WIL260-3883	\$22.71
1-1/8"	WIL260-3884	\$22.71



Compact Remote Master Cylinder

They are the perfect solution for club racers, small open wheel racers, and any other custom application when there is limited mounting space for the master cylinder and fluid reservoir. Both fluid ports are located on the top of the cylinder body for additional end clearance in short mounting spaces.

0.625" Bore	WIL260-6087	\$47.65
0.700" Bore	WIL260-6088	\$47.65
0.750" Bore	WIL260-6089	\$47.65

Reservoir Kit, Compact Remote

Small 4 oz	WIL260-7577	\$53.29
Large 10 oz	WIL260-8742	\$53.29

Combination Remote Tandem Master Cylinder

This versatile, lightweight and easily adapted master cylinder provides single pushrod activation of two separate brake fluid circuits. The cylinder features 50/50 output from a 1.00" bore with 1.10" stroke.

WIL260-7563

Electric Brake Shut Off

Engineered specifically as a race caliper shut off valve. Line locks are not designed to be kept in the ON position continuously and can overheat and fail if used as a shut-off. Line locks can also trap pressure in the brake system and cause the brakes to drag. Wilwood shut-off valves can be engaged without trapping pressure in caliper (will not drag brake).

WIL260-9921

GM Style Proportioning Valve

Manufactured from high quality aluminum and coated with a durable black anodized finish. Line connections for the valve, if mounted in the OE location, will allow the original lines to connect directly to the valve. If mounted in a non-OE location, fluid lines may have to be modified. This also does allow usage in other non-GM vehicles. This proportioning valve offers: 63% pressure reduction (rear) after 350 PSI knee point. A 30 PSI delay rear-to-front circuit and Circuit failure sender activation at 50 ± 10 PSI. A Recommended max operating pressure: 2000 PSI. Non-adjustable front-to-rear proportioning (knee point, rate, etc.) and Anti-dive or metering delay valve: Enables rear brake pressure to build momentarily before front brake pressure builds.

WIL260-11322

Compact Combination Master Cyl Kits

Kit features a compact 3.37" lightweight aluminum short body design. The master cylinder provides 1.12" of usable push rod stroke.

5/8" bore	WIL260-10371	\$74.63
3/4" bore	WIL260-10372	\$74.63
13/16" bore	WIL260-10373	\$80.20
7/8" bore	WIL260-10374	\$74.63
1" bore	WIL260-10375	\$74.63
1-1/8" bore	WIL260-10376	\$80.20

Rebuild Kits

5/8" bore	WIL260-10513	\$20.93
3/4" bore	WIL260-10514	\$20.93
13/16" bore	WIL260-10515	\$20.93
7/8" bore	WIL260-10516	\$20.93
1" bore	WIL260-10517	\$20.93
1-1/8" bore	WIL260-10518	\$20.93

Replacement Parts

Reservoir Small 7 oz	WIL260-10204	\$7.10
Reservoir Large 10 oz	WIL260-10205	\$7.10
Reservoir Cap	WIL330-15081	\$6.11
Remote Mount Bkt	WIL250-10263	\$6.11
Remote Hose	WIL220-10444	\$6.11
Remote Inlet Adapter	WIL260-10264	\$3.64
Hose Clamp	WIL260-10342	\$1.10
O'Ring	WIL210-10402	\$0.80

Master Cylinder Short Remote, Side Mt

Kit, M/C, 5/8", Short Remote, Side Mt - Reservoir. Unit Weight 2.6 lbs. Width 10.56". Length 13". Height 3".

Bore

5/8" bore	WIL260-12384	\$74.63
3/4" bore	WIL260-12385	\$74.63
13/16" bore	WIL260-12386	\$80.20
7/8" bore	WIL260-12387	\$74.63
1" bore	WIL260-12388	\$74.63
1-1/8" bore	WIL260-12389	\$80.20

High Volume Aluminum Master Cylinder

Bigger calipers require more fluid. These new high volume masters hold 26% more fluid meaning larger reserves and cooler temps.

3/4" bore	WIL260-6764	\$47.97
7/8" bore	WIL260-6765	\$47.97
1" bore	WIL260-6766	\$47.97

Rebuild Kits

3/4"	WIL260-6898	\$28.34
7/8"	WIL260-6899	\$28.34
1"	WIL260-6900	\$28.34

Master Cylinder

Compact and LW master and bkt assembly mounts in std location on most karts & jr. dragsters.

WIL260-5520

Proportioning Valves

Pressure adjustments range from 100-1000 PSI and provide for a maximum decrease of 57% in line pressure, the most of any available valve. Adjuster knob with fine thread tuning provides precise pressure adjustment. This adjustment lets you fine tune the front to rear braking balance by proportionally decreasing the rear brake line pressure. Valves weigh only 5.2 ounces and have two .25" side mounting holes spaced 1.00" apart. Sd in and out ports are 1/8-27 NPT.

Knob Style	WIL260-8419	\$37.29
Lever Style	WIL260-8420	\$74.02



Code Breakdown

HB 245 x .631

Hawk Perf
Brake Pads

Hawk Pad Shape

Overall Thickness
(in inches)
Insert
Compound Code

Code: U **Compound: DTC-70** **Torque: High**
Designed for high deceleration rates. High temperature fade resistance. Very low abrasive rotor wear.

Code: G **Compound: DTC-60** **Torque: High**
Slightly lower torque than DTC 70. Recommended for use with DTC 70 driver spindles and brake rotors. Very low abrasive rotor wear.

Code: V **Compound: DTC-50** **Torque: High**
Designed for high deceleration rates. High temperature brake fade resistance. Very high torque with aggressive initial bite.

Code: W **Compound: DTC-30** **Torque: Medium**
Wide Optimal temperature range. Smooth feel with good initial bite. Good cold effectiveness. Very low abrasive rotor wear.

Code: A **Compound: DTC-15** **Torque: Medium**
Designed for high deceleration rates. High temperature fade resistance. Very low abrasive rotor wear.

Code: H **Compound: DTC-05** **Torque: Low**
Designed for use in Dirt Track racing. Controllable, higher temp performance.

Code: L **Compound: MT-4** **Torque: High**
High initial bite. Designed for pavement circle track under 2800 lbs. Designed for applications not needing high deceleration rates.

Code: MB **Compound: Metallic** **Torque: High**
Specifically designed for ceramic coated rotors.

Code: M **Compound: Black** **Torque: Medium**
Medium torque and temperature pad. Good cold effectiveness. A good all-purpose low-cost racing brake pad. Good for Dirt Modified and IMCA style pavement Modified.

Hawk Brakes provide fade free, longer lasting performance from start to finish. Ferro-Carbon Semi Metallic Racing Pads are burnished with no break-in required, run up to 200°F cooler and provide instant response with no lag. Rotor friendly pads also have a high coefficient of friction and low wear rate. Consistent, predictable performance lap after lap. Proven in NASCAR, Indy Car, SCCA, IMSA, DIRT, Hooters Cup, and ASA.

Brake Bias Gauges

They actual front and rear line pressure for making brake bias changes before or during the race. Pre-assembled units have 0-1000 psi liquid filled gauges with 1/8" NPT male fittings and bleeder valves to evacuate air from the gauges. 2-3/4" x 4-1/2" pre-drilled panels are offered in horizontal or vertical. ALL80170...\$69.99



Brake Pressure Tester Kit

Accurately measure brake bias without permanently plumbing your car for gauges. Simply screw the fitting onto your caliper bleed screw and have a helper press the brakes. Its face swivels to allow easy readings from any angle. These gauges work best in pairs, one on a front caliper and another in the rear.

JOE44012...\$89.95

1000 Series Brake Caliper

- Piston Size 1.75"
- Rotor Width .38" • Mt Holes 3.25"

BRPBRC170-1526...\$131.93

2800 Series Brake Caliper

- Piston Size 1.75"/1.75"
- Rotor Width .810" Right/Left

BRPBRC170-4090...\$205.60

Radial Mt Brake Calipers


Less bracket flex, easy rotor to caliper spacing, multiple size rotors can be used with the same bracket, and simple removal and installation for service. They also offer considerable weight reductions compared to std calipers.

BRPBRC170-53753/8" Rotor\$229.98
BRPBRC170-5810810" Rotor\$219.26




Wilwood DL Outlaw Sierra

DTC-05 Compound 12 mm Thick.....	HAWHB100H.480	\$53.43
MT-4 Compound 12 mm Thick.....	HAWHB100L.480	\$71.65
Black Compound 12 mm Thick.....	HAWHB100M.480	\$81.46
DTC-30 Compound 12 mm Thick.....	HAWHB100W.480	\$99.14




Wilwood SL AP Racing Outlaw

DTC-60 Compound 20 mm Thick.....	HAWHB101G.800	\$184.79
DTC-05 Compound 20 mm Thick.....	HAWHB101H.800	\$97.18
MT-4 Compound 20 mm Thick.....	HAWHB101L.800	\$140.48
Black Compound 20 mm Thick.....	HAWHB101M.800	\$105.08
DTC-70 Compound 20 mm Thick.....	HAWHB101U.800	\$186.98
DTC-30 Compound 20 mm Thick.....	HAWHB101W.800	\$129.86




GM Intermediate

DTC-60 Compound 15 mm Thick.....	HAWHB103G.590	\$132.93
DTC-05 Compound 15 mm Thick.....	HAWHB103H.590	\$58.09
MT-4 Compound 15 mm Thick.....	HAWHB103L.590	\$124.77
HT-10 Compound 15 mm Thick.....	HAWHB103S.590	\$155.03
DTC-70 Compound 15 mm Thick.....	HAWHB103U.590	\$169.40
DTC-30 Compound 15 mm Thick.....	HAWHB103W.590	\$106.29




GM Metric

DTC-60 Compound 15 mm Thick.....	HAWHB119G.594	\$123.77
DTC-05 Compound 15 mm Thick.....	HAWHB119H.594	Scall
MT-4 Compound 15 mm Thick.....	HAWHB119L.594	Scall
Black Compound 15 mm Thick.....	HAWHB119M.594	\$81.46
DTC-70 Compound 15 mm Thick.....	HAWHB119U.594	\$152.07
DTC-30 Compound 15 mm Thick.....	HAWHB119W.594	\$101.94




GM Magnum

MT-4 Compound 15 mm Thick.....	HAWHB131L.595	Scall
Black Compound 15 mm Thick.....	HAWHB131M.595	\$116.16
DTC-70 Compound 15 mm Thick.....	HAWHB131U.595	\$210.38
DTC-30 Compound 15 mm Thick.....	HAWHB131W.595	\$139.64




Wilwood BB AP Racing Outlaw

DTC-05 Compound 16 mm Thick.....	HAWHB237H.625	\$92.48
MT-4 Compound 16 mm Thick.....	HAWHB237L.625	Scall
Black Compound 16 mm Thick.....	HAWHB237M.625	\$106.69
DTC-70 Compound 16 mm Thick.....	HAWHB237U.625	\$131.69
DTC-30 Compound 16 mm Thick NDL.....	HAWHB237W.625	\$123.41




Wilwood BB SL

DTC-60 Compound 20 mm Thick.....	HAWHB521G.800	\$190.79
DTC-05 Compound 20 mm Thick.....	HAWHB521H.800	Scall
MT-4 Compound 20 mm Thick.....	HAWHB521L.800	\$143.02
Black Compound 20 mm Thick.....	HAWHB521M.800	\$107.36
DTC-70 Compound 20 mm Thick.....	HAWHB521U.800	\$196.72
DTC-30 Compound 20 mm Thick.....	HAWHB521W.800	\$134.81




Wilwood

DTC-60 Compound 15 mm Thick.....	HAWHB542G.600	\$124.71
DTC-70 Compound 15 mm Thick.....	HAWHB542U.600	\$143.16
DTC-30 Compound 15 mm Thick.....	HAWHB542W.600	\$102.46




Powerlite Wilwood

DTC-05 Compound 12 mm.....	HAWHB611H.490	Scall
Black Compound 12 mm.....	HAWHB611M.490	\$113.28
DTC-30 Compound 12 mm.....	HAWHB611W.490	\$129.53




Wilwood DLS new style

Black Compound 12 mm.....	HAWHB622M.490	\$110.07
DTC-30 Compound 12 mm.....	HAWHB622W.490	\$113.32



Bakes Belabbe

(No Master Cylinders)
More precise adjustment. Constant bias bumps and chassis movement do not affect the balance bar like traditional balance bar assemblies. No pedal dead spot because the balance bar doesn't work off of a pivot point. Balance bar has roller bearing adjustment for smoother operation. Knob has detent so bias can't change during racing conditions.
BRPBRC310-9070...\$328.92



wilwood

Quick Check Pressure Gauge








This easy to read 2" dia non-hazing face allows for quick brake line pressure checks from 0-1,500 PSI (or 0-10,000 kPa). 20 PSI graduations and accuracy to 1.5% permit reliable brake bias setup and brake system troubleshooting. It is durable and corrosion resistant.
WIL260-0966...\$61.67



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

PFC Racing Compounds

The sets are completely race ready pads requiring no bedding. All pads are boxed per axle set, four pads per box. All PFC compounds are painted black.

Swept Depth	Part #	
46 GM Intermediate	PFC0052.11.14.44..... <i>Scall</i>	
46 GM Intermediate	PFC0052.13.14.44..... \$148.67	
46 GM Intermediate	PFC0052.14.14.44..... <i>Scall</i>	
Swept Depth	Part #	
42 GM Metric	PFC0154.11.14.44..... <i>Scall</i>	
42 GM Metric	PFC0154.14.14.44..... <i>Scall</i>	
42 GM Metric	PFC0154.13.14.44..... \$149.93	
Swept Depth	Part #	
40 AP, Outlaw, Wilwood Superlite	PFC7751.11.20.44..... <i>Scall</i>	
40 AP, Outlaw, Wilwood Superlite	PFC7751.13.20.44..... \$222.26	
40 AP, Outlaw, Wilwood Superlite	PFC7751.14.20.44..... <i>Scall</i>	
40 AP, Outlaw, Wilwood Superlite	PFC7751.81.20.44..... <i>Scall</i>	
Swept Depth	Part #	
46 Outlaw, Sierra, Wilwood DL	PFC7752.14.12.44..... \$74.94	
46 Outlaw, Sierra, Wilwood DL	PFC7752.97.12.44..... \$92.58	
Swept Depth	Part #	
45 AP6, Wilwood, JFZ	PFC7753.11.21.44..... <i>Scall</i>	
Swept Depth	Part #	
46 Outlaw, Wilwood B/Bolt, NDL	PFC7754.11.16.44..... \$120.79	
46 Outlaw, Wilwood B/Bolt, NDL	PFC7754.14.16.44..... <i>Scall</i>	
46 Outlaw, Wilwood B/Bolt, NDL	PFC7754.81.16.44..... <i>Scall</i>	
46 Outlaw, Wilwood B/Bolt, NDL	PFC7754.97.16.44..... <i>Scall</i>	
Swept Depth	Part #	
43 Outlaw, Wilwood Single	PFC7757.11.12.44..... \$55.72	
43 Outlaw, Wilwood Single	PFC7757.14.12.44..... \$55.72	

Compound	Description
11	Medium friction - the ultimate in control, with super disc conditioning. Developed from 01 compound with improved bite, modulation, and release characteristics. Ultra smooth and eliminates wheel lock. Applications: Ideal use for medium to low grip venues as well as racing venues where ABS is used.
12	Medium friction - great control and for 24 hour durability and super disconditioning. Developed from 08 compound with improved wear, modulation and release characteristics and the ultimate in wear. Applications: Ideal use for endurance where long wear is at premium and where ABS systems are used.
13	High friction - a new generation of ultimate high bite. Developed from 01 compound with increased bite, modulation, and superior disc conditioning and release characteristics for exceptional control. Applications: Ideal use for sprint and severe applications - heavy fast cars or high downforce cars.
14	Lighter friction - medium distance friction with ultimate control and superior disc conditioning. Developed from 01 compound with lower cold bite and reducing wheel lock at the end of a stop. Applications: Ideal use for medium to low grip venues where control and modulation is a premium.
01	Good initial bite, with very little torque rise with temperature for improved modulation and excellent release. Wins more World and National Championships annually than any compound on the market. Applications: All purpose pad in a wide variety of applications such as road course, oval track, and short track.
07	Higher initial bite and higher average torque. It will have some friction rise with temp for most severe apps. Great modulation and release characteristics with low abraded disc wear. Applications: For high grip, high downforce, or severe duty apps such as Nascar Short Track and Indy Cars.
08	Slight friction rise with temp with excellent release and modulation characteristics. Very low abraded disc wear with a fine grey slate like disc finish, similar to the 01. Applications: For when smooth initial bite is a must such as SCCA racing, endurance sports car and GT.

Brake Bottle Bleeder Kit

It contains the mess of bleeding brakes by capturing the fluid in a 16oz. bottle. It comes with a magnetic adapter that attaches directly to your brake disc to make brake bleeding a one-man job. The one-way check valve is easy to use, just attach the bottle, open the bleed screw and pump the brakes. Each pump releases fluid out of the system and seals tight when you release the pedal. It works for the majority of brake systems without the need for an adapter.....JOE44010.....**\$27.95**

Brake Bottle Bleeder Kit

Magnet holds bottle while you bleed your brakes ~ no more spilled fluid. Hoses connect to bleeder valves - bleed one at a time or both at once. Cap for hoses prevents leakage during storage. Kit includes 2 bottles and comes with 1/4" bleed wrench.

LO45200.....**\$34.21**

Electric Right Front Brake Shut-Off

Disable right front brake with the flip of a switch. Commonly found on dirt modified and late models, electric shut-off helps turn the car on entry when track conditions are heavy/wet. Kit electronically disables the right front brake yet allows brake pressure to bleed-off from the right front brake caliper unlike manual shut off valves. Detailed installation instructions are included.

Contents: Brake Solenoid, (2) 1/8" NPT To 3/16" Inverted Flare (3/8"-24).

ALL48017.....**\$79.99**

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

**ZR24 Caliper**

Brake Caliper, ZR24, Front, Driver Side, 4 Piston, Aluminum, Red, 12.716 in OD x 1.250 in Thick Rotor, 4.75 in Radial Mount...PFC7754.13.16.44.....**\$148.68**

Northeast Modified Pkg - Front**Calipers (Top Mount L/R)**

Calipers.....PFC24.284.255.290.01A/02A.....**\$414.96**

Bracket (Qty)

(x2) Small & Large BearingPFC120.040.451.01.....**\$154.56**

Discs (L/R)

(11.18 x 0.75) V3.....PFC284.19.0035.452/462.....**\$185.85**

Hats

Large Bearing.....PFC195.162.070.15.....**\$148.67**

Small Bearing.....PFC195.127.130.15.....**\$255.61**

Race Pad Set

PFC ZR24 Caliper.....PFC7835.XX.XX.44.....*Scall*

Northeast Modified Pkg - Rear**Calipers (Top Mount L/R)**

Black Anodized.....PFC94.323.410.440.01A/02A.....**\$499.95**

Nickel Plated w/Insulators.....PFC94.323.410.440.01/02.....*Scall*

Bracket (Qty)

(x2) PFC ZR94 CaliperPFC180.028.158.01.....**\$69.80**

Discs (L/R)

(11.75 x 0.81) V3.....PFC299.20.0040.452/462.....**\$204.44**

(11.75 x 1.25) V3 Option.....PFC299.32.0040.452/462.....**\$204.44**

(11.75 x 1.25) 8 Bolt/7" Option.....PFC299.32.0040.01/02.....**\$167.26**

(11.75 x 0.81) 8 Bolt/7" Option.....PFC299.20.0040.01/02.....**\$167.26**

Hats

Lightweight 5 x 5.....PFC195.108.080.15.....**\$255.61**

8 Bolt Hub.....PFC195.162.070.15.....**\$148.67**

5 Bolt Hub.....PFC195.108.147.15.....**\$368.85**

Race Pad Set

PFC ZR94 1.25 Disc.....PFC7834.XX.19.44.....*Scall*

Pro Option .810 Disc.....PFC7905.XX.25.44.....*Scall*

PFC 665 Race Fluid

Bottle.....PFC025.0037.....**\$27.97**

Case.....PFC025.0038.....**\$324.16**

Northeast Modified Disc/Pad Pkg - Front**Race Pad Set**

WW/Bicknell CaliperPFC7757.XX.12.44.....*Scall*

WW/Bicknell Caliper/ST Caliper PFC7754.XX.16.44.....*Scall*

Northeast Modified Disc/Pad Pkg - Rear**Discs (L/R)**

(11.75 x 0.81).....PFC299.20.0040.452/462.....**\$204.44**

(11.75 x 1.25) V3 Option.....PFC299.32.0040.452/462.....**\$204.44**

(11.75 x 1.25) 8 Bolt/7" Option.....PFC299.32.0040.01/02.....**\$167.26**

(11.75 x 0.81) 8 Bolt/7" Option.....PFC299.20.0040.01/02.....**\$167.26**

(11.61 x 1) 8 Bolt/7" Option.....PFC299.25.0038.01/02.....*Scall*

Hats

8 Bolt Hub.....PFC195.162.070.15.....**\$148.67**

5 Bolt Hub.....PFC195.108.147.15.....**\$368.85**

Lightweight 5 x 5.....PFC195.108.080.15.....**\$255.61**

Race Pad Set

RP/WW/TBM/ST CaliperPFC7751.XX.20.44.....*Scall*

WW/Bicknell Caliper.....PFC7754.XX.16.44.....*Scall*

PFC 665 Race Fluid

Bottle.....PFC025.0037.....**\$27.97**

Case.....PFC025.0038.....**\$324.16**

RH665 DOT 4 Racing Brake Fluid

RH665 has the highest guaranteed minimum Dry Boiling Point of any DOT 4 Brake Fluid to guard against Vapor Lock and give a rock hard pedal even under extreme racing conditions. RH665 also maintains its class leading viscosity, lubricity and compressibility performance at extreme temps, to maintain braking system reliability and performance. For best results bleed the system with fresh fluid before each event, especially if the brakes are excessively hot and/or the conditions are humid. RH665 Racing Brake Fluid conforms to and exceeds the current specification U.S. FMVSS No.116 DOT 4. Minimum Dry Boiling Point (guaranteed): 325oC (617oF). Typical Dry BP approaching 330oC. • Street Legal • Rock hard pedal 500 mlPFC025.0037.....**\$27.97**

Box of 12.....PFC025.0038.....**\$324.16**

Late Model/Modified/Nascar

PFC's late model/modified brake rotors are made from superior alloys to resist cracking and are offered in smooth or slotted designs. Directional vanes control air flow and increase brake performance and durability. Advanced pattern on slotted rotor enhances pad bite and reduces thermal distortion. All rotors listed are 8-bolt with a 7" bolt cir.

Description ..PFC Pad Shape

11.75" Dia. x .810" Thick 0052/7752/7754

LH.....PFC299.20.0045.01*.....**\$169.95**

RH.....PFC299.20.0045.02*.....**\$169.95**

11.75" Dia. x 1.250" Thick 7736/7751

LH.....PFC299.32.0040.01.....**\$167.26**

RH.....PFC299.32.0040.02.....**\$167.26**

*Includes rotor bolt kit



-3 Brake Lines**Stainless Steel**

Size	Straight	Price	90°	Price
-3 x 4"	BRA304	\$6.45		
-3 x 5"	BRA305	\$6.45		
-3 x 10"	BRA310	\$6.99		
-3 x 12"	BRA312	\$7.38		
-3 x 14"	BRA314	\$8.04		
-3 x 15"	BRA315	\$8.13	BRA3159	\$10.62
-3 x 16"	BRA316	\$8.55		
-3 x 18"	BRA318	\$8.79	BRA3189	\$11.25
-3 x 20"	BRA320	\$9.27	BRA3209	\$11.76
-3 x 22"	BRA322	\$9.99	BRA3229	\$12.39
-3 x 24"	BRA324	\$10.17	BRA3249	\$12.72
-3 x 26"	BRA326	\$10.98		
-3 x 28"	BRA328	\$11.37	BRA3289	\$13.56
-3 x 30"	BRA330	\$11.58	BRA3309	\$14.01
-3 x 32"	BRA332	\$12.36	BRA3329	\$16.50
-3 x 36"	BRA336	\$12.87	BRA3369	\$16.02
-3 x 42"	BRA342	\$14.04		
-3 x 45"	BRA345	\$15.00		
-3 x 48"	BRA348	\$15.48	BRA3489	\$18.90
-3 x 55"	BRA355	\$16.02		
-3 x 72"	BRA372	\$21.81		
-3 x 90"	BRA390	\$24.93		
-3 x 96"	BRA396	\$27.12		
-3 x 102"	BRA3102	\$29.25		
-3 x 105"	BRA3105	\$30.12		

**NOT FOR
HIGHWAY USE**

-4 Brake Lines**Stainless Steel**

Size	Straight	Price	90°	Price
-4 x 10"	BRA410	\$9.69		
-4 x 12"	BRA412	\$9.69	BRA4129	\$14.16
-4 x 14"	BRA414	\$10.29		
-4 x 15"	BRA415	\$10.62	BRA4159	\$14.91
-4 x 16"	BRA416	\$11.34		
-4 x 18"	BRA418	\$11.58	BRA4189	\$15.90
-4 x 20"	BRA420	\$12.27	BRA4209	\$16.26
-4 x 22"	BRA422	\$13.20	BRA4229	\$17.07
-4 x 24"	BRA424	\$13.56	BRA4249	\$17.46
-4 x 28"	BRA428	\$14.85		
-4 x 30"	BRA430	\$15.30	BRA4309	\$19.47
-4 x 34"	BRA434	\$15.93		
-4 x 36"	BRA436	\$17.19	BRA4369	\$21.36
-4 x 40"	BRA440	\$19.14	BRA4409	\$22.65
-4 x 42"	BRA442	\$20.13		
-4 x 45"	BRA445	\$20.37		
-4 x 48"	BRA448	\$21.00	BRA4489	\$25.11
-4 x 60"	BRA460	\$25.74		
-4 x 72"	BRA472	\$38.16		
-4 x 83"	BRA483	\$53.28		

**-3 Brake Lines****Poly Coated**

Size	Straight	Price	90°	Price
-3 x 12"	BRA312-C	\$9.66		
-3 x 15"	BRA315-C	\$10.47	BRA3159-C	\$14.91
-3 x 18"	BRA318-C	\$11.31	BRA3189-C	\$16.23
-3 x 20"	BRA320-C	\$11.85		
-3 x 22"	BRA322-C	\$12.15	BRA3229-C	\$18.09
-3 x 24"	BRA324-C	\$12.99	BRA3249-C	\$19.02
-3 x 26"	BRA326-C	\$14.04		
-3 x 28"	BRA328-C	\$14.58		
-3 x 30"	BRA330-C	\$14.67	BRA3309-C	\$21.24
-3 x 36"	BRA336-C	\$16.29	BRA3369-C	\$23.52
-3 x 48"			BRA3489-C	\$27.21

-4 Brake Lines**Poly Coated**

Size	Straight	Price
-4 Straight • 1/8" NPT male		
-4X18"	BRA418-1/8CB	\$22.74
-4X24"	BRA424-1/8CB	\$27.00



**NOT FOR
HIGHWAY USE**

-3 Brake Lines**Black Coated Aluminum Nut**

Size	Straight	Price
-3 x 12"	BRA312-AC	\$10.05
-3 x 15"	BRA315-AC	\$10.95
-3 x 18"	BRA318-AC	\$11.73
-3 x 21"	BRA321-AC	\$12.60
-3 x 24"	BRA324-AC	\$11.82
-3 x 30"	BRA330-AC	\$15.03
-3 x 36"	BRA336-AC	\$16.74
-3 x 50"	BRA350-AC	\$23.01
-3 x 55"	BRA355-AC	\$22.80
-3 x 60"	BRA360-AC	\$22.80

Banjo Adapters

Fits most OEM and aftermarket GM type calipers.

**Banjo Fitting
hole size thread**

3/8"-3 AN...	EAR997603	\$8.56
10mm-3 AN...	EAR997631	\$8.59
7/16"-3 AN...	EAR997634	\$8.84
3/8"-4 AN...	EAR997643	\$9.69
10mm-4 AN...	EAR997641	\$9.69
7/16"-4 AN...	EAR997604	\$9.41


Banjo Bolt

3/8" - 24UNF.....	EAR977503	\$5.78
10mm x 1.0.....	EAR977517	\$5.78
10mm x 1.5.....	EAR977520	\$6.74
7/16" - 20 UNF	EAR977504	\$5.78
7/16" - 24	EAR977522	\$5.78

Caliper Adapters

Fits most aftermarket calipers with 1/8 pipe taper inlet.

	aluminum	steel
-3 to 1/8 NPT straight...	EAR981603	\$3.23
-4 to 1/8 NPT straight...	EAR981604	\$3.30
-3 to 1/8 NPT 90°	EAR982203	\$8.53
-4 to 1/8 NPT 90°	EAR982204	\$8.65
	EAR961603	\$3.06
	EAR961604	\$2.21
	EAR962203	\$8.01
	EAR962204	\$5.30

25' Steel Lines**25' Steel Line**

3/16".....BSC70300	\$23.69
1/4".....BSC70400	\$22.75

Speed-Flex**SS Braided/Teflon Hose**

We recommend -3 lines for brakes because they produce higher pressure with little fluid displacement. Clutch systems on the other hand require less pressure, but more displacement of fluid, so we recommend -4 lines for them. Use only w/Speed-Seal hose ends.

size	10'	20'
-3	EAR610003 ..\$37.06	EAR620003 ..\$70.91
-4	EAR610004 ..\$46.89	EAR620004 ..\$89.46

**Brass "T"**

3/8" - 24 IF on all three ends
EAR972052\$13.07

3/8" - 24 IF on sides, 3/8" - 24 straight on T
EAR972050\$13.07

Brake Fittings

3/16" Inverted Flare Union
(4-Pack)...ALL50130.....\$5.89

**Shut-Off Valve**

It has 1/8" NPT inlet & outlet and is rated at 2,000 PSI. Size: 1/2" wide, 1-3/4" long & 1-9/16" high.
ALL48010.....\$52.99

**Aluminum Tube
Nut and Sleeve**

Nuts & Sleeves for fitting ends of brake lines.

-3 to 3/16" Nuts pr.....	EAR581803	\$5.14
-4 to 1/4" Nuts pr.....	EAR581804	\$5.14
-3 to 3/16" Sleeves pr..	EAR581903	\$3.32
-4 to 1/4" Sleeves pr....	EAR581904	\$3.48

Steel Tube

-3 to 3/16" Nuts pr.....	EAR561803	\$4.11
-4 to 1/4" Nuts pr.....	EAR561804	\$6.18
-3 to 3/16" Sleeves pr..	EAR561903	\$3.15
-4 to 1/4" Sleeves pr....	EAR561904	\$3.15

**Speed-Seal
Hose Ends**

-3 Straight	EAR600103	\$8.42
-4 Straight	EAR600104	\$9.49
-3 90°	EAR609103	\$14.79
-4 90°	EAR609104	\$15.32

**Brake
Deflectors**

Guard your brake lines from flying rocks with these anodized alum deflectors.

RedLeft.....	BRP42L	\$9.33
RedRight.....	BRP42R	\$9.33
RedLeft.....	BRP42LBK	\$9.33
RedRight.....	BRP42RBK	\$9.33

**Chassis Line Clamp**

This clamp is the best way to mount that rear brake line to keep it out of harms way.

2-1/8" ..	BRP9363	\$16.69
3"	BRP9377	\$21.78

Chassis Mount**Threaded Adapters**

Female to male threaded adapters

<i>female side</i>	<i>male</i>
3/8" - 24 inverted flare	3AN .EAR989543 \$6.05
10mm x 1.0 bubble flare	3AN .EAR989534 \$6.05
10mm x 1.0 inverted flare -3AN	.EAR989545 \$6.05
7/16" - 24 inverted flare-3AN	.EAR989549 \$6.51
3/8" - 24 inverted flare	4AN .EAR989532 \$6.05
3/8" - 24 flare.....	4AN .EAR989541 \$6.05
10mm x 1.0 bubble flare	4AN .EAR989542 \$7.16
10mm x 1.0 inverted flare	4AN .EAR989544 \$7.16

Nylon Brake Line Kit

Kit extends from the master cylinder to the caliper and includes 35 feet of 3/16" line, compression ends, unions, tees and 1/8" NPT fittings. Race proven for years. Not for street use.
ALL48030.....\$75.99



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

**1.875" x 8"**

Rates: 50, 60, 65, 75, 80, 85, 90, 100, 110, 115, 120, 125, 130, 140, 150, 160, 170, 175, 180, 185, 190, 195, 200, 210, 215, 220, 225, 230, 240, 250, 260, 270, 275, 280, 290, 300, 310, 315, 320, 325, 330, 340, 350, 360, 370, 375, 380, 385, 390, 400, 425, 450, 475, 500, 525, 550, 575, 600.
DRA.L8.1.875.(Rate)**\$84.00**

1.875" x 10"

Rates: 50, 60, 65, 75, 85, 90, 100, 115, 120, 125, 130, 140, 150, 160, 170, 175, 180, 185, 190, 195, 200, 210, 215, 220, 225, 230, 240, 250, 260, 270, 275, 280, 290, 300, 310, 315, 320, 325, 330, 340, 350, 360, 370, 375, 380, 390, 400, 425, 450, 475, 500, 525, 550, 575, 600.
DRA.L10.1.875.(Rate)**\$84.00**

2.5" x 8"

Rates: 50, 75, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 900, 950, 1000, 1050, 1100, 1150, 1200
DRA.C8.2.5.(Rate)**\$80.00**

2.5" x 10"

Rates: 50, 75, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 900, 950, 1000, 1050, 1100, 1150, 1200
DRA.C10.2.5.(Rate)**\$90.00**

2.5" x 12"

Rates: 50, 75, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 900, 950, 1000, 1050, 1100, 1150, 1200
DRA.C12.2.5.(Rate)**\$90.00**

2.5" x 14"

Rates: 50, 75, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 900, 950, 1000, 1050, 1100, 1150, 1200
DRA.C14.2.5.(Rate)**\$100.00**

3" x 8"

Rates: 50, 75, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 900, 925, 950, 1000, 1050, 1100, 1150, 1200
DRA.C8.3.0.(Rate)**\$80.00**

3" x 10"

Rates: 50, 75, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 900, 950, 1000, 1050, 1100, 1150, 1200
DRA.C10.3.0.(Rate)**\$90.00**

3" x 12"

Rates: 50, 75, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 900, 950, 1000, 1050, 1100, 1150, 1200
DRA.C12.3.0.(Rate)**\$100.00**

3" x 12" Progressive

Rates: 150, 175
DRA.C12.3.0.(Rate)PRO.....**\$149.00**

3" x 14"

Rates: 50, 75, 100, 125, 140, 150, 160, 175, 180, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 900, 950, 1000, 1050, 1100, 1150, 1200
DRA.C14.3.0.(Rate)**\$120.00**

3" x 16"

Rates: 50, 65, 75, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400
DRA.C16.3.0.(Rate)**\$140.00**

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Draco Springs

Draco Springs is the global leader in spring manufacturing. A family owned and operated business since 1969, Draco specializes in a wide variety of springs, from government contracted specs to the tight tolerances of NASCAR racing. Draco now offers a premier spring line for all levels of racing, worldwide. Draco Front Springs are available in several different sizes for various applications including dirt and asphalt late models. Draco manufactures these springs with the fewest coils and largest coil gap on the market with the maximum amount of coil removed to keep weight down to achieve maximum travel with a linear rate. These springs are designed for the racer who demands quality and consistency.

Front 8.75" x 5.5"

Rates: 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 875, 900, 925, 950, 975, 1000, 1050, 1100, 1150, 1200, 1250, 1300, 1350, 1400, 1450, 1500, 1550, 1575, 1600, 1650, 1700, 1750, 1800, 1850, 1900, 1950, 2000, 2100, 2200, 2300, 2400
DRA.FS.(Rate)**\$230.00**

Front 5.5" x 9.5"

Rates: 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 750, 800, 850, 900, 950, 1000,
DRA.LM9.5.(Rate).....**\$155.00**

Front 5.5" x 10.5"

Rates: 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 750, 800, 850, 900, 950, 1000,
DRA.LM10.5.(Rate)**\$155.00**

Rear 5" x 11"

Rates: 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 850, 900, 950, 1000, 1025, 1050, 1100, 1150, 1200
DRA.R11.(Rate)**\$155.00**

Rear 5" x 13"

Rates: 150, 175, 200, 225, 250, 275, 300, 325, 350, 400, 450.
DRA.SR13.(Rate).....**\$224.25**

Standard Rear 5" x 14"

Rates: 75, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 850, 900, 950, 1000, 1050, 1100, 1150, 1200, 1250, 1275, 1400, 1600
DRA.SR14.(Rate).....**\$230.00**

Rear 16" FL (5" x 16")

Rates: 75, 90, 100, 125, 140, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400
DRA.SR16.(Rate).....**\$230.00**

**Spring Adapter**

2.50 - 3.00 Adapter
DRA.2.5.3.0.ADP**\$19.95**

Coil Over Spring Rubbers

Medium Spring RubberDRA.MSR.1.0**\$40.00**
Hard Spring Rubber.....DRA.HSR.1.0.....**\$40.00**

**Thrust Bearing Kits**

Bearing kits are placed between the coil spring and the adjuster nut to reduce friction when making adjustments. Kits are recommended for preloaded spring assemblies or when springs require adjustment while they are under pressure. Kits include 1 bearing and 2 races. 2" (2.5" I.D. x 3.25" O.D.) ALL64210...**\$19.99**

2-1/2" to 3" Coil Spring Adapter

BRP9528.....**\$16.71**



HYPERCOILS

2-1/2" x 7"

Rates: 175, 200, 275, 300, 350, 400, 450, 475, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000, 1100, 1200, 1300.

HYP187B(Rate)\$62.90

2-1/2" x 8"

Rates: 100, 150, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 650, 700, 750, 800, 850, 900, 950, 1000, 1100, 1200

HYP188B(Rate)\$62.90

2-1/2" x 10"

Rates: 095, 110, 125, 150, 162, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 700, 725, 750, 800, 850, 900

HYP1810B(Rate)\$62.90

2-1/2" x 12"

Rates: 085, 095, 110, 125, 150, 162, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 550, 575, 600, 650, 700, 750, 800, 850.

HYP1812B(Rate)\$62.90

2-1/2" x 14"

Rates: 085, 100, 110, 125, 138, 150, 160, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400.

HYP1814B(Rate)\$62.90

450, 500, 600, 650.

HYP1814B(Rate)\$93.98

2-1/2" x 16"

Rates: 100, 150, 250, 300, 350, 450, 500, 600.

HYP1816B(Rate)\$107.30

1-7/8" x 10"

Rates: 050, 062, 075, 087, 095, 100, 112, 125, 137, 150, 162, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 600.

HYP1810D(Rate)\$69.56

5" x 9-1/2"

Rates: 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000, 1050, 1100, 1150, 1250, 1370, 1490.

HYP18Y(Rate).....\$51.80

5" x 11"

Rates: 125, 150, 175, 200, 225, 275, 300, 325, 350, 375.

HYP18SN-(Rate).....\$51.80

5" x 13"

Rates: 100, 125, 150, 165, 175, 185, 200, 250, 275, 300, 325, 350, 375.

HYP18S-(Rate)\$51.80

5" x 15"

Rates: 125, 150, 175, 200, 225, 250.

HYP18SNS-(Rate)\$65.86

5" x 16"

Rates: 125, 150, 175, 200, 225, 250.

HYP18SNU-(Rate).....\$71.78

5" x 20"

Rates: 100, 125, 150.

HYP18SNT-(Rate)\$93.24

5-1/2" x 9-1/2"

Rates: 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000, 1050, 1100, 1200, 1320, 1440.

HYP18Z(Rate).....\$51.80

2-1/2" x 12" Ultra High Travel

Rates: 110, 125, 150, 162, 175, 185, 200, 212, 225, 237, 250, 275, 300, 325.

HYP12B0(Rate)UHT.....\$81.40

2-1/2" x 14" Ultra High Travel

Rates: 125, 140, 150, 165, 175, 185, 200, 212, 225, 237, 250.

HYP14B0(Rate)UHT.....\$81.40

2-1/2" x 16" Ultra High Travel

Rates: 100, 110, 125, 138, 150, 175, 200, 225, 250.

HYP16B0(Rate)UHT.....\$81.40

Street Stocks/Stock Appearing**11" x 5-1/2" Rear (1 End Pigtail/1 End Closed)**

Rates: 150, 175, 200, 225, 250, 275, 300.

HYP18SNP11-(Rate)\$51.80

12" x 5-1/2" Rear (1 End Pigtail/1 End Closed)

Rates: 150, 175, 200, 225, 250, 275, 300.

HYP18SNP12-(Rate).....\$51.80

14" x 7" Rear (Double Pigtail Ends)

Rates: 175, 200, 225, 250, 300.

HYP18SDP-(Rate).....\$51.80

5-1/2" x 11" Front (1 End Open/1 End Closed & Ground)

Rates: 800, 900, 1000, 1100, 1200, 1300.

HYP18Z(Rate)-11\$65.86

5-1/2" x 12" Front (1 End Open/1 End Closed & Ground)

Rates: 800, 900, 1000, 1100, 1200, 1300, 1400, 1500.

HYP18Z(Rate)-12\$65.86

Helper Spring

4" FI, 2.5" Dia...HYPCS100.....\$26.64

6" FI, 2.5" Dia...HYPCS600.....\$26.64

**Coil Over Take Up
Spring Divider**

HYP18DS100...\$48.84

**1-1/4" Large Spacing
Coil Over Spring Rubbers**

With these new spring rubbers, you can now fill that larger gap between coils to fine tune your set-up! Fine tune your spring rate for the perfect setup. Make quick adjustments during practice or on pit stops. Used by virtually all Sprint Cup teams in every race.

Orange - Soft Spring RubberLON61016.....\$44.36

Red - Medium Spring RubberLON61041.....\$44.52

Blue - Hard Spring Rubber.....LON61051.....\$44.52

**Coil Over
Spring Rubbers**

Yellow 5 Soft...LON61005...\$39.31

Clear 10LON61010...\$39.31

Orange 15LON61015...\$39.32

Red 40LON61040...\$39.31

Blue 50LON61050...\$39.32

Black 70 Hard..LON61070...\$39.32

5/5.5" Deep Groove Spring Rubber

Red Soft.....LON61140...\$59.66

Blue Medium ...LON61150...\$59.66

Black Hard.....LON61170...\$59.66



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

2-1/2" x 8"

Rates: 150, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000, 1050, 1100, 1200.

EIB0800-250-(Rate).....**\$65.00**

2-1/2" x 10"

Rates: 100, 150, 162, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 500, 550, 600, 650, 700, 750, 800.

EIB1000-250-(Rate).....**\$65.00**

2-1/2" x 12"

Rates: 080, 090, 100, 110, 120, 125, 130, 140, 150, 165, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 500, 525, 550, 600, 625, 650, 700, 750, 800, 900, 1000.

EIB1200-250-(Rate).....**\$70.00**

2-1/2" x 14"

Rates: 080, 090, 100, 110, 120, 125, 130, 140, 150, 165, 175, 185, 200, 225, 250, 275, 300, 350, 400, 450, 475, 500, 550, 600, 650.

EIB1400-250-(Rate).....**\$70.00**

1-7/8" x 8"

Rates: 100, 125, 150, 175, 185, 200, 225, 250, 275, 300, 325, 350.

EIB0800-188-(Rate).....**\$60.00**

1-7/8" x 10"

Rates: 050, 060, 070, 080, 090, 100, 110, 120, 130, 145, 160, 175, 200, 225, 250, 275, 300, 325, 350, 400, 425, 450, 475, 500.

EIB1000-188-(Rate).....**\$60.00**

1-5/8" x 5"

Rates: 070, 075, 080, 090, 095, 100, 105, 110, 115, 120, 125, 130, 135, 140, 145, 150, 155, 160.

EIB0500-163-0(Rate).....**\$26.00**

2-1/4" x 8"

Rates: 150, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 650, 675, 700, 750, 800, 850, 900, 950, 1000.

EIB0800-225-0(Rate).....**\$70.00**

5" x 9-1/2"

Rates: 450, 500, 550, 600, 700, 750, 800, 850, 900, 950, 1000, 1050, 1100, 1200, 1250, 1300, 1400, 1500, 1600.

EIB0950-500-(Rate).....**\$65.00**

5" x 11"

Rates: 125, 150, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 500, 550, 600, 650, 700.

EIB1100-500-(Rate).....**\$65.00**

5" x 13"

Rates: 125, 150, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 500, 550, 600, 650, 700.

EIB1300-500-(Rate).....**\$65.00**

2-1/2" x 8" Barrel Springs

Rates: 225, 250, 275, 300, 350, 400, 450, 500, 550, 600, 650, 700.

EIB0800-2530-(Rate).....**\$80.00**

2-1/2" x 10" Barrel Springs

Rates: 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600.

EIB1000-2530-(Rate).....**\$80.00**

2-1/2" x 12" Barrel Springs

Rates: 100, 125, 150, 165, 175, 185, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 650.

EIB1200-2530-(Rate).....**\$90.00**

2-1/2" x 14" Barrel Springs

Rates: 100, 125, 150, 175, 185, 200, 225, 250, 275, 300.

EIB1400-2530-(Rate).....**\$100.00**

2-1/2" x 16" Barrel Springs

Rates: 100, 125, 150, 175, 200, 225, 250.

EIB1600-2530-(Rate).....**\$90.00**

**Eibach Springs**

Eibach makes the finest performance springs in the world. Period. When other springs sag, wear out, or create sketchy handling or a bone-crushing ride, top street tuners—like top race teams, from F1 to WRC, from Le Mans to NASCAR—inevitably turn to Eibach. And, also inevitably, wonder why they didn't choose Eibach in the first place.

- Tolerances—The Tightest in the Industry
- Every Spring, Anti-Roll Bar and Damper Kit Extensively Developed and Road Tested for Maximum Performance
- Street Kits Designed for the Best Performance, the Best Look—and the Best Ride.
- Ultra-Lightweight, for Reduced Unsprung Mass
- Exceptional Block Resistance and Durability

Eibach uses the exact same technology in our street springs as we do in our legendary race springs. We use the world's finest Hi-Ten spring steel, produced to exceedingly precise tolerances. We use world-renowned German CNC coilers, as well as many unique machines engineered and built specifically by Eibach—simply state-of-the-art technology, in every step of the manufacturing process. But it's not just about machines and technology: it's about people. Most notably, the Eibach Springmeisters, working at production plants in Germany and the USA: Talented, expert craftsmen, each committed to creating the finest race—and street-Performance—springs in the world.

2-1/2" x 14" Silver Springs NEW

Rates: 100, 125, 150, 175, 185, 200, 225, 250, 275, 300

EIBP1400-2530-(Rate).....**\$100.00**

2-1/2" x 16" Silver Springs NEW

Rates: 75, 100, 125, 150, 175, 200, 225, 250

EIBP1600-2530-(Rate).....**\$90.00**

5-1/2" x 9-1/2"

Rates: 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000, 1100, 1200, 1300, 1400, 1500.

EIB0950-550-(Rate).....**\$65.00**

2.25" x 1.36" I.D. Bump Spring

Rates: 200, 350, 450, 550, 650, 750, 850, 950, 1000, 1250.

EIB0225-(Rate)-1400.....**\$85.00**

2" x 2-1/2" Bump Springs

Rates: 350, 400, 450, 550, 650, 750, 850, 950, 1050, 1250, 1400, 1500, 1600, 1750, 2000, 2500, 3000, 3500, 4000, 4500, 5000, 7500.

EIB0225-200-(Rate).....**\$85.00**

Helper 250

Free Length 3.00

EIBHELPER188.....**\$45.00**

EIBHELPER225.....**\$45.00**

EIBHELPER250.....**\$45.00**

Spring Rubbers

60D Purple.....EIBSR-2530-0060.....**\$40.00**

70D Green.....EIBSR-2530-0070.....**\$40.00**

80D Yellow.....EIBSR-2530-0080.....**\$40.00**

90D Blue.....EIBSR-2530-0090.....**\$40.00**

Spacers

2.25" Spacer.....EIBSPACER225.....**\$25.00**

2.50" Spacer.....EIBSPACER250.....**\$25.00**

Bump Spring Cap

.500 Cap.....EIBBSC-500.....**\$35.00**

.625 Cap.....EIBBSC-625.....**\$35.00**


.875 Cap.....EIBBSC-875.....**\$35.00**

Torsion Release Bearing

Reduce torsional binding by using Eibach torsion release bearings.

2.25".....EIBTRB225.....**\$40.00**

2.50".....EIBTRB250.....**\$40.00**



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





SG Series

Designed for, but is not limited to, Stock Cars, IMCA/UMP Modifieds, Midgets, Mini-Sprints, Modified Lites, and Dwarf Cars. 36mm (1.42") diameter steel, sealed monotube gas pressure shock.

- Converts to coilover applications
- Economy price
- Lightweight
- Low rod pressure
- Bilstein's famous consistent, fade-free performance

Available in 6", 7" and 8" strokes:

Model	Extended Length	Collapsed Length	
S6G	17.00"	11.00"	\$114.33
S7G	20.00"	12.00"	\$79.20

Available in these standard valvings:

2020	3010	1030	3030	3020	2040
3535	4010	3050	4040	4020	3060
4545	5030	1090	5050	6020**	
5555	6035*	6565	7035*	8035*	9010

*Built w/RBT piston for strong "tie down" characteristics

**High bleed valving designed for rear



Some Valvings have an Additional Charge!



Short Track Shock List Digressive Valvings

7 Inch: Comp: 13.14" • Ext: 20"

BILS7Z(Rebound)(Compression) \$123.61

BILS7Z-1090	BILS7Z-2040	BILS7Z-3030	BILS7Z-3040
BILS7Z-3050	BILS7Z-3060	BILS7Z-3540	BILS7Z-3545
BILS7Z-4010	BILS7Z-4040	BILS7Z-4555	BILS7Z-5030
BILS7Z-5040	BILS7Z-5050	BILS7Z-5555	BILS7Z-5570
BILS7Z-6010	BILS7Z-6040	BILS7Z-6060	BILS7Z-6065
BILS7Z-6070	BILS7Z-7030	BILS7Z-7045	BILS7Z-7060
BILS7Z-8040	BILS7Z-8060		

9 Inch: Comp: 23.44" • Ext: 23.44"

BILS9Z(Rebound)(Compression) \$123.61

BILS9Z-3030	BILS9Z-3040	BILS9Z-3050	BILS9Z-3060
BILS9Z-3530	BILS9Z-3545	BILS9Z-4010	BILS9Z-4040
BILS9Z-4555	BILS9Z-5030	BILS9Z-5040	BILS9Z-5050
BILS9Z-5555	BILS9Z-6010	BILS9Z-6040	BILS9Z-6060
BILS9Z-7030	BILS9Z-7045	BILS9Z-7060	



Short Track Shock List Linear Valvings

7 Inch: Comp: 13.14" • Ext: 20" • Travel 6.86"

BILB46-0210A	230/78	\$123.61
BILB46-0210B	208/72	\$123.61
BILB46-0210C	162/55	\$123.61
BILB46-0210D	220/120	\$123.61
BILB46-0210H	300/100	\$123.61
BILB46-0210L	180/90	\$123.61
BILB46-0210R	180/120	\$123.61
BILB46-0210-208-55	208/55	\$153.41

9 Inch: Comp: 14.94" • Ext: 23.44" • Travel 8.5"

BILB46-0207A	230/78	\$123.61
BILB46-0207B	208/72	\$123.61
BILB46-0207-208-90	208/90	\$153.41
BILB46-0207-230-72	230/72	\$153.41
BILB46-0207-230-90	230/90	\$153.41
BILB46-0207-270-120	270/120	\$153.41



Shockwears

For Late Model/Modifieds

Diameter Std 3-1/2" • Length 14"

Black	OUT30-2445-01	\$37.95
Blue	OUT30-2445-02	\$37.95
Red	OUT30-2445-03	\$37.95

For Northeast Modifieds

Diameter Std 3" • Length 14"

Black	OUT30-1165-01	\$34.45
Blue	OUT30-1165-02	\$34.45
Red	OUT30-1165-03	\$34.45

For Micro Mini Sprint

Diameter Std 3-1/2" • Length 10-1/2"

Black	OUT30-1047-01	\$34.45
Blue	OUT30-1047-02	\$34.45
Red	OUT30-1047-03	\$34.45
Yellow	OUT30-1047-04	\$34.45

Large Shockwear NEW

Diameter Std 4-1/4" • Length 20"
Black OUT30-3177-01 | \$37.95 |

Armor Shockwears

Armor Shockwears are manufactured with a flexible armor plated material that is designed to take abuse. Sand and dirt like sandpaper against the seals and shock shaft. Armor Shockwears reduce the amount of dirt and debris that wear down your shafts and seals, providing you with reduced maintenance and prolonged shock life. A Velcro® closure makes installation easy and eliminates the need to remove the shocks. It is also vented to allow for cooling air transfer during use.

21" Long	OUT32-2605-01	\$35.43
14" Long	OUT32-2612-01	\$35.43
12" Long	OUT32-2682-01	\$35.43

Spring Bags

Keep The Dirt Out. LW Material. Eliminates Mud Packing Inside Coils. Keeps Spring Adjuster & Damper Shaft Clean-Extends Damper Life. Reinforced Wear Bars for Long Life. Washable Material.

(Fits 2.50" I.D.) Spring Length: 12" - 14"	EIBESB14-250	\$40.00
(Fits 3.00" I.D.) Spring Length: 10" - 12"	EIBESB12-300	\$40.00
(Fits 3.00" I.D.) Spring Length: 12" - 14"	EIBESB14-300	\$40.00
(Fits 3.00" I.D.) Spring Length: 14" - 16"	EIBESB16-300	\$40.00

Coil Over Protector

Large 5" Dia

18" Long 5" in Diameter KIR00041	\$26.99
---	---------



Shock Cover 3 x 14

Neoprene coil-over shock covers help protect expensive shocks and springs from rock damage, keep them clean and prevent the competition from knowing your secrets. 2" hook and loop material makes cover easily removable for adjustments.

ALL64204	\$34.99
----------------	---------

Limiter Chain Kit 5/16" x 18"

Commonly used to limit rear suspension or lift bar travel. Chain can be easily cut to required length. Shrink sleeve installs over chain and when heated with a heat gun shrinks to keep chain in position and prevent chain from binding or catching on itself.

ALL64314	\$8.99
----------------	--------

Shock Cover 6 x 16

Neoprene covers help protect from rock damage and to keep components clean while preventing the competition from knowing your secrets. Hook and loop material allows easy cover removal for adjustments. 3" covers are often used for 2.5" and 3" coil-over shocks and small diameter upper links. 6" covers work well on 5" springs and pull bar applications.

ALL64208	\$35.99
----------------	---------

Bump Stop Pucks

Pucks are replacement components found in ALL64320 Bump Stop Kit in addition to other durometer ratings for even more adjustability. 2" O.D. pucks have a 5/8" I.D. hole suitable for 16mm shocks as well as many other uses including suspension limiters.

55dr Orange 3/4"	ALL64334	\$14.19
55dr Orange 1"	ALL64335	\$15.99
60dr Purple 3/4"	ALL64337	\$14.19
60dr Purple 1"	ALL64338	\$15.99
65dr Black 3/4"	ALL64340	\$14.19
65dr Black 1"	ALL64341	\$15.99

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Bilstein Replacement Shock Parts



Rod Guide

1 pc. 46mm Rod Guide Grooved
BILB4-BOA-0000119 ...\$24.36

Hex Nylock Nut

M 8x1 Hex Nylock Nut (piston rod)
BIL1000424\$0.62

46mm Linear Piston

(8mm Bore)
BILB4-B46-20SNCT\$33.23

46mm Teflon Piston Band

BILB4-KR2-X001A02 ...\$2.03

Coil Over Kit

46mm slide-on coilover kit.....BILB4-BOA-0000117 ...\$63.68
36mm slide-on coilover kit.....BILB4-BOA-0000187 ...\$44.60

Bilstein Threaded Body Shock Kit

BRP592BK.....\$49.19

46mm Gas Fill Tool

BILB4-KT0-Z021A00.....\$108.55

Disassembly collar

BILB4-LG0-Z043A01\$35.77

4 Piece Pick Set MST-3040

BIL193040.....\$20.88

Shock Oil (Gallon)

BIL193031.....\$33.50

Shock Bare Tubes

7 SZ Tube (bare)
BILB4-RK2-Z102A51 ...\$35.77

9 SZ Tube (bare)
BILB4-RK2-Z102A52...\$35.77

Non Adjustable Piston Rods

7" ...BILB4-KS2-Z060A00...\$35.77
9" ...BILB4-KS2-Z060A19...\$35.77

Schrader Valve

BILB4-XD0-Z006A01...\$3.49

STREET STOCK AK SERIES



AK Series

AK - 36mm/46mm stock sealed steel 36mm/46mm diameter sealed steel body stock mount shocks and struts.

The product benefits at a glance: Monotube gas pressure construction. For Camaro, Chevelle, Monte Carlo/Buick Regal, Full-size Ford, and Mustang bodies. Available Race Shock Kit Packages include 7 AK Series shocks, instructions and recommended set-ups for dialing in your car. Applications: Pure stock, Enduro, Street Stock (stock mount), Mini-Stock.

Camaro

Year	Front Part #	Rear Part #
70-76	BILAK2072...\$65.40	BILAK1054.....\$82.14
77-81	BILAK1053...\$65.40	BILAK1054.....\$82.14
82-92	BILAK1050...\$82.14	

Chevelle

Year	Front Part #	Rear Part #
73-83	BILAK1043...\$65.40	BILAK1044.....\$65.40
73-83	BILAK1051...\$65.40	BILAK1052.....\$82.14
73-83	BILAK3050F \$77.36	BILAK3030R ...\$77.36
73-83	BILAK4040F \$77.36	BILAK3030R ...\$77.36

Monte Carlo-Buick Regal

Year	Front Part #	Rear Part #
73-88	BILAK1043\$65.40	BILAK1044 ...\$65.40

Full Size Ford

Year	Front Part #	Rear Part #
79-93	BILAK1195 ...\$82.14	BILAK1196 ..\$82.14

Linear Valving Kit

(2 boxes)
BILB4-BOA-0000149 ...\$374.54

Digressive Valving Kit

(2 boxes)
BILB4-BOA-0000150 ...\$374.54



BIL-B4-BOA-0000149

14mm steel assembly needleBILB4-BOA-0000560.....\$14.73
Bump Cap.....BILB4-SB3-Z004A02.....\$9.74

Dirt Modified Shocks

Integra Front Standard
KEY310-40170\$369.59

Left Front

BD1 Digressive 7 Inch
KEY310-40170-LF-BD1\$369.59

Standard with plus 1 rebound
KEY310-40170-LF-STD+1REB\$369.93

Right Front

BD1 Digressive 7 Inch
KEY310-40170-RF-BD1\$369.59

Standard with plus 2 rebound
KEY310-40170-RF-STD+2REB.....\$369.93

Left Rear

Medium Linear 9 Inch
KEY310-40190L-MED\$369.59

Rachel Digressive 9 Inch
KEY310-40190L-RACHEL.....\$369.59

Short Rod Shocks
KEY310-40190-LR-RSR.....\$369.96

9 Inch Alum. Stealth Traction
KEY310-40190-LR-TRACTION\$369.59

Right Rear

3 Port Piston 9 Inch
KEY310-40190R-3PORT\$430.71

Right Rear Medium Linear 9 Inch
KEY310-40190R-MED.....\$369.59

Right Rear Short Rod Shock
KEY310-40190-RR-RSR\$369.96



Integra Coil Kit

BRP9052...\$43.47



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

For over three decades, Fox has been an industry leader in the design and development of high performance shock absorbers and racing suspension products for snowmobiles, mountain bikes, motorcycles, ATVs, UTVs, off-road cars, trucks, and SUVs. In 1974, Bob Fox started racing his products in motocross and we haven't stopped racing since. Fox equipped vehicles and racers have stood atop podiums in every sport we have competed in — from the sands of Baja to the dunes of Dakar. Our team of engineers perform rigorous tests with our athletes year round. The data we collect from performance testing and our application of that knowledge to our product is what separates Fox from every other suspension company.



Call about our DIRT Legal Shocks!
We don't have DIRT Stickers.

2.0 Steel Shock

Body: Smooth-bore, clear coated, zinc plated, honed seamless alloy bodies.

Components: Black anodized 6061-T6 billet aluminum.

Shaft: 1/2" hard chrome plated heat treated alloy steel.

Piston: Race-developed Linear and Digressive piston design.

Seals: Redundant sealing pack system main seal, wiper seal, scraper seal.

Oil: Specially formulated for ultimate performance at variable temperatures.

Mounting: 1/2" spherical bearing.

Maintenance: 100% racer rebuild able.



7" Steel Shock

60C/165R	Linear Track -Steel 7.1 Trav 1.25C-4R 20.1 Ext	FOX983-91-507-10	\$175.00
60C/200R	Linear Track -Steel 7.1 Trav 1.25C-5R 20.1 Ext	FOX983-91-507-11	\$175.00
75C/165R	Linear Track -Steel 7.1 Trav 1.5C-4R 20.1 Ext	FOX983-91-507-12	\$175.00
75C/200R	Linear Track -Steel 7.1 Trav 1.5C-5R 20.1 Ext	FOX983-91-507-13	\$175.00
75C/230R	Linear Track -Steel 7.1 Trav 1.5C-5.5R 20.1 Ext	FOX983-91-507-14	\$175.00

70C/200R-D	Digressive Track -Steel 7.1 Trav FLFT 20.1 Ext	FOX983-91-507-50	\$195.00
85C/175R-D	Digressive Track -Steel 7.1 Trav FRFT 20.1 Ext	FOX983-91-507-51	\$195.00

9" Steel Shock

75C/200R	Linear Track -Steel 8.9 Trav 1.5C-5R 23.5 Ext	FOX983-91-509-13	\$175.00
75C/230R	Linear Track -Steel 8.9 Trav 1.5C-5.5R 23.5 Ext	FOX983-91-509-14	\$175.00
115C/165R	Linear Track -Steel 8.9 Trav 2.75C-4R 23.5 Ext	FOX983-91-509-15	\$175.00
115C/200R	Linear Track -Steel 8.9 Trav 2.75C-5R 23.5 Ext	FOX983-91-509-16	\$175.00
115C/230R	Linear Track -Steel 8.9 Trav 2.75C-5.5R 23.5 Ext	FOX983-91-509-18	\$175.00

145C/145R-D	Digressive Track -Steel 8.9 Trav FLRT 23.5 Ext	FOX983-91-509-52	\$195.00
100C/200R-D	Digressive Track -Steel 8.9 Trav FRRT 23.5 Ext	FOX983-91-509-53	\$195.00

2.0 Bulb Shock

Body: Threaded Aluminum shock body dissipates heat three times faster than steel.

Bulb: Large Nitrogen chamber to reduce gas pressure ramp.

Base Valve: Ability to run lower gas pressure, Racer tunable.

Components: Black anodized 6061-T6 billet alum.

Shaft: 1/2" hard chrome plated heat treated alloy steel.

Piston: Race-developed Linear and Digressive piston design.

Seals: Redundant sealing pack system main seal, wiper seal, scraper seal.

Oil: Specially formulated for ultimate performance at variable temperatures.

Mounting: 1/2" spherical bearing.

Maintenance: 100% racer rebuild able.



7" Aluminum Bulb Shock

60C/165R	Linear Track -Bulb 7.3 Trav Base 1.25C-4R 21.9 Ext	FOX983-90-007-10	\$329.95
60C/200R	Linear Track -Bulb 7.3 Trav Base 1.25C-5R 21.9 Ext	FOX983-90-007-11	\$329.95
75C/165R	Linear Track -Bulb 7.3 Trav Base 1.5C-4R 21.9 Ext	FOX983-90-007-12	\$329.95
75C/200R	Linear Track -Bulb 7.3 Trav Base 1.5C-5R 21.9 Ext	FOX983-90-007-13	\$329.95
75C/230R	Linear Track -Bulb 7.3 Trav Base 1.5C-5.5R 21.9 Ext	FOX983-90-007-14	\$329.95
60C/230R	Linear Track -Bulb 7.3 Trav Base 1.25C-5.5R 21.9 Ext	FOX983-90-007-17	\$329.95

70C/200R-D	Digressive Track -Bulb 7.3 Trav Base FLFT 21.9 Ext	FOX983-90-007-50	\$349.95
85C/175R-D	Digress Track -Bulb 7.3 Trav Base FRFT 85C/175R-D 21.9 Ext	FOX983-90-007-51	\$349.95

9" Aluminum Bulb Shock

75C/200R	Linear Track -Bulb 9.1 Trav Base 1.5C-5R 25.3 Ext	FOX983-90-009-13	\$329.95
75C/230R	Linear Track -Bulb 9.1 Trav Base 1.5C-5.5R 25.3 Ext	FOX983-90-009-14	\$329.95
115C/165R	Linear Track -Bulb 9.1 Trav Base 2.75C-4R 25.3 Ext	FOX983-90-009-15	\$329.95
115C/200R	Linear Track -Bulb 9.1 Trav Base 2.75C-5R 25.3 Ext	FOX983-90-009-16	\$329.95
115C/230R	Linear Track -Bulb 9.1 Trav Base 2.75C-5.5R 25.3 Ext	FOX983-90-009-18	\$329.95

145C/145R-D	Digressive Track -Bulb 9.1 Trav Base FLRT 25.3 Ext	FOX983-90-009-52	\$349.95
100C/200R-D	Digressive Track -Bulb 9.1 Trav Base FRRT 25.3 Ext	FOX983-90-009-53	\$349.95



Coil Over Kit 2.0" Track
Coil Over Sleeve w/Hardware
FOX803-02-062.....\$67.95

Coil Over Kit 2.5" Track
Coil Over Sleeve w/Hardware
FOX803-02-047.....\$45.95

Body Cap Bulb

Body Cap: 2.250 Bore, 4.615 TLG, 7/16 UNF Angles Port, -8 Heim Aluminum
FOX206-06-127 . \$65.57

Spring Seat
Coil Over Hat
FOX234-00-461 . \$27.16

JM92 Advanced Suspension Fluid

Engineered to perform at high temps formulated using advanced base fluids to provide consistent and predictable suspension performance at temps ranging from -70° to a scorching 400°.

Gallon..FOX025-03-012.. \$59.00

Schrader Valve w/ O'Ring
FOX010-00-021.....\$4.79

Nitrogen Filler Gauge

The same gauge FOX technicians use to properly read reservoir nitrogen levels without sustaining pressure loss from 0 to 600 psi.

0-600psi Schrader Style Nitrogen Filler Gauge
FOX802-02-002-A.....\$76.95

Spring Guide Nylon
FOX234-00-010-B.....\$19.95

Valve Shim Kit

Complete kit of proprietary de-burred valve shims for 2.0, 2.5, 3.0, and 3.5 shocks. Includes 10 shims in every available size.
FOX803-01-024.....\$289.95

Kit: Bearing Cap Removal
1 8-3/4" Bore

FOX803-00-668\$39.99

Base Valve Spanner Wrench

Black anodized aluminum spanner wrench with stainless steel pin facilitates removal of the base valve from the shock body.
FOX803-00-766....\$42.00

Shaft Clamp

Billet aluminum shaft clamp assists in the removal of eyelets from 1/2" and 5/8" shafts.
FOX803-00-895....\$82.28

Bump Stop

FOX008-02-005.....\$5.40

Service Set Bearing Assembly
all without threads

FOX812-07-067-KIT\$20.16

Bump Cap Assembly Kit

FOX812-11-036KIT\$25.20

Service Set Eyelet Assy
Eyelet Shaft

FOX808-21-010-KIT\$44.69

Piston Digressive

FOX222-01-249\$43.20

Piston, Linear Bleed

FOX222-07-001-A.....\$19.80

Piston, Linear No Bleed

FOX222-07-002-A.....\$19.80

Piston, Linear 1 x .070 Bleed

FOX222-07-007-A.....\$19.80

Seal Saver/ Bullet for 1/2 Rod

FOX398-00-026-B.....\$12.50

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



2.0 Steel Shock

Body: Smooth-bore, clear coated, zinc plated, honed seamless alloy bodies.
Components: Black Anodized 6061-T6 billet aluminum.

Shaft: 1/2" hard chrome plated heat treated alloy steel.
Piston: Race-developed Linear and Di-gressive piston design.
Seals: Redundant sealing pack system

main seal, wiper seal, scraper seal.
Oil: Specially formulated for ultimate performance at variable temps.
Mounting: 1/2" spherical bearing.
Maintenance: 100% racer rebuild able.

6.5" Steel Bulb Shock - Shrader Valve

100C/300R	2.5C-7R, 20.3" Ext.....	FOX983-93-007-25\$331.95
125C/165R	3C-4R, 20.3" Ext.....	FOX983-93-007-28\$331.95
125C/200R	3C-5R, 20.3" Ext.....	FOX983-93-007-29\$331.95
125C/230R	3C-5.5R, 20.3" Ext.....	FOX983-93-007-30\$331.95
100C/350R-D	2.5C-8R-D, 20.3" Ext.....	FOX983-93-007-57\$331.95
100C/400R-D	2.5C-9R-D, 20.3" Ext.....	FOX983-93-007-58\$331.95
100C/470R-D	2.5C-10R-D, 20.3" Ext.....	FOX983-93-007-59\$331.95
100C/550R-D	2.5C-11R-D, 20.3" Ext.....	FOX983-93-007-60\$331.95
100C/625R-D	2.5C-12R-D, 20.3" Ext.....	FOX983-93-007-61\$331.95
125C/350R-D	3C-8R-D, 20.3" Ext.....	FOX983-93-007-62\$331.95
125C/400R-D	3C-9R-D, 20.3" Ext.....	FOX983-93-007-63\$331.95
125C/470R-D	3C-10R-D, 20.3" Ext.....	FOX983-93-007-64\$331.95
125C/550R-D	3C-11R-D, 20.3" Ext.....	FOX983-93-007-65\$331.95
125C/625R-D	3C-12R-D, 20.3" Ext.....	FOX983-93-007-66\$331.95

6.5" Steel Bulb Shock - IMCA Fill Valve

100C/300R	2.5C-7R, 20.3" Ext, Seal Screw.....	FOX983-93-037-25\$331.95
125C/165R	3C-4R, 20.3" Ext, Seal Screw.....	FOX983-93-037-28\$331.95
125C/200R	3C-5R, 20.3" Ext, Seal Screw.....	FOX983-93-037-29\$331.95
125C/230R	3C-5.5R, 20.3" Ext, Seal Screw.....	FOX983-93-037-30\$331.95
100C/350R-D	2.5C-8R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-57\$331.95
100C/400R-D	2.5C-9R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-58\$331.95
100C/470R-D	2.5C-10R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-59\$331.95
100C/550R-D	2.5C-11R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-60\$331.95
100C/625R-D	2.5C-12R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-61\$331.95
125C/350R-D	3C-8R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-62\$331.95
125C/400R-D	3C-9R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-63\$331.95
125C/470R-D	3C-10R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-64\$331.95
125C/550R-D	3C-11R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-65\$331.95
125C/625R-D	3C-12R-D, 20.3" Ext, Seal Screw.....	FOX983-93-037-66\$331.95

8.4" Steel Bulb Shock - Shrader Valve

75C/200R	1.5C-5R, 24.0" Ext.....	FOX983-93-009-13\$331.95
75C/230R	1.5C-5.5R, 24.0" Ext.....	FOX983-93-009-14\$331.95
115C/200R	2.75C-5R, 24.0" Ext.....	FOX983-93-009-16\$331.95
115C/230R	2.75C-5.5R, 24.0" Ext.....	FOX983-93-009-18\$331.95
100C/200R	2.75C-8R, 24.0" Ext.....	FOX983-93-009-27\$331.95
100C/200R-M	2.75C-5R-M, 24.0" Ext.....	FOX983-93-009-31\$331.95
275C/175R-M	6.5C-4.5R-M, 24.0" Ext.....	FOX983-93-009-32\$331.95
325C/175R-M	7.5C-4.5R-M, 24.0" Ext.....	FOX983-93-009-33\$331.95
375C/175R-M	8C-4.5R-M, 24.0" Ext.....	FOX983-93-009-34\$331.95
400C/175R-M	9C-4.5R-M, 24.0" Ext.....	FOX983-93-009-35\$331.95
275C/150R-M	6.5C-3R-M, 24.0" Ext.....	FOX983-93-009-36\$331.95
325C/150R-M	7C-3R-M, 24.0" Ext.....	FOX983-93-009-37\$331.95
375C/150R-M	8C-3R-M, 24.0" Ext.....	FOX983-93-009-38\$331.95
400C/150R-M	9C-3R-M, 24.0" Ext.....	FOX983-93-009-39\$331.95
100C/200R-D	FRRT, 24.0" Ext.....	FOX983-93-009-53\$331.95
400C/100R-D	9C-2.5R-D, 24.0" Ext.....	FOX983-93-009-67\$331.95
470C/100R-D	10C-2.5R-D, 24.0" Ext.....	FOX983-93-009-68\$331.95
550C/100R-D	11C-2.5R-D, 24.0" Ext.....	FOX983-93-009-69\$331.95

8.4" Steel Bulb Shock - IMCA Valve

1.5C/5R	1.5C-5R, 24.0" Ext, Seal Screw.....	FOX983-93-039-13\$331.95
75C/230R	1.5C-5.5R, 24.0" Ext, Seal Screw.....	FOX983-93-039-14\$331.95
115C/200R	2.75C-5R, 24.0" Ext, Seal Screw.....	FOX983-93-039-16\$331.95
115C/230R	2.75C-5.5R, 24.0" Ext, Seal Screw.....	FOX983-93-039-18\$331.95
100C/200R	2.5C-8R, 24.0" Ext, Seal Screw.....	FOX983-93-039-27\$331.95
100C/200R-M	2.5C-5R-M, 24.0" Ext, Seal Screw.....	FOX983-93-039-31\$331.95
275C/175R-M	6.5C-4.5R-M, 24.0" Ext, Seal Scr.....	FOX983-93-039-32\$331.95
325C/175R-M	7.5C-4.5R-M, 24.0" Ext, Seal Scr.....	FOX983-93-039-33\$331.95
375C/175R-M	8C-4.5R-M, 24.0" Ext, Seal Screw.....	FOX983-93-039-34\$331.95
400C/175R-M	9C-4.5R-M, 24.0" Ext, Seal Screw.....	FOX983-93-039-35\$331.95
275C/150R-M	6.5C-3R-M, 24.0" Ext, Seal Screw.....	FOX983-93-039-36\$331.95
325C/150R-M	7C-3R-M, 24.0" Ext, Seal Screw.....	FOX983-93-039-37\$331.95
375C/150R-M	8C-3R-M, 24.0" Ext, Seal Screw.....	FOX983-93-039-38\$331.95
400C/150R-M	9C-3R-M, 24.0" Ext, Seal Screw.....	FOX983-93-039-39\$331.95
100C/200R-D	FRRT, 24.0" Ext, Seal Screw.....	FOX983-93-039-53\$331.95
400C/100R-D	9C-2.5R-D, 24.0" Ext, Seal Screw.....	FOX983-93-039-67\$331.95
470C/100R-D	10C-2.5R-D, 24.0" Ext, Seal Screw.....	FOX983-93-039-68\$331.95
550C/100R-D	11C-2.5R-D, 24.0" Ext, Seal Screw.....	FOX983-93-039-69\$331.95

Shock Body Base

Alum Thread Body/Tube.....	FOX207-14-045\$39.50
Alum Thread Body/Tube 9 Inch Body...	FOX207-14-061\$39.50
Front Shock Body Base Valve.....	FOX204-18-080\$52.55
Body Tube - Track Steel Shocks 8.8in..	FOX204-18-082\$57.98



Aluminum Body

1/2 x 10.100 TLG jam nut shaft for 7 Inch steel hybrid.....	FOX230-11-101\$29.50
1/2 x 10.60 TLG jam nut shaft for 7 Inch Alum bulb shock.....	FOX230-11-106\$29.50
1/2 x12.10 TLG jam nut shaft for Alum Bulb & Steel Body 9" shocks.....	FOX230-11-121\$29.50

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



7.2" Track All Steel Shock - Shrader Valve

100C/300R	2.5C-7R, 20.4" Ext.....	FOX983-95-507-25\$249.00
125C/165R	3C-4R, 20.4" Ext.....	FOX983-95-507-28\$249.00
125C/200R	3C-5R, 20.4" Ext.....	FOX983-95-507-29\$249.00
125C/230R	3C-5.5R, 20.4" Ext.....	FOX983-95-507-30\$249.00
100C/350R-D	2.5C-8R-D, 20.4" Ext.....	FOX983-95-507-57\$249.00
100C/400R-D	2.5C-9R-D, 20.4" Ext.....	FOX983-95-507-58\$249.00
100C/470R-D	2.5C-10R-D, 20.4" Ext.....	FOX983-95-507-59\$249.00
100C/550R-D	2.5C-11R-D, 20.4" Ext.....	FOX983-95-507-60\$249.00
100C/625R-D	2.5C-12R-D, 20.4" Ext.....	FOX983-95-507-61\$249.00
125C/350R-D	3C-8R-D, 20.4" Ext.....	FOX983-95-507-62\$249.00
125C/400R-D	3C-9R-D, 20.4" Ext.....	FOX983-95-507-63\$249.00
125C/470R-D	3C-10R-D, 20.4" Ext.....	FOX983-95-507-64\$249.00
125C/550R-D	3C-11R-D, 20.4" Ext.....	FOX983-95-507-65\$249.00
125C/625R-D	3C-12R-D, 20.4" Ext.....	FOX983-95-507-66\$249.00

7.2" Track All Steel Shock - IMCA Fill Valve

100C/300R	2.5C-7R, 20.4" Ext, Seal Screw.....	FOX983-95-537-25\$249.00
125C/165R	3C-4R, 20.4" Ext, Seal Screw.....	FOX983-95-537-28\$249.00
125C/200R	3C-5R, 20.4" Ext, Seal Screw.....	FOX983-95-537-29\$249.00
125C/230R	3C-5.5R, 20.4" Ext, Seal Screw.....	FOX983-95-537-30\$249.00
100C/350R-D	2.5C-8R-D, 20.4" Ext, Seal Screw.....	FOX983-95-537-57\$249.00
100C/400R-D	2.5C-9R-D, 20.4" Ext, Seal Screw.....	FOX983-95-537-58\$249.00
100C/470R-D	2.5C-10R-D, 20.4" Ext, Seal Screw.....	FOX983-95-537-59\$249.00
100C/550R-D	2.5C-11R-D, 20.4" Ext, Seal Screw.....	FOX983-95-537-60\$249.00
100C/625R-D	2.5C-12R-D, 20.4" Ext, Seal Screw.....	FOX983-95-537-61\$249.00
125C/350R-D	3C-8R-D, 20.4" Ext, Seal Screw.....	FOX983-95-537-62\$249.00
125C/400R-D	3C-9R-D, 20.4" Ext, Seal Screw.....	FOX983-95-537-63\$249.00
125C/470R-D	3C-10R-D, 20.4" Ext, Seal Screw.....	FOX983-95-537-64\$249.00
125C/550R-D	3C-11R-D, 20.4" Ext.....	FOX983-95-537-65\$249.00
125C/625R-D	3C-12R-D, 20.4" Ext.....	FOX983-95-537-66\$249.00

8.9" Track All Steel Shock - Shrader Valve

75C/200R	1.5C-5R, 23.7" Ext.....	FOX983-95-509-13\$249.00
75C/230R	1.5C-5.5R, 23.7" Ext.....	FOX983-95-509-14\$249.00
115C/200R	2.75C-5R, 23.7" Ext.....	FOX983-95-509-16\$249.00
115C/230R	2.75C-5.5R, 23.7" Ext.....	FOX983-95-509-18\$249.00
100C/200R	2.75C-8R, 23.7" Ext.....	FOX983-95-509-27\$249.00
100C/200R-M	2.75C-5R-M, 23.7" Ext.....	FOX983-95-509-31\$249.00
275C/175R-M	6.5C-4.5R-M, 23.7" Ext.....	FOX983-95-509-32\$249.00
325C/175R-M	7.5C-4.5R-M, 23.7" Ext.....	FOX983-95-509-33\$249.00
375C/175R-M	8C-4.5R-M, 23.7" Ext.....	FOX983-95-509-34\$249.00
400C/175R-M	9C-4.5R-M, 23.7" Ext.....	FOX983-95-509-35\$249.00
275C/150R-M	6.5C-3R-M, 23.7" Ext.....	FOX983-95-509-36\$249.00
325C/150R-M	7C-3R-M, 23.7" Ext.....	FOX983-95-509-37\$249.00
375C/150R-M	8C-3R-M, 23.7" Ext.....	FOX983-95-509-38\$249.00
400C/150R-M	9C-3R-M, 23.7" Ext.....	FOX983-95-509-39\$249.00
100C/200R-D	FRRT, 23.7" Ext.....	FOX983-95-509-53\$249.00
400C/100R-D	9C-2.5R-D, 23.7" Ext.....	FOX983-95-509-67\$249.00
470C/100R-D	10C-2.5R-D, 23.7" Ext.....	FOX983-95-509-68\$249.00
550C/100R-D	11C-2.5R-D, 23.7" Ext.....	FOX983-95-509-69\$249.00

8.9" Track All Steel Shock - IMCA Valve

75C/200R	1.5C-5R, 23.7" Ext, Seal Screw.....	FOX983-95-539-13\$249.00
75C/230R	1.5C-5.5R, 23.7" Ext, Seal Screw.....	FOX983-95-539-14\$249.00
115C/200R	2.75C-5R, 23.7" Ext, Seal Screw.....	FOX983-95-539-16\$249.00
115C/230R	2.75C-5.5R, 23.7" Ext, Seal Screw.....	FOX983-95-539-18\$249.00
100C/200R	2.5C-8R, 23.7" Ext, Seal Screw.....	FOX983-95-539-27\$249.00
100C/200R-M	2.5C-5R-M, 23.7" Ext, Seal Screw.....	FOX983-95-539-31\$249.00
275C/175R-M	6.5C-4.5R-M, 23.7" Ext, Seal Scr.....	FOX983-95-539-32\$249.00
325C/175R-M	7.5C-4.5R-M, 23.7" Ext, Seal Scr.....	FOX983-95-539-33\$249.00
375C/175R-M	8C-4.5R-M, 23.7" Ext, Seal Screw.....	FOX983-95-539-34\$249.00
400C/175R-M	9C-4.5R-M, 23.7" Ext, Seal Screw.....	FOX983-95-539-35\$249.00
275C/150R-M	6.5C-3R-M, 23.7" Ext, Seal Screw.....	FOX983-95-539-36\$249.00
325C/150R-M	7C-3R-M, 23.7" Ext, Seal Screw.....	FOX983-95-539-37\$249.00
375C/150R-M	8C-3R-M, 23.7" Ext, Seal Screw.....	FOX983-95-539-38\$249.00
400C/150R-M	9C-3R-M, 23.7" Ext, Seal Screw.....	FOX983-95-539-39\$249.00
100C/200R-D	FRRT, 23.7" Ext, Seal Screw.....	FOX983-95-539-53\$249.00
400C/100R-D	9C-2.5R-D, 23.7" Ext, Seal Screw.....	FOX983-95-539-67\$249.00
470C/100R-D	10C-2.5R-D, 23.7" Ext, Seal Screw.....	FOX983-95-539-68\$249.00
550C/100R-D	11C-2.5R-D, 23.7" Ext, Seal Screw.....	FOX983-95-539-69\$249.00

Steel Body

Front shock shaft base valve 10-1/4	
FOX229-99-094.....\$25.67
Shaft .498 OD 10.000 TLG Steel Chrome 1.200 Post Length	
FOX229-99-100.....\$29.50
Shaft .498 OD 11.700 TLG Steel Chrome 1.200 Post Length Solid	
FOX229-99-117.....\$29.50
Rod-B 7.25 Inch	
FOX229-99-102.....\$29.50
Rod-B 9.1 Inch	
FOX229-99-120.....\$29.50

Coil Springs

Silver Powder Coated

1-7/8" ID x 8" Hgt • Rates: 140, 160, 180, 200, 250, 300, 350, 400, 450QA1 8S(Rate)\$42.93
 1-7/8" ID x 8" Hgt • Rates: 150, 160, 165, 250QA1 10S(Rate)\$42.93

Polished & Chrome Plated

1-7/8" ID x 8" Hgt • Rates: 125, 140, 150, 175, 350, 400QA1 8SM(Rate)\$55.81
 1-7/8" ID x 10" Hgt • Rates: 95, 105, 115, 125, 150, 175, 200, 225, 250, 275, 400QA1 10SM(Rate)\$55.81
 2-1/2" ID x 7" Hgt • Rates: 250, 300, 350, 400, 450, 550, 650QA1 7HT-(Rate)\$47.22
 2-1/2" ID x 9" Hgt • Rates: 140, 220, 300, 350, 400, 450, 500, 550, 650QA1 9HT-(Rate)\$47.22
 2-1/2" ID x 10" Hgt • Rates: 100, 125, 150, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 450, 500, 550, 600, 650QA1 10HT-(Rate)\$47.22
 2-1/2" ID x 12" Hgt • Rates: 80, 95, 110, 130, 150, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 450, 500, 550, 600QA1 12HT-(Rate)\$47.22
 2-1/2" ID x 14" Hgt • Rates: 80, 95, 110, 130, 150, 175, 200, 225, 300, 350QA1 14HT-(Rate)\$47.22

Left Rear Speed Chain Assembly

What does a limit chain do? Stops the suspension's travel before the shock reaches full extension. (Topping a shock out can cause internal damage.) Adjusts the total amount of allowable chassis roll. It is important to note that traction creates roll, roll does not create traction. Being able to easily adjust this can help achieve a more balanced race car. Maintains load at the left rear tire by limiting how far the torsion bar/spring can extend. The more it extends the "lighter" the tire becomes. The internal spring helps cushion the abrupt stopping of motion that commonly occurs when topping a shock out without a limit chain installed. This helps the tire maintain traction during full chassis roll. This kit comes with all mounting hardware and brackets needed for installation. The chain is cut to length depending on your mounting brackets and chassis. Please note that for cars without the factory 1/2" slug a ballast/accessory clamp can be used for mounting as well.

DIG54-500\$250.00

Left Rear End Limiter Chain

This rubber cushioned droop limiter is adjustable so you can have stock droop, or 1/2" and 1" less. You can also unhook the chain and have a totally stock setting. The main clamp and body hook to a 3" axle tube and ride on the axle to leave ample clearance for dry wrap lines. The top clamp goes over the 1-1/2" bar that the master cyls are mounted to on a BRP car. Shrink wrap included for the chain A softer (red) biscuit BRP427-2 or a stiffer (black) biscuit BRP427-1 are available.

BRP9540\$277.49

Suspension Limiter

Single bushing suspension limiter is commonly used on the chassis LR or RR to limit travel during acceleration "hike up" and control roll steer. Double bushing limiter is often used on the lift bar to control lift bar travel on deceleration. Top plate is drilled to attach a 1/2" rod end when used in a shock mount or for attaching to a weight jack bolt with 7/16"-20 internal threads using optional chrome moly stud ALL64304. Clevis has a 3/8" hole.

Single Bushing LimiterALL64300\$77.99

Dual Bushing LimiterALL64302\$95.99

Limiter Chain Kit

3/16" x 18" long chain link will accept a 3/8" bolt or pin but may be modified to accept up to a 1/2" bolt. Shrink sleeve installs over chain and when heated with a heat gun shrinks to keep chain in position and prevent from binding or catching on itself.

3/16" Dia, Accepts 3/8" Pin or BoltALL64312\$7.49
 5/16" Dia, Accepts 1/2" Pin or BoltALL64314\$8.99

Shock Slider 1-1/4" with set screw

Has 3 pinch bolts for greater clamping force. Has set screw so slider will not slide up even in roughest track conditions. Comes with hardware.

RedBRP9060\$50.20

BlackBRP9060BK\$50.20

Shock Sliders

1 pc. 1-1/2" Mount

Red LeftBRP9143L\$36.31

Black LeftBRP9143LBK\$36.31

Red RightBRP9143R\$36.31

Black RightBRP9143RBK\$36.31

2 pc. 1-1/4" Mount

RedBRP284\$28.84

BlackBRP284BK\$28.84

2 pc. 1-1/4" Mount w/stud (Dbl. Clamp)

RedBRP4289\$36.87

2 pc. 1-1/2" Mount

RedBRP286\$28.84

Shock Tower Locks


1-1/2" inside dia lock collar to prevent shock slider from sliding up shock tower. 2 per pkg.

RedBRP9047\$22.25

BlackBRP9047BK\$22.25

Monotube Hyperscrew Fill Tool

26 and 28 Series
 QA17791-140\$134.95



Axle Tube Bracket

Bracket clamps around 3" axle tubes providing a mounting point for a suspension limiter such as a limiting strap or chain. 1" wide bracket has tabs w/1/2" holes.

ALL68324\$19.99



Shock Extensions

3/8 in-24 thread by 3-1/2 in long. Allows for up to 5 in more travel for shock absorbers. Shock Extension Kit can also be used to extend 3/8"-24 shifter rods!

MRG1290\$15.13

Shock Sliders

Front for 1-1/2"TEOPR026\$46.61

Rear for 1-1/4"TEOPR027\$53.90

Shock Tower Locks

1-1/2" inside diameter lock collar to prevent shock slider from sliding up shock tower.

TEOT010C\$16.04

Shock Workstation

It lets you hold on to your shock body and the shaft at the same time, making it a lot faster, easier, and cleaner to work on your shocks. Just put the Joe's Workstation in a vise and you're ready to go, or mount it securely to a workbench or pit cart with our base. (Sold separately)

Shock WorkstationJOE19200\$199.95

Workstation BaseJOE19250\$31.95

Drip Cup

Catch the oil before it runs down the side of your shock. Designed to fit shocks from 1-1/2" to 2-1/8" in dia

JOE19300\$62.95

Shock Protector

Slides over alum threaded body shock to protect against wear from spring. Protector measures 6" from spring seat to end, has an I.D. that measures 2.25" & works with all 2.5" I.D. springs. Unit should just cover shock body and may need to be cut to specific length.

ALL64200\$22.99

Rear Coil-Over Shock Mount for Std Birdcage

Coils. Optional. This is an easy way to run coils when you want. Replaces the roller and std shock mt on your torsion style birdcages. Fits BRP std and adj birdcages.

BRP9485\$102.52

RR Drop Down Shock Mt

Drop down coil over mount for LR or RR short link cars. An alternative to the version with the weight jack screw assembly.

BRP9574\$135.52

Shock Inflation Unit

BRP9430\$150.64

Digital Shock Inflator

Reads to 300 psi by .1 psi units. Special chuck prevents pressure loss & inaccurate settings. Quick & accurate settings - guaranteed.

LON50483\$118.50

Analog Shock Pressure Gauge

Great for Race Cars, Motorcycles, Snowmobiles & ATVs! Measures Pressure in PSI & BAR Pressure range of 0-300 psi & 0-20 bar Liquid-Filled Measured in 10lb PSI Increments & 1lb BAR

INT100675-A\$124.99

Circle Track QA1 Coil Over Kits

Kits include components for 1 shock and contain some of the following:

Use With Alum Shocks, 1 7/8" I.D. Spr

82 Series Small BodyQA1CK8201\$29.99

Use With Steel Shocks, 1 7/8" I.D. Springs

75 Series, Cone Cap, w/Jam NutQA1CK1955C\$

70 Series, Cone CapQA1CK7001\$52.95

Use With Alum Shocks, 2 1/2" I.D. Springs

60 Series, 6" and 7"QA1CK6005\$74.15

60 Series, 8" and 9"QA1CK7001\$52.95

16 and 62 SeriesQA1CK6201\$29.99

Use With Steel Shocks, 2 1/2" I.D. Springs

20, 26, 26A, 26V, 28, 28A, 28V, 50 Series

7"QA1CK5005\$74.15

9"QA1CK5007\$74.15

75 Series, Cone Cap, With Jam NutQA1CK1951C\$58.40

55 Series, w/Jam NutQA1CK1971C\$52.95

Use w/Both 7" And 9" Shocks w/5" O.D. Springs

26, 26A, 26V, 28, 28A, 28V & 50 Ser

QA1CK5009\$109.99

7" Bilstein Coil-Over Kit

• 7" SleeveBRP601B(\$19.67)

• Tall taper topBRP624(\$21.48)

• Adj. NutBRP602(\$14.94)

• Hairpin ClipBRP632(\$1.65)

• Opt. diaper pin BRP631(\$2.66)

• Opt. Jam NutBRP598(\$13.52)

BlackBRP614-7BK\$44.31

RedBRP614-7\$44.31

Fox Coil Over Kits

Threaded Body Coil Over Kit

BRP9420\$45.17

7" Shock Coil Kit

BRP9418\$53.52

Integra Coil Over Kits

Threaded Body Coil KitBRP9052\$43.47

Coil Over Kit SteelBRP9056\$64.68

Shock Travel Indicator Kit

Check the compression and rebound travel of coil-over shocks at a glance. Clamp the alum bracket to the body of the shock and bolt the opposite end to the existing shock eye bolt. May be used with most coil-over and non-coil-over shocks. Clamp is included.

ALL60094\$39.99

Coil-Over Shock Adjusting Tool

Makes adjusting coil over shocks much easier than the commonly used hammer & screwdriver method. Works with Avo, Hal, Koni, Bilstein, Carrera, Monroe & most other coil-over shocks with adjusting nuts up to 3-1/4" dia. Manufactured of cast steel with finger indents for sure-grip operation.

MOR62030\$30.12

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



"Four Bubble" Caster/Camber Gauge

Check camber from +8 to -8 in 1/4 degree increments. Caster readout from +8 to -4 in 1/4 degree increments.

Bubble Gauge & Case OnlyQUA200-3300...\$84.00

Gauge & Magnetic adapterQUA200-3302...\$106.87

Gauge & GM adapter (3/4-20).....QUA200-3304...\$83.72

Gauge & Wide 5 adapter
(1 13/16-16)QUA200-3306...\$91.00

Wide 5 adapter onlyQUA200-3400...\$19.60

GM adapter onlyQUA200-3401...\$17.40

Big Ford adapter only
(13/16-20).....QUA200-3402...\$17.40

Pinto adapter only (3/4-16).....QUA200-3403...\$21.75

Stock Car Products Adapter
(27/32-20).....QUA200-3404...\$27.78

Magnetic adapter onlyQUA200-3405...\$34.51

Kart adapter (5/8-18).....QUA200-3408...\$23.20

Wide 5 steel dust cover
adapter only.....QUA200-3407...\$27.78

Bump Steer Gauge

It comes complete with dial indicators and everything you need to check with wheels on or off the car.

Drilled.....QUA200-3030...\$116.93

Blank.....QUA200-3031...\$99.79

Caster Camber Gauges

Fully adjustable to fit any steel hub or wheel. Measures from -7 to +7 degrees w/1/8 degree accuracy.

Hub Type.....QUA200-3010...\$45.38

Rim Type.....QUA200-3020...\$22.50

Stagger Gauge

No more jacking up and rolling a tape around the tire. Engraved measurements are accurate and won't wear off.

20"- 50".....QUA200-3040...\$49.90

60"- 107".....QUA200-3050...\$49.90

Toe Gauges

Simply use the pointers to place a mark on the rear of the tire, then roll forward and compare pointers against the mark. All you add is a piece of 3/4" conduit in the desired length.

QUA200-3000...\$39.95

Analog Radius Plates

An excellent way to get the proper set-up on your car at an economical price. Exactly the same turntables as above except with an adjustable needle instead of the digital window. Rotates 30° in each direction. Reads in degrees. Permanently engraved markings won't wear off.

QUA200-2150...\$199.50



Tube Cutters

Cut plastic alum, copper or steel tubing without distorting or crushing. Std Cutter works with tubing from 1/8" up to 1-1/8" and has wide rollers for even tracking of cutter wheel, built in reamer for cleaning inside of tubing & an extra cutting wheel. Mini cutter can cut tubing from 1/8" to 5/8" in tight areas.

Standard...ALL11011...\$17.99

Mini.....ALL11010...\$6.99

Double Flare Tool

Double flares 3/16", 1/4", 5/16", 3/8" and 1/2" steel or alum and .040" copper tubing at 45°, the most common flare used in custom length brake and fuel lines. Includes detailed instructions & a convenient plastic storage case.

ALL11015...\$29.99

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Safety Wire Drill Jig

This tool centers holes in bolts and helps avoid broken bits and colorful language. Fits bolts 1/8" to 5/8".

Safety Wire Drill JigQUA200-3055...\$39.95

Safety Wire.....BSC80100...\$15.95



Safety Wire Pliers

Pull, cut and twist safety wire with these pliers.

9".....BSC80101...\$29.12

6".....BSC80102...\$27.18

Tubing Bender 180°

1/4, 5/16, 3/8 o.d.

BSC70101...\$9.00

Tubing Bender Pliers

3/16, 1/4 O.D.

BSC70102...\$42.61



Plumb Bob Kit

Square rear end. Lots of other uses. LON50820...\$28.54

Billet Tire Scribe

Use to make a true running line on the face of the tire for toe-in setting. Use with Toe-In Gauge LON79620. Folds up for easy storage.

LON79610...\$90.30

Aluminum Toe Plates (pair)

Quickest and simplest way to measure toe. Rest one of these plates against the tire on each side and measure toe directly using the 2 tapes (included). Formed design is rigid for accuracy and stays put against the tire. Magnets hold tape in place. Dimensions: 23-1/2" x 9"

LON79501...\$63.43

Stagger Gauge

Gauge measures tire dia & automatically converts it to circumference. Gives accurate & consistent stagger measurements every time. Measures 65" to 115" in 1/4" increments.

ALL10116...\$52.99

Sprint Car Drag Link Tether

Keeps drag link tethered to the chassis if the drag link becomes disconnected. Tethering of drag link is required by most sanctioning bodies. 24" long x 1" wide, woven nylon.

ALL10252...\$15.99

Engine Cradle

SBC cradle is made from 1" square tubing and powder coated black. Does not have provisions for adding wheels.

ALL10171...\$39.99



Air Mover Fan 900 CFM 115V

It features an advanced blade design that produces a high airflow and quiet operation. The unique shape of the fan housing allows multiple mounting positions to provide ventilation and cooling where it is needed. Ideal for use in the shop, trailer, or at the race track.

- High Volume Airflow - 900 CFM
- Built-in Carry Handle
- Uses Only 2 Amps when Running
- 15' Long Cord • 1/4 HP Motor • 16.5 Lbs
- 12 Amp Power Outlet - Allows Use of Tools, Lights, or Daisy Chain Operation of Multiple Fans
- Overall Dimensions: 19.5" L x 17.5" W x 8.6" T
- Ideal for Cooling Down Race Engines & Trans MRG33230G\$199.95



Shuttle Gauge

Versatile mini-gauge attaches to pump or can be used alone. Gauge face rotates 360° and reads to 300 psi for use with tires, forks or shocks. Works w/Presta and Schrader valves and features a precision bleeder valve and Pressure-Rite anti-air loss connector. Reads to 300 psi for use with tires, forks and shocks. Internal check valve prevents air loss when removing gauge from tires, forks or shocks. Air release button for precise adjustment of tire pressure. Unique internal check valve on our shock pumps isolates the pump from the fork or rear shock preventing air pressure loss during removal of pump head.

BSC70050\$36.95

Fueler Aprons



Designed to repel fluids and protect against spills, the Fueler Apron features velcro on the neck and waist straps for easy adjustments and quick release. SFI rated 52.1 Rated. Available in solid or split front including kevlar straps.

SIM39042...\$199.95



Nitrogen Fill Tool

0-400 PSIBILB4-KT0-Z021A00...\$108.55

Toe Plates

Check the toe of your race car quickly and easily. Just prop a toe plate against each front tire and measure. Includes 2 tape measures & 2 toe plates included.

JOE32600\$69.95

Moose Blocks

Chassis set-up blocks are adjustable in 1/4" increments. A quick release pin holds block at desired height. Bottom surfaces of blocks are contoured to fit steel tubing or any flat surface and have magnets for holding block to chassis. Short blocks adjust 1.75"-4". Tall blocks adjust 3"-6"

ALL10720...Moose Blocks Short...\$79.99

ALL10721...Moose Blocks Tall\$89.99





5 Gallon Motorsport Containers

Round 5 Gallon - Red.....VP3012.....\$26.95
Round 5 Gallon - White.....VP3022.....\$26.95
Round 5 Gallon - Blue.....VP3032.....\$26.95

Square 5 Gallon - Red.....VP3512.....\$26.95
Square 5 Gallon - White.....VP3522.....\$26.95
Square 5 Gallon - Blue.....VP3532.....\$26.95
Square 5 Gallon - Yellow.....VP3552.....\$26.95
Square 5 Gallon - Green.....VP3562.....\$26.95

Container Accessories

Jug Cap VP3042.....\$8.55
Tube VP3044.....\$10.54



Drum Wrench
VP3061.....\$22.95

Syphon Pump
ALL40114.....\$18.99



Funnels & Filters

8" Round.....JAZ555-008-06.....\$17.42
11" Round.....JAZ555-011-06.....\$27.02
14" Triangular.....JAZ550-014-06.....\$17.42
16" Triangular.....JAZ550-016-06.....\$27.02
15" D-Shaped.....JAZ560-015-06.....\$32.32
Funnel Filter 60 microns, fits all JAZ funnels except 8" Round.....JAZ500-000-01.....\$24.52

Funnels

Heavy duty plastic funnels are perfect for topping off fuel or other liquids.
Funnel 2 QT W/Brass.....ALL40102.....\$4.99
Funnel 1 Pint W/Brass.....ALL40104.....\$4.99

Extended Funnels

Built-in hang tab allows funnel to be secured to body or frame for hands-free filling.
18" Flex Spout Funnel.....ALL40107.....\$5.49
15" Straight Spout Funnel.....ALL40108.....\$6.99

7 Gallon No Glug Jug

Easy enough for one racer to pour fuel into their race car. Eliminates the hassle and frustration of handling the bulk of a 15 Gallon Jug. Features a 2-1/4" O.D. stepped pour spout that can be cut to desired diameter to adjust flow rate. The jug includes a 2-1/4" spout hose and a 3/4" vent with cap to keep fuel vapors in and prevents spillage when not in use.
JAZ710-107-05.....\$81.30



Deluxe Aluminum Mud Scraper

Remove the stickiest mud and clay without damaging paint. Lightweight and 32" long to reach wings, deck lids and undercarriage. Use the hole in end to hang scraper.
ALL44165.....\$17.99

Tie Down Hangers

Neatly stores ratchet tie downs on trailer wall while at an event. Creates more floor space. Store 2 ratchet tie downs per unit. Fabricated from .090 alum for max strength.
8" X 3" (L x D)

PIT217.....Single Bracket.....\$21.99
PIT222.....Set of two bks.....\$39.99

Spare Tire Holder

Tire cradles snugly in holder for a secure ride. Can be mounted on the wall or floor.
27" Wide.....PIT289.....\$169.99
34" Wide.....PIT287.....\$169.99

Jug Racks

Heliarc welded .090 aluminum racks mount to floor or wall. Holds round or square jugs.

1 Jug Rack.....PIT180.....\$84.99
2 Jug Rack.....PIT181.....\$104.99
3 Jug Rack.....PIT182.....\$119.99
4 Jug Rack.....PIT183.....\$149.99



Dial-In Marker Holder

Finally a way to hold a dial-in marker in your drag car. Rotates 360° to fit roll cage bar.
1 1/2" bar.....PIT236M.....\$54.99



Std Tool Tray

Used by many of the top racing teams. Keeps tools and parts organized when working on engines. 18" L x 9" H x 14" W

PIT120S.....Standard.....\$169.99
PIT120D.....Dominor.....\$169.99
PIT118.....Extra Ring Standard.....\$29.99
PIT119.....Extra Ring Dominor.....\$29.99



Adjustable Tire Rack

This handy tire rack folds down when you need it and easily folds against the wall for more room when empty. It is available in 48 or 64" lengths, but expandable with extension kits.



48" Adj Tire Rack.....PIT294.....\$369.99
64" Adj Tire Rack.....PIT295.....\$449.99
48" Lengthening Kit.....PIT294E.....\$309.99
64" Lengthening Kit.....PIT295E.....\$390.99

Trailer Door Cabinet

Fold down table which is great for holding a weather station, tools, small parts, etc. The cabinet is fabricated from .090 aluminum for max durability.
30" H x 25" W x 5-1/2" D
PIT320.....\$209.99



Junior Trailer Door Cabinet

The junior trailer cabinet includes: Fold down table, Paper towel holder, 2 shelves for storage
19-1/2" H x 12" W x 4-1/2" D



PIT321.....\$134.99

Oil Storage Cabinet

An excellent way to store and organize oil products. The top shelf holds 8 aerosol cans. 3 lower shelves holds 29 quarts of oil or filters.

36" H x 24-1/2" W x 5-1/2" D
PIT310.....\$189.99



Junior Oil Cabinet

For those who need the storage in a smaller size, the junior neatly holds 12 quarts of oil.

18" H x 16" W x 5-1/2" D
PIT313.....\$119.99



Deluxe Air Bracket

Wrap your air hose out of the way, plus great for storing air chuck, air gauge, small tools inside.
PIT223.....\$46.99



Nitrous Bottle Rack

These racks keep bottles vertically and out of the way. They easily mt to the floor or wall. All are 13" high and 7-1/4" deep from wall.

2-Bay.....PIT249.....\$119.99
3-Bay.....PIT250.....\$149.99
4-Bay.....PIT251.....\$159.99
5-Bay.....PIT252.....\$179.99
6-Bay.....PIT253.....\$209.99



10lb Automatic Deployed Dirt Approved

The FC-1002 is a 10# **FIRE BOTTLE** automatic system specifically designed for the needs of the Lucas Oil Dirt Late Model Series. The bottle is made of aluminum, the dimensions are 16.85" X 5.25", and weighs 17lbs. Each Fc system has two line that would be automatically set off, one at 24" and the other at 84". This bottle is SFI'd. System comes with 1.5" roll bar mounting brackets.



FIRFC1002.....\$712.95

Dirt Approved

10 lb Lucas Oil Automatic Manual Pull System

The AMRC-1002 is a 10# automatic manual pull system specifically designed for the needs of the Lucas Oil Dirt Late Model Series. The bottle is made of aluminum, the dimensions are 18.95" X 5.25", and weighs 18lbs. Each AMRC has two line that would be automatically set off, one at 24" and the other at 84". Also has 3 Manually operated nozzles, one suggested for the cockpit and the others in the engine compartment. This bottle is SFI'd. System comes with 1.5" roll bar mounting brackets, 5" pull cable, and one 8' of aluminum tubing for the manually operated nozzles.



FIRAMRC1002.....\$799.96



Fire Bottle Mounts

Mount for Fire Bottle and Safe Craft - Drivers Nozzle
BRP9610.....\$9.23

Mount for Fire Bottle and Safe Craft - Fuel Cell Nozzle
BRP9611.....\$9.23

Fire Systems

Bottle Type: Pull Systems. The RC-500 is a 5# manual pull system. The bottle is made of aluminum; the dimensions are 17.20" X 4", and weighs 9lbs.



- 1-Filled 5# Manual System
- 1-Activating Head
- 1-Pull Cable
- 1-Discharge Adapter
- 2-Nozzle Adapters
- 2-Nozzles
- 1-Tubing Tees
- 1-Discharge Tubing Roll
- 1-Alum Mounting Bkt Plate
- 2-SS Mounting Bkts

5 lb w/cable.....FIRRC500.....\$418.95
10 lb w/cable.....FIRRC1000.....\$620.95



Fire Extinguisher Bkt

The pull pin has an oversized billet knob and is red anodized to spot quickly. The mounting housing is strong and indexes for a quick connection. Hose clamp screws are hidden in the housing for a clean appearance.



1-1/4" Extinguisher Bracket.....JOE12821.....\$165.95
1-1/2" Extinguisher Bracket.....JOE12822.....\$165.95
1-3/4" Extinguisher Bracket.....JOE12824.....\$165.95
2" Extinguisher Bracket.....JOE12826.....\$165.95
Flat Panel Mt Extinguisher Bkt.....JOE12830.....\$143.95

1 Bay Helmet Shelf

Hangs up to 8 uniforms. Fabricated from .090 alum for max strength.
14" L x 15" W x 12" H
PIT330.....\$139.99



2 Bay Helmet Shelf

Provides common area for all driver's gear; keeps trailer neat.
28-1/4" L x 15" W x 12" H
PIT331.....\$194.99



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Robic® ROBSC-501

Multi-Mode Stopwatch

Event • Lap • Split
Lap or split timing. Can be used for single events. 1/1000 2nd resolution to 24 hours. Auto release to running time. Single action time readings. Time out (pause) timing. Audible beep confirmation. 1 year warranty. 5 yr battery life.
ROBSC-501W...\$23.95



Longacre

2 Car Stopwatch Clipboard w/ Robic SC 606W

2 Car Clipboard

Lightweight aluminum - won't break like plastic can. Powder coat finish with edge protectors. Rubber feet prevent sliding and protect car's finish. Professional color lap charts included with practice times on back

2 Robic SC 606W watches

Clocks every lap. Counts laps to 999. 50 Lap Memory.
LON22321...\$136.28



3000 lb ATV Winch

w/Mini-Rocker Switch Mounting Channel Roller Fairlead

All Terrain Vehicle 12 volt electric DC winches have a heavy duty steel housing and frame components for maximum strength, durability and reliability. The bulldog self recovery ATV winch has a premium series wound 12V DC 1.0 hp (0.75 kw) on 2,000lb. The bulldog winch has a handlebar mounted mini rocker switch, powers load in and out with automatic load holding brake, freespooling clutch for quick wire rope deployment.

BUL15002...\$168.74



6000 lb Winch with Roller Fairlead

Bulldog 6,000lb 12 volt electric DC winches have a heavy duty steel housing and frame components for maximum strength, durability and reliability. The bulldog 6,000 pound self recovery winch has a premium series wound 12V DC 1.87 hp (1.4 kw) motor, powers load in and out with automatic load holding brake, freespooling clutch for quick wire rope deployment.

BUL10004...\$426.99

Track Mats

Mats fold for easy storage and are ideal for use on asphalt, dirt, in the pits or on the garage floor. Vinyl coated pad measures 52" x 24" unfolded, 12" x 24" folded.

Black.....ALL10126\$29.99
Red.....ALL10127\$29.99
Blue.....ALL10128\$29.99



Car Covers

It is lightweight and less bulky for easy storage. The cover installs quickly to keep the heat out on hot days and it dries in a hurry when you get caught in the rain. Heavy Denier Nylon protects your car without the need of a felt lining that can soak up water and mildew. We added a zippered opening on the windshield, rear window, and driver's window so you can drive your car through the pits or into the trailer and see where you are going. Comes with a compact storage bag that saves you precious room in your hauler. Includes grommets.
JOE27500.....\$149.95



Car Covers

Cut specially to fit race cars - Keep your car cooler and cleaner between races. Heat reflective silver color. Soft liner will not scratch paint. Zippered window to get in and out. Moisture resistant. Eyelets along bottom to secure cover from tampering

Open Wheel Modified

(Northeast DIRT Modified) Car Cover

Custom Designed - Great for Northeast DIRT Modifieds, IMCA, UMP type cars
LON11154.....\$195.00

Pavement Late Model Car Cover

Will fit most all Late Model cars - All Pro, ASA, SW Series, etc.
LON11150.....\$185.12

Dirt Late Model Car Cover

Custom Designed for Dirt Late Model Cars
LON11152.....\$220.32



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Racer Tape

2" x 90 feet

Black.....BSC50010
Yellow.....BSC50020
Blue.....BSC50030
Teal.....BSC50035
Silver.....BSC50040
Green.....BSC50050
Brown.....BSC50055
Red.....BSC50060
Burgundy.....BSC50065
Orange.....BSC50070
Purple.....BSC50080
White.....BSC50090...\$4.50

Racer Tape

2" x 180 feet

Black.....BSC50010-180...\$6.95
Yellow.....BSC50020-180...\$6.95
Blue.....BSC50030-180...\$6.95
Teal.....BSC50035-180...\$6.95
Silver.....BSC50040-180...\$6.95
Green.....BSC50050-180...\$6.95
Red.....BSC50060-180...\$6.95
Burgundy.....BSC50065-180...\$6.95
Orange.....BSC50070-180...\$6.95
Purple.....BSC50080-180...\$6.95
White.....BSC50090-180...\$6.95

Racer Tape

Checker Board Tape

Size: 2" x 45 feet

BSC50100...\$6.75



Dull Finish Gaffer Tape

- Easy to Write On
- Doesn't leave residue
- Dull Finish

2" x 83 feet

Black.....BSC50210...\$9.95
White.....BSC50290...\$9.95
Red.....BSC50260...\$9.95
Neon Colors 2" x 75 feet
Neon Yellow.....BSC50215...\$10.95
Neon Green.....BSC50220...\$10.95
Neon Pink.....BSC50230...\$10.95
Neon Orange.....BSC50240...\$10.95
Neon Colors 1" x 150 feet
Neon Yellow.....BSC50115...\$10.45
Neon Green.....BSC50120...\$10.45
Neon Pink.....BSC50130...\$10.45
Neon Orange.....BSC50140...\$10.45



Quick Change Gear Tray

All aluminum construction. Easy to pour hot oil with built in corner spout. Comfortable ergonomic handle.


KIR99100.....\$49.00



Quick Change Drain Pan

Alum Drain Pan is a must when changing quick change gears. Built-in perforated shelf holds gears and allows lube to drain into pan. Pan is 10-1/4" wide, 12" long and 3-3/4" deep.

ALL14166.....\$49.99



Drain Pan

Plastic drain pan has molded in handles and pour spout. 13-1/2" x 11" x 4", 7 qt cap

ALL40112.....\$6.99



Aluminum Ford 9" Gear Tote

Keep Ford 9" third member in a neat and clean environment. Built-in handles for easy carrying.

ALL14168.....\$79.99

Ratchet Tie Down

JAZCAR-008-08...\$38.49

D-Ring Ratchet

JAZCAR-108-08...\$50.57

Heavy Duty Axle Strap

Don't wrap a strap around your rear and hook it on itself, it scratches up your rear and will eventually cut into the strap. Sold individually.
JAZCAR-224-08...\$18.11



4 Piece Ratchet Tie Down Set

4 piece 1"x15 foot Tie Downs. Adjust from 4 feet to 15 feet in length. Quick and easy cushioned thumb release with automatic lock ratcheting action. 1,500 lb. test polyester webbing. 800 lb. max rated capacity.
SCO126-724...\$16.95



10' Ratchet Combo Tie Down

GFO3610.....\$34.99

33" Sleeved Axle Strap

GFO2503.....\$11.99

21" Sleeved Axle Strap

GFO2502.....\$10.99



GPS Hot Lap In-Car Timer

In-car timing is triggered by GPS signal. No trackside "beam" needed. Driver sees his lap times as they happen. 3" backlit display. You can divide the track into segments and time each one separately. Find where you're fast and where you're not. You can also time 0-60 mph and time 1/4 mile with time and speed. Super accurate timing by the ultra sensitive GPS sensor.... LON21730.....\$328.33



ENGINE TOOLS - TOP END



Valve Lash Wrenches

Allstar Valve Lash Wrenches save precious time and prevent aggravation during valve adjustment. No more fumbling with two separate wrenches. Available for Jesel, T & D and other common poly-lock style rocker assemblies. 7/16" Adjustable Wrench, 1/8" Allen Wrench, Jesel ALL96400.....\$31.99

Feeler Gauges

Feeler gauges are a very valuable tool to have around the shop or trailer. Use in engine assembly to check connecting rod side clearance, piston ring end gap, spark plug gap and valve lash. Gauges have Metric and SAE sizing designations etched in each blade.

Straight.....ALL96420.....\$6.99
Angled.....ALL96421.....\$6.99



Valve Train Trays

Lightweight with built-in carrying handles. Valve tray holds valve springs, valve locks, and the largest of valves. Rocker tray holds pushrods, lifters, poly locks, spark plugs and rocker arms. Designed for the home mechanic as well as the professional.

Valve and Spring Tray.....JAZ735-001-06..\$34.35
Rocker Arm and Lifter Tray.....JAZ735-002-06..\$33.72



Cylinder Head Work Stand

Work stand is designed for use with all popular cylinder heads and provides an inexpensive, safe and sure mt for all jobs from porting to cc-ing the chambers. Disassembles for easy storage in tool box. 2 supports per set.

MOR62080.....\$50.24

Carburetor Work Stand

Designed to hold Quadrajet and both standard and spread-bore Holley carbs, this tool greatly simplifies carburetor work. Manufactured of cast aluminum with open center and mounting pegs.

MOR62070.....\$25.61

Carburetor Jet Tool

Designed with a stronger, fully machined tip that slides over jet, holding it firmly in place. Short design, sure-grip handle simplifies jet removal and installation in crowded engine compartments. Fits Holley type carb jets.

MOR62293.....\$14.66

Carburetor Drain Cup

Now you don't have to spill fuel all over the engine when removing fuel-bowl screws to service Holley carburetors. Gary Williams designed Carburetor Drain Cup uses a channel handle to catch dripping fuel and direct it to a holding cup. Made from fuel resistant polyethylene.

MOR65805.....\$10.25

Power Valve Tester

Convenient tool checks Holley Power Valves for ruptured diaphragms to prevent engine flooding. Remove knurled cap and screw in the Power Valve; cut-away section of tool allows visual inspection of valve's operation. CNC machined from 6061-T6 alum & blue anodized to prevent corrosion. Requires the use of a hand-operated vacuum tester (available at most auto parts stores)

MOR62295.....\$45.66



Valve Spring Height Micrometers

Quickest, easiest, most accurate way to measure valve spring installed height. Install just like a spring, then is expanded until it fully seats valve, locks and retainer. Simulated installation allows ultra precise readings. Tool is read like a micrometer and is accurate to .001".

1.400" to 1.800".....COM4928.....\$80.37
1.600" to 2.200".....COM4929.....\$90.62
1.600" to 2.200" for Beehive Springs
COM4930.....\$80.54

Valve Seal Installer

CNC-machined aluminum valve sealer makes installing Teflon seals easy. Works with .500" and .531" Teflon seals. Prevents seal distortion or gouging during installation. Anodized for durability.

COM5334.....\$24.24

V-Style Aluminum Head Holders (Pair)

Perfect for whenever you perform any type of cylinder head modifications or maintenance. Stands give ability to put the heads in any position and rotate as necessary. Two version available? Cast aluminum and welded steel. Handy for holding cams and crankshafts

COM5331.....\$127.98

Magnifying Flashlight

LED Powerful "LED" Light Source For Spark Plugs 6.4X Fire Polished, B1-Convex Optic Lens. Powerful white light LED floods the insulator cavity with light for accurate inspections. Longer life LED lamp. Lower voltage for longer battery life. Easy one-handed on/off switch. Black anodized billet aluminum flashlight housing. 2 AA batteries included.

MOR62348.....\$38.02

Spark Plug Indexing Washers

These washers are designed for use on all 14mm spark plugs with 5/8" hex. With three thicknesses in each package, one will correct the electrode placement on any plug and simplify the time consuming task of spark plug indexing. The washers are precision stamped from copper for perfect sealing and heat transfer. Use with tool MOR62160. 30 per package, 10 each size.

Tapered Seat, .010", .021", .032".....MOR71900.....\$20.53

Flat Seat, .043", .050", .064".....MOR71910.....\$20.53

Spark Plug Indexer

It's designed for both flat and taper-seat 14mm spark plugs, enables selection of spark plugs that will not make such contact

MOR62160.....\$11.73



Spark Plug Indexer

By allowing you to consistently position spark plug ground electrodes out of harm's way, this takes the guess work out of installing spark plugs where the combustion chamber and high dome piston clearances is critical. Designed to fit in the palm of your hand, this tool eliminates the need to perform cylinder head calibration. Best of all, the ARP indexer is made from aluminum alloy with precision machined threads that allows you to proof the quality of spark plug threads before installation in expensive cylinder heads. Anodized for protection and quick recognition. For use with tapered gasket 14mm plugs.

ARP920-0001.....\$20.71

Float Adjusting Tool

Loosen. Adjust. Tighten. 1 Tool. bicknell Adjusting the float levels on any Holley style carb has never been so easy. This tool is the wrench and the screw driver all in one.

BRP9359.....\$44.57

Carburetor Work Stand

This handy stand allows you to perform maintenance without damage or fighting with an unlevel carb on the bench. Allows stacking of carbs for easy storage. fits most 2 and 4 bbl carbs.

BRP9358.....\$52.51



Push Rod Length Checkers

Proper push rod length is absolutely critical for peak performance - minimizing bent or broken valve stems, guide wear, and energy-wasting valve side-loading friction. May not be legal for sale or use in California or on many pollution controlled vehicles.

Product Fits: 1955-86 Chevy All Models

3/8" Studs, S/BROC66789 ..\$11.24

7/16" Studs, S/BROC66790 ..\$11.24



Universal Valve Lash Adjusting Tool

This tool is like having 16 valve lash adjusting tools in one. It configures to adjust all shaft & stud mount rocker systems on the market today. Now you don't have to buy a new valve lash adjusting wrench for each different rocker system. Just snap on the appropriate std 1/2" drive socket, insert the correct hex key and you are good to go. It is designed with the correct length to easily tighten down any adjuster nut & makes breaking loose stubborn adjusters easy.

LSM1T-100.....\$69.81

Valve Lash Adjusting Torque Wrenches

It is a combination precision torque wrench and valve adjustment tool. It simplifies making precision valve lash setting by properly torquing adjuster nuts every time.

LSMTQ-100-3.....\$179.99

T-Handles

5/32"LSM1T-5/32 ..\$4.99

7/32"LSM1T-7/32 ..\$5.99

Dual Feeler Gauge Handle

Holds two sets of feeler gauges on the same handle. Perfect for intake and exhaust or go no-go gauges. Will accept various styles of 1/2" wide feeler gauges depending on your application. (gauges not included.)

LSMFH-200BL.....\$34.99



Single Wire Timing Light

This self-powered timing light is designed to work without an auxiliary power source which makes it ideal for use with magnetos, rear battery mount race cars, motorcycles, marine, go-karts and all spark ignition systems for single wire hassle-free timing. The Light is equipped with a xenon bulb, which generates a bright strobe, as well as a convenient work-light. State-of-the-art, single wire design (operates on 2 D cell batteries). Excellent for use with magnetos and all spark ignition systems. Bright xenon strobe clearly visible in daylight. Accurate timing up to 14,000 RPM. Can be used to test circuits.

FLAFR1001.....\$71.41



Self Powered Timing Light

It doesn't require 12 volts. This means less wires are hanging over the engine compartment and makes for quick, easy checks. For power, the Light uses six AAA batteries. The lightweight assembly is injection molded for great durability and produces an intense strobe that is easy to view through 5,000 rpm.

MSD8991.....\$242.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

ENGINE TOOLS - BOTTOM END



Adjustable Ring Compressor

Putting the connecting rod through first, simply place the piston (with rings) into the tapered end of the ring compressor. Tighten the compressor snugly around the base of the piston. Then lay the compressor flat on the engine cylinder bore.

4.000"-4.090" BlueROC66766
4.125"-4.205" Gold.....ROC66767
4.205"-4.310" Red.....ROC66768.....\$35.25



Degree Wheels

They accurately measures several timing functions of an engine: camshaft centerline, valve timing, TDC, BDC, etc. Marked in easy-to-read one degree increments. Made from heavy gauge metal with a silk screen finish for long-lasting use.

11" Degree..MOR62190..\$40.10
18" Degree..MOR62191..\$62.63

Crankshaft Socket Tool

Designed to simplify the task of crankshaft rotation during short block assembly with the balancer removed. Manufactured of tool quality steel with gold iridite finish. Accepts 1/2" drive.

MOR61760\$34.13

Crankshaft Socket Tool for Degree Wheel

Engine builders have a positive way to turn over the engine, to locate TDC & BDC when degreasing camshafts. Broached keyway allows the socket (which fits 1/2" drive) to slide over the crankshaft snout and key. A knurled jam nut is then used to position a degree wheel.

SB & 90° V6 Chevy, Super Duty Pontiac/GM 4 Cyl.
MOR61755.....\$70.46

Harmonic Balancer Installation Tools

It has adapters to fit most popular engines including Chevrolet, Ford, Mopar, KB Hemi, Pontiac, Oldsmobile and Buick. Or choose from several tools designed for specific engine apps. Each tool uses a pilot stud, which keeps the harmonic balancer perpendicular to the crankshaft's centerline for a bind-free installation. Thrust bearing and protective washer allows the drive nut to rotate freely so the balancer is pressed on smoothly and evenly. It includes screw-in inserts for 7/16", 1/2", 5/8" and 3/4" threaded openings

MOR61744\$91.46



Camshaft Installation Handle - Universal

Universal handle includes five interchangeable adapters that fit most domestic V6 and V8 engines, including Chevy, Ford, and Chrysler V8s.

COM5311.....\$70.15

16" Professional Degree Wheel

It is machined from a thick aluminum plate, red anodized and precision engraved. The open design allows degree bushing changes while the wheel is still on the engine.

COM4791-1.....\$224.92

Universal Camshaft Degree Kit

(Cyl Heads On Engine) Kit complete with necessary components to degree a camshaft. Available for most popular engines. Ships in a foam lined plastic carrying/storage case.

COM4796\$170.74

Harmonic Balancer Installation and Removal Tool

Innovative tool with multiple adapters installs and removes harmonic balancers quickly and easily without causing damage. 4 heat-treated chrome moly inserts fit most popular engines including Chevy, Ford, Mopar, KB Hemi, Pontiac, Oldsmobile & Buick.

MOR61743\$238.30

Engine Cleaning Brushes

It's important to have a clean block - especially in critical hard-to-get-at areas of the oiling system. Each brush is designed for a specific purpose; there are two each of the oil gallery brushes since they get the most wear.

MOR61820\$38.28

Engine Storage Bag

Manufactured from heavy 4 mil thick plastic. Extra-large size covers a complete engine including most headers. 1 per pkg.

MOR99400.....\$9.75



Rod Bolt Extensions

A long taper and full radius prevents nicking and scratching of crankshaft journals during connecting rod installation. ARP rod bolt extensions act as a guide during piston & rod installation.

5/16".....ARP910-0001\$39.53
3/8".....ARP910-0003\$39.53
7/16".....ARP910-0004\$42.21
Set of 3ARP910-0005\$116.04

Tapered Ring Compressors

CNC-machined from 6061-T6 billet tube material and feature a true radius for each different bore dia.

4.000.....ARP900-0000\$57.51
4.030.....ARP900-0300\$57.51
4.040.....ARP900-0400\$57.51
4.060.....ARP900-0600\$57.51
4.125.....ARP900-1250\$57.51
4.135.....ARP900-1350\$57.51
4.155.....ARP900-1550\$57.51
4.280.....ARP900-2800\$60.84
4.310.....ARP900-3100\$60.84
4.470.....ARP900-4700\$60.84
4.500.....ARP900-5000\$60.84
4.560.....ARP900-5600\$60.84
4.600.....ARP900-6000\$60.84
4.625.....ARP900-6250\$60.84
78.00mm ..ARP901-7800\$60.60
95.00mm ..ARP901-9500\$60.60

Oil Pump Primer Kits

This lets you spin the oil pump with a drill motor and bring up the oil pressure prior to starting the engine. ARP's rugged primer shafts are rated at 170,000 psi to ensure extended service life of this valuable tool. They feature a special billet aluminum sleeve that accurately positions the shaft and keeps it from wobbling.

SBC & BBC & 90° deluxe, 9.00" O.A.L.
ARP130-8802\$50.05

SBF, 1/4" hex drive

ARP150-8801\$46.21

351C, 351W, 351M, 400, 429/460, 5/16" hex drive

ARP150-8802\$46.21

Crank Sockets

SBC, 90° V6, and GM 4 cylinder
1.255" ID with 3/16" Keyway
COM4793\$36.58

BBC - 1.610" ID with 3/16" keyway
COM4797\$44.92

Crank Gear Installation Tool

Cams Crank Gear Installation Tool is used in conjunction with COM4920 Harmonic Balancer Installer, equal and constant pressure is applied, and the chance of gear damage is minimized.

COM4789.....\$29.42

Universal Cam Bearing Installation Kit

Range from 1.125" to 2.690" journal diameter. Kit includes five expanding neoprene covered mandrels, a centering cone, extension rod and fitted plastic case.

COM5312\$303.10

Camshaft Installation Handle w/Hardware

These simple, yet effective handles provide good leverage & a non-slip grip when installing or removing a cam.

COM4919.....\$54.33

Universal Harmonic Balancer Installation Kit

Universal Kit fits all domestic and most foreign engine applications. Utilizes thrust bearing to gently ease the harmonic balancer onto the crank snout. Eight interchangeable adapters include: 7/16", 1/2", 9/16", 5/8", 3/4", 12mm, 14mm, and 16mm.

COM4920.....\$52.14

2-in-1 Harmonic Balancer Puller Installation Kit

"Must have" for serious engine builders. Features a hardened threaded shaft with alloy nut combined with a roller thrust bearing puller plate. Included various size puller bolts and most uses. Kit fits GM, Ford, Chrysler crankshafts. Black oxide finished with storage box.

COM300.....\$163.07

Oil Pump Primer

Both models feature a top alignment collar and Chevy model includes a bushing to pressurize the upper valve train.

Chevy V8.....COM4921\$36.78
Ford 260-351W 1/4"....COM4922\$35.76



Oil Pump Primers

Remove the dist & insert the primer to engage the oil pump drive. The other end fits a 3/8" chuck in a hand drill to drive the oil pump. Fits Ford 289, 302, 390, 428 engines. Pump drive end of the primer fits 1/4" hex male end of the oil pump drive

MOR62210.....\$15.49

Fits Ford 351W, 351C, 400, 429, 460 engines. Pump drive end of the primer fits 5/16" hex male end of the oil pump drive

MOR62220.....\$15.49



ENGINE TOOLS - TESTING

Cylinder Leak Down Gauges

- The most accurate way to check your engine
- Set piston at TDC and turn air on. Set the left gauge to 100 psi and read the difference in the right gauge
- If the leakdown is excessive, listen to the carb, header, or crank vent to see where the problem is works on any engine from kart to big block
- Awesome for crate engines!
- STD 14mm spark plug fitting included

Gauge with Standard Gauges....BRP9238 ..\$171.77



Cylinder Leakage Tester

Quickly diagnoses failed or leaking valves, pistons, rings, and head gaskets. Large-diameter 3-1/2" gauge face indicates percentage of leakage rather than psi, eliminating need for math calculations. Includes 4-foot hose with quick-disconnect fitting and two zinc-plated adapters for 14mm and 18mm plug sizes. Use with MOR89602-Adapter for Leak Tester.

MOR89600\$160.20



Engine Leak Down Tester - 12 mm

Quickly tell - from the outside - when your engine needs an overhaul! This easy-to-use tester checks ring seals, valves, even head gaskets. Don't wait too long to rebuild that expensive motor - but don't do it too soon either! Allows the ability to achieve consistent power. Stretch out the time between costly tear-downs. Rugged design features rubber bumpers to protect the gauges. Exclusive Longacre gauge manifold meters the airflow for precise readings. 12 mm plug adapter.

LON73011.....\$120.67



Digital Engine Leak Down Tester - 12 mm

Don't wait too long to rebuild that expensive motor - BUT don't do it too soon either. This easy-to-use tester checks ring seals, valves, even head gaskets. Much more accurate than traditional testers - Reads critical leakdown to .5% (1/2 of 1%). Gauges have back lights for easy readability and low battery indicators. 12 mm spark plug connector and hose included. Control inlet valve avoids shock to gauges when air is turned on, allowing more accurate readings, easier use and longer gauge life. Rugged design features rubber bumpers to protect gauges. Silver carrying case included.

LON73015\$215.00



Engine Leak Down Tester

Quickly tell - from the outside - when your engine needs an overhaul! This easy-to-use tester checks ring seals, valves, even head gaskets. Don't wait too long to rebuild that expensive motor - but don't do it too soon either! Allows the ability to achieve consistent power. Stretch out the time between costly tear-downs. Rugged design features rubber bumpers to protect the gauges. Exclusive Longacre gauge manifold meters the airflow for precise readings. 0-3000 lbs. by 1 lb. Travel to .001". 6" to 20" tall springs. Coil and coil-over springs, square end and "pigtail". Includes easy-to-use digital indicator to measure spring travel and a digital load readout.

LON73010.....\$122.58



Valve Spring Removal Tools

We developed the standard for changing valve springs with our innovative designs. The LSM Spring Removal Tools are simply the best quality & easiest to use. It makes changing valve springs a fast & simple one-man job. LSM makes every effort to stay current with the latest designs from the rocker manufacturers, however rocker designs may change. Please consult our factory if you have questions about a particular rocker design and whether or not LSM has a tool to fit.

LSMSC-100

- Small Block Chevy w/Jesol, T&D
- Buick w/Jesol • Dodge W-8 w/Jesol
- FE Ford - Jesol only
- Chrysler Indy 440-1 head w/Jesol
- Barton Hemi exhaust only w/slight modification

LSMSC-100.....\$215.99



Valve Seat Pressure Testers

Adjustable On-Head Valve Spring Pressure Tester for various shaft & stud mount roller rocker systems.

It comes equipped with a 0-600 lbs. liquid filled gauge. It features four course adjustment hole locations and includes fine adjustment shims to enable calibration to within .050 of rocker arm pivot length. Includes set-up and adjustment guide.

LSMPC-100.....\$239.99

The Slant/Convertible handle lends itself better to space constraint situations. It can be used in either a straight (conventional) handle position or a slanted configuration. The handle is a 2 pc handle and the top can be removed for additional clearance.

Available thru Special Order.

LSMPC-100SLC.....\$259.99

Conversion Kit to convert a standard PC-100 into a Slant/Straight handle option.

Available thru Special Order.

LSMSL-001.....\$49.99



Low-Profile Design Valve Seat Pressure Tester

Similar to MOR62390 shown above with low-profile design to fit under windshield and cowl of tube-chassis cars. Designed by Jerry Haas, the tool features a rocker arm "gripper" machined from billet aluminum. Scale reading from 160 to 400 lbs. allows testing of springs with higher spring pressures. Use in conjunction with Moroso Stud Mount Valve Spring Compressor MOR62370 to maintain valvetrain


MOR62391\$122.54



Valve Seat Pressure Tester

The ultimate tool for checking valve seat pressure on an assembled engine! Built-in 300 lb. reading scale is accurate to within + or - 3% with no need for math conversions. Fits roller rockers on Small Block, Big Block and 90° V6 Chevy; Ford 221-302, 351-400 SVO and Ford Windsor engines, and most other wedge-type engines. Use with Moroso Stud Mount Valve Spring Compressor No. 62370 for the most accurate method of maintaining the valvetrain on a fully assembled engine.

MOR62390\$101.09



Stud Mount Valve Spring Compressors

Between-rounds valve spring changing is greatly simplified with this tool. Unlike models offered by other manufacturers, Moroso's stud mount tool fits both 3/8" and 7/16" rocker studs and is much stronger in the handle area to withstand the pressures of today's "extreme high pressure" valve springs. The 12" handle gives all the leverage needed to compress the strongest springs

MOR62370\$117.10



Stud Mount Valve Spring Compressor Conversion Kit. Contains all parts necessary to convert MOR62370 to fit Jesol Rocker Shaft Valve Springs.

MOR62372\$72.42



Vacuum Pressure Gauge

Perfect for a variety of automotive tests (except parallel parking!) including fuel pumps and intake manifolds. Easy-to-read gauge with 30 vacuum and 60 lbs pressure. Each gauge comes with gauge, hose small brass cone and large rubber cone.

ROC67410.....\$22.24



Dual-Gauge Leakdown Tester

Measures condition of head gaskets, piston rings and valves.

ROC66839.....\$75.48



Stud Mount Valve Spring Compressor

Fits all 3/8" and 7/16" rocker studs. This handy tool from Proform simplifies the task of removing the valve springs from an assembled engine. The long lever handle makes it easy to press down on the valve spring so that the keepers can be removed, and then slowly release the tension on the spring.

ROC66784.....\$58.06



Valve Spring Pressure Tester

Need to check spring pressure at the track? No problem with the stud style valve spring compressor. This fully adjustable tool fits easily onto your rocker arm for pressure checks & will measure pressure up to 600 lbs.

ROC67597\$264.72



Mini Valve Spring Tester

Here's the affordable, portable way to test springs. The hex-design body is very versatile: use it in a vise or an arbor press. These hydraulic models are supplied complete with a recalibration feature and a rubber gauge protector.

0-700 x 10 lbs....ROC66834 ..\$86.63

0-300 x 10 lbs....ROC66835 ..\$86.63



Remote Starter Switch

No more jumping from under the hood, to the front seat, to under the hood! Easily test your engine with the Starter Switch.

ROC67406.....\$16.60



12V Circuit Tester

Quickly check any 6 and 12 volt system with power on to locate shorts, grounds, and open circuits.

ROC67408.....\$16.56



Heavy Duty Manual Compressor

Our super-duty compressor is constructed of a welded steel box-tubing frame and an over-counter type clamping device that can compress any valve spring. The compressor arm slides up and down for adjustment and utilizes a locking pin for speed and ease of use. A base is offered to hold the unit upright in order to use the compressor in conjunction with a mini spring tester. A small engine and motorcycle model is also available.

COM5333\$245.32



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

ENGINE TOOLS ASSEMBLY

BORN FROM JOE GIBBS RACING

DRIVEN
RACING OIL

BR Break-In Oil

Used by Joe Gibbs Racing to break-in and dyno all their engines, this petroleum oil provides the highest levels of Zinc and Phosphorus for flat-tappet engines. The additive package promotes ring seal & provides max protection available for cams and lifters during initial break-in. Good for 2 hours dyno time & requires no additional additives.

15w50JGR00106...\$7.99
5w30JGR01806...\$7.99



Assembly Grease

Unique formula completely dissolves in oil leaving no residue. Used to pre-lube cams and lifters. Application to ring land prevents micro welding during initial engine break-in. Combined with Joe Gibbs Driven BR, it provides proven protection during break-in.

JGR00728...\$22.99



Automotive Degreaser

Professional strength formula foams away dirt, grease, and oil from all automotive parts and surfaces. Safe for use on any washable parts including rubber and plastic. Use for any degreasing need in your shop.

JGR50010...\$5.39



Brake and Parts Cleaner

Quickly removes brake fluid, grease, oil and other contaminants from brake lining and drums. Dries Fast. Leaves no residue. Non-Chlorinated. Excellent general parts cleaner.

JGR50020...\$4.49



Performance Engine Assembly Lube

Blended for all automotive and industrial applications. Eliminates galling, blueing, metal transfer and oil starvation during break-in. Consistency of warm honey. Dramatic cam and valve train life guaranteed. Not a moly paste. The choice of Champion Engine Builders.

4 ozPROB0400\$8.05



Plastic Caps 20-Pack

3AN...ALL50801...\$3.69
4AN...ALL50802...\$3.79
6AN...ALL50803...\$4.39
8AN...ALL50804...\$4.69

Plastic Caps 10-Pack

10AN...ALL50805...\$3.69
12AN...ALL50806...\$3.99
16AN...ALL50807...\$4.89



Plastic Plugs 20-Pack

3AN...ALL50811...\$3.79
4AN...ALL50812...\$3.99
6AN...ALL50813...\$4.89
8AN...ALL50814...\$4.99

Plastic Plugs 10-Pack

10AN...ALL50815...\$3.79
12AN...ALL50816...\$4.49
16AN...ALL50817...\$4.59



Proposition 65 Warning: These products contain chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Engine Assembly Lube

The choice of pro engine builders for its superior lubricating properties and its exceptional ability to adhere to internal engine parts until start-up. This white lithium base lubricant is ideal for the ball socket area of rocker arms and removes with soap and water for easy clean up.

8 oz. Jar.....COM104...\$7.18



Engine Assembly Lube

Assembly Lubricant

Premium grade Moly base with rust and corrosion inhibitors. Effective lubrication range: -30°F to 750°F. Load range: 500,000 psi. Designed for use with bolts

(0.5 fl. oz.).....ARP100-9908...\$1.67
(1.69 fl. oz.).....ARP100-9909...\$7.93

Thread Sealer

PTFE based with rust and corrosion inhibitors. Effective range: -30° to 550°F. Sealant range: 10,000 psi (pressure). Application: delivers a flexible leak-proof seal in aluminum, steel, stainless steel and plastic against coolants, water, gasoline, natural gas and LPG. Designed for use with bolts.

(1.69 fl. oz.).....ARP100-9904...\$10.38



Assembly Lube

It is a specialty, film forming lubricant designed to protect moving components & wear surfaces during assembly and initial break-in. Prevents metal-to-metal contact upon startup before adequate lubrication is supplied and offers excellent rust and corrosion protection during long service periods and storage. Fully formulated with high levels of anti-wear & extreme pressure additives & surface active chemistry to reduce friction. Non-foaming.

MAX69-01904\$9.95



Waterproof Grease

Multi-purpose lithium complex grease. Excellent resistance to water washout and clings to metal surfaces under the most severe condition, will not thin out. Use on all motorcycle, ATV, PWC, trailer and snowmobile components. Saltwater resistant. Provides excellent protection against high loads, extreme temps, moisture, rust & corrosion. Very high temp grease suitable for disc brake apps. NLGI #2.

16 oz. JarMAX80916.....\$8.95



MPPL Multi-Purpose Penetrant Lube

It is a superior, all-purpose spray-on penetrating lubricant. Provides a light lubrication and excellent barrier against rust and corrosion. Great for displacing moisture or loosening corroded nuts and bolts. Film forming protectant for metal surfaces and will not harm plastic or painted surfaces. Excellent fogging oil and starting fluid for engines.

14.5 oz. Aerosol.....MAX73920.....\$8.95



Aluminum Caps 20-Pack

3ANALL50821...\$8.39
4ANALL50822...\$4.69
6ANALL50823...\$6.59
8ANALL50824...\$7.99

Aluminum Caps 10-Pack

10ANALL50825...\$5.79
12ANALL50826...\$6.29
16ANALL50827...\$8.49



Aluminum Plugs 20-Pack

3ANALL50831...\$10.49
4ANALL50832...\$5.99
6ANALL50833...\$5.99
8ANALL50834...\$8.89

Aluminum Plugs 10-Pack

10ANALL50835...\$5.99
12ANALL50836...\$7.99
16ANALL50837...\$10.99



Caps and Plugs

They are a must for keeping debris out of lines and hoses. Ideal for keeping internal components of dry sump pumps, fuel pumps, pressure regulators, etc. clean during storage. Caps and plugs fit 37° flared fittings and straight threaded ports.




Engine Lift Plate

LS Series GM Engines

Designed specifically for LS series GM engines. Must remove intake manifold and valley cover tray to properly secure lift plate to engine block. Use existing valley cover tray bolts to ensure the correct size bolt is inserted into the bolt holes of the engine block. 3 laser cut holes for various chain placements allow engine weight to be balanced or offset. An offset position is especially helpful when angling an engine (w/ trans attached) in or out of a vehicle. Constructed of 1/8" thick zinc plated steel.


ALL10140...\$59.99



Engine Lift Plate

Bolts to manifold in place of carb. Yellow zinc coated plate fits standard Holley 4150/4160 and 4500 Dominator, Rochester Quadrajet, Carter, Motorcraft, Edelbrock, Edelbrock Q-Jet and Carter AFB carbs.


ALL10123.....\$12.99



Engine Lift Plate

Gold anodized plate fits std Holley 4150/4160 and 4500 Dominator, Rochester Quadrajet, Carter, Motorcraft, Edelbrock, Edelbrock Q-Jet and Carter AFB carbs.

ALL10123.....\$12.99



Ford Engine Lift Plate

Ease engine swaps with the Allstar Engine Lift Plate. Fits standard 5.0L/5.8LEFI Intakes: OEM, GT-40, Cobra, Holley, Edelbrock.

ALL10125...\$55.99



Engine Lift Plate

Fits Holley or Quadrajet bolt pattern manifolds. Easily drilled for other patterns.

MOR62670.....\$32.80



Engine Lift Plate & Dust Cover

This engine lift plate doesn't have all the extra holes in it & this lift plate can be left on the engine to keep dirt and dust out of the intake manifold.

MOR33025G.....\$15.47



Engine Cradles

Made of 1" square tubing with black powder coating. Stands include Grade 5 fasteners and may be easily disassembled for storage. Std Duty cradles accept wheel kits with 3/8" studs. Heavy Duty cradles accept wheel kits with 1/2" studs. Wheel kits must be purchased.


SBC/BBC Std DutyALL10130\$67.99
SBC/BBC Heavy DutyALL10132\$76.99
GM LS Series Std DutyALL10138\$79.99
GM LS Series Heavy DutyALL10139\$84.99
Oldsmobile Heavy DutyALL10142\$81.99
Pontiac Heavy DutyALL10144\$76.99
SBF Std DutyALL10145\$84.99
SBF Modular V8 Std DutyALL10147\$84.99
SBF Heavy DutyALL10148\$76.99
SBF Modular V8 Heavy DutyALL10149\$96.99
SBM Heavy DutyALL10152\$78.99
BBF Heavy DutyALL10154\$77.99
BBM Heavy DutyALL10156\$77.99



Sprint Engine Cradle

Cradle bolts to most stock type and after-market SBC blocks, including narrow pattern lightweight, and standard bell housing bolt patterns. Slotted front mounts accept most frame width engine mounts. Provisions for standard wheel kits are positioned to support complete engines with attached radiators.

ALL10159...\$83.99



Cradle Wheel Kits

Hard rubber wheel kits may be mounted to Allstar engine cradles ALL10130 thru ALL10156. Std duty kits feature 3/8" studs and heavy duty models use 1/2" studs, 4 wheels per kit.

3" Wheel Kit-Std DutyALL10162\$29.99
3" Locking Wheel Kit-Std DutyALL10163\$36.99
3" Wheel Kit-Heavy DutyALL10164\$48.99
3" Locking Wheel Kit-Heavy DutyALL10165\$51.99
5" Wheel Kit-Heavy DutyALL10166\$66.99



Drip Tray

Helps keep your shop floor clean during disassembly. Fits most 3 and 4 leg engine stand. Stand not included.

JAZ720-000-01...\$47.18





Test Pressure

Tester checks cylinder compression from 0-300 PSI and features an air-hold valve to reset gauge. Two brass fittings with o-rings are included for 14mm and 18mm spark plug threads. Easy to read 2-1/2" dial is encased in a metal housing with a 12" flexible hose attached.

ALL96520.....\$24.99

Rod Guide Tool

Plastic tool slips over 3/8" or 7/16" rod bolts to aid piston installation and eliminate the chance of rod bolts hitting crank. A must for any engine builder's toolbox.

3/8" Rod Guide Tool.....ALL96480...\$23.99
Rod Guide Tool Extension for BB...ALL96481...\$13.79

Valve Spring Compressor

Adjustable C-clamp style compressor will fit most heads including Hemi. Spring cup will fit stock springs up to 1.750" diameter. Compressor has 9/16" hex for use with a wrench, ratchet or impact. This tool will handle spring pressures in excess of 1200 lbs. without slipping off.

ALL96490.....\$199.99

Spark Plug Indexing Tool

Indexing positions the ground strap of the spark plug properly for best piston dome clearance and unshrouds the electrode for a more even burn and possible gains of 5-15 hp. Works with flat gasket or taper seat 14mm spark plugs.

ALL96510.....\$18.99

Perfect Launch Drag Racing Tree

The Perfect Launch reaction timers feature a remote thumb trigger, .4 and .5-second pro and full trees, and an adjustable delay box, bump down, & rollout. (4.5" x 2.75" x 1")

ROC67025C...\$65.60

Weather Pack Crimp Tool with Crimp Dies

Use with weather pack connector kits Ratchet style crimper insures a positive connection. Fast and easy.

LON44905...\$136.71

Variable Speed Shock Dynamometer, 40" Masts

Dynamometer Specs: 3HP Motor. 3HP. Variable Speed: 0.5 to 19 in/sec. Adjustable Stroke: 1.0", 1.5", 2.0" or 2.25". Type K Thermocouple Sensor. Runs on 220V Power. Scotch Yoke System. 2,000lb Load Cell. USB Connection. Compression/Tension Load Cell

Software Features: User Friendly, Easy-to-Operate. Load & View Previous Shock Tests. Overlay 20 graphs. Display all measurement units independently. Force: lb/kg. Distance: in/cm. Temp: °F/°C. Warm Up for Time or Temp. Test by Time or Temp. Live Data Display/Live Graphing Option. Real-Time PVP Graphing with CVP Graphs for Each Velocity Interval. Peak Velocity Pick Off Testing/Graphing (PVP). Constant Velocity Testing/Graphing (CVP). View Data Points in 0.1", 0.5", 1.0" or 2.0" Intervals. Export Data to Excel. Customized Logo on Printouts. Seal Drag Test. Gas Test. Compatible with Windows 2000, Windows XP, Vista, Windows 7, Windows 8, Windows 10.

INT102093-40...\$8645.00



Spark Plug Gap Tool

To set consistent plug gaps, insert plug into holder, put feeler gauge between ground strap and electrode, and gently turn the knurled knob until feeler gauge is snug.

ALL96515.....\$159.99

Internal Thread Chaser

Insert tool past damaged threads and, using undamaged threads as a guide, twist back out to restore damaged threads. The 14mm tool is perfect for repair of damaged spark plug threads without removing cylinder head.

14mm.....ALL96434.....\$51.99

Main Cap Removal Tool For LS Series Engines

Quickly and easily pull main bearing caps of GM LS series V8 engines, especially those with main studs. Hook tool to the bottom of cap, press down on handles, and the balanced leverage pulls the cap out of the block with one swift motion. 26" long x 4" high.

ALL96525.....\$219.99

Laser Scale Pad Leveler

If you don't level you scale pads your "accurate setup" goes out the window! This easy-to-use system helps you level each pad, then helps you bring all 4 at the same height - to closer than .050". First use the level vial to accurately level all 4 scale pads. Next turn the laser on, put it on top of 1 pad (this is your baseline pad) & point it at another one. Put the measuring tab on this pad and slide it sideways until one of the white dots shows brightest in the laser beam. That dot is marked how much higher or lower it is than the baseline pad. Raise or lower that pad until the dot at Level shows brightest.

LON72977.....\$89.99

Legend Car Adapter (metric) 19 mm x 1.5

Adapter screws onto spindle.

LON78445.....\$47.97



Oil Filter Cutter

While it may be a lousy thing to find metal particles in your oil filter, it's a worse thing not to find them. Metal in your filter can warn you of impending problems with bearings, thrust surfaces or a host of other broken parts. Know about it before it's too late by using this oil filter cutter, and get a progress report on your engine's health every time you change the oil.

QUA200-3060.....\$37.76



Telescoping Magnet

A strong (3 pound pull), telescoping magnet that will retrieve unreachable dropped tools or fasteners. Tool extends over 2 feet, and retracts to just 5" to fit in a shirt pocket.

ALL14173.....\$3.99

Telescoping Mirror

A 1-1/4" multi-positional, telescoping mirror for inspecting hard-to-see areas or locating engine oil leaks. Mirror is 6-1/2" long and extends to over 19".

ALL14174.....\$2.99

3 Piece Freeze Plug Driver Set

Have problems installing freeze plugs? Use these plastic drivers for simple installation without damaging the plugs or the block. Three sizes per kit: 1-1/2", 1-5/8", 1-3/4".

ALL96482.....\$49.99

Cam Bearing Installation Tool

Tool is a must when installing cam bearings in SBC. Install bearings quickly and easily without damage. Shaft is steel; pilot and driver are aluminum.

ALL96470...\$31.99

Pulley Shim Kits

WP shims have dual bolt hole pattern to fit most GM and Ford WP. Crank pulley spacers are for SBCs. Each kit includes 3 shims, 1/16", 1/8" and 3/16".

ALL31066.....\$16.99



Brass Freeze Plug Kit

Eliminate any chance of rusted out freeze plugs with Mr. Gasket's Brass Freeze Plug Kit. Though designed for marine applications, kits are ideal for long-term stored vehicles as well as every day street use. Kit includes all plugs needed for a complete engine.

SBC.....MRG6481.....\$26.34

BBC.....MRG6482.....\$30.94

Oil Filter Cutter

Joe's Racing Products has designed a new Oil Filter Cutter that allows you to quickly check your spin on filter for debris. The Joe's cutter works with all popular filters and comes complete with an adapter bushing to fill the oversize hole of larger filters like the HP6. The adapter keeps the cutter centered versus fumbling around with an undersized bushing that lets the cutter flop around. Replacement blade available.

JOE21000 \$78.95





Portable Engine Heater

This 110V Aluminum Portable Engine Heater is designed to pre-heat the water system prior to engine start up by heating and circulating water through the entire cooling system and engine block. Use Coolant Check Valve (100 16600-1) to connect heater to cooling system.

KEY10016600...\$850.00

*Special handling charge.

3/8 NPT Quick Disconnect Fittings

Female.....KEY10016600-V...\$48.21

Male.....KEY10016600-X...\$33.25

High Torque Tire Siper Attachment

For use on the Standard Electric Tire Prep Stand (KEY430 TPS005-C) and the High Torque Electric Tire Prep Stand (430 TPS005-C-HT). Heim mount provides smooth and precise siping motion. (Van Alstine Tire Siper, part #100 7336, sold

KEY430TPS003-E-12\$69.95

High Torque Tire Wrap Attachment

For use with the High Torque Electric Tire Prep Stand (430 TPS005-C-HT). Convenient swing away arm and adjustable tension knob provide a fast and easy way to shrink wrap tires. *Needler assembly required (430 TPSNDLR).

KEY430TPS004-E-HT...\$149.99

High Torque Tire Prep Station Cart

Tire prep stand/cart for use with the high torque electric tire machines (Wide 5 Part# 430 TPS016-HT and 5X5 Par# 430 TPS016-HT5X5).

KEY430TPS005-C-HT...\$329.00

*Special handling charge.

High Torque Electric Tire Prep Machine (Wide 5)

High torque electric tire rotator for Wide 5 applications. Knob controlled variable speed motor can rotate in either direction. Hands free foot pedal control. A tire prep cart/stand is available separately (430 TPS005-C-HT). Accessories sold separately. Accessories include: Needler Assembly (430 TPSNDLR-HT), Tire Wrap Attachment (430 TPS004-E-HT), Tire Siper Attachment (430 TPS003-E-12), Grinding Tool Holder (430 GRI009-E), & Siping Iron Holder (430 HTI007-E).

KEY430TPS016-HT...\$1195.99

*Special handling charge.

High Torque Needler Assembly

For use with the high torque electric tire prep machine, wide 5 (Part# 430 TPS016-HT).

KEY430TPSNDLR-HT...\$450.00

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Quik Weigh SW650RFX Wireless Scale System

Displays Setups to One Hundredth of a Percent!

Fully Integrated RFX Wireless Weighing Technology. Encryption Ensures Secure Wireless Communication. USB & RS232 Output. Certified to 0.1% Accuracy. 1,500 lb (700 kg) Pad Capacity. 6,000 lb (2,800 kg) System Capacity. Stores 100 Chassis Setups. Baseline Setup Recall. Center of Gravity Calculation. User Selectable Display Modes. Target Tune Feature. Giant 0.5" Display Characters. Backlit for Low-Lighting Conditions. View Any Combination of Scale Pad Weight and Percentage

System Includes:

15" x 15" x 2.5" Wireless RFX Billet Pads. One-Touch Wireless Indicator with Rechargeable Batteries, Battery Charger & Case. AA Alkaline Batteries for Scale Pads. 2-Year Warranty. INT170126-W....\$1695.00

SW777RFX Wireless Professional Scale System

Fully Integrated RFX Wireless Technology. Encryption Ensures Secure Wireless Communication. USB & RS232 Output. Certified to 0.1% Accuracy of Applied. Load, or ± 1 Graduation, Whichever is Greater. 1,500 lb (700 kg) Pad Capacity. 6,000 lb (2,800 kg) System Capacity. Weights Displayed on RFX Wireless Indicator & in RaceWeigh Software Simultaneously. Stores 100 Chassis Setups. Baseline Setup Recall. Center of Gravity Calculation. User Selectable Display Modes. Target Tune Feature. Giant 0.5" Display Characters. View ANY Combination of Scale Pad Weight & Percentage. 400hr Average Battery Life in Pads.

INT170127-WPC....\$1849.00

Intercomp

2.5" Scale Pad Leveler with Roll-Off Pad

Set of Four (4) Designed to Fit Any 15" (381mm) Scale Pad with 2.5" (64mm) Pad Thickness. Enables Car to be Rolled On & Off the Scale Pad with Little Effort. Aluminum Construction. Dimensions: 31" x 15.5" (787 x 395mm)

INT170133....\$995.00

Scales and Equipment Digital Laser Leveling System

Level Pads, Roll-Offs or Setup Racks. Laser Sighting with a Virtually Unlimited Range. Compatible with All Scale Systems. Includes Case. INT102018\$259.00

Scale Cart

High Quality Cart with Wheels. Strong and Lightweight. Carries all Four Pads, Cables, and Controller. Accommodates both 2.5" (64mm) and 4" (100mm) Profile Pads. Dimensions: 20.63" x 21" x 41.5". This strong yet lightweight scale cart is a convenient way to store and transport virtually any brand of electronic corner weight scales using standard 15" x 15" scale pads. Each slot is sized to accept either a standard 4" or a low-profile 2.5" pad. The covered top compartment holds your scale controller and cables with room to spare. Place the controller on top of the cart for a convenient, waist-high stand. The quick-release handle stows underneath the cart, so you can store the cart under a workbench until it's needed. INT100346.....\$369.00

15" x 15" Scale Pad Leveler - Set of 4

Set of Four. For any 15" x 15" (381 x 381mm) Scale Pad with a 2.5" (64mm) or 4" (100mm) Profile. High-Quality Steel Construction with a Powder Coat Finish. Dimensions: 15.5" x 15.5" (395 x 395 mm).

INT100344....\$519.00





Tire Roller

Now you can check stagger, sipe, groove, inspect, and clean tires without chasing them all over the pits. You can adjust the width for different tire sizes and break it down for easy storage.
JOE32200\$114.95



Dial Durometer

Dial Shore A Durometer has a flat base and easy to read numbers helping you to get the best tires out of the stack. Be sure to visit our website and check out the JOES Knowledge Center for Tech that gives you the secrets for proper Durometer use.
JOE56020\$55.95



Precision Digital Durometer

Digital Durometer features easy to read large numbers. Digital resolution is far superior to old dial type designs. A hold button holds your reading on the display for easy viewing. A foam lined case protects your investment. Serious racers that want to track their Durometer readings closely will enjoy the accuracy and .5 readout.
JOE56015\$83.95



Combination Digital Leak Down/Compression Tester w/Case

- Repeatable Accuracy for Engine Cylinder & Fuel Injector/Barrel Valve Leak Down Percentages
- Reads to 400 PSI
- Locking Regulator Allows Incoming Air Pressure Adjustment
- Intake Air Pressure and Hose Length will not affect readings (Must have 90 PSI input Pressure)
- Meets FAA Standards for Leak Down Testing Engines up to 5.00 Inch Bore
- Optional Hoses Available

System Includes:

- 14mm Leak Down Hose • 14mm Compression Hose
- INT170134\$845.00



Coil-Over Spring Rater and Compressor

Intercomp's Coil-Over Spring Tester and Compressor tests coil springs, coil-over assemblies (including 5th coils), rod pressure, bump stops and coil bind to a load capacity of 5000 lbs; truly a multi-purpose tool.

- Rates Standard Coil Springs 2.5" (64mm) to 6" (152mm) Diameter
- Rates Coil-Over Setups
- Compress Coil Over Assemblies for Easy Adjustments
- Increased Height of 31" (787mm) Eye to Eye
- 10 5/8" (270mm) Jack Travel with 12" (305mm) Digital Travel Indicator
- Rate Bump Stops and Determine Coil Bind and Rod Pressures
- Easy to Use Handles Allow Adjustments without Tools
- Capacity: 5,000lb (2,500kg)

INT110060\$1820.00



Digital Angle Gauge with Magnetic Base and Sides

Locate Angles Digitally. Large LCD Display. Magnetic Base and Sides. Reads from 0°-90° in 0.05° Increments.
INT102144\$69.00



Professional Tire Gauge

One of the most important, if not the most important thing on your vehicle is your tires. The detail that goes into a set of race tires and the amount of money spent on them should be backed up with accurate pressure inside them. If you are concerned about measuring tire pressure accurately, then you need a JOES gauge that can do the job for years to come. JOES has been obsessing over every little detail of our Precision-Air Tire Gauge and has spared no expense to make sure that it has the highest quality components available. Every gauge comes certified to guarantee its accuracy and it can always be re-calibrated if something should happen to it in the future.
JOE32311\$650.95



Go Pro Mount

Joe's new GoPro Tube Mounts are the stable aluminum option that you've been waiting for. No more need to buy plastic versions that won't hold up to racing conditions. Our mounts are solid, eliminating vibration, and swivel for easy positioning.



Go Pro Mount

- 1-1/4" Go Pro Assembly ...JOE60096 ...\$146.95
- 1-1/2" Go Pro Assembly ...JOE60106 ...\$146.95



Tube Mount Only

- 3/4" Tube Mount Only...JOE60075 ...\$51.95
- 1" Tube Mount Only...JOE60085 ...\$51.95
- 1-1/4" Tube Mount Only...JOE60095 ...\$51.95
- 1-1/2" Tube Mount Only...JOE60105 ...\$51.95



Swivel Assembly

- Go Pro Swivel Assembly ...JOE60025...\$104.95



Smart Tool

It can be used to ensure that chassis tubing is level and plumb, and comes in helpful when building roll cages or checking driveshaft angles. Features of the Smart tool include a "hold" button which allows "freezing" and "un-freezing" readings which can be displayed as degrees, percentages (slope), or in./ft. (pitch) at the push of a button. Pitch readings are in 1/8 in./ft. increments. An on/off switch will shut the tool off auto if it's left idle for more than 6 mins. Powered by a standard 9 volt battery.
ALL101138" Smart Level\$114.99



Analog Shock Inflation and Pressure Gauge

- Measures Pressure in PSI and Bar
 - Pressure Range of 0-300 PSI and 0-20 Bar
 - Liquid Filled
 - Measured in 10 lbs. PSI Increments and 1 lb Bar
- INT100675-A.....\$124.99



Tire Durometer

- Adjustable Face to Zero
 - Type A Removable Tip
 - Reads from 0-100
- INT360092.....\$59.99



Tire Durometer / Tire Tread Depth Gauge Set

INT360110.....\$99.95



Digital Shock Inflation and Pressure Gauge

Allows Quick & Easy Pressure Settings to 300 PSI (21 Bar). 0.5 Increments. Selectable in PSI, Bar, Kg, & CM2. Compatible with Most Shocks. Thumb-Operated Bleeder. Eliminates the Need to "Crack the Seal" to Achieve Desired Pressure. Comes std with "Schrader". Valve Adapter for the Penske-Style Valve. Needle adapter for Ohlins-Style Valve is Available. With CaseINT100675.....\$545.00
Adapter for Needle Valve...INT100678.....\$69.00



Billet Digital Depth Gauge

Measures Depth in 0.0005" and 0.0127mm Increments. Depth Range of 0-0.25" (0-6.35mm). Zero Accuracy of ± 0.001. Billet Aluminum Base Construction. Four Point Cad/Cam Design. Large 0.5" Digital Display. Includes Case.
INT102081.....\$249.00



Tire Tread Depth Gauge

Measures Tire Wear in 1mm & 1/32" Increments. Aluminum Construction. Pouch.
INT360109.....\$20.95



Digital Fill, Bleed, and Read Air Pressure Gauge

- 0-150 PSI (0-10 BAR)
 - Readout in 0.1 Increments
 - Delivers Unsurpassed Accuracy via the Digital Controller
 - Selectable in PSI, BAR, and Kg/Cm2
 - Available with Ball or Angle Chuck
- w/Case (Reads to 150.0 PSI)
INT360094.....\$399.99
- w/Ball Chuck
INT360094-BC.....\$399.99



150 PSI Digital Air Pressure Gauge

(Factory Certified) This ultra quick, high accuracy, digital gauge is the choice of professionals in all types of motorsports. Easy-To-Read, 0.5" display Reads to 0-150 PSI in 0.1 Increments High Accuracy PSI, BAR, kg/cm2 Keypad Calibration Push button Zero Peak Hold Thumb-Operated Bleed-Off 22" Goodyear Hose 45-Degree Swivel Chuck Backlit Display for Night Use. Includes: Case With Ball Chuck (Reads to 99.99 PSI)
INT360045.....\$299.99



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Digital Caster/Camber Gauge with AccuLevel

Here's a super accurate digital caster / camber gauge that reads to .1° (1/10°) camber and caster as high as needed, and at a price any serious team can easily justify. It comes with our latest Super Magnetic adapter and a padded silver carrying case. As an additional benefit the AccuLevel digital readout can be removed and used separately as a digital angle finder for suspension, spoiler angles, and many other things.

Includes: Digital Caster/Camber Gauge. AccuLevel Pro Model with back light (removable). Super Magnetic adapter. Padded carrying case.

LON78290.....\$237.59



Digital Caster/Camber Gauge with AccuLevel No Adapter

Here's a super accurate digital caster / camber gauge that reads to .1° (1/10°) camber and caster as high as needed, and at a price any serious team can easily justify. Includes padded silver carrying case. As an additional benefit the AccuLevel digital readout can be removed and used separately as a digital angle finder for suspension, spoiler angles, and many other things.

Includes: Digital Caster/Camber Gauge. AccuLevel Pro Model w/back light (removable). Padded carrying case.

LON78291.....\$211.11



Digital Kart Caster/Camber Gauge with AccuLevel

Here's a super accurate digital caster / camber gauge that reads to .1° (1/10°) camber and caster as high as needed, and at a price any serious team can easily justify. It comes with a kart adapter and a padded silver carrying case. As an additional benefit the AccuLevel digital readout can be removed and used separately as a digital angle finder for suspension, spoiler angles, & many other things.

Includes: Digital Caster/Camber Gauge. AccuLevel Pro Model with back light (removable). Kart adapter. Padded carrying case.

LON78292.....\$202.06



"Four Bubble" Caster/Camber Gauge

Check camber from +8 to -8 in 1/4 degree increments. Caster readout from +8 to -4 in 1/4 degree increments.

Bubble Gauge & Case Only.....QUA200-3300 \$84.00

Gauge & Magnetic adapter.....QUA200-3302 \$106.87

Gauge & GM adapter (3/4-20).....QUA200-3304 \$83.72

Gauge & Wide 5 adapter (1 13/16-16).....QUA200-3306 \$91.00

Wide 5 adapter only.....QUA200-3400 \$19.60

GM adapter only.....QUA200-3401 \$17.40

Big ford adapter only (13/16-20).....QUA200-3402 \$17.40

Pinto adapter only (3/4-16).....QUA200-3403 \$21.75

Stock Car Products Adapter (27/32-20).....QUA200-3404 \$27.78

Magnetic adapter only.....QUA200-3405 \$34.51

Kart adapter (5/8-18).....QUA200-3408 \$23.20

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Digital C/C Gauge w AccuLevel and Quick Set Adapter

Here's a super accurate digital caster / camber gauge that reads to .1° (1/10°) camber and caster as high as needed, and at a price any serious team can easily justify. It comes with our QuickSet adapter and a silver carrying case. **Includes:** Digital Caster/Camber Gauge. AccuLevel Pro Model with back light (removable). QuickSet adapter. Silver carrying case.

Quick Set Adapter

The fastest way to check your front end alignment. Just hold it against the rim for easy, accurate readings. No spindle adapters required here. Made from CNC machined billet alum. Works on virtually any car, any size wheel. 3 point design makes setting caster easier. Folds for easy storage.

LON78295.....\$307.12



AccuLevel Pro Model Digital Level

Back light for dark places under car. Measure suspension and spoiler angles and lots more. Reads to .1° +/- from 0 to 90°. Simple to use, easy to read, accurate. Can be quickly field calibrated to maintain accuracy. Used in our Digital Caster / Camber gauges. Comes with silver carrying case. Dimensions - 6-9/16" x 1-1/4" x 2-3/16".

LON78311.....\$116.92



Chassis Height Measurement Tool

3 Different Ways. Car on the ground - measures chassis height directly, accurate to 1/16". Indicator shows height as the car moves up and down. Use set of 4 to quickly see height at all 4 corners. You don't even need to bend over. Measures height from 2" to 10" (higher if needed).

24" for perimeter frames.

Short.....LON78320...\$109.71

36" for straight rail cars on right side.

Long.....LON78325...\$120.68

Aluminum Turn Plates (pair)

Free floating in 2 directions eliminates bind. Reads to 1/2° - Degrees can be zeroed with the car on. Low profile, only 1" tall.


LON79800.....\$775.98



Quick Toe Setting Tool

Mounts on the wheel to avoid errors. You can even attach a caster camber gauge to either side use LON78291 Digital Caster/Camber Gauge). Similar to our QuickSet Caster/Camber gauge adapter. Magnets in the legs hold it to your steel wheel - one on each side. Makes setting toe a quick 1 person job. Eliminates tire "bulge" error. Includes set of 2 fold-up fixtures, 2 tapes & silver carrying case.

LON79630.....\$330.11



Bump Steer Gauge

It comes complete with dial indicators and everything you need to check with wheels on or off the car.

Drilled.....QUA200-3030.....\$116.93

Blank.....QUA200-3031.....\$99.79

Caster Camber Gauges

Fully adjustable to fit any steel hub or wheel. Measures from -7 to +7 degrees w/1/8 degree accuracy.

Hub Type...QUA200-3010.....\$45.38

Rim Type...QUA200-3020.....\$22.50



Intercomp Toe Plates

Set of 2. Two high strength, lightweight, aluminum plates for quick, easy, and accurate toe measurements.

• Dimensions: 27.5" x 11"

• Quickly & Accurately Measure Toe

• High-Strength, Lightweight, Aluminum Plates

• Includes Two Measuring Tapes

INT102009.....\$99.00



Single Wire Timing Light

This self-powered timing light is designed to work without an auxiliary power source, which makes it ideal for use with magnetos, rear battery mount race cars, motorcycles, marine, go-karts, and all spark ignition systems for hassle-free timing. "The Light" is equipped with a xenon bulb which generates a bright strobe as well as a convenient work-light. Durable construction includes a rubber encased lens and 48" pickup lead. Longer leads are available for industrial applications.

- State-of-the-art single-wire design (operated on two D-Cell batteries)
- Excellent for use w/magnetos & all spark ignition sys
- Bright xenon strobe clearly visible in daylight
- Accurate timing up to 14,000 RPM
- Can be used to test circuits

FLAFR1001.....\$71.41



Pro Timing Light

It is constructed with solid state circuitry and uses a Silicon Controlled Rectifier (SCR) that provides accurate and stable timing signals from 0 to 8,000 rpm. This rugged timing light is built to work in rough environments such as racing pits or professional mechanic shops. It is injection molded for great durability and produces an intense strobe that is easy to view even in daylight. The battery clamps are color-coded and insulated for tight, safe connections.

- Detachable Leads. • Secure pick-up.
- No retard as RPM Increases.

MSD Powered Timing Light...MSD8992.....\$182.95



Self-Powered Timing Light

An accurate timing light is extremely important to the performance of your engine. It is a tool every perf tuner should have. A great feature of the Self-Powered Timing Light is that it does not require 12 volts. This means less wires are hanging over the engine compartment and makes for quick, easy checks. For power, the Light uses 6 AAA batteries. The light-weight assembly is injection molded for great durability and produces an intense strobe that is easy to view through 5,000 rpm. The inductive pick-up is detachable for easy storage.

- Battery powered.

Self Powered Timing Light...MSD8991.....\$242.95

Harness.....MSD89911.....\$78.32



Single Channel Digital Ignition Tester

Hand held tester generates a trigger signal to check the operation of MSD single channel igns and the coil (6, 7, 8 and 10 Series Ign Controls) LCD display shows the simulated RPM and can be used to confirm the operation of rev limits, rpm activated switches, shift lights and tach. Additional circuit will check the operation of cam sync signals. Triggers through breaker points, amplifier and magnetic pickup trigger inputs from the MSD Ign. Can be used on 4, 6 and 8-cyl engines. This Tester will check the operation of all of MSDs single-channel CD Ign Controls. Once the ignition tests good, you can continue troubleshooting and find the culprit. It produces a simulated trigger signal that fires the ignition just as if the engine was running.

MSD8998...\$314.95



Pitman Impact Gun w/ Battery & Charger

True portability, no air hose to trip over. High torque 24 volt - pops lug nuts off easily. 1/2" drive, 2 long lasting batteries, fast charger. 2600 impacts/min., 2000 RPM free speed. Carrying case included. With 2 Battery Chargers.....LON68604.....\$289.99

Pit Guns

Durable Allstar 60/40 ratio air impact guns have twin hammer impact mechanisms, side exhausts & billet reverse buttons. Deluxe version has a steel forward-reverse valve & is highly modified for 10,000 RPM operation & quick pit stops.

Manifold for use w/ 2 Regs.....ALL10438...\$

Manual Bead Breaker

Heavy steel bead breaker makes it easier to dismount tires. With 15" arm BSC90400...\$49.95

Tire Bead Breaker

Durable steel construction w/rubber hand grips. Wide jaw bead breaker works well w/soft sidewall tires. Use w/15" wheels. Standard.....ALL10105...\$43.99
Wide Jaw.....ALL10106...\$46.99

Tire Spoons

Steel Tire Spoon will separate tire from rim after breaking tire bead with Allstar Bead Breaker.

Straight Tire Spoon 24".....ALL10103...\$32.99
16-1/2" Curved Tire Spoon.....ALL10104...\$34.99

Econo Quick Spin Lug Wrench

Affordable lug wrench consists of a 1" dia tube with a shallow 1" socket welded to one end and rotating piece of plastic pipe attached to the other. 10" handles are angled w/rubber grips & the overall length is 23". ALL10108.....\$37.99

Glueless Lug Nut

Open end lug nuts attach to the wheel with springs for faster pit stops! Kits contain 5 glueless lug nuts w/springs attached & self-tapping screws for mounting.

5/8"-18 Thread (Fine), 5-Pk.....ALL44107...\$39.99
5/8"-11 Thread (Coarse), 5-Pk.....ALL44108...\$39.99
Replace Spring & Screw, 5-Pk.....ALL44109...\$15.69



Tire Sander

Extends life of used tires by removing a thin, hardened layer of rubber. Heavy duty 7" Milwaukee sander has a 0-6000 adj RPM range, to compensate for varying tire hardness & features a 10' detachable cord. Backing pad and discs are sold separately.

7" Tire Sander.....ALL44185...\$270.24
4" Dia., 23 Grit, 5/8" Hole.....ALL44180...\$42.99
7" Dia., 16 Grit, 7/8" Hole.....ALL44182...\$58.99
7" Dia., Nail Head Disc, 5/8" Hole.....ALL44183...\$59.99
8" Dia., Nail Head Disc, 5/8" Hole.....ALL44196...\$95.99
7" Backing Pad Kit.....ALL44186...\$45.99
7" Disc 5 pack 36 Grit grind.....ALL44187...\$23.99

Short Pit Sockets

Tough impact sockets designed to instantly kick out the lug nut.

Short.....BSC90405...\$23.40

Impact Sockets

Tough impact sockets designed to instantly kick out the lug nut.

Short.....LON68525...\$58.23

Long.....LON68526...\$61.22

Pit Socket

Thick walled socket with 6 point surface-contact and large chamfer insures fast, clean engagement on the lug nut. Alloy steel & carefully heat treated for max strength and prevention of lug nut damage. Accepts 1/2" drive, & fits 1" lug nuts.....MOR62010...\$57.81

Steel Lug Nuts

5/8"-11 steel (course).....LUG010C.....\$1.00
5/8"-11 steel (course).....LUG010HC.....\$1.25
5/8"-18 steel (fine).....LUG010HF.....\$1.00

Wide 5 Wheel Stud 5/8 Coarse Willow 5/8" x 11.....WIL230-10989.....\$2.21

Aluminum Lug Nuts

Double Sided (Hardcoated)
Large open end, double chamfered aluminum lug nut fits 1" sockets. Lug nut has popular 5/8"-11 coarse threads and is hardcoated for added durability. Will not pull through the wheel. Sold pack of 10.
ALL44097.....\$22.49

Steel Lug Nuts Pack of 10

Large diameter open end lug nuts will not pull through the wheel when tightened. Choose from steel or aluminum, SAE or metric threads. Nuts fit a 1" socket. Sold pack of 10.

5/8-11 Steel Coarse Double.....ALL44098.....\$19.99
1/2-20 Steel Fine.....ALL44102.....\$9.99
7/16-20 Steel Fine.....ALL44100.....\$9.99
12mm-1.5 Metric.....ALL44101.....\$12.99

Stagger Tape

10' x 1/4" PowerLock Pocket Tape Rule with Dia Scale. 1/4" wide blade. Back of blade provides scale that measures up to 3' dia.
STA33-115...\$6.99

Tire Tape Measures

Ten foot long tapes are ideal for measuring tire diameters & checking stagger.
ALL10111.....\$4.99

Black Tire Wrap

Black Tire Wrap Plastic-Stretch Film 18 Inch Wide 1500 Feet long 80 Gauge. Strong cast film comes off roll smoothly and quietly.
BSC90800.....\$29.99

Valve Core Tool

Made from Stainless Steel.
3" Long
JOE32100...\$12.95

Tire Purge Tool w/ Adj Bleed Valve

Clips on to Valve Stem for Attended or Unattended Use Slide Valve Collar Opens Up for Fast Air Dumping to Purge Tires in Record Time. Bleed Valve Allows Automatic Drain to the Desired Pressure.
JOE32125...\$77.95

Silver Tire Marker

Keep track of tires or anything else that you would use a silver marker on. It works great on tires because of the high contrast.
JOE32145...\$4.95

Valve Core Tool

Easily remove and install new valve cores. Base of handle has a machined pattern to aid with grip. Ergonomically designed and crafted from stainless steel. Measures 3" in overall length.
ALL44030.....\$11.99

Compact Valve Core Tool

Alum body, steel tip. Put on your key chain for quick access.
LON50272...\$6.23

Valve Core Stem Tool

Conveniently stores valve cores in the handle. Durable aluminum with stainless steel tip. Includes 3 spare cores.
LON50270...\$19.10

Tire Marking Stick

Use on hot or cold tires, wet or dry.
LON50880...\$4.67

Tire Marking Paint Pen

Finer line. Silver paint won't come off from heat.
LON50882...\$6.36

TIRE SIPERS

Van Alstine S-100 Heated Tire Siper

Ergonomic Design. Fast - Sipes Easily With Multiple Blades. Holds Up To 13 Blades. Variable Blade Spacing. Cuts Open Sipes & Small Grooves. Accurate - Cuts With Control & Visibility. Instant Blade Change and Adjustment.

S-100 Heated Tire Groover ..VANS-100.....\$199.00
Replacement Lever.....VANG-1000-LA/D...\$11.95

6 Blade Tire Sipers

Sipers quickly and precisely sipe tires for better traction. Units have adjustable sipe depth. Lightweight tool uses standard utility blades and is constructed for heavy duty use. These tools should be handled with care.
ALL10265.....\$93.99

Tire Siper

Cutting tires for added traction is easy with this handy tool. Push tool across tire; no heat required. Includes #4 head and blade.
ALL10109.....\$33.99

TIRE GROOVERS

Van Alstine V100 Tire Groover

"V" Series Tech minimizes size, maximizes cutting capability. Innovative blade holder. Insert, change and adjust blades with incredible ease. Tremendous, unobstructed visibility. 6 power levels. Power to match the job. Fingertip controls. Glides over the tire surface. Unparalleled control.
VANV100.....\$394.79

The Van Alstine blades for the V100 will also work with the discontinued G-1000 Tire Groover.

Flat Bottom Blades (12 Pack)

#3 ..VANVF-3...\$12.99
#4 ..VANVF-4...\$12.99
#5 ..VANVF-5...\$12.99
#6 ..VANVF-6...\$12.99
#8 ..VANVF-8...\$12.99

Round Bottom Blades (12 Pack)

#1 ..VANVR-1...\$17.50
#2 ..VANVR-2...\$12.99
#3 ..VANVR-3...\$12.99
#4 ..VANVR-4...\$12.99
#6 ..VANVR-6...\$12.99
#8 ..VANVR-8...\$12.99



Traction Grabber for Low Powered Grinder

When std 8" traction grabber is used with the new grinding head it gives you more control to let you push harder on the tire. This added force is harder on the grinders & can burn it out faster. The solution was to make a 6" disk instead of an 8" disk to take some load away from the grinder. Same great results, just a little easier on the motors. Also helps the weaker models perform better.

6".....BRPBRTTG-6...\$82.50
8".....BRPBRTTG.....\$89.95



Tire Tool

It perforates tire surface for better traction. Steel roller is 2" wide with a series of 1/4" tall, straight pin rows. 5" wood handle. Use caution when handling and storing tool, pins are needle sharp.
ALL10550.....\$124.99

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Chassis Ride Height Gauge

Makes setting up your chassis much easier. No longer need to make that special tape measure glued to a stick. Pull the handle, slide it under the frame, release and read the height on the handle.

BRP9240\$94.85



Tire Prep Stand

Steel tire prep stand is a must when grooving, sipping, grinding or even cleaning tires. Bolts together, and the pivoting head eases tire mounting. A locking T-handle secures the head assembly. Can be used with 5x5 or Wide 5 wheels.

ALL10555\$189.99

Tire Prep Mount

Manual steel tire prep mount eases grooving, sipping, grinding or even cleaning tires. Special one-way bearings prevent "roll back" when grooving or sipping. Bolt to a wall stud or other solid surface. Can be used with 5x5 or Wide 5 wheels. ALL10562 wall swivel (sold separately) allows use at various angles.

Tire Prep MountALL10561 ..\$215.99

Swivel For ALL10561ALL10562 ..\$104.99

Electric Tire Prep Stand

It eases grooving, sipping, grinding and even cleaning of tires. 2-way switch permits clockwise or counterclockwise rotation. Foot operated pedal controls tire rotation. A 110v access outlet is included for convenient plug-in of siper or groover. Stand will accommodate 5x5 or Wide 5 wheels.

Electric Tire Prep Stand.....ALL10565..\$1295.00

Cart Only, For ALL10565...ALL10567..\$289.99

Grooving Iron Holder

Bracket bolts to electric tire prep stand ALL10565 and holds 2 Ideal style grooving irons.

ALL10568\$29.99

Tire Sander Holder

Bracket bolts to electric tire prep stand ALL10565.

ALL10569\$38.99

Quick Spin Lug Wrench



It is made of 7/8" dia tubing with a deep 1" socket welded to one end and a sealed bearing pressed on the other. Size: 18" w/ 7-1/2" handles.

1" Socket...ALL10107\$48.99

Super Sockets w/Extension

They are available with 5" or 11" exts & include our Super Socket for fast wheel changes without jamming lug nuts. Sockets fit 1" lug nuts and are used with 1/2" drive impact guns.

11" With Extension...ALL10241...\$75.99

5" With ExtensionALL10242...\$75.99

26" Tie Rod Socket w/Extension

A socket and a 26" ext in one tool, it may be used to check and tighten inner tie rod end bolts on most common racing rack and pinions. Extension has a 15/16" hex head socket and a 1/2" drive for easy use with any 1/2" drive ratchet.

ALL10243\$54.99

12 Pit Extensions

Hex Socket

Developed to meet popular demand, extension is welded on. No more extensions slipping off. 1" Socket is 12" length. New design to clear beadlock ring on Weld Wheels.

ALL10240\$48.99

Spindle Nut Socket

Hex style socket fits Wide 5, Howe, Allstar and PCR 5X5 applications.

ALL10110\$27.99

Aluminum Wheel Adapter

Adapter bolts to stock 5x4-1/2" or 5x4-3/4" bolt circle hub and adapts to 5x5" bolt circle pattern wheel. Fitted with 5/8"-11 coarse thread studs. 1" thick.

ALL44128.....\$64.99

Aluminum Wheel Spacers

They fit 4-1/2", 4-3/4" and 5" bolt circle patterns. Spacers increase track width, requiring less wheel offset.

1/2" Alum WheelALL44121 ...\$22.79

3/4" Alum WheelALL44122\$24.99

1" Alum Wheel Spacer...ALL44123 ...\$27.79

Wheel Studs

Larger-than-stock studs require redrilling of stock flanges. Check sanctioning body for wheel stud requirements. 1/2"-20 X 2", 5-Pack.

ALL44110.....\$9.99



Tire Claw

Traction Tools

It burns the pattern into the tire like a snow tire.

The soft tire won't chunk because it is not breaking outside of the tread block. Uses a std tire iron.

Chain Link Tread PatternBRP9354.....\$55.75

Block Tread PatternBRP9355.....\$55.75

Tire Roll Out Fixture

Now you can check stagger in 1 small area! Fits all tires from sportsman left fronts to modified right rears. Rubber feet on bottom keep it place! Saves wrecking your best tape measure. Bolts and seals for rear end are not included****

BRP9241.....\$77.00



Pro-Team Tirelief Kit

6 Tirelief valves. 12 wheel adapters.

1 setting tool. 1 inflation adapter

LON50100...\$284.81

Tire Pressure Relief

Use with quick change adapters or mount directly in your wheels by drilling a 1/8" NPT thread hole. 3-40 psi range. 100 mesh inlet filter to keep dirt inside tire from plugging Tirelief. LW alum only 9 grams won't affect wheel balance.

LON50000.....\$93.07

Setting Tool

Uses compressed air to accurately simulate tire pressure. 0-60 psi

LON50290.....\$48.05



Wheel Studs Press-In MOROSO

7/16"-20 x 2-7/8". .480" dia. knurl & quick start dog end, fits most late GM drum brake applications. Std hole size: .472" to .479"MOR46150.....\$15.94

7/16"-20 x 2-7/8". .560" dia. knurl & quick start dog end, fits most late GM disc brake & early drum brake app. Std hole size: .552" to .559"MOR46160.....\$15.94

1/2"-20 x 3". .615" dia. knurl & quick start dog end, fits most disc brake Fords front & rear & Chrysler front. Std hole size: .606" to .613"MOR46180.....\$15.94

1/2"-20 X 3". .594" dia. knurl & quick start dog end, fits 79-03 Mustang. Also has flat on head for front hubs with ABS. Std hole size: .580"MOR46185.....\$15.94

1/2"-20 x 3". .685" dia. knurl & quick start dog end, fits most Chrysler rear with 1/2" stud. Std hole size: .676" to .683"MOR46190.....\$15.92

1/2"-20 x 3". .563" dia. knurl & quick start dog end, for use in 1/2" Frankland hubs. Std hole size: .554" to .561"MOR46220.....\$18.45

5/8"-18 x 3". .672" dia. knurl & quick start dog end, for oval track applications. Std hole size: .663" to .670"MOR46240.....\$28.09


Wheel Studs Screw-In Type

1/2"-20 x 3", fits all aftermarket axles with 1/2"-20 threadsMOR46200.....\$21.48

Wheel Studs

Heat-treated 8740 chrome moly wheel studs are a much-needed replacement for any car engaged in oval track or drag racing competition. They have a tensile strength of 200,000 psi and are able to easily handle the tremendous acceleration shock loads (shear) and lateral forces (elongation) found in racing. The studs are sold in 4 or 5 packs and are cadmium plated for extra durability. Nuts not included. Now available for all popular apps, including General Motors, Ford, Honda and Chrysler replacements, as well as for oval track racing and aftermarket street and strip axles.

Application	A Knurl Dia.	L1 UHL Length	L2 Knurl Length	L3 Nose Length	Thread Size	Part Number	Price
Ford, rear disc brakes/Chrysler front	.625	3.500	.400	.437	1/2-20	ARP100-7703	\$41.63
Ford, front disc brakes, early	.618	3.050	1.000	.250	1/2-20	ARP100-7707	\$81.07
Late GM drum brake	.486	3.165	.420	.308	7/16-20	ARP100-7701	\$13.22
Late GM disc brake & early drum brake	.580	3.200	.300	.305	7/16-20	ARP100-7702	\$13.22
Honda replacement (96 & earlier) 4 pack	.485	1.850	.275	.350	M12 x 1.5	ARP100-7709	\$15.92
Honda Ext length (1996 & earlier) 4 pack	.485	2.850	.275	.350	M12 x 1.5	ARP100-7711	\$31.04
Honda Ext length (1997 & later) 5 pack	.485	2.850	.275	.350	M12 x 1.5	ARP100-7712	\$38.45
Subaru WRX	.565	3.000	.270	.350	M12 x 1.25	ARP100-7716	\$39.72
Aftermarket axles, 12 pt style head	none	3.470	none	.500	1/2-20	ARP100-7704	\$34.97
Speedway Eng, Pro 4 disc	.568	2.970	.710	.465	1/2-20	ARP100-7706	\$41.63



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Shock Inflation Tool

Shock Inflator System allows you to adjust gas pressure in your shocks up to 200 PSI. A bleed valve quickly drops pressure so you can meter the pressure to match your desired results. Swivel fittings make it easy to connect the long hose while the shocks are on or off the car. Digital accuracy provides .1 resolution that cheap versions are unable to match.
JOE19455.....\$198.95



Basic Shock Inflator

Basic Dial Model. Reads to 300 psi by 5 psi. Easy to use. These analog Longacre shock inflators are capable of handling 300 psi and are easy to use. Longacre's exclusive controlled flow inlet and bleed valves make precision shock setting much easier.
LON50493.....\$98.05



Durometer & Tread Depth Gauge w/ silver case

Tire hardness changes as tires get older and even varies between new tires. Now you can keep track of exactly where your tires are. Reads from 0-100 points. Super accurate, easy to read, easy to use. Calibrated in 1/32" Accurate to 1/128" (less than .010")
LON50556.....\$88.06



Aluminum Stagger Gauge

62" to 115". Extra rigid ends. Tight tolerance square tube design for accurate results. Dual Scale - Easy to read with tires on the car or flat on the ground.
LON50840.....\$79.67



Dial Tread Depth Gauge w/Pouch

Super accurate, easy to read, easy to use. Calibrated in 1/32". Accurate to 1/128" (less than .010"). Comes with pouch.
LON50560.....\$24.26




Dual Function Infrared Laser Pyrometer Plus Probe

Use as Probe type pyro for tires OR a non-contact infrared laser pyrometer. Accurate, fast response in either mode. 1400° range on IR. 500° range with tire probe. °F or °C switchable. Includes tire probe and silver case.
LON50620.....\$213.74



Standard Memory Tire Pyrometer

Displays 12 temps at once. 10 set memory. Coiled cord probe. Carrying case. Build Your Edge even more with Temp Averaging plus the bonus of a 4 car memory stopwatch with interval timing and more.
LON50682.....\$375.65



Deluxe Racing Pyrometer

We covered with a rubber boot to protect and maintain accuracy. Oversize numbers are 1-1/2" tall with backlight. The auto shut off keeps the battery fresh. The 90° probe is compact to get into the fender well with ease.
JOE54005.....\$147.95



Tire Pyrometer on a Tablet

Super fast response - takes temps quickly. 100 Memories shows memory temps with current. Exclusive "Anticipation Mode" speeds up process. 7" color Tablet (#50650) and wireless probe. Computes all tire temp averages, shows all at once. Includes the Tablet or you can use your scale Tablet. Easily switches from scales to pyrometer and back. Save money.



Includes 7" color TabletLON50650...\$566.71
Use Scale Tablet or Smartphone...LON50745...\$340.99

AccuTech Infrared Laser Pyrometer - 600°

Instant response, non-contact temps. Backlites for night use. °F or °C. Laser sighting for accuracy. Holds readings longer for easier use. Measures to 600° F.
LON50612.....\$76.93



AccuTech Econo Pyrometer

Accurate, fast response. Straight cord tire probe. 1400° range (with proper probe). °F or °C switchable. Less carrying case
LON50635...\$120.32



Infrared Laser Pyrometer - 1400

These Longacre Racing infrared laser pyrometers are an extremely fast and accurate way to obtain instant-response, no-contact temperature readings. These pyrometers feature laser sighting for accuracy and are back-lit for night-time use. Longacre Racing infrared laser pyrometers will read Fahrenheit or Celsius.
• Reads to 1400° • Laser sighted
• Back light for night use
LON50615.....\$134.45



6" Brass Blow Gun

BSC80125.....\$9.00



6" Brass Blow Gun Bent End

BSC80126.....\$9.00



Long Style Air Hose Coupler 1 piece per card

BSC80120.....\$4.80



Long Style Male Plug 2 piece per card

BSC80121.....\$1.20



Long Style Female Plug 2 piece per card

BSC80122.....\$1.20



Quick Fill Aluminum Air Tanks

No more waiting around for your tank to fill, we know you have more important things to do. Fill your tank in seconds, not minutes with JOES Quick Fill Aluminum Air Tanks.



JOE32460..\$139.95

Horizontal Air Tank

Tanks are equipped with a Quick Fill fitting to save you time. 1' 7" wide with an approx volume of 1176 cubic inches.
JOE32450..\$115.95



Vertical Compact Air Tank

23-1/2" high from base to handle. Approximate volume 557 cubic inches.
JOE32454..\$104.95



Lightweight Polished Air Tank Only

Portable Ultra LW. Polished Air Tank w/Special Inlet Valve. Capacity: 5 US Gallons. Hose length: 4 feet with quick release. Approximate Size: 14" x 10". Max Pressure: 125 lbs
LON50316.....\$150.48



Stock Car Jack Stands

They are stackable and have urethane pads to help keep your car from slipping. They are lightweight and stackable to save space in your trailer or the shop. 14" tall, sold in pairs.



JOE55500..\$198.95



Jack Stands

It with unitized frame will support 3 tons. The ratchet locking mechanism assures safe, positive height control. Adjustable from 11-5/8" to 16-1/2". Sold in pairs.
3 Ton Ratchet Jack Stand
ALL10124.....\$29.99



Aluminum Red Stack Stands

Support stands can be stacked together to conserve valuable space in the trailer or the shop. Stands are 14" tall with a sturdy 12" x 15" base. Choose aluminum stands, rated at 3,000 lbs., or steel versions, rated at 3,500 lbs. Sold in pairs.
ALL10254.....\$109.99



Wheel Dollies

Steel dollies are 14-1/2" wide x 23-1/2" long with std casters for use with cars weighing less than 2,500 lbs. Sold per pair.
ALL10129.....\$79.99



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



JACKS

Air Jacks

Bert introduces an all aluminum bumper jack. It requires only 50 lbs of air pressure to reach full extension. Completely collapsible design for easy use and storage. Each level is equipped with safety locks for security and stability when setting up the car. Designed for race cars with bumpers such as IMCA, UMP, and New York modified. This Lightweight unit is 55 lbs.

Air Jack.....BERAJ-1000\$1286.23

Bumper Assemblies

Front.....BERAJ-BUMPER-NYM-F...\$33.99
Rear.....BERAJ-BUMPER-NYM-R...\$57.89

Aluminum Pit Jack

LW, 3,000 lb. capacity floor jack has a low profile to roll under the lowest slung race chassis. Made of high quality alum, jack incorporates a patented hydraulic system to reach max height of 17-1/2". Rolls easily on heavy duty rear caster wheels. Optional dirt wing adapts jack for use in unpaved pits.

3-Pump RedALL10422 \$529.99
6-Pump SilverALL10425 \$479.99

Pro1 Race Jack

Will it do what you need? Is its quality workmanship? Can you buy parts for it? Joe's can do all that! Made from quality USA materials. Weight: 36 lbs. with handle. 3600 lbs. capacity. Self bleeding system. Sealed hydraulics, no vent needed.

JackJOE55525\$1395.95
Dirt Wings.....JOE55520\$62.95

Alum Pro Jack

It is made of billet aluminum and designed for max strength and durability. The Pro Series Jack is offered in 1-Pump, 2-Pump, and 3-Pump versions. The 1-Pump is available in many lifting configurations from 8" lift to 10-1/2" lift. The std colors are red, black, and blue.

1 Pump .BRUBRI-0041.....\$1395.00
2 Pump .BRUBRI-0042.....\$1395.00
3 Pump .BRUBRI-0043.....\$950.00

Warrior Aluminum Jack

The Warrior Series Jack is used in all divisions of racing from the top teams in NASCAR to your local Saturday Night racer. It is made of billet aluminum and designed for maximum strength and durability. Offered in 3 and 6 pump versions, the Warrior Series Jack was designed with all racers in mind.

• Min Hgt: 3.25" • Max Hgt: 17.125"
• Weight (lbs): 32.000
• Notes: Handle Included

3 Pump ..BRUBRI-002-BK-48...\$843.96
3 Pump ..BRUBRI-002-RD-48...\$843.96

Jack Accessories

From special side handles to dual return springs and NASCAR Winston Cup vents.

DIRT Skirt.....BRUBRI-185..\$79.95
DIRT Wings....BRUBRI-184..\$59.95



Dirt Wing for Pit Jack

Provides a sturdy base when using the Pit Jack on a dirt surface.
ALL10426\$89.99

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Intercomp

150 PSI Digital Air Pressure Gauge

(Factory Certified) This ultra quick, high accuracy, digital gauge is the choice of professionals in all types of motorsports. Easy-To-Read, 0.5" display Reads to 0-150 PSI in 0.1 Increments High Accuracy PSI, BAR, kg/cm2 Keypad Calibration Push button Zero Peak Hold Thumb-Operated Bleed-Off 22" Goodyear Hose 45-Degree Swivel Chuck Backlit Display for Night Use. Includes: Case

With Ball Chuck (Reads to 99.99 PSI)
INT360045.....\$299.99

Intercomp

4" Ultra Deluxe 30 PSI Air Pressure Gauge Glow In The Dark

Includes a high-quality, thumb operated bleeder and nozzle. High visibility with major and minor graduation marks.

4" Air Pressure Gauge Glow-In-The-Dark
0-30 x 1 PSI
INT360059.....\$65.95

Longacre

Dirt Tire Gauge: 0-25 PSI

Reads to .1 psi
w/Angle ChuckLON53010...\$127.67

Standard Tire Pressure Gauges

Air pressure release button. Internal gauge damper for more accurate readings and longer life. 2" dial face. Ultra flexible 14" hose. Do not hold pressure.

Glow-In-The-Dark

0-30 1/2 lb. Ball Chuck...LON52024...\$27.90
0-15 1/4 lb. Ball Chuck...LON52034...\$27.90

White Face (Non Glow-In-The-Dark)

0-60 1 lb. Ball Chuck.....LON52004...\$27.90

Liquid Filled Tire Gauges

Glow in the Dark

2-1/2" Deluxe Gauge with protective bumper. 17" hose with swivel chuck. Holds pressure reading until released.

0-15 Angle Chuck...LON52032...\$58.96
0-30 Angle Chuck...LON52022...\$58.53

Glow-in-the-Dark Magnum Tire Pressure Gauges

Huge 3-1/2" Glow-in-the-Dark face for high accuracy and the easiest readability. High flow release button and swivel chuck. Holds pressure until released. Internal gauge damper for more consistent, accurate reading. Ultra flexible 17" hose. Comes with silver case.

0-60 psi 1 lb. Angle & Ball Chuck...LON52001...\$82.49
0-30 psi 1/2 lb. Angle & Ball Chuck...LON52021...\$81.43
0-15 psi 1/4 lb. Angle Chuck.....LON52031...\$80.97



Tire Pressure Gauge

2-1/2" Glow-in-the-Dark

Internal gauge damper. Air pressure release button. 17" ultra-flexible hose with swivel chuck.

2-1/2" GID Tire Pressure Gauge

0-15 PSI.....JOE32305\$23.95
3-30 PSI.....JOE32306\$23.95
5-60 PSI.....JOE32307\$23.95

2-1/2" GID Tire Gauge w/Hold Fitting

0-15 PSI.....JOE32308\$48.95
3-30 PSI.....JOE32309\$
5-60 PSI.....JOE32310\$

4" GID Tire Gauge w/Hold Fitting

0-30 PSI.....JOE32335\$
0-60 PSI.....JOE32336\$

Pro Tire Pressure Gauges

Swivel and angle chuck included. 2-1/2" glow in dark face: 17" rubber hose. Steel housing.

0-15 PSI Without Hold Valve ...JOE32315...\$32.95
0-15 PSI With Hold Valve.....JOE32325...\$49.95
0-30 PSI Without Hold Valve ...JOE32316...\$32.95
0-30 PSI With Hold Valve.....JOE32326...\$49.95
0-60 PSI Without Hold Valve ...JOE32317...\$32.95
0-60 PSI With Hold Valve.....JOE32327...\$49.95

Digital Tire Pressure Gauges

PSI setting can easily be changed to Bar. Includes chrome angle chuck and ball chuck.
0-60 PSI.....JOE32435...\$73.95
0-150 PSI.....JOE32436...\$73.95

Remote Tire Inflator, 60 PSI, Pro Gauge

Clip-On Style Air Chuck and 5 Ft. Rubber Air Hose provides a safe distance from the tire and wheel while the tire inflates. This new device also includes Quick Fill Inflator and our all new 60 PSI. JOE32486\$69.95

Quick Fill Tire Inflator

60 PSI. Chrome angle chuck installed. Quick Fill valve. Ball chuck included. 2.5" dial glow gauge

Tire Inflator Quick Fill Valve w/60 PSI
JOE32485.....\$58.95

Quick Fill Tire Inflator

It comes with a 17" hose with a 45" swivel chuck installed and a ball chuck for tight spots. Our 2-1/2" dia gauges glow in the dark.

Billet Quick Fill

0-30 PSI, Dial.....JOE32490...\$127.95
0-60 PSI, Dial.....JOE32491...\$127.95
0-60 PSI, Digital.....JOE32492...\$139.95
0-100 PSI, Precision-Air.....JOE32493...\$695.95

Tire Inflator w/Quick Fill Valve, 0-150 PSI

150 PSI 1% with a quick fill valve that inflates tires fast. Includes Chrome Angle Chuck and Ball Chuck for tight spots, plus 2 popular size fittings.

w/60 PSI 1% Digital Gauge...JOE32488...\$110.95
w/150 PSI 1% Digital Gauge...JOE32489...\$110.95



Tire Pressure Gauge Pouch

Unique pouch stores tire gauge on wall or other vertical surface. Stop wasting valuable time at the track searching for a tire gauge when it can be in an organized pouch at all times.

PIT228Fits up to 3 3/4" Dia.....\$32.99
PIT227Fits up to 3 1/8" Dia.....\$28.99



Axle Spline Tool

Tool clamps in a vise to hold 31 spline axles for maintenance or installation of axle plugs. Assures perfect spline alignment when installing lock-up plugs used with Gold-Trac differentials.

ALL66104.....\$34.99



T-Handle Axle Puller

Tool includes adapters for fine or coarse 3/8" threaded solid axles, and 3/4" coarse threads for gun drilled axles.

ALL66115.....\$31.99



Coil Mounts, Flat Mount

Lightweight, anodized aluminum bracket mounts ignition coil to chassis quickly and securely.

ALL81324.....\$34.99



Tail Shaft Seal And Bushing

The tail shaft bushing is a regular wear item, located inside the transmission tailshaft housing. It should be replaced when replacing a tailshaft seal or when a driveshaft failure has occurred. A worn bushing will cause excessive side-to-side movement of the slip yoke & create a vibration or leak. Bushing and seal fit GM Powerglide, Turbo 350, Saginaw, Muncie, Bert and Brinn trans.

ALL72152...\$9.99



Shop Towels

They are ideal for use in the shop.

Red Shop Towels, 25-Pack.....ALL12010.....\$8.99

White Terry Towels, 12-Pack.....ALL12012.....\$8.99



Safety Glasses

Comfortable general purpose safety glasses have a clear wrap around lens for max visibility. ANSI-Z87.1 rated.

ALL10258..\$5.79



Individual Hole Saws

Hole Saw 0.750".....ALL10413.....\$13.99

Hole Saw 1.000".....ALL10414.....\$15.49

Hole Saw 1.125".....ALL10415.....\$15.49

Hole Saw 1.250".....ALL10416.....\$15.49

Hole Saw 1.500".....ALL10417.....\$16.49

Hole Saw 1.625".....ALL10418.....\$16.49

Hole Saw 1.750".....ALL10419.....\$18.99




Toe Plates

Alum plates simplify setting of toe-in and toe-out. Plates fit against outside edges of tires.

Deluxe plates have radiused edges, slots for narrow and wide tape measures and are 9" tall x 23" wide to work with vehicles with smaller wheel openings. Std plates are 1/2" thick, 11" tall x 32" wide and work well for vehicles with larger wheels and wheel openings. Set of 2 plates.

Std Toe Plate.....ALL10117.....\$76.99

Deluxe Toe Plate.....ALL10119.....\$54.99




Set-Up Plates

For accurate chassis set-up. Typically Set-Up Plates are used for squaring, stringing, and checking axle tubes for straightness. Eliminates wheel and tire differences.

Set-Up Plate 5 X 5.....ALL10660.....\$95.99

Set-Up Plate Wide 5.....ALL10662.....\$134.99



Tie Downs, Straps And D-Rings

2" x 8" Tie Down (Flat Hook).....ALL10184.....\$28.99

2" x 8" Tie Down (Direct Hook) ALL10188.....\$32.99

2" x 8" Tie Down (Twist Hook) .ALL10192.....\$32.99



2" x 8" Tie Down with Built-In Axle Strap (Twist Hook).....ALL10196.....\$34.99

2" Wide Axle Tie Back Strap, 48" C/L to C/L of Hooks, Adj. 24"-40".....ALL10200.....\$18.99

21" Long Axle StrapALL10204.....\$10.99

33" Long Axle StrapALL10208.....\$11.99

HD Recessed "D" RingALL10210.....\$8.69

Race Car Tie Down Package

Includes two ALL10196 Axle Combo Ratchet Straps and two ALL10200 Axle Tie Back Straps. Enough tie downs to secure one car to any trailer.

ALL10209..\$103.99




Spring Steel Punches

Spring steel punches place a 1/4" dia hole 1/2" from the end of Allstar's 1" x .062" thick spring steel material. Built-in stop positions material for accurate hole placement. ALL23116, placed on a hard surface, can be struck lightly with a 3 to 4lb hammer. ALL23117 may be placed in a vise, or handheld and impact driven, using a 3/4" socket to punch spring steel mounted to race car.

Hammer Type Punch...ALL23116...\$167.99

Impact Type Punch.....ALL23117...\$199.99



Round Tubing Notchers

Available in deluxe alum or economy steel versions, notchers auto align & center tubing and will accept up to 2" dia tubing. Use in drill press or with hand drill. Deluxe model adjusts up to 45 degrees in 1 deg increments. Econo steel notcher adjusts in 5 deg increments.

Aluminum .ALL10400.....\$279.99

SteelALL10411.....\$94.99



Replacement Parts For Round Tubing Notchers

Thread Adapter 1/2"-20 to 5/8"-18

ALL10402.....\$8.89

Arbor Support Bushings (1 pair)

ALL10403.....\$8.89

Arbor with 5/8"-18 Thread

ALL10405.....\$19.99

Drill Press Base For 10410

ALL10406.....\$42.99

Arbor Support w/Needle Bearings

ALL10407.....\$46.99



Reusable Corded Earplugs

Corded earplugs fit instantly without rolling or squeezing. Made of a soft material that cleans up easily in warm, soapy water.

ALL12000.....\$3.29



Photo by Boris Rudzinski

Fine Thread Taps

Tungsten steel taps are titanium coated for long life. Taps are available in right-hand and left-hand threads.

ALL11066...RH 5/8"-18 ..\$14.99

ALL11067...LH 5/8"-18 ..\$14.99



Punch And Flare Tool

Add strength and a smooth finish to hole edges. Unique tools can be used to punch and flare new holes, or to flare existing holes. Starting with a small center hole, the punch halves bolt together to cut and flare at the same time.

1-1/2" Punch And Flare Tool..ALL11070..\$97.99

1-3/4" Punch And Flare Tool..ALL11072..\$97.99

2" Punch And Flare Tool.....ALL11074..\$106.99

2-5/8" Punch And Flare Tool..ALL11076..\$111.99



3/16" Double Ended Drill Bits

Double ended 3/16" bits are a must for every racer's toolbox. Package of 6.

ALL18204...\$6.99



13/64" Drill Bits

A common size bit for working with 3/16" flange type rivets. High speed steel bits have black oxide finishes and self centering tips. Flute length: 1-3/16", overall length: 2-1/4". Sold as a 2-pack.

ALL18203..\$5.79



Wheel Stud Drill Bit

43/64" bit is correct for drilling hubs or axle flanges to accept most 5/8" wheel studs with .690" knurl diameter. 1/2" shank.

ALL11045..\$10.99



Taper Reamers

Deburr or enlarge tapered holes to accept tie rod ends or ball joints. Reamer may be used in a drill with a 1/2" chuck by removing the T-handle.

7.15 deg., 1-1/2" Taper Per Ft...ALL11170..\$114.99

9.56 deg., 2" Taper Per Ft.ALL11172...\$147.99



Pilot Bushing Installation Tool

Special driver allows easy installation of pilot bushings or bearings.


ALL26115...\$22.59



Toe Gauge

Check toe quickly and easily. New design allows one person operation and the ability to check front and rear toe dimension from the front of the car without removing tool. Tool adjusts to measure from 49" to a max width of 89".

ALL10118.....\$84.99



Set Up Stand

ALL10664

Check suspension angles and other measurements with the Allstar Set Up Stand. Before tire and wheel are removed, measure distance from center of hub to the ground and record. Remove the tire and wheel, replace with the set-up stand, and adjust accordingly. Now adjustments can be made with the car at exact ride height with the wheel and tire out of the way. Sold each.

Set Up Stand, 5 x 5.....ALL10664.....\$87.99

Set Up Stand, Wide 5 ..ALL10666.....\$87.99



Pinion Centering Jig


It locates pinion centerline and is useful when building or narrowing a rear end housing. Fits 9" Ford, 12 bolt Chevy, 8-3/4 Mopar, and Dana 60 rear ends.

ALL68370.....\$45.99



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Wide Angle Mirrors

Easily fasten a mirror to your race car with our quality wide angle mirror kits. Bkts are billet alum & anodized black.

Wide Angle Mirror Kit With 1-1/2" Clamp

14" Mirror Kit w/Std Brackets ...JOE11272\$61.95
17" Mirror Kit w/Std Brackets ...JOE11282\$63.95

Wide Angle Mirror Kit With 1-3/4" Clamp

14" Mirror Kit w/Std Brackets ...JOE11274\$61.95
17" Mirror Kit w/Std Brackets ...JOE11284\$63.95

Wide Angle Mirror Kit With 2" Clamp

14" Mirror Kit w/Std Brackets ...JOE11276\$77.95
17" Mirror Kit w/5" Brackets ...JOE11286\$77.95

Wide Angle Mirror Only

14" Mirror Only ...JOE11276\$77.95
17" Mirror Only ...JOE11286\$77.95

Brackets Only With 1-1/2" Clamp

Standard Bracket Only, Pair ...JOE11252\$47.95
5" Long Mirror Bkt Only, Pair ...JOE11262\$58.95
XL 9" Brackets Only, Pair ...JOE11292\$76.34

Brackets Only With 1-3/4" Clamp

Standard Bracket Only, Pair ...JOE11254\$47.95
5" Long Mirror Bkt Only, Pair ...JOE11264\$58.95
XL 9" Brackets Only, Pair ...JOE11294\$76.34

Brackets Only With 2" Clamp

Standard Bracket Only, Pair ...JOE11256\$47.95
5" Long Mirror Bkt Only, Pair ...JOE11266\$58.95



Wide Angle Mirror Kits

Range Bolt-On Brackets.

14" Mirror Kit w/ 1/2" - 2-1/2"

1-3/4" bar ...LON22534\$58.18
1-1/2" bar ...LON22535\$58.33

14" Mirror Kit w/ 1/2" - 5-1/2"

1-3/4" bar ...LON22536\$59.84
1-1/2" bar ...LON22537\$60.03

17" Mirror Kit w/ 1/2" - 2-1/2"

1-3/4" bar ...LON22530\$66.38
1-1/2" bar ...LON22531\$66.71

17" Mirror Kit w/ 1/2" - 5-1/2"

1-3/4" bar ...LON22532\$69.03
1-1/2" bar ...LON22533\$69.35

Mirror Only

14" Mirror ...LON22544\$26.99
17" Mirror ...LON22547\$34.19

Brackets Only

No welding - bolts to your roll bars. Brackets CNC machined from billet aluminum.

1/2" to 2-1/2" for 1-3/4" bar ...LON22538\$39.31
1/2" to 2-1/2" for 1-1/2" bar ...LON22539\$39.64
2" to 5-1/2" for 1-3/4" bar ...LON22540\$43.15
2" to 5-1/2" for 1-1/2" bar ...LON22541\$40.92

3-3/4" Spot Mirror Bolts On

Mounts on driver's or passenger's side. Adjusts easily. Bolts in place solidly.

For 1-3/4" bar ...LON22548\$46.39
For 1-1/2" bar ...LON22549\$46.39

Helmet Hook

Protect your helmet. Bolts onto your roll bar. Lightweight billet aluminum.

1-1/2" roll bar ...LON22572\$18.96
1-3/4" roll bar ...LON22570\$18.72

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Side View Mirror

Keep in your competition in sight with our 3" diameter Side View Mirror. Mounts to your roll cage in seconds and could be your most important piece of equipment.

3" Side Mirror, 1-1/2" Clamp ...JOE11212\$55.95
3" Side Mirror, 1-3/4" Clamp ...JOE11214\$55.95
3" Side Mirror, 2" Clamp ...JOE11216\$58.95



Extended

Side View Mirror

3" Extended Side View Mirror

With 1-1/2" Clamp ...JOE11222\$62.95
With 1-3/4" Clamp ...JOE11224\$62.95
With 2" Clamp ...JOE11226\$69.95

Extension Bracket Only

With 1-1/2" Clamp ...JOE11232\$24.95
With 1-3/4" Clamp ...JOE11234\$24.95
With 2" Clamp ...JOE11236\$28.95

Shifter Knob 3/8-16 x 1-5/8

We can't guarantee that you'll find the right gear every time but at least you'll be shifting in style with a polished Joe's Lightweight Shift Knob. Made from 6061 billet aluminum. Threaded 3/8"-16. JOE16022\$48.95

Helmet Hook

Tired of scratching up the old brain bucket by just tossing it into the race car. Hang that skid lid on a Joe's Helmet Hook. Simply bolt it to a cross tube on the roll cage and you'll be hooked. Made from 6061-T6 aluminum. Available with a 1", 1-1/4", 1-1/2", 1-5/8" and 1-3/4" clamp.

1" ...JOE10600-G\$20.95
1-1/4" ...JOE10601-G\$20.95
1-1/2" ...JOE10602-G\$20.95
1-5/8" ...JOE10603-G\$20.95
1-3/4" ...JOE10604-G\$20.95

Aluminum Shifter Knob 3/8"-16 thread - 1-5/8" Dia

Designed with a better heat insulation. Don't burn your hand late in the race! Extra holes are drilled and the ball is mounted with a stainless steel bolt No In-sert to come out; knob won't come off in your hand during the race One piece CNC machined billet alum for lw. 1-5/8" dia. LON22607\$28.62

Shifter Stick 3" - Offset

CNC machined billet alum. Lightweight yet strong. To replace heavier steel original. Slotted bottom hole for easier install. LON22613\$68.70

Billet Rear End Breather - 1-1/2"

• No Welding Required.

LON22566\$38.34
----------	--------------

Backing Disk For Spoiler Support

Use to support Lexan fins or use to fasten spoiler to deck lid. Package of 4. LON23702\$16.67

Adjustable Fender Support Kit

2 flexible supports made from LW break resistant material. Springs back to shape. Includes 2 adjustable length supports and all hardware for a quick and professional installation. LON23740\$62.59

Magnetic Drain Plug 1/2"-20 Oil Pan

Traps particles and keeps them from damaging your equipment. Check often to spot developing problems. LON33300\$9.60

Billet Coil Over Wrench

Billet aluminum keeps coilovers undamaged. Replaceable stainless steel pin. Comfortable handle with rounded edges makes adjustments easy. LON22589\$45.14

Upper Lube

A high temp cyl. lube for alcohol engines. It extends engine life and protects and lubricates fuel system. Mixes completely - won't separate and leaves no varnish residue. 16 oz. bottle treats 55 gallons of alcohol.

Upper Lube With Cherry Fragrance
ALL78120\$13.99

Valve Cover Breathers

Shielded or non-shielded clamp-on breathers may be used on valve covers with breather tubes.

without Shield ...ALL36202\$9.99
with Shield ...ALL36203\$11.99

14" Black

Air Cleaner Top

14" Air Cleaner Top - Black
ALL26088\$25.99

Double End Wrench Set

Get to those hard to reach places with JOES Double end AN Wrenches. Designed to allow you to turn a fitting in 15-degree increments. Bright anodizing helps find the proper size wrench in a hurry. Precision machined from 6061-T6 aluminum.

Set #6-16 ...JOE18000\$114.95
Set #3-20 ...JOE18001\$181.95



Aluminum

Adjustable Wrenches

Eliminate the guesswork of which wrench is needed to tighten, remove or check steel braided hose fittings. Aluminum wrenches prevent damage to fitting and are available in two sizes: 8" for fittings up to a -10, and 10" for fittings up to -20.

8" ...ALL11152\$42.99
10" ...ALL11153\$57.99

Trailing Arm Nut Wrench

It is 3/8" thick, and fits 1-3/32" jam nuts for 3/4" rod ends commonly used on trailing arms. Jaw is rotated 30 degrees, with an 8-3/4" overall length. ALL11144\$23.99

Coil-Over Eliminator Wrench

It is 3/8" thick and fits 2" adjusting nuts on Coil-Over Eliminators (ALL64100). Straight jaw, 7" overall length. ALL11146\$25.99

Sway Bar Nut Wrench

A wrench for adjusting sway bar nuts that will clear the radiator and frame rail. It is 3/8" thick with 5-1/2" arm, and 7" overall. Wrench jaw is rotated 30 degrees and fits 1-9/32" nuts. ALL11142\$23.99

Steel -12 Wrench

12 point wrench has a rubber hand grip and is a must for tightening -12 AN hose ends on a dry sump pump in seconds. ALL11180\$19.99

Billet Aluminum

Helmet Hooks

That expensive helmet protects your head - do it a favor and protect it by giving it a place to hang. Keeps it out of the way and within reach. Bolts and seals for rear end are not included.

1-1/4" Helmet Hook ...BRP9256\$19.53
1-1/2" Helmet Hook ...BRP9257\$19.53
1-5/8" Helmet Hook ...BRP9258\$19.53
1-3/4" Helmet Hook ...BRP9259\$19.53





Lightweight



WELD RACING

Dirt Late Model & Modified Wheels

	Wide 5 XL Wheels	Wide 5 HS Wheels	Size	Bolt Circle	Back Sp	Bead Lock
10"	WEL558-5013.....\$196.80	WEL570-5013.....\$203.36	15 x 10	5 x 10.250	3.00	None
	WEL558-5014.....\$196.80	WEL570-5014.....\$203.36	15 x 10	5 x 10.250	4.00	None
	WEL558-5015.....\$196.80	WEL570-5015.....\$203.36	15 x 10	5 x 10.250	5.00	None
	WEL558-5023.....\$305.86	WEL570-5023.....\$326.36	15 x 10	5 x 10.250	3.00	Outer
	WEL558-5024M.....\$305.86	WEL570-5024M.....\$326.36	15 x 10	5 x 10.250	4.00	Outer
	WEL558-5025M.....\$305.86	WEL570-5025M.....\$316.52	15 x 10	5 x 10.250	5.00	Outer
	WEL558-5053.....\$336.20	WEL570-5053.....\$359.16	15 x 10	5 x 10.250	3.00	Bead-Loc w/Cover
	WEL558-5054M.....\$327.18	WEL570-5054M.....\$359.16	15 x 10	5 x 10.250	4.00	Bead-Loc w/Cover
12"	WEL558-5055M.....\$336.20	WEL570-5055M.....\$349.32	15 x 10	5 x 10.250	5.00	Bead-Loc w/Cover
	WEL559-5215.....\$202.54	WEL571-5215.....\$202.54	15 x 12	5 x 10.250	5.00	None
	WEL559-5216.....\$202.54	WEL571-5216.....\$202.54	15 x 12	5 x 10.250	6.00	None
	WEL559-5223.....\$312.42	WEL571-5223M.....\$333.74	15 x 12	5 x 10.250	3.00	Outer
	WEL559-5224.....\$312.42	WEL571-5224M.....\$333.74	15 x 12	5 x 10.250	4.00	Outer
	WEL559-5225M.....\$312.42	WEL571-5225M.....\$333.74	15 x 12	5 x 10.250	5.00	Outer
	WEL559-5226.....\$312.42	WEL571-5226M.....\$333.74	15 x 12	5 x 10.250	6.00	Outer
	WEL559-5253.....\$342.76	WEL571-5253M.....\$365.72	15 x 12	5 x 10.250	3.00	Bead-Loc w/Cover
13"	WEL559-5254M.....\$342.76	WEL571-5254M.....\$365.72	15 x 12	5 x 10.250	4.00	Bead-Loc w/Cover
	WEL559-5255M.....\$342.76	WEL571-5255M.....\$365.72	15 x 12	5 x 10.250	5.00	Bead-Loc w/Cover
	WEL559-5256M.....\$342.76	WEL571-5256M.....\$365.72	15 x 12	5 x 10.250	6.00	Bead-Loc w/Cover
	WEL559-5313.....\$208.28	WEL571-5313.....\$208.28	15 x 13	5 x 10.250	3.00	None
	WEL559-5314.....\$208.28	WEL571-5314.....\$208.28	15 x 13	5 x 10.250	4.00	None
	WEL559-5315.....\$208.28	WEL571-5315.....\$208.28	15 x 13	5 x 10.250	5.00	None
	WEL559-5323M.....\$316.52	WEL571-5323M.....\$338.66	15 x 13	5 x 10.250	3.00	Outer
	WEL559-5324.....\$316.52	WEL571-5324M.....\$338.66	15 x 13	5 x 10.250	4.00	Outer
14"	WEL559-5325M.....\$316.52	WEL571-5325M.....\$338.66	15 x 13	5 x 10.250	5.00	Outer
	WEL559-5353M.....\$348.50	WEL571-5353M.....\$372.28	15 x 13	5 x 10.250	3.00	Bead-Loc w/Cover
	WEL559-5354M.....\$348.50	WEL571-5354M.....\$359.98	15 x 13	5 x 10.250	4.00	Bead-Loc w/Cover
	WEL559-5355M.....\$348.50	WEL571-5355M.....\$372.28	15 x 13	5 x 10.250	5.00	Bead-Loc w/Cover
	WEL559-5356-6.....\$348.50	WEL571-5356-6.....\$372.28	15 x 13	5 x 10.250	6.00	Bead-Loc w/Cover
	WEL559-5413.....\$212.38	WEL571-5413.....\$212.38	15 x 14	5 x 10.250	3.00	None
	WEL559-5414.....\$212.38	WEL571-5414.....\$212.38	15 x 14	5 x 10.250	4.00	None
	WEL559-5415.....\$161.54	WEL571-5415.....\$212.38	15 x 14	5 x 10.250	5.00	None
XL Wheels	WEL559-5416.....\$212.38	WEL571-5416.....\$212.38	15 x 14	5 x 10.250	6.00	None
	WEL559-5423M.....\$322.26	WEL571-5423M.....\$344.40	15 x 14	5 x 10.250	3.00	Outer
	WEL559-5424M.....\$322.26	WEL571-5424M.....\$344.40	15 x 14	5 x 10.250	4.00	Outer
	WEL559-5425M.....\$322.26	WEL571-5425M.....\$334.56	15 x 14	5 x 10.250	5.00	Outer
	WEL559-5426.....\$322.26	WEL571-5426M.....\$344.40	15 x 14	5 x 10.250	6.00	Outer
	WEL559-5427M.....\$322.26	WEL571-5427M.....\$344.40	15 x 14	5 x 10.250	7.00	Outer
	WEL559-5453M.....\$354.24	WEL571-5453M.....\$378.02	15 x 14	5 x 10.250	3.00	Bead-Loc w/Cover
	WEL559-5454.....\$354.24	WEL571-5454M.....\$378.02	15 x 14	5 x 10.250	4.00	Bead-Loc w/Cover
HS Wheels	WEL559-5455M.....\$354.24	WEL571-5455M.....\$378.02	15 x 14	5 x 10.250	5.00	Bead-Loc w/Cover
	WEL559-5456-6.....\$354.24	WEL571-5456-6.....\$378.02	15 x 14	5 x 10.250	6.00	Bead-Loc w/Cover



Bead Loc Bolt Kit

16 Pieces

WELP650-3005...\$12.30

Beadlock Zerk

16 Pieces

WELP650-3013...\$17.22

Wide 5 Wheel Spacers

2" alum spacer uses a triangulated design to minimize rotating weight.

WIL270-2189C.....\$99.75



Dirt Tire Soap

Clean your tires like the Pro's! Simply mix with water and spray on your tires before washing them and the mud almost falls off. 1 gallon container.

ALL78236\$16.99



Wide 5 Wheel Spacers

1/2" alum spacer slides over studs in hub.

1/2".....BRP152.....\$78.65

1" and 1-1/2" alum. spacer includes studs and is made from billet for added strength.

Fits 10 Hole Wheels

1".....BRP153.....\$159.88

1-1/2".....BRP154.....\$159.88

2".....BRP155.....\$159.88

Fits 15 Hole Wheel

1".....BRP156.....\$154.29

(fits XL Style Wheels)

Set of Plastic Plugs for BRP32-2 Mud Covers

Fits BRP32-2 and BRP32-2BK, Includes 1 - Large center hole plug and 5 Socket hole plugs

BRP9436...\$5.53



Expansion Ring

The durable steel mounting ring is powder coated white for a professional appearance and easy visibility in the event that it becomes separated from the wheel

DIR20020.....\$29.99



Rubber Valve Stems 5 Pack


Heavy Duty stems fit in rims with 1" holes.

BSC90705...\$5.75



Hoosier Shim Spacer

WELP601-5050...\$36.08



Wide 5 XL 15"x14" Wheels

• Bolt Circle: 5 x 10.250 • Back Space: 5.00

Bead Lock: None w/Cover

WEL559-5405-6...\$280.44

Bead Lock: Inner Bead-Loc

WEL559-5435.....\$419.84



1 Piece Ultimate Bead Loc Cover


WELP650B-5278...\$284.54



Bead Ring

Silver...WELP650-5275...\$78.72


Black...WELP650-5275M...\$86.10



16 Hole Bead Loc Ring w/Dzus Tabs

Silver...WELP650-5314-6...\$90.20

Black...WELP650-5314M...\$102.50



16 Hole Bead Loc Ring w/Cover Assembly

Silver...WELP650-5315-6...\$120.54

Black...WELP650-5315M...\$136.94



Bead Loc Aluminum Cover Only

Silver

WELP650-4514A-6.....\$55.00

Black

WELP650B-4514A-6...\$61.50



1/4" Double Drilled Billet Beadlock Solid Mud Lock Ring

(fits BRP, REDS Gilliam, Weld)

Includes Sliding Back Cover to Cover Open Holes, Black Anodized

BRP9433.....\$130.13

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Late Model 15" x 14" Wide 5 XL 5 Offset

No Bead Loc w/Dzus Tabs No Cover .WEL559-5405NC-6...\$257.48
No Loc w/Cover.....WEL559-5405-6...\$280.44
No Bead Loc.....WEL559-5415.....\$161.54
Outer Bead Loc.....WEL559-5425.....\$322.26
Inner Bead Loc.....WEL559-5435.....\$419.84
Outer Bead Loc w/Cover.....WEL559-5455-6...\$354.24



15" Magnum Sprint Spline

**Sprint Car
Wheels**

Part #	Size	Bolt Circle	Back Sp	Bead-Loc	
14" WEL735-51434-6	15" x 14"	42 Spline Sprint	4.00	Inner Bead-Loc	\$462.00
LR WEL735-51435-6	15" x 14"	42 Spline Sprint	5.00	Inner Bead-Loc	\$462.00
WEL735-51436-6	15" x 14"	42 Spline Sprint	6.00	Inner Bead-Loc	\$462.00
WEL735-51437-6	15" x 14"	42 Spline Sprint	7.00	Inner Bead-Loc	\$462.00

15" WEL735-51534-6	15" x 15"	42 Spline Sprint	4.00	Inner Bead-Loc	\$476.00
WEL735-51535-6	15" x 15"	42 Spline Sprint	5.00	Inner Bead-Loc	\$476.00
LR WEL735-51536-6	15" x 15"	42 Spline Sprint	6.00	Inner Bead-Loc	\$476.00
WEL735-51537-6	15" x 15"	42 Spline Sprint	7.00	Inner Bead-Loc	\$476.00

WEL735-51753-6	15" x 17"	42 Spline Sprint	3.00	Bead-Loc w/Cover	\$573.18
17" WEL735-51754-6	15" x 17"	42 Spline Sprint	4.00	Bead-Loc w/Cover	\$573.18
WEL735-51755-6	15" x 17"	42 Spline Sprint	5.00	Bead-Loc w/Cover	\$573.18
RR WEL735-51756-6	15" x 17"	42 Spline Sprint	6.00	Bead-Loc w/Cover	\$573.18
WEL735-51757-6	15" x 17"	42 Spline Sprint	7.00	Bead-Loc w/Cover	\$573.18

WEL735-51853-6	15" x 18"	42 Spline Sprint	3.00	Bead-Loc w/Cover	\$583.84
18" WEL735-51854-6	15" x 18"	42 Spline Sprint	4.00	Bead-Loc w/Cover	\$583.84
WEL735-51855-6	15" x 18"	42 Spline Sprint	5.00	Bead-Loc w/Cover	\$583.84
RR WEL735-51856-6	15" x 18"	42 Spline Sprint	6.00	Bead-Loc w/Cover	\$583.84
WEL735-51857-6	15" x 18"	42 Spline Sprint	7.00	Bead-Loc w/Cover	\$583.84

15" Direct Mount Rim Shells Non Bead-Loc

Part #	Size	Bolt Circle	Back Sp	Price
8" WEL860-50813	15" x 8"	5 x 9.750	3.00	\$215.66
WEL860-50814	15" x 8"	5 x 9.750	4.00	\$215.66
9" WEL860-50913	15" x 9"	5 x 9.750	3.00	\$227.14
WEL860-50914	15" x 9"	5 x 9.750	4.00	\$227.14
10" WEL860-51013	15" x 10"	5 x 9.750	3.00	\$237.80
WEL860-51014	15" x 10"	5 x 9.750	4.00	\$237.80

10" x 6" Direct Mt Hub/Rim Shells Outer Bead Loc

2 Piece Weld Forged Rim Shell
(Direct Mount Front Hub, Sold Separately)

Part #	Bolt Circle	Back Sp	Price
WEL860-10623	4 x 6.750	3.00	\$285.36

10" x 10" Micro Magnum 27-Spline Micro Outer Bead Loc

Part #	Back Sp	Price
WEL734-11023	3.00	\$442.80
WEL734-11024	4.00	\$442.80

Reinforcing Plate w/ 1/4-20 Zerk

1.75" L x 1.25" W.....	PAN8201-1/4-20...\$1.59
1.75" L x 1.25" W.....	PAN8201-5/16-18...\$1.59
1.75" L x 1.25" W.....	PAN8202-1/4-20...\$1.59
1.75" L x 0.920" W.....	PAN8203-1/4...\$1.59
1.75" L x 0.920" W.....	PAN8203-5/16...\$1.59

Aluminum Washer for 1/4" Body Bolt

1" Washer for 1/4" Body Bolt - Qty 50.....	PAN8600.....\$59.86
1" Washer for 1/4" Body Bolt - Qty 50 - BK.....	PAN8601.....\$59.86
1/4-20" Body Bolt w/Washer - Qty 50.....	PAN8604.....\$11.40
1/4-20" Body Bolt w/Washer - Qty 50 - BK.....	PAN8604-BK.....\$8.56
1/4-20" x 1-1/4" Flanged Body Bolt w/Captured Washer - Qty 50.....	PAN8605.....\$12.98

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Dirt Defender Wheel Covers

This cover was constructed to allow our wheel covers to fit in a universal application. Our design allows you to interchange our cover between a beadlock or non-beadlock wheel. No more digging through a pile of covers to find the right one. Simply keep an extra Dirt Defender cover as a spare and use it on either wheel if needed. Our covers will fit most all wheels including Aero, Bart, Bassett, MRW, Keiser, Weld, and Real wheels to name a few. Made in the USA.



Standard Wheel Cover

Black.....	DIR10010...\$29.99
Dark Blue.....	DIR10020...\$29.99
Green.....	DIR10030...\$29.99
Light Blue.....	DIR10040...\$29.99
Neon Green.....	DIR10050...\$32.99
Neon Orange.....	DIR10060...\$32.99
Neon Pink.....	DIR10070...\$32.99
Neon Yellow.....	DIR10080...\$32.99
Neon Red.....	DIR10081...\$32.99
Orange.....	DIR10090...\$29.99
Pink.....	DIR10100...\$29.99
Purple.....	DIR10110...\$29.99
Red.....	DIR10120...\$29.99
White.....	DIR10130...\$29.99
Yellow.....	DIR10140...\$29.99
Grey.....	DIR10150...\$29.99

Vented Wheel Cover

Black.....	DIR10160...\$32.99
Dark Blue.....	DIR10170...\$32.99
Light Blue.....	DIR10180...\$32.99
Red.....	DIR10190...\$32.99
Purple.....	DIR10200...\$32.99
Yellow.....	DIR10210...\$32.99
Green.....	DIR10220...\$32.99
Orange.....	DIR10230...\$32.99
White.....	DIR10240...\$32.99
Neon Pink.....	DIR10250...\$34.99
Neon Green.....	DIR10260...\$34.99
Neon Yellow.....	DIR10270...\$34.99
Neon Orange.....	DIR10280...\$34.99

Expansion Ring DIR20020 \$29.99



Soft Mud Plugs

5" for Dirt Modifieds

An economical way to prevent mud build-up inside racing wheels. Foam discs, in 3" and 5" thicknesses, install quickly and easily in 15" dia. wheels. Logo is printed on one side.

5" Black.....	ALL44150...\$12.99
5" Red.....	ALL44151...\$12.99
5" Blue.....	ALL44152...\$12.99
5" Orange.....	ALL44153...\$12.99
5" Yellow.....	ALL44154...\$12.99
5" Purple.....	ALL44155...\$12.99
3" Black.....	ALL44190...\$10.59
3" Red.....	ALL44191...\$10.59
3" Blue.....	ALL44192...\$10.59
3" Orange.....	ALL44193...\$10.59
3" Yellow.....	ALL44194...\$10.59
3" Purple.....	ALL44195...\$10.59

Wheel Dust Shields NEW

Fits Most 15" Wheels

Designed to conceal rusty brake components and stop unsightly brake dust, these shields are ideal for use on most domestic and import cars with alloy or custom wheels. Universal in design, they are formed from a high quality, black aluminum, and can be painted to color coordinate with vehicle. They are available to fit most 14", 15" and 16" dia wheels, and are packaged 2 per set. Will not fit front wheel drive apps.

MRG6905.....\$30.94

Rotor Spacer For Dirt Late Models

Minimize caliper damage from debris and max cooling capabilities. Rotor spacer bolts to a Wide 5 hub moving the rotor/caliper inboard and out of the wheel shell. When used on the left rear corner, spacer also helps reduce caliper damage from this common debris area. Made from 6061 alum & includes eight mounting bolts.

1.75" Rotor Spacer.....	ALL42014...\$249.99
2.25" Rotor Spacer.....	ALL42016...\$259.99

Dryair System

This new system uses a high quality filtration system consisting of a special Aqua Check filter and a series of specified desiccant beads to essentially double dry your compressed air.

Dryair System.....	BRP9527...\$388.94
Replacement Filter.....	BRP9527J...\$34.95
Replacement Air Media Beads.....	BRP9527K...\$69.99

Tire Deflator

Ensure that all the wet air is removed from your racing tires with this Deflator. Once the tires are deflated, you can then re fill your tires with dry air from your new Dryair System.

BRP9243.....\$72.53

Humidity Gauge

After filling your tires with dry air from your new Dryair System, clip the Humidity Gauge on to the valve stem and make sure your air is as dry as possible.

BRP9328.....\$295.73


CHASSIS & COMPONENTS

Front Clip


BRPFCLIP3.....	\$1400.23
BRPFCLIP3-1.5.....	\$1400.23
BRPFCLIP3-1.5BO.....	\$1400.23
BRPFCLIP3-1.5BO-2019.....	\$1400.23

Rear Clip

BRPRCLIP1.....	\$163.47
----------------	----------



BRPFCLIP3



BRPFCLIP1

Bumpers & Rub Rails - Bicknell

Type Unpainted

Std Front.....	BRP464.....	\$86.24
Std Front - Tall.....	BRP464T.....	\$104.27
1-1/2" Raised Front.....	BRP464-1.5.....	\$86.24
1-1/2" Raised Front Tall.....	BRP464T-1.5.....	\$104.27
Std Rear.....	BRP711.....	\$180.72
Std Right.....	BRP7101.....	\$45.58
Short Track Right.....	BRP7129.....	\$79.46
Std Left.....	BRP7102.....	\$41.89
Short Track Left.....	BRP7128.....	\$75.77

Black

BRP464-03.....	\$117.29
BRP464T-03.....	\$119.90
BRP464-1.5-03.....	\$117.29
BRP464T-1.5-03.....	\$119.90
BRP711-03.....	\$242.40
BRP7101-03.....	\$78.57
BRP7129-03.....	\$135.06
BRP7102-03.....	\$75.04
BRP7128-03.....	\$135.06

Chrome

BRP464TC.....	\$226.10
BRP464-1.5C.....	\$206.64
BRP464T-1.5C.....	\$226.10
BRP711C.....	\$391.50
BRP7101C.....	\$126.88
BRP7129C.....	\$198.04
BRP7102C.....	\$126.88
BRP7128C.....	\$190.96


Chromoly

BRP464CM.....	\$152.31
BRP464TCM.....	\$152.31
BRP464-1.5CM.....	\$152.31
BRP464T-1.5CM.....	\$152.31

BRP7101CM.....	\$100.08
BRP7102CM.....	\$100.08



BRP464



BRP711

Bumpers & Rub Rails - Teo


Teo Tall Front.....	TEOTC1501.....	\$107.25
Std Rear.....	TEOTC1502.....	\$193.05
Short Tall Rear.....	TEOTC1502ST.....	\$193.05
Std Right.....	TEOTC1503R.....	\$48.27
Short Track Right.....	TEOTC1503RS.....	\$112.62
Std Left.....	TEOTC1503L.....	\$48.27
Short Track Left.....	TEOTC1503LS.....	\$112.62



TEOTC1501



TEOTC1503R



BRP7101

BRP7102

BRP7129

Inner Side Bar Mts

Bicknell Unpainted

Middle Inner Hoop.....	BRP447.....	\$32.62
Rear Inner.....	BRP7100.....	\$23.90

Black

BRP447-03.....	\$50.97
BRP7100-03.....	\$36.82

Teo

Left Inner.....	TEOTC1504L.....	\$80.44
Right Inner.....	TEOTC1504R.....	\$80.44



BRP7105S

Door Mts - BRP Unpainted

Straight Right.....	BRP7106S.....	\$40.84
Kicked In Right.....	BRP7106.....	\$33.93
Straight Left.....	BRP7105S.....	\$40.84
Kicked In Left.....	BRP7105.....	\$33.93

Black

BRP7106S-03.....	\$67.90
BRP7106-03.....	\$54.04
BRP7105S-03.....	\$67.90
BRP7105-03.....	\$54.04

Door Mts - Teo

Straight Right.....	TEOTC1003R.....	\$39.96
Kicked In Right.....	TEOTC1002R.....	\$42.37
Straight Left.....	TEOTC1003L.....	\$39.96
Kicked In Left.....	TEOTC1002L.....	\$42.37



BRP7106

Quarter Mts - BRP Unpainted


Std Right.....	BRP7104.....	\$28.44
Heavy Duty Right.....	BRP9592.....	\$45.93
Std Left.....	BRP7103.....	\$28.44
Heavy Duty Left.....	BRP7103HD.....	\$44.58
Aluminum Angle Mt.....	BRP7097.....	\$40.19
Spring Steel.....	BRP7096.....	\$23.77
Std Back Deck Kit.....	BRP7132.....	\$130.39
Deep Back Deck Kit.....	BRP7130.....	\$130.39

Black

BRP9592-03.....	\$58.24
BRP7103-03.....	\$43.77
BRP7103-03.....	\$43.77

Quarter Mts - Teo

Right Lower.....	TEOTC7503-R.....	\$24.87
Left Lower.....	TEOTC7503-L.....	\$24.87
Upper Quarter.....	TEOTC5008.....	\$21.45
Upper Qtr - Tab Style.....	TEOTC5008T.....	\$26.82
Back Deck Tree.....	TEOTC5007.....	\$48.27



BRP7103

BRP7104

Roof Mounts

Bicknell Unpainted

Front Mount.....	BRP7108.....	\$33.93
Rear Mount.....	BRP7109.....	\$33.93
Front Roof Extension.....	BRP7112.....	\$6.41

Black

BRP7108-03.....	\$39.01
BRP7109-03.....	\$39.01
BRP7112-03.....	\$10.73

Teo

Front Mount.....	TEOTC5001.....	\$32.18
Rear Mount.....	TEOTC5002.....	\$32.18
Side Roof Mount.....	TEOTC5003.....	\$10.73



BRP7112

Nose Mounts

Bicknell Unpainted

Std Left Mount.....	BRP7110.....	\$6.41
Std Right Mount.....	BRP7110R.....	\$6.41
1-1/2" Raised Left Mt.....	BRP7210.....	\$7.47
1-1/2" Raised Right Mt.....	BRP7210R.....	\$6.41

Black

BRP7110-03.....	\$10.41
BRP7110R-03.....	\$8.90
BRP7210-03.....	\$14.11
BRP7210R-03.....	\$12.83

Teo

Front Frame Slide In.....	TEOTC7505.....	\$53.63
Raised Nose Frame.....		
Slide In.....	TEOTC7505R.....	\$75.08
Nose Mount.....	TEOTC5005.....	\$6.98



BRP7110

Front Spoiler

Bicknell Unpainted


Std Nose - Wedge.....	BRPBRB2950.....	\$187.24
1-1/2" Raised Nose - Wedge.....	BRPBRB2019-1.5.....	\$210.00
Std Nose - Flat.....	BRPBRB2012FSPOILER.....	\$193.80
1-1/2" Raised Nose - Flat.....	BRPBRB2012FSPOILER-1.5.....	\$188.83
Std Nose - Ledge.....	BRPBRB2013.....	\$155.97
1-1/2" Raised Nose - Ledge.....	BRPBRB2013-1.5.....	\$169.47

Teo

Teo Nose.....	TEOTB9002.....	\$257.35
---------------	----------------	----------

BRPBRB2950

BRPBRB2012FSPOILER-1.5



Fiber Glass Body Panels

Type White

Roof.....	TRI001.....	\$156.95
Oil Cooler Ram.....	TRI012.....	\$63.00
Dash Cowel - Std.....	TRICO2.....	\$88.95
Dash Cowel - Brp.....	TRICOBWP-WHITE.....	\$97.50
New Design Hood Scoop.....	TRIHO5.....	\$173.60
Tall Hood Scoop.....	TRIHO6.....	\$172.95
Smooth Hood Scoop.....	TRIHO2.....	\$189.95
Ram Air Hood Scoop.....	TRIHO3.....	\$187.60
Brp Bb Long Hood.....	TRIOBRPBBL-WHITE.....	\$199.50
Brp Bb X-Long Hood.....	TRIOBRPBBLX-WHITE.....	\$199.50
Brp Bb Short Hood.....	TRIOBRPBBS-WHITE.....	\$199.50
Brp Bb X-Short Hood.....	TRIOBRPBBSX-WHITE.....	\$199.50
Brp Sb Long Old Style Hood.....	TRIOBRPSBL-WHITE.....	\$199.50
Brp Sb Short Hood.....	TRIOBRPSBS-WHITE.....	\$199.50
Wheel Well - Short.....	TRIWW1.....	\$69.95
Wheel Well - Brp.....	TRIWW2.....	\$69.95
Wheel Well - Teo/Troyer.....	TRIWW3.....	\$69.95

Black

TRI001-BLACK.....	\$171.95
TRICO2-BLACK.....	\$96.95
TRICOBWP-BLACK.....	\$109.50
TRIHO6-BLACK.....	\$186.95
TRIHO2-BLACK.....	\$186.95
TRIOBRPBBS-BLACK.....	\$213.75
TRIOBRPBBSX-BLACK.....	\$213.75
TRIOBRPSBS-BLACK.....	\$213.75
TRIWW2-BLACK.....	\$74.95
TRIWW3-BLACK.....	\$74.95

Blue

TRI001-BLUE.....	\$176.95
TRICO2-BLUE.....	\$96.95
TRICOBWP-BLUE.....	\$109.50
TRIHO6-BLUE.....	\$186.95
TRIHO2-BLUE.....	\$186.95
TRIOBRPBBS-BLUE.....	\$213.75
TRIOBRPBBSX-BLUE.....	\$213.75
TRIOBRPSBS-BLUE.....	\$213.75
TRIWW2-BLUE.....	\$74.95
TRIWW3-BLUE.....	\$74.95

Red

TRI001-RED.....	\$176.95
TRICO2-RED.....	\$96.95
TRICOBWP-RED.....	\$109.50
TRIHO6-RED.....	\$186.95
TRIHO2-RED.....	\$186.95
TRIOBRPBBS-RED.....	\$213.75
TRIOBRPBBSX-RED.....	\$213.75
TRIOBRPSBS-RED.....	\$213.75
TRIWW2-RED.....	\$74.95
TRIWW3-RED.....	\$74.95

Yellow

TRI001-YELLOW.....	\$63.00
TRIOBRPBBSX-WHITE.....	
TRIOBRPBBLX-WHITE.....	
TRIWW2-YELLOW.....	\$74.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



SEATS & SEAT BELTS

Seat & Cover

79 Series

14".....KIR79140KIT\$1295.00
14.5".....KIR79145KIT\$1295.00
15".....KIR79150KIT\$1295.00
15.5".....KIR79155KIT\$1295.00
16".....KIR79160KIT\$1295.00
17".....KIR79170KIT\$1295.00

89 Series

14".....KIR89140KIT\$769.00
15".....KIR89150KIT\$769.00
16".....KIR89160KIT\$769.00
17".....KIR89170KIT\$769.00
18".....KIR89180KIT\$789.00

Seat Belts - Simpson

Std Latch and Link

62" Pull Up & Bolt In.....SIM29061BK\$129.95
62" Pull Up & Bolt In w/Hans.....SIM29061BK-30010\$129.95
55" Pull Down & Bolt In.....SIM29063BK\$129.95
55" Pull Down & Bolt In w/Hans.....SIM29063BK-30010BK\$129.95

Latch FX

62" Pull Down & Bolt In.....SIM29073BK\$129.95
62" Pull Down & Bolt In w/Hans.....SIM29073BK-30010\$129.95

Seat Belts - Impact

Pull Down w/Lap Adjuster.....IMP59111111\$149.95
Pull Down w/Lap Adjuster w/Hans.....IMP59111111-59888888\$184.95

Seat Belts - G-Force

Pull Down & Bolt In.....GFO6000BK\$69.99
Pull Up & Bolt In.....GFO6100BK\$89.99

Seat Brackets & Mounts

Rear Seat Mount.....KIR99208\$35.49
A Frame Mount.....KIR99215\$26.39

Seat Accessories

Seat Plate.....BRPBRB49\$42.49
Seat Spacer 1".....BRPCHA131\$18.97
Seat Spacer 1.5".....BRPCHA132\$18.97
Seat Spacer 2".....BRPCHA132-1\$18.97

COCKPIT

Helmet Fan

Tornado.....BRP9153\$181.44
Storm.....BRP9300\$284.07
Replacement Hose.....ALL13021\$39.99
Replacement Filter.....LUBLAF-73\$16.85

Throttle Cross Shaft

Bicknell.....BRP409\$23.92
Teo.....TEOT013A\$38.08

Throttle Rod

Rod Mounts Between Cross Shaft And Pedal	
Bicknell.....BRP410R-2\$13.00
Teo.....TEORR17\$13.00

Gas Pedals

BRP Steel Flat Pedal.....BRP413\$43.00
BRP Aluminum Flat Pedal.....BRP414\$49.19
BRP Billet Pedal w/Roller Bearings.....BRP9374\$91.39
Teo Pedal With Hinge.....TEOPR010\$55.81
BSC Floor Mount Pedal.....BSC90501\$52.95

Motor Mounts - Bicknell

Rear Engine Plate 2000-Present.....BRP292\$238.47
Left Solid Engine Mount Sbc & Bbc.....BRP304\$46.69
Right Solid Engine Mount Sbc & Bbc.....BRP305\$46.69
Left Solid Engine Mount Sbf (Svo).....BRP306\$58.44
Right Solid Engine Mount Sbf (Svo).....BRP307\$58.44
Left Rubber Mount Sbc & Bbc.....BRP298L\$145.22
Right Rubber Mount Sbc & Bbc.....BRP298R\$145.22
Sbc Aluminum Front Plate.....BRP325\$40.55
Bbc Aluminum Front Plate.....BRP327\$40.55

Motor Mounts - Teo

Right Side Sbc Motor Mount.....TEOT004S\$53.57
Aluminum Motor Mount Spacer.....TEOT005A\$16.09
Left Side Rubber Engine Mt Complete.....TEOT005AL\$80.39
Right Side Rubber Engine Mt Complete.....TEOT005AR\$80.39
Rubber Engine Grommet.....TEOT005R\$26.29
Right Side Steel Engine Mount.....TEOT005RS\$48.27
Rear Engine Plate Solid Mount.....TEOT006\$257.40
Rear Engine Plate Rubber Mount.....TEOT006A\$257.40
Engine Hold Back Rod.....TEORR13.25\$16.09

Window Screen - Bicknell

Heavy Duty Window Screen.....BRP7107BHD\$86.50
Tall Cage Window Screen - 1" Holes.....BRP7119\$84.81
Tall Cage Window Screen - 2" Holes.....BRP7119-1X2\$84.81

Window Screen - Teo

Tall Cage Window Screen.....TEOT039\$64.35
Standard Cage Screen.....TEOT039N\$53.09

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

BRAKE SYSTEMS

Balance Bar

Fine Threaded.....WIL340-4630\$168.86
Course Threaded.....WIL340-14380\$226.61
Constant Bias Bar.....BRPBRC310-9070\$328.92

Combination Remote Master Cylinder

5/8".....WIL260-3372\$71.59
3/4".....WIL260-3374\$71.59
13/16".....WIL260-5920\$71.59
7/8".....WIL260-3376\$71.59
1".....WIL260-3378\$71.59
1-1/8".....WIL260-3380\$71.59

Compact Remote Flange Mount Master Cylinder

5/8".....WIL260-10371\$74.63
3/4".....WIL260-10372\$74.63
13/16".....WIL260-10373\$80.20
7/8".....WIL260-10374\$74.63
15/16".....WIL260-14784\$80.20
1".....WIL260-10375\$74.63
1-1/8".....WIL260-10376\$80.20

Brake Line Kit

Complete Brakeline Kit *Additional Freight	
With Rf Shut Off - Std.....BRPBRC190-0415"\$311.59
With Rf Shut Off - Driver Back.....BRPBRC190-0426"\$311.59
With Rf Shut Off - Engine Back.....BRPBRC190-0436"\$311.59
No Shut Off - Std.....BRPBRC190-0407"\$219.26
No Shut Off - Driver Back.....BRPBRC190-0425"\$219.26
No Shut Off - Engine Back.....BRPBRC190-0435"\$219.26
In Car Brakeline With Fittings.....TEOT016L\$324.94

Proportioning Valves/Residual Valves/Shutoffs

Proportioning Valve - Knob.....WIL260-8419\$37.29
Proportioning Valve - Lever.....WIL260-8420\$74.02
Residual Pressure Valve - Red 10 Psi.....WIL260-13707\$15.95
Residual Pressure Valve - Blue 2 Psi.....WIL260-13706\$15.95
Residual Pressure Valve - Gold 4 Psi.....WIL260-15365\$17.77
Right Front Electric Shut Off.....WIL260-9921\$138.24
Right Front Electric Shut Off.....ALL48017\$79.99
Right Front Manual Shut Off.....ALL48010\$52.99

Fittings

	Blue	Black	Steel
3AN To 1/8" Npt			
Straight.....	EAR981603 <i>\$.323</i>	EARAT981603 <i>\$.331</i>	EAR961603 <i>\$.306</i>
45°.....	EAR982303 <i>\$.906</i>	EARAT982303 <i>\$.868</i>	EAR962303 <i>\$.926</i>
90°.....	EAR982203 <i>\$.853</i>	EARAT982203 <i>\$.868</i>	EAR962203 <i>\$.801</i>
3AN Union			
Tee.....	EAR982403 <i>\$.868</i>	EARAT982403 <i>\$.868</i>	EAR962403 <i>\$.760</i>
Straight.....	EAR981503 <i>\$.433</i>	EARAT981503 <i>\$.628</i>	EAR961503 <i>\$.595</i>
90° Elbow.....	EAR982103 <i>\$.1586</i>	EARAT982103 <i>\$.1702</i>	

3AN Bulkhead

Straight.....EAR983203\$6.51
45°.....EAR983703\$9.99
90°.....EAR983303\$8.68
Tee.....EAR983403\$17.43
Teo On The Run.....EAR980403\$13.91
Bulkhead Nut.....EAR592403\$4.11

Brake Line

3/16" Brake Line.....BSC70300\$23.69
-------------------------------	--------------

Fittings

	Blue	Black	Steel
Tube Nut.....	EAR581803 \$.51	EARAT581803 \$.51	EAR561803 \$.41
Tube Sleeve.....	EAR581903 \$.32	EARAT581903 \$.29	EAR561903 \$.31

Line Clamps

3/16" Clamp.....EAR170203\$21.78
Clamp For 2-1/8" Pipe	
Used To Clamp Brake Line To Front Axle.....BRP9363\$16.69
Clamp For 3"	
Used To Clamp Brake Line To Rear End Tube.....BRP9377\$21.78
Clamp For 1-1/4" Pipe.....BRP9365\$16.69
Clamp For 1-1/2" Pipe.....BRP9366\$16.69
Clamp For 1-5/8" Pipe.....BRP9367\$16.69
Clamp For 1-3/4" Pipe.....BRP9368\$16.69

Pedals

BRP Steel Brake Pedal For Standard Cage Cars.....BRP411\$43.00
BRP Steel Brake Pedal For 3" Driver Back Cars.....BRP411-3\$43.00
Teo Brake Pedal Assembly.....TEOT018\$106.18

Pedal Rods


BRP Aluminum Brake Rod	
BRP For Std Cars With Wilwood / Brp Balance Bar.....BRP4340-12\$18.68
BRP For Std Car With Brp New Style Balance Bar.....BRP4340-13\$18.68
BRP For 3" Driver Back Car w/WIL/ BRP Balance Bar.....BRP4340-9\$18.68
BRP For 3" Driver Back Car w/Brp NS Balance Bar.....BRP4340-10\$18.68
Teo Brake Rod For Standard Car.....TEORR15.25\$16.09
Teo Brake Rod For Driver Back Car.....TEORR11\$15.60

STEERING



Steering Boxes

Steel 14:1	PRO001	\$964.95
Aluminum 9:1 Full Box - 30 Valve	PROPR91230BM	\$1722.35
Aluminum 9:1 1/2 Box - 30 Valve	PROPR91230BM-1/2	\$1722.35



Steering Box Mts - Bicknell.....Black.....Red

2-1/2" Bolt Spacing Side Steering Box Mt (Brp Cars)		
Standard	BRP215BK	\$22.07
Non Binding	BRP9298	\$83.68
3" Bolt Spacing Side Steering Box Mt (Teo Style)		
Standard	BRP273BK	\$23.36
Non Binding	BRP9303	\$83.68
Right Side Mounting Plate For Kse Steering Box /		
Gme 2-1/4" I.D.	BRP9044	\$63.56
Right Side Mounting Plate For Profile/Nields		
Steering Box - 2" I.D.	BRP9045	\$63.56

Steering Box Mounts - Teo

Side Steering Mount	TEOPR011A	\$31.06
Boomerang Mount For 1/2 Steering Box	TEOPR011	\$73.74

Center Steering Mount - Bicknell

Type	Black	Red	BRP274
Center Steering Hanger Assembly			
For Standard Chassis	BRP274BK	\$35.64	BRP274
For Driver Back Chassis	BRP274-6BK	\$38.15	BRP274-6

Center Steering Mount - Teo

Center Steering Mount	TEOPR011B	\$37.70
-----------------------	-----------	---------

Pitman Arm - Bicknell

Type	Black	Red
6061 Alum With Pocketing 3 5/8" Holes @ 12", 13", & 14"		
For 12:1 / 14:1 Steering Boxes	BRP220BK	\$67.61
2024 Alum With No Pocketing 3 1/2" Holes @ 12", 13", & 14"		
For 12:1 / 14:1 Steering Boxes	BRP221BK	\$82.84
6061 Alum With No Pocketing 3 5/8" Holes @ 12", 13", & 14"		
For 12:1 / 14:1 Steering Boxes	BRP220-1BK	\$67.61
2024 Alum With Pocketing 2 1/2" Holes @ 9", & 10"		
For 9:1 Steering Boxes	BRP227BK	\$67.61
2024 Alum With Pocketing 2 5/8" Holes @ 9", & 10"		
For 9:1 Steering Boxes	BRP9509	\$67.61

Pitman Arm - Teo

14" Billet Pitman Arm For 12:1/14:1 St Boxes	TEOPR012C	\$96.69
9" Billet Pitman Arm For 9:1 Steering Box	TEOPR012D	\$96.69



Reservoirs

Clamp On Reservoir Can	ART100504	\$159.00
Panelfast Mount Reservoir Can	ART100506	\$125.50
Alum Round Tank With Billet Cap (No Mount)	BRP563	\$81.45
Alum Round Tank w/Flat Mounting Bkt & Billet Cap	BRP563B	\$94.80
Cockpit Mounted Power Steering Tank	BRP9372	\$118.24



ELECTRICAL

BRPGAU5104

Gauge Panels

BRP Pre-Wired Dash includes Oil Pressure/Water Temp. / Sending Units & Switches).....BRPGAU5104. \$424.95

3 Gauge Panel With Auto-Meter	QUA300-2300	\$140.00
Ultra-Nite Gauges (Op, Wt And Ot)	QUA300-3300	\$238.63
Sport Comp Gauges (Op, Wt And Ot)	QUA310-5300	\$119.25
3 Gauge Panel With Autogauge Gauges (Op, Wt And Ot)	QUA310-6300	\$115.00

Replacement Gauge Panel Pieces

Replacement Mil Spec Momentary Toggle Sw	QUA360-1209MIL-SPEC	\$19.95
Replacement Mil Spec Toggle Switch	QUA360-1210MIL-SPEC	\$19.95
Replacement Led Bulb For Gauges	QUA310-2000	\$5.00
5 Lug Terminal Strip	QUA360-1261	\$9.95
Indicator Light	QUA360-1260	\$6.95
Starter Button W/ Cover	QUA360-1225	\$10.28
Fuel Pressure Gauge	QUA310-2004	\$30.79
Oil Pressure Gauge	QUA310-2008	\$30.45
Water Temperature Gauge	QUA310-2012	\$39.95
Oil Temperature Gauge	QUA310-2016	\$39.95
Oil Pressure Light Kit W/ Sender	QUA320-1200	\$22.85
Oil Temperature Light Kit W/ Sender	QUA320-1230	\$21.34
Water Temperature Light Kit W/ Sender	QUA320-1220	\$24.48
Fuel Pressure Light Kit W/ Sender	QUA320-1240	\$18.10
Water Pressure Warning Kit	LON40141	\$28.86

Battery

Disconnect Switch

Heavy Duty Disconnect - W/O Alternator	QUA360-1240	\$25.43
Heavy Duty Disconnect - W/ Alternator	QUA360-1245	\$26.21
Heavy Duty Weatherproof Disconnect- W/O Alt	QUA360-1240W/P	\$34.20
Heavy Duty Weatherproof Disconnect - w/Alt	QUA360-1245W/P	\$36.66
BRP Rock Shield For Locating Pin Style Shutoff	BRP9467	\$28.97
BRP Rock Shield W/O Locating Pin Hole	BRP9468	\$28.97



Battery

Braille 1380 Amps L 6.6 W 5.2 H 6.8 Weight 21lbs Lightweight		
Advanced Agm Racing Battery	BRLB3121	\$229.99
Braille 1380 Amps L 6.6 W 5.2 H 6.8 Weight 21lbs Carbon Fiber		
Advanced Agm Battery	BRLB3121C	\$374.99
Braille 1067 Amps L 6.8 W 3.4 H 6.1 Weight 15lbs Lightweight		
Advanced Agm Racing Battery	BRLB2015	\$199.99
Braille 1067 LW Carbon Fiber Amps L 6.8 W 3.4 H 6.1 Weight 15lbs Lightweight		
Advanced Agm Racing Battery	BRLB2015C	\$324.99
XSP 12V Agm S Series Battery-Automotive Terminals		
Included 2600 Max Amps 725 Ca 650 Cca	XSPS1200	\$255.59
XSP 16V Agm Battery-3/8" Stud Terminals 30 lbs		
Included 2000 Max Amps 500 Ca 450 Cca	XSPS1600	\$362.09
XSP 16V Agm Battery-3/8" Stud Terminals 46 lbs		
Included 2000 Max Amps 500 Ca 450 Cca	XSPD1600	\$362.09



Battery Cables

Black		
6.5" Black 2 Gauge Cable 3/8" X 3/8" Lugs No Covers	QUA802-0633BK	\$10.15
6.5" Black 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-0633BKC	\$11.86
7" Black 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-0733BK	\$11.86
9" Black 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-0933BK	\$12.47
14" Black 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-1433BK	\$14.04
20" Black 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-2033BK	\$15.48
26" Black 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-2633BK	\$15.50

Red

20" Red 2 Gauge Cable 5/16" X 3/8" Lugs W/ 1 Cover	QUA802-2053RDC	\$16.56
22" Red 2 Gauge Cable 5/16" X 3/8" Lugs W/ 1 Cover	QUA802-2253RDC	\$18.00
24" Red 2 Gauge Cable 5/16" X 3/8" Lugs W/ 1 Cover	QUA802-2453RDC	\$18.00
25" Red 2 Gauge Cable 5/16" X 3/8" Lugs W/ 1 Cover	QUA802-2553RDC	\$18.00
28" Red 2 Gauge Cable 5/16" X 3/8" Lugs W/ 1 Cover	QUA802-2853RDC	\$18.86
33.5" Red 2 Gauge Cable 5/16" X 3/8" Lugs W/ 1 Cover	QUA802-3353RDC	\$18.79
37" Red 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-3733RDC	\$21.46
40" Red 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-4033RDC	\$22.32
41.25 Red 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-4133RDC	\$22.90
52" Red 2 Gauge Cable 3/8" X 3/8" Lugs W/ 1 Cover	QUA802-5233RDC	\$25.78



Battery Hold Down

Standard Style Battery Box With Hold Down	ALL76100	\$26.99
Bicknell Battery Hold Down	BRP1541	\$34.19
Teo Battery Hold Down	TEOT020	\$31.06



IGNITION



Ignition Box

Msd 6CT Pro Circle Track Ignition.....	MSD6428.....	\$374.95
Msd 6ALN Ignition Control.....	MSD6430.....	\$373.95
Msd Digital 6AI Ignition, With Rev Limiter.....	MSD6425.....	\$269.95
Msd 6AI, Ignition Control, Extreme Duty.....	MSD6430.....	\$373.95
Msd 6 Hvc-L With Soft Touch Rev Limiter.....	MSD6632.....	\$558.95
Circle Track Digital Soft-Touch Hei Rev Limiter.....	MSD8727CT.....	\$182.95
Msd Ignition Box w/Fixed 7600 Rev Chip - Dirt 358 Legal.....	MSD64316.....	\$397.95



Wiring Harnesses

Replacement Harness For MSD6632.....	MSDASY27196.....	\$34.01
Replacement Harness For MSD64316.....	MSDASY25452.....	\$35.95
Replacement Harness For MSD8727CT.....	MSDASY26434.....	\$23.85

MSDASY25452



Coils


MSD 6 HVC Coil.....	MSD8250.....	\$146.95
Blaster HVC.....	MSD8252.....	\$146.95
HVC-2 Coil, 6 Series Ignitions.....	MSD8253.....	\$236.95
Blaster 2 Coil High Performance.....	MSD8202.....	\$53.19
Coil Bracket Universal.....	MSD8213.....	\$9.03



Starters

Inboard 2Kw Modified Starter.....	BER323M2KW.....	\$229.90
Inboard 1.4Kw Modified Starter.....	BSC20021.....	\$195.75
Inboard Shorty 2.4Kw Modified Starter.....	WIN62910.....	\$246.50

TRANSMISSION & BELLHOUSING



Transmission

Dirt Modified Transmission Gen 2.....	BER1200.....	\$1815.00
Remote Shifter For Gen 2.....	BER078-SG.....	\$280.88
Dirt Modified Trans Gen 1 - Open Drive.....	BERMOZ.....	\$1789.53
Dirt Modified Trans Gen 1 - Closed Drive.....	BERMCZ.....	\$1889.13
Falcon Shorty Transmission.....	WIN60150.....	\$1558.75


Transmission Covers

Bicknell

Driveshaft Cover For Winters/Bert Transmission (Gen 1).....	BRP1645.....	\$68.56
Driveshaft Cover For Bert Gen II Transmission (Fits Std Or Engine Back).....	BRP9020.....	\$75.00
Bolt On Strap For Gen II Transmission w/Conventional Shifter (Fills Hole).....	BRP9020-3.....	\$17.83
Bolt On Strap For Gen II Transmission w/Remote Shifter (Fills Hole).....	BRP9020-4.....	\$18.93

Teo

Teo Transmission Cover - Std.....	TEOT019.....	\$72.40
Teo Transmission Cover - Tall.....	TEOT019A.....	\$101.35



BRP1645



BER300-NFC

Bellhousing

Chevy/Ford Modified Bellhousing - Alum.....	BER300-NFC.....	\$467.42
Chevy/Ford Modi Bellhousing - Mag.....	BER300-NFC-MAG.....	\$583.84
Chevy Deep Flywheel Bellhousing.....	WIN62844.....	\$434.09
Ford Deep Flywheel Bellhousing.....	WIN62904.....	\$561.51

Flywheel / Shims / Bolts

Chevy Flywheel Ring.....	BER370.....	\$67.95
Chevy Flywheel Ring W/ .080 Offset.....	BER370-M.....	\$67.95
Ford Flywheel Ring.....	BER370-F.....	\$119.59
Shim For BER370.....	BER324.....	\$1.37
SBC and BBC Flywheel.....	WIN62479-A.....	\$100.05
SBF Flywheel.....	WIN62479-C.....	\$114.55
Shim For WIN62479-A.....	WIN62320.....	\$2.90
Shim For WIN62479-C.....	WIN62322.....	\$2.90
Bolt Kit For 2 Piece Flywheel & Flange.....	BSC80625.....	\$12.00

WIN62844



Drive Flange

Chevy Steel Flange.....	BER007.....	\$88.54
Chevy Aluminum Flange.....	BER007-A.....	\$91.59
Ford Steel Flange 302/351.....	BER007-F.....	\$91.59
Ford Steel Flange 429/460.....	BER007-F429.....	\$91.59



BER007



BER007A

FRONT SUSPENSION

Front Axle

Standard 52" BRP Axle.....	Unpainted.....	Black
w/.859 King Pin Dia.....	BRPEC52BOC.....	\$275.24
4" Cambered 52" BRP Axle.....	BRPEC52BOC-03.....	\$348.78
w/.859 King Pin.....	BRPEC52BOC-4.....	\$275.24
Standard 52" Teo Axle.....	TEOT007.....	\$294.94
w/.859 King Pin Dia.....	TEOT007.....	\$294.94



Front Axle Bkts - Bicknell

Brp Downtube 4 Bar Bolt On Bracket.....	Black.....	Red
7 1/4" Bolt Spacing.....	BRP1502BK.....	\$43.04
Brp 2000 To Present 4 Bar Bolt On Bracket.....	BRP1502RD.....	\$43.04
5 1/4" Spacing.....	BRP1505BK.....	\$41.21
Brp 2000 To Present 4 Bar Bolt On 2" Drop Bracket For Bilstein Bgt Series Shocks (Large Nitrogen Chamber).....	BRP1505.....	\$41.21
5 1/4" Spacing.....	BRP1501BK.....	\$46.68
Std Non Binding Axle Bracket - 5 1/4" Bolt Spacing (Replaces BRP1505).....	BRP1501.....	\$46.69
Drop Non Binding Axle Bracket - 5 1/4" Bolt Spacing (Replaces BRP1501).....	BRP9329BK.....	\$71.43
TEOPR015A.....	BRP9330.....	\$89.26

Front Axle Bkts - Teo

Teo Std Front Axle Bracket.....	TEOPR015A.....	\$44.79
Teo 2" Drop Down Front Axle Bkt.....	TEOPR015.....	\$49.27

Front Axle Bkts - CTD

CTD Front Axle Bracket For BRP.....	CTDNYM-015-BICKNELL.....	\$37.45
CTD Universal Front Axle Bracket.....	CTDNYM-015-BK.....	\$37.44
CTD Front Axle Bracket For Teo.....	CTDNYM-015-TEO.....	\$37.44

Panhard Axle Bracket

Front Panhard Mt Kit- 3 Holes - Black.....	BRP1503BK.....	\$36.91
Front Panhard Mt Kit- 3 Holes - Red.....	BRP1503.....	\$36.91
HD Front Panhard Mt Kit- 2 Holes - Black.....	BRP1623BK.....	\$29.51
HD Front Panhard Mt Kit- 2 Holes - Red.....	BRP1623.....	\$29.51
Teo Drop Down Panhard Bracket.....	TEOPR016.....	\$39.60
Front Panhard Bar Axle Bracket.....	CTDNYM-014.....	\$24.70


Front Panhard Mount

Bicknell

Front Adjustable Panhard Mt (Red).....	BRP9369.....	\$139.43
1 1/2" Front Panhard Slider (For 2000-Present Cars).....	Black.....	BRP398BK.....
Red.....	BRP398.....	\$30.69

Teo

Teo Front Panhard Slider (Black).....	TEOPR017.....	\$32.45
Front Adjustable Panhard Mt (Gold).....	BERPHBF.....	\$196.14



FRONT SUSPENSION

Radius Rods

Bicknell	Mill	Black
Front Panhard - 1" Dia.....	RAD0210M ..\$15.85	RAD0210BK ..\$20.46
Front Panhard - 1.25" Dia	RAD1210M ..\$22.63	RAD1210BK ..\$27.27
Front Radius Rods - 1" Dia	RAD0250M ..\$16.50	RAD0250BK ..\$21.00
Front Radius Rods - 1.25" Dia	RAD1250M ..\$24.60	RAD1250BK ..\$29.21
Tie Rod - Bert/Winters Spindles.....	RAD1475M ..\$37.97	RAD1475BK ..\$58.98
Tie Rod - Bicknell Spindles	RAD1485M ..\$38.46	RAD1485BK ..\$59.47
Drag Link - Straight.....	RAD1640M ..\$45.84	RAD1640BK ..\$66.85
Drag Link - Bent.....	BRPRR64B ..\$66.07	
Drag Link - Straight.....	RAD1650M ..\$46.33	RAD1650BK ..\$67.34
Drag Link - Bent.....	BRPRR65B ..\$66.91	
Drag Link - Straight.....	RAD1660M ..\$46.82	RAD1660BK ..\$67.83
Drag Link - Bent.....	BRPRR66B ..\$67.76	
Teo	Mill	Black
Front Panhard - 1" Dia.....	RAD0215M ..\$15.85	RAD0215BK ..\$20.46
Abs Rod - 24-1/2"	TEOT040 ..\$112.57	TEOT040-B ..\$134.07
Abs Rod - 25"	TEOT04025 ..\$112.57	TEOT04025-B ..\$134.07
Front Radius Rods - 1" Dia	RAD0245M ..\$16.50	RAD0245BK ..\$21.00
Front Radius Rods - 1.25" Dia	RAD1245M ..\$24.60	RAD1245BK ..\$29.21
Front Radius Rods - 1" Dia	RAD0250M ..\$16.50	RAD0250BK ..\$21.00
Front Radius Rods - 1.25" Dia	RAD1250M ..\$24.60	RAD1250BK ..\$29.21
Tie Rod 47"	RAD1470M ..\$37.47	RAD1470BK ..\$58.49
Tie Rod 47.5"	RAD1475M ..\$37.97	RAD1475BK ..\$58.98
Tie Rod 48"	RAD1480M ..\$37.97	RAD1480BK ..\$58.98
Drag Link - Straight.....	RAD1640M ..\$45.84	RAD1640BK ..\$66.85
Drag Link - Bent.....	BRPRR64B ..\$66.07	

Rod Ends

CM Series.....	Right	Left
1/2" Bore X 5/8" Thread.....	QA1CMR8-10 ..\$6.81	QA1CML8-10 ..\$6.81
5/8" Bore X 5/8" Thread.....	QA1CMR10 ..\$7.01	QA1CML10 ..\$7.01
PCM Series		
1/2" Bore X 5/8" Thread.....	QA1PCMR8-10 ..\$8.70	QA1PCML8-10 ..\$8.70
5/8" Bore X 5/8" Thread.....	QA1PCMR10 ..\$8.70	QA1PCML10 ..\$8.70
AM Series		
1/2" Bore X 5/8" Thr Black.....	QA1AMR8-10BK ..\$13.40	QA1AML8-10BK ..\$13.40
1/2" Bore X 5/8" Thr Red.....	QA1AMR8-10 ..\$13.40	QA1AML8-10 ..\$13.40
5/8" Bore X 5/8" Thr Red.....	QA1AMR10 ..\$15.96	QA1AML10 ..\$15.96
XM Series		
1/2" Bore X 5/8" Thread.....	QA1XMR8-10 ..\$18.49	QA1XML8-10 ..\$18.49
5/8" Bore X 5/8" Thread.....	QA1XMR10 ..\$18.49	QA1XML10 ..\$18.49

Shock Slider and Clamp

Bicknell	Red	Black
1-1/2" Right Front Slider w/1 Piece Stud.....	BRP9143R ..\$36.31	BRP9143RBK ..\$36.31
1-1/2" Left Front Slider w/1 Piece Stud.....	BRP9143L ..\$36.31	BRP9143LBK ..\$36.31
Replacement Bolt Assembly.....	BRP282 ..\$12.67	
Optional Screw In Stud BRP4288		
1-1/2" Shock Slider Safety Lock Collar (2).....	BRP9047 ..\$22.25	BRP9047BK ..\$22.25
Teo		
1-1/2" Front Slider With 1 Piece Stud.....	TEOPR026 ..\$46.61	
1-1/2" Shock Slider Safety Lock Collar	TEOT010C ..\$16.04	

Shock Tower

Bicknell	
Alum Bolt On Shock Tower Top - Std Length.....	BRP9262 ..\$44.57
Alum Bolt On Shock Tower Top - 1" Longer.....	BRP9431 ..\$44.57
Steel Bolt On Shock Tower Top - Std Length.....	BRPCHA100BO ..\$27.82
Teo	
Standard Steel Shock Tower.....	TEOT021 ..\$48.27
Cap For Steel Shock Tower	TEOH04 ..\$1.09
Crate Aluminum Shock Tower	TEOT021AC ..\$48.27
Standard Aluminum Shock Tower	TEOT021AS ..\$48.27
1" Long Aluminum Shock Tower	TEOT021AL ..\$48.27

FRONT SPINDLES

Bert

Bert CTD Front Spindle	Bert CTD Front Spindle
Ctd Left Front - 10" 2-7/8" Big Bearing	BER510-CTD ..\$431.95
Ctd Left Front - 10" 2-7/8" Big Bearing W/ Steel Snout	BER510-CTD-STEEL ..\$431.95
Ctd Right Front - 10" 2-7/8" Big Bearing	BER504-CTD ..\$382.87
Ctd Right Front - 10" 2-7/8" Big Bearing W/ Steel Snout	BER504-CTD-STEEL ..\$382.87
Bert 7075-T6 Front	
7075-T6 Forged Left Front Spindle Assy	
10" 2-7/8" Big Bearing	BER600-L ..\$256.29
7075-T6 Forged Right Front Spindle Assy	
10" 2-7/8" Big Bearing	BER600-R ..\$218.88
Bert Ctd Spindle Parts	
CTD LH Plate & Snout	BER500-03&07-CTD ..\$152.95
10" Combo Arm	BER500-23 ..\$122.03
CTD LH Plate & Snout	BER500-04&08-CTD ..\$152.95
10" Combo Arm	BER500-17 ..\$89.40
Serrated Washer	BER500-30 ..\$2.60
Spindle Bolt	BER500-31 ..\$10.18
Spindle Washer	BER500-32 ..\$3.07
Spindle Boss Upper	BER500-11 ..\$31.56
Spindle Boss Lower	BER500-14 ..\$31.56
Spindle Bushing	BER500-33 ..\$5.68
.859 Ford Hollow King Pin	BER529 ..\$24.24
Bert 7075-T6 Spindle Replacement Parts	
Left 10" Combo Arm	BER602-L ..\$104.49
Right 10" Combo Arm	BER602-R ..\$79.85
Bert 6 Pin Front Spindles	
10" 6 Pin Short Left Spindle w/Combo Arm	BER510 ..\$462.81
Bert 6 Pin Right Front Spindle	
10" 6 Pin Short Right Spindle w/Combo Arm	BER504 ..\$410.21



Front Spindle - Bicknell

Bicknell Spindle Steering Arms	Bicknell Spindle Steering Arms
Ford Lower Steering Arm	
For Left Front BRP Spindle.....	BRP209BK ..\$78.45
For Left Front BRP Spindle- No Pocketing	BRP209SBK ..\$78.45
For Left Front- Front Mount Caliper.....	BRP210BK ..\$78.45
For Right Front BRP Spindle	BRP211BK ..\$52.30
For Right Front BRP Spindle- No Pocketing.....	BRP211SBK ..\$52.30



Bicknell Adjustable Camber Front Spindle

Large Bearing 10" Spindle With .859" King Pin.....	BRP9215 ..\$435.28
Snout Retainer Wrench / King Pin Retainer Wrench	BRP4584 ..\$39.59
Replacement Snout Only	BRP4585 ..\$83.88
Replacement Inner Locking Snout Cap Only.....	BRP4583 ..\$26.97
Center Spindle Plug (Required For Oil Filled Hubs)	BRP9397 ..\$13.34
Replacement King Pin	BRP9208 ..\$51.99

Bicknell 10 Degree Forged Wide Spread Bearing Spindle

Aluminum Spindle Kit w/Hollow Steel Kingpin,	
Steel Snout & Lock Nut	BRP9200 ..\$328.05
Replacement Snout And Lock Cap	BRP9203 ..\$50.16
Replacement Snout Only	BRP9202 ..\$41.98
Replacement Lock Cap Only	BRP4591 ..\$10.35

Bicknell Original 10 Degree Spindle

Alum Spindle Kit w/Hollow Steel Kingpin,	
Steel Snout & Lock Nut	BRP9210 ..\$334.73
Replacement Snout And Lock Cap	BRP9213 ..\$50.16
Replacement Snout Only	BRP9212 ..\$41.98
Replacement Lock Cap Only	BRP4591 ..\$10.35

Bicknell Large Bearing Modified Front Spindle

Large Bearing Alum Spindle Kit w/Hollow Steel King Pin.....	BRP4588 ..\$361.65
Lock Nut Assembly (Has Holes For Locking Bolt)	BRP6230 ..\$29.01
Lock Nut Assembly (Has Slots For Locking Bolt)	BRP9489 ..\$30.77
Wrench For Brp 6230 Lock Nut	BRP6231 ..\$14.69
Replacement Steel Lock Nut Only (No Hardware)	BRP6229 ..\$28.01
Replacement Outer Washer And Screw	BRP6227 ..\$11.86
Replacement Screw w/Washer - For Brp 6230 Nut (2)	BRP6228 ..\$4.40
Center Spindle Plug (Required For Oil Filled Hubs)	BRP9397 ..\$13.34

Bicknell Spindle Parts

Replacement King Pin With 2 End Caps.....	BRP841 ..\$36.87
Replacement End Caps For 841 (Sold Each)	BRP841C ..\$5.02
Optional Titanium King Pin With Caps.....	BRP841T ..\$39.39
Replacement Cap For Brp 841T King Pin (Sold Each)	BRP841TC ..\$5.61
Replacement King Pin Bushing (Sold Each).....	BRP842 ..\$4.24
1/8" Aluminum Spindle Shim Spacer - Ford Kingpin	BRP843 ..\$4.68
Steel Kingpin Shim For Ford Kingpin - .005" Thick	WIN7514 ..\$0.90
Steel Kingpin Shim For Ford Kingpin - .031" Thick	WIN7512 ..\$1.90
Kingpin Shim Kit (Includes Shims And Bearings)	WIN7511-01 ..\$14.27
Ford .859 Washer	AXL.859 ..\$1.99



Front Spindle - Winters

Winters 10" Forged 6 Pin Front Spindle	Winters 10" Forged 6 Pin Front Spindle
Standard Forged Spindle	WIN12291 ..\$201.55
Standard Forged Spindle W/ Titanium Shaft.....	WIN12291T ..\$274.05
Winters 6 Pin Spindle Steering Arms	
Left Side Combo Steering Arm	WIN12380 ..\$76.84
Right Side Steering Arm	WIN12381 ..\$50.74
Winters Big Bearing Front Spindle	
Left Front 2-7/8" Spindle.....	WIN3795 ..\$296.92
Right Front 2-7/8" Spindle	WIN3796 ..\$256.72
Winters Replacement Spindle Parts	
Serrated Washer	BER500-30 ..\$2.60
King Pin	WIN6476 ..\$18.69
Steel King Pin Cap.....	WIN1109 ..\$3.65
Aluminum King Pin Cap.....	WIN1109-02A ..\$3.18
Steel Kingpin Shim For Ford Kingpin - .005" Thick	WIN7514 ..\$0.90
Steel Kingpin Shim For Ford Kingpin - .031" Thick	WIN7512 ..\$1.90
Kingpin Shim Kit (Includes Shims And Bearings)	WIN7511-01 ..\$14.27
Replacement Bushing	WIN7515 ..\$2.20
Steel Spacer.....	WIN3262F ..\$26.10

FRONT HUBS



Front Hubs - Bicknell

Bicknell Wide 5 Wide Spread Hub (Use With BRP9200 Spindle)

Aluminum Wide 5 Hub (Includes Cap) - Black	BRP4570BK	\$219.14
Aluminum Wide 5 Hub (Includes Cap) - Red	BRP4570	\$219.14
Replacement Dust Cap	BRP4571	\$29.88
Replacement Inner Race	BEA2735X	\$10.00
Replacement Outer Race	BEA15250	\$4.62
Inner Bearing	BEA2796	\$14.33
Outer Bearing	BEA15120	\$22.31
Aluminum Locking Spindle Nut Assembly	BRP831L	\$16.80
Inner Hub Seal	BEA7200	\$3.95
Taper Head Rotor Bolt Kit - (3) (1/2" F X 1")	BRP53	\$5.85
Replacement Wheel Stud	BRP2060	\$3.95
1/2" F Rotor Bolt Kit - (3) w/ External Hex	BRP9435	\$27.90



BRP4570

Bicknell Original 821 Wide 5 Hub (Use With BRP9210 Spindle)

Alum Wide 5 Hub (Includes Cap) - Black	BRP821BK	\$223.61
Alum Wide 5 Hub (Includes Cap) - Red	BRP821	\$223.61
Replacement Dust Cap	BRP4571	\$29.88
Replacement Inner Race	BEA2735X	\$10.00
Replacement Outer Race	BEA15250	\$4.62
Inner Bearing	BEA2796	\$14.33
Outer Bearing	BEA15120	\$22.31
Aluminum Locking Spindle Nut Assembly	BRP831L	\$16.80
Inner Hub Seal	BEA7200	\$3.95
Taper Head Rotor Bolt Kit - (3) (1/2" F X 1")	BRP53	\$5.85
Replacement Wheel Stud	BRP2060	\$3.95
1/2" F Rotor Bolt Kit - (3) w/ External Hex	BRP9435	\$27.90



BRP821

Bicknell 9382 Large Bearing Front Hub (Use With BRP4588)

Alum Wide 5 Large Bearing Hub (w/ Dust Cap)	BRP9382	\$328.08
Large Bearing Hub Assy w/ Rem Bear/Races	BRP9382REM	\$370.99
Replacement Dust Cap	BRP6203C	\$38.13
Inner And Outer Race	BRP6222	\$11.25
Inner And Outer Bearing	BRP6224	\$26.90
Steel Locking Spindle Nut Assy	BRP6230	\$29.01
Steel Locking Spindle Nut Assy "New Design"	BRP9489	\$30.77
Standard Inner Hub Seal	CTD-005	\$8.85
Replacement Seal Snap Ring	BRP6223	\$7.32
Low Drag Inner Hub Seal		
(Will Not Work For Oil Filled Hubs)	BEA7284 QR	\$16.94
Replacement Wheel Stud (Sold Each)	BRP2060	\$3.95



BRP9382

Bicknell Large Bearing Billet Front Hub (Can Use 3 Bolt Rotor)

Billet Large Bearing Front Hub With 3 Bolt Rotor		
(Comes With Dust Cap)	BRP9382	\$328.08
Billet Large Bearing Front Hub w/ 3 Bolt Rotor Rem Finished (Includes Rem Finished Races, Bearings, Front Dust Cap)	BRP9382REM	\$370.99
3 Bolt To 8 On 7" Rotor Adaptor ("T" Nuts)	BRP9384	\$72.47
Floating Rotor "T" Nut Bolt Kit	BRP9386	\$83.64
Replacement Dust Cap	BRP6203C	\$38.13
Inner And Outer Race	BRP6222	\$11.25
Inner And Outer Bearing	BRP6224	\$26.90
Replacement Wheel Stud	BRP2060	\$3.95
Steel Locking Spindle Nut Assembly	BRP6230	\$29.01
Standard Inner Hub Seal	CTD-005	\$8.85
Low Drag Inner Hub Seal		
(Will Not Work With Oil Filled Hubs)	BEA7284 QR	\$16.94
Replacement Seal Snap Ring	BRP6223	\$7.32
Replacement Oil Fill Plug	WIN7874	\$2.29
Rotor Bolt Kit - Drilled For Safety Wire (8)	BRP50	\$7.84
Taper Head Rotor Adaptor Bolts - Allen Head (3)	BRP53	\$5.85
Rotor Adaptor Bolts With External Hex (3)	BRP9435	\$27.90



BRP9382



Front Hubs - Bert

Bert 6 Pin Hub Assembly


6 Pin Hub Assembly Kit	BER530	\$262.96
------------------------	--------	----------

Bert CTD Front Hub

Race Ready Kit Front Hub Kit - Silver	CTDNM-H01-RR	\$343.25
Race Ready Kit Front Hub Kit - Black	CTDNM-H01-RR-BK	\$370.64

Bert CTD Front Hub Replacement Parts

CTD Hub	CTDNM-H01	\$166.21
Wheel Bearing Race	CTD-002	\$12.41
Wheel Bearing Only	CTD-003	\$19.62
Rem Coated Wheel Bearing	CTD-003-REM	\$29.90
Hub Seal	CTD-005	\$8.85
Low Drag O-Ring Hub Seal	CTD-005ORING	\$21.00
Lock Ring	CTD-006	\$5.01
Lock Nut	CTD-007	\$20.81
Safety Screw	CTD-008	\$4.48
Complete Hub Installation Kit	CTD-011	\$65.11
Dust Cap	CTDNM-H02	\$20.73
Dust Cap O-ring	CTDNM-H02-ORING	\$1.14
Dust Cap Bolts	CTDNM-H03	\$0.13
Hub Seal Snap Ring	CTDNM-H04	\$1.19
(2) Bearings And Seal Kit	CTD-020	\$55.06
Hub Locknut Kit	CTD-021	\$22.44
Lock Ring Tool	CTD-010	\$13.62



Front Hubs - Winters

Winters 6 Pin Front Hubs

6 Pin Standard Hub Kit (Complete Hub Kit - Pair)	WIN12292	\$433.55
6 Pin Lightweight Hub Kit (Complete Hub Kit - Pair)	WIN12292L	\$506.05
Lightweight Hub W/ Races	WIN12290L	\$228.38
Hub Seal	WIN12363	\$14.14
Inner Bearing	WIN7502	\$11.79
Inner Race	WIN7501	\$34.44
Outer Race	WIN8635	\$8.34
Outer Bearing	WIN8666	\$11.24
Steel Spindle Nut	WIN2377S	\$30.03
Aluminum Spindle Nut	WIN2377	\$30.03
O'Ring	WIN7424	\$2.41
Screw-In Dust Cap	WIN12101	\$19.07
Plug	WIN7874S	\$2.29

Winters 6 Pin Front Hub Accessories

Steel Rotor	WINSC2710	\$76.07
Hex Flat Head Cap Screw	WIN8394	\$0.95
Brake Caliper Bracket	WIN12408	\$43.43
Bicknell Brake Caliper Bracket - Red	BRP18-2375	\$36.87
Bicknell Brake Caliper Bracket - Black	BRP18-2375BK	\$36.87

Winters 2-7/8" Big Bearing Front Hub Kit

2-7/8" Front Hub (Complete Hub Kit - Single)	WIN3750F	\$165.00
2-7/8" Front Hub W/ Thermal Dispersant Coating		
(Complete Hub Kit - Single)	WIN3750F-8208-H	\$183.75
Snap Ring	WIN8349	\$3.68
Seal	WIN7289V	\$16.76
Inner And Outer Bearing W/ Race	WIN8658	\$21.95
Washer	WIN3273	\$4.50
Steel Spindle Nut	WIN3271S	\$18.85
Aluminum Spindle Nut	WIN3271	\$11.60
Gasket	WIN3278	\$2.61
Hub Cap	WIN3289	\$8.70
Spindle Nut Wrench Plate	WIN3269	\$8.15



Hub Accessories

BSC Bearings And Seals

Bearing And Race For Winters 8658	BEA8658	\$21.90
Rem Coated Bearing And Race For Winters 8658	BEA8658-REM	\$28.02
2-7/8" Hub Seal For Seal Used w/ Steel Collar	BEA7289V	\$11.95
2-7/8" Hub Seal For Seal Used w/ Steel Collar Low Drag	BEA7289VLD	\$19.15
2-7/8" Hub Seal For Seal Used w/ Steel Collar Low Drag	BEA7284 QR	\$16.94
6 Pin Inner Bearing - Bert And Bicknell	BEA2796	\$14.33
6 Pin Outer Bearing - Bert And Bicknell	BEA15120	\$22.31
6 Pin Inner Race - Bert And Bicknell	BEA2735X	\$10.00
6 Pin Outer Race - Bert And Bicknell	BEA15250	\$4.62
6 Pin Hub Seal	BEA7200	\$3.95
Wide 5 Inner Bearing	BEA7324	\$10.91
Wide 5 Outer Bearing	BEA7325	\$10.91
Wide 5 Inner Race	BEA7322	\$3.49
Wide 5 Outer Race	BEA7323	\$3.49
Wide 5 Hub Seal	BEA7210	\$4.95
Wide 5 Hub Seal - Low Drag	BEA7210 ORING	\$16.65
Wide 5 Hub Seal - Teflon Lip	BEA7210 TEFLON	\$14.56

Adjustable Bearing

Spacers And Seal Drivers

2-7/8" Rear Adjustable Bearing Spacer	DRP007-10510	\$45.00
2-7/8" Front Adjustable Bearing Spacer	DRP007-10512	\$60.00
Wide 5 Front Adjustable Bearing Space	DRP007-10503	\$51.85
Winters 12292 Hub Adjustable Bearing Spacer	DRP007-10540	\$46.00
Seal Driver For Hub Seal Used w/ Steel Collar	DRP007-80508	\$49.00
Seal Driver For Hub Seal Used w/ Out Steel Collar	DRP007-80509	\$56.00

Big Bearing Non-Adjustable Spacers

Front Bearing Spacer Kit	BRP9392	\$71.40
Rear Bearing Spacer Kit	BRP9393	\$90.33



Racing Grease

Nanoceramic Grease With Syringe And 2 Oz. Jar	BEA00001	\$25.99
16 Oz. Jar Of Nanoceramic Grease	BEA00002	\$49.96
16 Oz. Tube Of Nanoceramic Grease	BEA00003	\$49.96

Bearing Packer

Bearing Packer For 2-7/8" Bearing	DRP80532	\$197.00
Bearing Packer For Wide 5 (W5) Bearing	DRP80520	\$204.00
Bearing Packer Needle	DRP80541	\$12.95



FRONT BRAKES

wilwood
Brakes

See Page 131 for Pad Selection.

**Dynapro Single**

Piston ... Piston						Mount	Rotor	Max
Area ... 1 Dia		Desc		Width ...	Rotor Dia ..	Part #		
1.50	1.38	3.75" Lug Mt.....		0.38	13.00"	WIL120-9690	\$95.93	
2.40	1.75	3.75" Lug Mt.....		0.38	13.00"	WIL120-9689	\$92.22	

See Page 131 for Pad Selection.

wilwood
Powerlite Radial Mount

Piston.....	Piston.....	Piston.....	Mount.....	Rotor.....	Max	
Area.....	1 Dia.....	2 Dia.....	Desc.....	Width.....	Rotor Dia.....	Part #
1.58.....	1.00.....	1.00.....	5.08" Radial Mt.....	0.50.....	11.00"	WIL120-8724..... <i>\$127.12</i>
2.46.....	1.25.....	1.25.....	5.08" Radial Mt.....	0.50.....	11.00"	WIL120-8725..... <i>\$127.12</i>
2.46.....	1.25.....	1.25.....	5.08" Radial Mt.....	0.50.....	11.00"	WIL120-15734..... <i>\$250.59</i>
3.00.....	1.38.....	1.38.....	5.08" Radial Mt.....	0.50.....	11.00"	WIL120-8726..... <i>\$127.12</i>
3.00.....	1.38.....	1.38.....	5.08" Radial Mt.....	0.50.....	11.00"	WIL120-15736..... <i>\$250.59</i>

wilwood
Rotors


Diameter.....	Width	Rotor Bolt Circle	Material.....	Part#.....	
10.95.....	0.31.....	3 X 5.00.....	Steel.....	WIL160-2084.....	<i>\$70.36</i>
11.00.....	0.31.....	3 X 5.00.....	Scalloped Steel.....	WIL160-10475.....	<i>\$74.07</i>
11.75.....	0.35.....	8 X 7.00.....	Scalloped Steel.....	WIL160-9772.....	<i>\$74.07</i>
11.75.....	0.35.....	8 X 7.00.....	Steel.....	WIL160-3202.....	<i>\$70.36</i>
11.75.....	0.35.....	8 X 7.00.....	Scalloped Steel.....	WIL160-5855.....	<i>\$142.60</i>
11.75.....	0.50.....	8.....	Waved Steel.....	BER540.....	<i>\$157.37</i>
12.00.....	0.50.....	3.....	Waved Steel.....	BER543.....	<i>\$143.85</i>
12.00.....	0.375.....	3.....	Waved Steel.....	BER544.....	<i>\$105.08</i>
12.00.....	0.375.....	8.....	Waved Steel.....	BER544-2.....	<i>\$99.83</i>
10.25.....	0.320.....	8 X 6.120.....	Steel.....	BRP62D.....	<i>\$123.28</i>
10.87.....	0.320.....	3 X 5.00.....	Steel.....	BRP65D.....	<i>\$98.38</i>
10.87.....	0.320.....	3 X 5.00.....	Waved Steel.....	BRP65W.....	<i>\$123.02</i>
12.00.....	0.320.....	8 X 7.00.....	Waved Steel.....	BRP67.....	<i>\$123.02</i>

Rotor Bolt Kits

Standard Rotor Bolt Kit.....	BSC80620.....	\$4.98
Fixed Mount Thread Or Through Bolt Rotor Bolt Kit.....	WIL230-0526.....	\$5.28
Floating Rotor Bolt Kit.....	WIL230-5308.....	\$46.86
Taper Head Rotor Bolt Kit - Package Of 3 (1/2" F X 1").....	BRP53.....	\$5.85
FHCS 1/2-13x1 Bolts.....	WIN8394.....	\$0.95

**Brake Caliper Brackets****Teo**

3.75" Caliper Bracket For 12.00" Rotor...TEOPR018.....\$24.14

Bert

3.75" Caliper Bracket For 12.00" Rotor...CTD-551-K.....\$38.29

Radial Mount Caliper Bracket.....CTD-552.....\$64.33

**Bicknell.....** Red..... Black**Dynalite II / 2000 Series**

Rotor: 12.18" Offset: --.....	BRP8.....	\$19.67
Rotor: 12" Offset: --.....	BRP8-1.....	\$19.67
Rotor: 12" Offset: 3/16".....	BRP8-1187.....	\$36.87
Rotor: 12" Offset: 3/8" (Fits Sway-A-Way Hub).....	BRP8-1375.....	\$36.87
Rotor: 11" Offset: --.....	BRP8-2.....	\$19.67
Rotor: 10.87" Offset: 1/4".....	BRP8-2250.....	\$36.87
	BRP8-2250BK.....	\$36.87

Dynalite Single / 1000 Series

3.25" Rotor: 11" Offset: --.....	BRP9.....	\$19.67
3.25" Rotor: 11" Offset: 1/8".....	BRP9-125.....	\$36.87
3.25" Rotor: 12.18" Offset: --.....	BRP10.....	\$19.67
3.25" Rotor: 12" Offset: --.....	BRP11.....	\$19.67
3.25" Rotor: 12" Offset: 3/75".....	BRP11-375.....	\$36.87
3.75" Rotor: 12.18" Offset: --.....	BRP18.....	\$19.67
3.75" Rotor: 12" Offset: --.....	BRP18-1.....	\$19.67
3.75" Rotor: 12" Offset: 3/8".....	BRP18-1375.....	\$36.87
3.75" Rotor: 11" Offset: --.....	BRP18-2.....	\$19.67
3.75" Rotor: 11" Offset: 1/4".....	BRP18-2250.....	\$36.87
3.75" Rotor: 10.87" Offset: 3/8".....	BRP18-2375.....	\$36.87
	BRP18-2375BK.....	\$36.87

Superlite IIA

Rotor: 12.18" Offset: --..... BRP21.....\$19.67

Dynalite Single / 1000 Series


(Use In Place Of Brp 18-1 (No Threaded Holes))

3.75" Rotor: 12" Offset: --..... BRP19.....\$19.67

BRP19BK.....\$19.67

Wilwood Northeast Dirt Modified


Radial Mount Bracket WIL250-9656.....\$74.02

**Brake Caliper Bracket Bolts**

Bert Front Caliper Bracket Bolts.....	BER553.....	\$9.00
Bicknell 1/2" Caliper Mounting Bolts.....	BRP9136.....	\$18.22

Brake Deflectors

Left.....	BRP42L.....	\$9.33
Right.....	BRP42R.....	\$9.33
	BRP42LBK.....	\$9.33
	BRP42RBK.....	\$9.33



DRIVE LINE

Drive Shaft Assembly**Bert Drive Shaft****16 X 10 Spline (Closed Drive)**

14".....	BER259.....	\$164.09
16".....	BER260.....	\$164.09
18".....	BER261.....	\$164.09

16 X 16 Spline (Open Drive)

20".....	BER253.....	\$164.09
22".....	BER254.....	\$164.09
24".....	BER255.....	\$164.09
26".....	BER256.....	\$164.09
28".....	BER257.....	\$164.09

**Ball Spline Drive Shaft**

19" - Troyer.....	BER240-19.....	\$840.88
23" - Teo.....	BER240-23.....	\$840.88

DMI Drive Shaft 32 X 32 Spline

18".....	DMISRC-2466-32.....	\$240.42
19.5".....	DMISRC-2467-32-19.5.....	\$240.42
19.625".....	DMISRC-2467-32-19.625.....	\$240.42
20".....	DMISRC-2467-32.....	\$240.42
22".....	DMISRC-2468-32.....	\$212.70

**Slip Yokes**

16 Spline LW Steel Yoke.....	DMISRC-2339.....	\$99.76
16 Spline LW Steel Yoke No Spring/Washer.....	DMISRC-2339CT.....	\$53.25
16 Spline Aluminum Yoke.....	DMISRC-2316.....	\$149.68
32 Spline Aluminum Yoke.....	DMISRC-2316-32.....	\$182.96
32 Spline Steel Billet U-Joint Yoke.....	DMISRC-2342-32.....	\$216.23

**Slip Yoke Springs**

Spring For The Slip Yoke.....DMISRC-2311.....\$3.31

**Fast Shafts Drive Shaft**

19" Lightweight Drive Shaft (20" Ctc).....	FAS2-083M-DM-19.....	\$359.60
20" Lightweight Drive Shaft (22.5" Ctc).....	FAS2-083M-DM-20.....	\$359.60

**Slip Yokes**

16 Spline 5.5" Yoke.....FAS6133.....\$34.95

U-Bolt Straps

U-Joint Straps.....FASBBSK.....\$39.95

**Strange Oval****Strange Oval Drive Shaft**

Complete Drive Shaft Assembly (Trans Yoke, Slip Yokes, U Joints, Drive Shaft, U-Straps And Rear Yoke).....	STRDKM203.....	\$1061.63
Drive Shaft 32 X 32 Spline 19-3/8".....	STRDM103-19-3/8.....	\$268.25

**Slip Yokes**

Fordged 32 Spline Drive Shaft Slip Yoke.....	STRDYM235.....	\$188.50
Spring For The Slip Yoke.....	STRDYMSPRING.....	\$3.00

**Trans Yoke**

Fordged Yoke For Bert Trans.....STRDYM235.....\$188.50

**Rear Yoke**

Fordged Yoke For Quick Change Rear.....STRDYM225.....\$144.93

**U-Bolt Straps**

U-Joint Straps.....STRDYM205-1.....\$79.75

**Winters Drive Shaft****Drive Shaft 32 X 32 Spline**

18".....	WIN5991-18.....	\$181.25
20".....	WIN5991-20.....	\$181.25

**Slip Yokes**

Aluminum 32 Spline Drive Shaft Slip Yoke.....	WIN4865-32.....	\$145.00
Spring For The Slip Yoke.....	WIN5269.....	\$5.95

**U-Bolt Straps**

U-Joint Straps.....	WIN3655M.....	\$26.83
U-Joint Straps - Long.....	WIN3655-01M.....	\$26.83

**U-Bolts**

U-Bolts Come With Nuts And Lock Washers (Pair).....	BRP513.....	\$6.56
BRP Billet Aluminum U-Bolt (Packs Of 2).....	BRP9246.....	\$33.42
Steel U-Bolts.....	BSC5855.....	\$6.25

**U-Joints**

1310 - 9/16" Hole In Center.....	NEA1-0153X-SP.....	\$20.67
1310 Greaseable.....	SPI5-53X.....	\$11.95
1310 Non-Greaseable.....	SPI5-1310X.....	\$17.95

REAR BRAKES

Billet Narrow Dynalite Radial Mount

Piston Area: 4.80 Piston 1 Dia: 1.75 Piston 2 Dia: 1.75 Piston 3 Dia: -
Mount Description: 4.75" Radial Mount Pad Vol: 3 Rotor Width: 0.81
Max Rotor Dia: 12.72.....WIL120-13406-SI.....**\$185.81**
Piston Area: 5.56 Piston 1 Dia: 1.88 Piston 2 Dia: 1.88 Piston 3 Dia: -
Mount Description: 4.75" Radial Mount Pad Vol: 3 Rotor Width: 0.81
Max Rotor Dia: 12.72.....WIL120-14765-SI.....**\$185.81**

Forged Superlite 4 Radial Mount

Piston Area: 4.84 Piston 1 Dia: 1.88 Piston 2 Dia: 1.62 Piston 3 Dia: -
Mount Description: 5.98" Radial Mount Pad Vol: 4.9 Rotor Width: 1.25
Max Rotor Dia: 14.00.....LH.....WIL120-13266.....**\$327.90**
.....RH.....WIL120-13265.....**\$327.90**
Piston Area: 5.18 Piston 1 Dia: 1.88 Piston 2 Dia: 1.75 Piston 3 Dia: -
Mount Description: 5.98" Radial Mount Pad Vol: 4.9 Rotor Width: 0.81
Max Rotor Dia: 14.00.....LH.....WIL120-13829.....**\$327.90**
.....RH.....WIL120-13828.....**\$327.90**

Forged Superlite Internal

Piston Area: 4.12 Piston 1 Dia: 1.62 Piston 2 Dia: 1.62 Piston 3 Dia: -
Mount Description: 3.50" Lug Mount Pad Vol: 4.9 Rotor Width: 1.25
Max Rotor Dia: 13.06.....WIL120-11133.....**\$155.53**
Piston Area: 4.80 Piston 1 Dia: 1.75 Piston 2 Dia: 1.75 Piston 3 Dia: -
Mount Description: 3.50" Lug Mount Pad Vol: 4.9 Rotor Width: 0.81
Max Rotor Dia: 13.06.....WIL120-11134.....**\$155.53**
Piston Area: 4.80 Piston 1 Dia: 1.75 Piston 2 Dia: 1.75 Piston 3 Dia: -
Mount Description: 3.50" Lug Mount Pad Vol: 4.9 Rotor Width: 0.81
Max Rotor Dia: 13.06 Side Inlet.....WIL120-11134-SI.....**\$170.34**
Piston Area: 5.18 Piston 1 Dia: 1.88 Piston 2 Dia: 1.75 Piston 3 Dia: -
Mount Description: 3.50" Lug Mount Pad Volume: 4.9 Rotor Width: 0.81
Max Rotor Dia: 13.06.....LH.....WIL120-11138.....**\$164.17**
.....RH.....WIL120-11137.....**\$164.17**

Rear Rotors

Gt 36 Curved Vane Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
11.75	0.81	8 X 7.00	Spec-37 Iron.....	R/H.....	WIL160-12285.....	\$110.94
11.75	0.81	8 X 7.00	Spec-37 Iron.....	L/H.....	WIL160-12286.....	\$110.94

Hd 36 Curved Vane Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
11.75	0.81	8 X 7.00	Spec-37 Iron.....	R/H.....	WIL160-12283.....	\$92.42
11.75	0.81	8 X 7.00	Spec-37 Iron.....	L/H.....	WIL160-12284.....	\$92.42

Super Alloy Scalloped Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
11.75	0.81	8 X 7.00	Super Alloy.....		WIL160-13373.....	\$177.75

Ultralite 32 Vane Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
11.75	0.81	8 X 7.00	Iron.....		WIL160-0471.....	\$33.45
11.75	0.81	8 X 7.00	Iron (Drilled).....		WIL160-5863.....	\$64.77

Ultralite Hp 32 Vane Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
11.75	0.81	8 X 7.00	Iron.....		WIL160-5841.....	\$72.36

Ultralite 32 Vane Scalloped Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
11.75	0.81	8 X 7.00	Iron.....		WIL160-8135.....	\$79.96

Gt 36 Curved Vane Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
12.19	0.81	8 X 7.00	Spec-37 Iron.....	R/H.....	WIL160-12291.....	\$110.94
12.19	0.81	8 X 7.00	Spec-37 Iron.....	L/H.....	WIL160-12292.....	\$110.94

Hd 36 Curved Vane Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
12.19	0.81	8 X 7.00	Spec-37 Iron.....	R/H.....	WIL160-12289.....	\$92.42
12.19	0.81	8 X 7.00	Spec-37 Iron.....	L/H.....	WIL160-12290.....	\$92.42

Ultralite 32 Vane Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
12.19	0.81	8 X 7.00	Iron.....		WIL160-0277.....	\$35.00
12.19	0.81	8 X 7.00	Iron (Drilled).....		WIL160-5865.....	\$64.77

Ultralite Hp 32 Vane Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
12.19	0.81	8 X 7.00	Iron.....		WIL160-5843.....	\$72.36

Ultralite 32 Vane Scalloped Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
12.19	0.81	8 X 7.00	Iron.....		WIL160-8136.....	\$79.96

Wave Rotor

Dia.....	Width.....	Rotor Bolt Cir.....	Material.....	Side.....	Part #.....	Price
12.19	0.50	8	Waved Steel.....		BER541.....	\$163.10
12.19	0.38	8	Waved Steel.....		BER544-3.....	\$99.83

Floating Adapter

Description.....	Part #.....	Price
Wilwood Zero Offset 8 X 7.00" Rotor Adapter.....	WIL300-14294.....	\$97.74
Rotor Bolt Kit - Dynamic Sprint 8 Hex Head Bolts.....		
With T-Nuts - No Washers.....	WIL230-14414.....	\$44.44
Rotor Bolt Kit - Dynamic, Wide 5, With T-Nut Tool.....	WIL230-8454.....	\$44.44
Bolt Kit - Hat/Rotor, 5/16-18 X 1.00, 8 Pack.....	WIL230-8390.....	\$13.52

Rear Brake Brackets

Bicknell Aluminum Bolt On Caliper Brackets

Description.....	Rotor O.D.....	Offset.....	Black.....	Red.....
Superlite 3/8" Thick 4 Bolt Rear.....	12.18"	-	BRP1-2BK..... \$19.67	BRP1-2..... \$19.67
Superlite 1/2" Thick 4 Bolt Rear.....	12.18"	-	BRP1-3BK..... \$19.67	BRP1-3..... \$19.67
Superlite 1/2" Thick 4 Bolt Rear.....	11.75"	-	BRP1-4BK..... \$19.67	BRP1-4..... \$19.67
Superlite 4 Bolt.....	12"	-	BRP17BK..... \$19.67	BRP17..... \$19.67
Superlite 4 Bolt Offset.....	12.18"	.375"	BRP1X375..... \$36.87	
Superlite 4 Bolt Offset.....	12.18"	.375"	BRP1Y375..... \$36.87	
Dynalite II 45 Degree.....	12.18"	-	BRP5..... \$19.67	
3/8" Offset Master To DI II 3/8".....	12"	-	BRP25..... \$36.87	
8 Bolt Master To DI.....	12.18"	-	BRP7..... \$19.67	
8 Bolt Master To SI II (Plain Only).....	11.75"	-	BRP7-2..... \$19.67	
8 Bolt Master To DI II.....	12.18"	-	BRP22..... \$49.16	
Large Bearing Ndl/Superlite.....	12.18"	-	BRP2BK..... \$36.87	BRP2..... \$36.87

Bicknell Radial Mount Caliper Brackets

Description.....	Part #.....	Price
Quadlock Radial Caliper Mt - 12.18" Rotor / WIL Caliper.....	BRP9379.....	\$89.23
Quadlock Radial Caliper Mt - 11.75" Rotor / WIL Caliper.....	BRP9412.....	\$89.23
3" Tube - 1 3/16" Offset Rad Caliper Mt 12.19 Rotor/Brp Caliper.....	BRP9460.....	\$89.23
Quadlock Radial Caliper Mt - 11.75" - 12.18" Rotor/Brp Caliper Only.....	BRP9487.....	\$98.14
Quadlock Radial Caliper Mt - 10.87" Rotor/Brp Caliper Only.....	BRP9488.....	\$89.23

Bicknell 3" Clamp On Caliper Brackets.....Black.....Red

Description.....	Part #.....	Price
Clamp On Bkt For BRP2800 / Superlite Caliper.....		
For 12.18" Rotor.....	BRP45BK.....	\$73.00
For 12" Rotor.....	BRP46.....	\$73.00
For 11.75" Rotor.....	BRP47BK.....	\$73.00
For 10.87" Rotor.....	BRP47.....	\$73.00

Bicknell Quad Lock Caliper Brackets.....Black.....Red

Description.....	Part #.....	Price
Quad Lock Bkt For Brp 2800 / Superlite Caliper.....		
For 12.18" Rotor.....	BRP9034BK.....	\$71.43
For 12" Rotor.....	BRP9038BK.....	\$71.43
For 11.75" Rotor.....	BRP9035BK.....	\$71.43
For 10.87" Rotor.....	BRP9035.....	\$71.43

Bert Caliper Brackets

Description.....	Part #.....	Price
Standard Bolt On Caliper Bracket.....	CTD-050-04.....	\$13.30

Teo Caliper Brackets

Description.....	Part #.....	Price
Standard Bolt On Caliper Bracket.....	TEOTP001G.....	\$25.19
11.75 Rotor Caliper Bracket.....	TEOTP001G-1175.....	\$25.19
Smooth Clamp On Bracket.....	TEOTP002RB.....	\$58.50
Right Brake Mount Spacer.....	TEOTP001HR.....	\$27.50

Wilwood Caliper Brackets

Description.....	Part #.....	Price
Dynapro S4/S6 3.5" Radial Mt Kit w/bkt.....	WIL250-6309.....	\$56.74
Dynalite 3.5" Caliper Mounting Kit w/bkt.....	WIL250-13365.....	\$67.86

REAR HUBS



Bicknell Billet Large Bearing 3 Bolt Rear Hub

Description.....	Part #.....	Price
Complete Hub Kit (Includes Races & Studs).....	BRP9380.....	\$328.08
Replacement Inner Or Outer Race.....	BRP6222.....	\$11.25
Inner Or Outer Bearing.....	BRP6224.....	\$26.90
Replacement Wheel Stud.....	BRP2060.....	\$3.95
Inner Seal Oil And Grease w/Steel Sleeve.....	BEA7289V.....	\$11.95
Low Drag Hub Seal.....	BEA7289VLD.....	\$19.15
Inner Seal Sleeve.....	BRP9380A.....	\$8.73
Locking Nut Assy w/Lock Nut & 1 Steel Lock Ring.....	BRP6230.....	\$29.01
Optional Slotted Lock Washer Assy.....	BRP9486.....	\$14.83
Optional Slotted Lock Washer Assy w/Lock Nut.....	BRP9489.....	\$30.77
Drive Flange Assembly (With Cap And Bolts).....	BRP9381.....	\$83.68
Replacement Center Cap For BRP9381.....	BRP122.....	\$5.61
3 Bolt Rotor Adaptor To Adapt To 8 On 7" Rotor.....	BRP9384.....	\$72.47
Option Tee Nuts BRP9384 - Make Rotors Floating.....	BRP9386.....	\$83.64
Drive Flange Stud Kit (3 Studs, 3 Nuts & 3 Washers).....	BRP9388.....	\$23.73

Bicknell Billet Large Bearing 5 Bolt Rear Hub

Description.....	Part #.....	Price
Complete Hub Kit (Includes Races & Studs).....	BRP9383.....	\$328.08
Complete Hub Kit Rem Finished Races & Bearings.....	BRP9383REM.....	\$370.99
Replacement Inner Or Outer Race.....	BRP6222.....	\$11.25
Inner Or Outer Bearing.....	BRP6224.....	\$26.90
Replacement Wheel Stud.....	BRP2060.....	\$3.95
Inner Seal For Oil And Grease w/Steel Sleeve.....	BEA7289V.....	\$11.95
Low Drag Hub Seal.....	BEA7289VLD.....	\$19.15
Inner Seal Snap Ring.....	BRP6223.....	\$7.32
Locking Nut Assembly.....	BRP6230.....	\$29.01
Optional Slotted Lock Washer Assy.....	BRP9486.....	\$14.83
Optional Slotted Lock Washer Assy w/Lock Nut.....	BRP9489.....	\$30.77
Drive Flange Assembly.....	BRP9381.....	\$83.68
Replacement Center Cap For BRP9381.....	BRP122.....	\$5.61
5 Bolt Rotor Adaptor To Adapt To 8 On 7" Rotor.....	BRP9385.....	\$72.47
Option Tee Nuts For Brp 9384 - To Make Rotor Float.....	BRP9386.....	\$83.64
Drive Flange Stud Kit.....	BRP9388.....	\$23.73

Bert Ctd Large Bearing Rear Hub

Description.....	Part #.....	Price
Race Ready Kit Front Hub Kit - Silver.....	CTD-001-RR.....	\$393.03
Race Ready Kit Front Hub Kit - Black.....	CTD-001-RR-BK.....	\$438.44
Ctd Hub.....	CTD-001.....	\$156.14
Wheel Bearing Race.....	CTD-002.....	\$12.41
Wheel Bearing Only.....	CTD-003.....	\$19.62
Rem Coated Wheel Bearing.....	CTD-003-REM.....	\$29.90
Hub Seal.....	CTD-005.....	\$8.85
Low Drag O-Ring Hub Seal.....	CTD-005ORING.....	\$21.00
Lock Ring.....	CTD-006.....	\$5.01
Lock Nut.....	CTD-007.....	\$20.81
Safety Screw.....	CTD-008.....	\$4.48
Complete Hub Installation Kit.....	CTD-011.....	\$65.11
Drive Flange - Yellow/Blue.....	CTD-016.....	\$87.15
Drive Flange - Black.....	CTD-016-BK.....	\$87.15
Axle Stop Plate.....	CTD-014.....	\$13.02
Axle Stop Bolt.....	CTD-015.....	\$0.80
Hub Seal Snap Ring.....	CTDNYM-H04.....	\$1.19
(2) Bearings And Seal Kit.....	CTD-020.....	\$55.06
Hub Locknut Kit.....	CTD-021.....	\$22.44

Winters 2-7/8" Big Bearing Rear Hub

Description.....	Part #.....	Price
Rear Hub Assembly (Includes Races & Studs).....	WIN3750.....	\$210.00
Rear Hub Assembly (Includes Races & Studs).....		
w/Black Thermal Dispersant Coating.....	WIN3750-8208-H.....	\$228.75
Inner/Outer Bearing w/Race - Winters Only.....	WIN8658/BEA8658.....	\$21.90/21.90
Inner/Outer Bear w/Race Rem - Winters Only.....	BEA8658-REM.....	\$28.02
Replacement Wheel Stud.....	WIN5688.....	\$4.47
Inner Seal - With Steel Sleeve On Tube.....	BEA7289V.....	\$11.95
Low Drag Hub Seal.....	BEA7289VLD.....	\$19.15
Inner Seal Snap Ring.....	WIN8349.....	\$3.68
Spindle Nut Washer.....	WIN3273.....	\$4.50
Spindle Nut - Steel.....	WIN3271S.....	\$18.85
Spindle Nut - Aluminum.....	WIN3271.....	\$11.60
Spindle Nut Set Screw.....	WIN8740.....	\$0.46
Drive Flange.....	WIN3698.....	\$61.63

Wilwood Starlight 55 Hubs

||
||
||

REAR SUSPENSION

**Torque Arms**

Bicknell Adjustable Torque Arm	
Complete Kit	BRP9018\$441.12
Rear Common Plate	
For Std 10" Rear Ends (Used In BRP9018).....	BRP9006\$52.71
For V8 Rear Ends (Used In BRP9019).....	BRP9015\$84.08
For Non Quick Change Rear End (Used In BRP9090).....	BRP9085\$72.53
Adjuster Plate (Used On BRP9018/9019/9090) Right Front.....	BRP9007\$82.02
Adjuster Plate (Used On BRP9018/9019/9090) Left Front.....	BRP9008\$82.02
Driveshaft Loop For (BRP9018 / BRP9019 Only) Front.....	BRP9009\$38.99
Driveshaft Loop For (BRP9018 / BRP9019 Only) Rear	BRP9010\$38.99
Tie Rod Adjuster Link - 3/4" Alum Hex w/1/2" F Tap Ends.....	BRP9011.....\$11.17
Special Machined 1/2" Shoulder Bolt	
(2 Per Side Top & Bottom).....	BRP9012\$5.08
Rear Tie Rod Spacer (Short Spacer)	
1 Required Per Side (Red Alum).....	BRP9013\$4.24
Front Tie Rod Spacer (Long Spacer)	
1 Required Per Side (Red Alum)	BRP9014\$4.24
5/8" Front Cross Shaft (w/Spacers, Collars & Nuts).....	BRP9017\$30.34
Cross Shaft Lock Collars, 1 Spacer Required Per Side.....	BRP181A\$6.16
Cross Shaft Locating Collars	
(Locates Shaft In Counterbore) 1 Required Per Side.....	BRP765\$2.34

**Bicknell Torque Arm Plates**

Std QC Rear w/ 5 Holes & Pinion Angle Of 0°	BRP426\$110.71
Std QC Rear w/2 Holes & Pinion Angle Of 0°	BRP428\$140.08
Non Quick Change Rear w/5 Holes & Pinion Angle Of 0°.....	BRP430\$168.09
Std Quick Change Rear w/4 Holes & Pinion Angle Of -3°.....	BRP432\$110.71
Engine Back QC Rear w/3 Holes & Pinion Angle Of -3°	BRP9295\$110.71
V-8 Quick Change Rear w/5 Holes & Pinion Angle Of 0°	BRP433\$156.00
V-8 Quick Change Rear w/5 Holes & Pinion Angle Of -3°	BRP439\$156.00

**Teo Torque Arm Plates****Complete Assembly**

Stage 2 Torque Arm Kit.....	TEOT001A\$386.37
Stage 3 Adjustable Torque Arm Kit	TEOT001AB.....\$386.37
High Torque Arm Kit.....	TEOT001AH\$415.87

Replacement Arms

Stage 2 - Left Front Replacement Torque Arm.....	TEOT001ALF2.....\$88.49
Stage 3 - Left Front Replacement Torque Arm.....	TEOT001ALF3.....\$88.49
Left Rear Replacement Adjustable Torque Arm.....	TEOT001ALR\$88.49
Stage 2 - Right Front Replacement Torque Arm	TEOT001ARF2.....\$88.49
Stage 3 - Right Front Replacement Torque Arm	TEOT001ARF3.....\$88.49
Right Rear Replacement Adjustable Torque Arm.....	TEOT001ARR.....\$88.49

**Drive Shaft Safety Loops****Bicknell**

Front Hoop For Brp 426, 432, 433, & 439 Torque Arms (Silver)	BRP1646.....\$44.86
Rear Hoop For Brp 426, 432, 433, & 439 Torque Arms (Silver).....	BRP1647.....\$38.14
Front Hoop For Brp 430 Torque Arms (Red).....	BRP1648.....\$62.51
Rear Hoop For Brp 430 Torque Arms (Red)	BRP1649.....\$59.77
Front Hoop For Brp 9018 Adjustable Torque Arms (Yellow).....	BRP9009.....\$38.99
Rear Hoop For Brp 9018 Adjustable Torque Arms (Yellow)	BRP9010.....\$38.99

**Teo**

Front Loop.....	TEOT036\$50.41
Rear Loop	TEOT037\$45.59

**Slider & Biscuit Assembly****Bicknell Rubber Floor Torque Arm Sliders And Hardware**

Steel Torque Arm Slider For Rubber Floor Cars - 6 1/4" Ctr to Ctr.....	BRP417S.....\$246.57
Replacement Inner Aluminum Sleeve With O-Rings (2 Required).....	BRP417-2.....\$17.57
Replacement Inner Sleeve End Cap - 4 Required	BRP417-3.....\$2.93
Inner Aluminum Cup - Plain (Sold In Pairs With Snap Ring).....	BRP417-7.....\$20.61
3/4" Steel Slider Rod (Has 4 Flats - 12 1/4" Long) - 2 Required	BRP9115.....\$13.44
3/4" Aluminum Lock Collar - 4 Required.....	BRP181-1A.....\$6.16
Rubber Biscuit Assembly (w/Bolt, Black Rubbers, & Rod End).....	BRP424.....\$115.19
Rubber Biscuit Assembly (w/Bolt, Blue Rubbers, & Rod End).....	BRP424BL.....\$115.19
Rod End Only (2 1/4" From Center Of Heim To End Of Threads).....	BRP425.....\$52.91
Rubber Bushing Kit (w/2 Washers, 2 Black Rubbers, & 1 Sleeve).....	BRP427.....\$45.52
Black Rubber Bushing Only (70 Duro) - 1 3/8" High.....	BRP427-1.....\$16.80
Blue Rubber Bushing Only (60 Duro) - 1 3/8" High	BRP427-5.....\$16.80
Red Rubber Bushing Only (50 Duro) - 1 3/8" High	BRP9596.....\$21.23
Shortened Blue Rubber Bushing Only (60 Duro) - 1 1/8" High.....	BRP427-6.....\$16.80
Steel Washer Only.....	BRP427-3.....\$5.61
Steel Inner Sleeve (2 1/2" Long)	BRP427-4.....\$7.47
5/8" Front Slider Shaft (Includes Brp 181A Locking Collar).....	BRP419.....\$20.54
Bicknell Std Floor Torque Arm Sliders & Hardware 3/4" Std Floor Steel Slider Rod	
(Has 1 Flat - 11 7/8" Long) - 2 Required.....	BRP421.....\$14.12
3/4" Aluminum Lock Collar - 2 Required.....	BRP181-1A.....\$6.16
Rubber Biscuit Assembly (w/Bolt, Black Rubbers & Rod End).....	BRP424.....\$115.19
Rubber Biscuit Assembly (w/Bolt, Blue Rubbers, & Rod End).....	BRP424BL.....\$115.19
Rod End Only (2 1/4" from Center Of Heim To End Of Threads).....	BRP425.....\$52.91
Rubber Bushing Kit (w/2 Washers, 2 Black Rubbers & 1 Sleeve).....	BRP427.....\$45.52
Black Rubber Bushing Only - 70 Duro (Sold Each) 1 3/8" High	BRP427-1.....\$16.80
Blue Rubber Bushing Only - 60 Duro (Sold Each) 1 3/8" High.....	BRP427-5.....\$16.80
Red Rubber Bushing Only - 50 Duro (Sold Each) 1 3/8" High.....	BRP9596.....\$21.23
Shortened Blue Rubber Bushing Only	
60 Durometer (Sold Each) 1 1/8" High.....	BRP427-6.....\$16.80
60 Durometer (Sold Each) 3/4" High	BRP427-7.....\$16.80
60 Durometer (Sold Each) 1/2" High	BRP427-8.....\$16.80
Steel Washers Only.....	BRP427-3.....\$5.61
Steel Inner Sleeve (2.50" Long).....	BRP427-4.....\$7.47
SS Front Slider Shaft (Includes BRP181A Locking Collar).....	BRP419.....\$20.54
Midrail Aluminum Slider Plate - 4 1/4" Center To Center.....	BRP418.....\$122.92

Bicknell Triple Biscuit Assembly

Complete Triple Biscuit Pickup Assembly	BRP9425.....\$178.50
Replacement Bottom Biscuit - Blue (1 Required)	BRP427-5.....\$16.80
Replacement Steel Washer (2 Required).....	BRP427-3.....\$5.61
Replacement Top Middle Biscuit (1 Required)	BRP427-7.....\$16.80
Replacement Top Biscuit (1 Required).....	BRP427-8.....\$16.80
Replacement Aluminum Cup Washers (3 Required)	BRP9101.....\$15.23
Replacement Inner Sleeve (3-1/8" Long 1 Required).....	BRP9103.....\$8.69
Replacement Rod End (1 Required) 1 7/8" Long	BRP9104.....\$52.91

**Dig Race Products**

DIG30-000



DIG30-001



Linear Bearing Slider For BRP & Teo - 6 1/4" Center To Center.....	DIG30-000.....\$220.00
Linear Bearing Slider For Hig Fab	DIG30-001.....\$220.00



TEOT00807



TEOT008B



TEOT008BR

TEOT024A03

**Teo Slider & Biscuit Assembly**

Alum Wide Slider With Nylon Bushings - 07' & Newer	TEOT00807.....\$144.95
Linear Bearing Wide Slider.....	TEOT008B.....\$305.67
Replacement Bearings For Linear Slider.....	TEOT008BR.....\$53.04
1" Spacer For High Torque Arm Housing	TEOT008HSP.....\$12.87
5/8" Wide Smooth Cross Shaft For Stage 2 Torque Arms.....	TEOT009A.....\$19.31
3/4" Wide Floor Shaft For Slider.....	TEOT009X.....\$64.35
3/4" Shaft Lock.....	TEOT010.....\$8.53
5/8" Shaft Lock.....	TEOT010A.....\$7.46
5/8" Wide Threaded Cross Shaft	
For Stage 3 Torque Arms - Complete Kit.....	TEOH12B.....\$29.64
5/8" Replacement Threaded Cross Shaft.....	TEOH12.....\$14.56
Rubber Floor Mount Assembly With Bushings.....	TEOT011.....\$160.82
Replacement Rubber Bushings For Floor.....	TEOT011A.....\$15.56
Replacement Solid Bushing For Rubber Floor	TEOT011S.....\$17.16
Torque Arm Biscuit Assembly.....	TEOT024A03.....\$102.95
Replacement Biscuit Bushings	TEOT02403.....\$75.02

INNER PANHARD MOUNT



Inner Panhard Mount

Bicknell

Alum Inner Panhard Mt (Includes Bolts And Spacers)		
Uses Brp 442 Bolt Kit (Sold Separately)	BRP1624	\$69.58
Right Side Steel Inner Panhard Mount		
Uses Brp 443 Bolt Kit (Sold Separately)	BRP1626	\$72.49
Left Side Hd Steel Inner Panhard Mount		
Use Brp 443 When Mounting Left Only,		
Use Brp 9563 When Mounting Left And Right Inner Mounts	BRP1626L	\$72.49
Inner Support For Brp 1624 Panhard Mount		
(Bolts To 1/2" Thru Bolt Of Mt To Pinion Seal Cover Plate)		
Recommended For BRP1624	BRP1625	\$10.10

Teo

Inner Panhard Mount - Mill	TEOT003	\$78.83
Inner Panhard Mount - Black	TEOT003-B	\$86.35



Wehrs Machine

Aluminum Quick Change Pinion Mount - Right Side	WEHWM205	\$133.00
Aluminum Quick Change Pinion Mount - Right & Left Side	WEHWM205DS	\$147.00
Steel Quick Change Pinion Mount - Right Side	WEHWM419	\$160.00

Panhard Mount Hardware

1 7/8" Long Quick Pin For Brp 1624 (Replaces Bolt)	BRP9370	\$19.19
1 3/4" Long Quick Pin For Brp 1626 (Replaces Bolt)	BRP9369C	\$16.69
Bolt Kit For Brp 1624 Aluminum Panhard Mount	BRP442	\$16.86
Bolt Kit For Brp 1626 Or 1626L Steel Panhard Mount	BRP443	\$16.86
Bolt Kit For Dual Mounting Brp 1626 And Brp 1626L	BRP9563	\$26.10

PANHARD ROD/J-BAR

Panhard Rod/J-Bar

BicknellMill.....Black

Right Side Panhard		
Std Rear - 1" Rod	RAD0150M	\$14.25
Std Rear - 1-1/4" Rod	RAD1150M	\$19.68
Offsetting Rear	RAD1145M	\$19.68
Left Side Panhard		
Std Rod	RAD0120M	\$13.69
	BRP1120BK	\$17.65
Teo		
Right Side Panhard		
3/4" Rh Tap x 5/8" Lh Tap	RAD1150MR	\$19.68
3/4" Rh Tap x 5/8" Rh Tap	RAD1150MR-R	\$19.68
Left Side Panhard	RAD0110M	\$13.18

Rubber Panhard Rod

DescriptionBlack.....Red

Rubber Rear Panhard Mount		
(Complete With Radius Rod And Rod End)	BRP9120BK	\$297.64
	BRP9120	\$297.64



J-Bar

Left Side J-Bar - Hooks To Right Side Of Rear End (Brp 1626) And Mounts To Left Side Of Chassis w/BRP9594 (Also Requires 2 X 1/2" Hole X 5/8" Rod Ends & Jam Nuts - Sold Separately) Approx Center To Center Is 24 1/4".....BRP9584\$125.36



Cut To Fit J-Bar	ALL56141	\$78.99
Adjustable J-Bar - 17-1/2" - 19-1/2"	ALL56155	\$104.99
Adjustable J-Bar - 19-1/2" - 21-1/2"	ALL56156	\$104.99
J-Bar With Rubber Center	ALL56157	\$109.99
Aluminum Adjustable J-Bar - 19"-21"	WEHWM4019-21	\$170.00
Aluminum Adjustable J-Bar - 20"-22"	WEHWM4020-22	\$170.00
Steel Adjustable J-Bar - 19"-21"	WEHWM40S19-21	\$115.00
Steel Adjustable J-Bar - 20"-22"	WEHWM40S20-22	\$115.00

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

OUTER PANHARD MOUNT



Outer Panhard Mount

Bicknell

Standard Right Side Panhard	Black	Red
Rear Panhard Mt Assembly (All Hardware)	BRP4551BK	\$195.95
Rear Alum Panhard Plate Only (No #s)	BRP4550BK	\$68.93
Front Alum Panhard Plate Only	BRP4550	\$72.36
(w/Laser Etched #s)	BRP4550ABK	\$74.24
	BRP4550A	\$74.24
2000-Present X Chassis Bolt Kit	BRP4550BBK	\$35.96
	BRP4550B	\$35.96

1" Shorter Right Side Panhard Mount.....Black.....Red

Rear Panhard Mt Assembly (All Hardware)	BRP9076BK	\$186.62
Front Alum Panhard Plate Only	BRP9076	\$186.62
(w/Laser Etched #s)	BRP9076BBK	\$68.93
2000-Present X Chassis Bolt Kit	BRP4550BBK	\$35.96
	BRP4550B	\$35.96

Adjustable Right Side Panhard MountBlack.....Red

Cockpit Adj Rear Outer Panhard Mt Assy	BRP4549BK	\$568.54
Non Cockpit Adj Rear Outer Panhard Mt Assy	BRP4548BK	\$375.62
Front Aluminum Plate With Laser Etched #s	BRP4540BK	\$91.81
Rear Aluminum Plate	BRP4541BK	\$96.40
Upper Threaded Center Spacer Block	BRP4542BK	\$21.04
Lower Solid Center Spacer Block	BRP4543BK	\$15.54
Rod End Slider Block	BRP4544BK	\$58.91
7/8" C Threaded Adjuster Rod	BRP4545	\$24.89
90° Swivel Gear Drive (BRP4549 Only)	BRP4546	\$125.06
Cockpit Adjuster Shaft Knob (BRP4549 Only)	BRPSTE8	\$17.24
Cockpit Adjuster Shaft (BRP4549 Only)	BRP4547	\$22.42
3/8" Detent Ball	BRP509009	\$10.62
Bolt Kit For Brp 4548/4549	BRP4549BBK	\$12.23
	BRP4549B	\$12.23

Bicknell Left Side Panhard/J-Bar Mount & Chassis Tabs

Left Side Non Adjustable Outer Panhard Mount (Dual Purpose To Work w/Left Side Panhard Bar Or Left Side J-Bar)	BRP9594	\$143.99
Weld On Upper Slug (2 Required)	BRP1511	\$4.90
Lower Weld On Mount For Brp 9588 / Brp 9594		
For Chassis With Left Rear Drop Rail Only	BRPCHA527	\$34.20
Lower Weld On Mount For Brp 9588 / Brp 9594		
For Chassis With No Left Rear Drop Rail Only	BRPCHA521	\$11.86
Left Rear Low Rack Drop Rail Connector (Goes From Back 2X4 To Torsion Rack)	BRPCHA142LL-DROP	\$50.37
Optional 2X4 Slug For Left Rear Short Link Tap Slug (Required Only When Using Brp 9099L-1 Only)	BRPCHA207	\$10.01
Bicknell Left Side Adjustable Panhard Mount		
Left Side Cockpit Adjustable Outer Panhard Mount (Comes With 90° Swivel Gear Drive And Adjuster Shaft With Knob)		
Designed For Left Panhard Only	BRP9588	\$400.40



Teo Standard Right Side Non-Adjustable Panhard Mount

Non-Adjustable Panhard Mount Kit	TEOT002N	\$209.14
Replacement Front Plate - Milled	TEOT002NFP	\$101.18
Replacement Rear Plate - Milled	TEOT002NRP	\$101.18

Teo Adjustable Right Side Panhard Mount

Adjustable Panhard Mount Complete Kit W/ Knob	TEOT002ANG	\$536.25
Replacement Front Plate - Milled	TEOT002ANFP	\$101.18
Replacement Rear Plate - Milled	TEOT002ANRP	\$101.18
Threaded Acme Screw	TEOT002A	\$42.42
Gear Drive W/ Knob	TEOT022A	\$144.74

Teo Left Side Panhard Mount

Left Side Non Adjustable Panhard Mount (Dual Purpose To Work With Left Side Panhard Bar Or Left Side J-Bar)	TEOT002NL-19	\$258.70
---	--------------	----------

Outer Support Rod

Outer Panhard Support Brace - Supports Panhard		
Bracket To Chassis	BRP4552	\$31.39
Panhard Hoop Support Kit - Mill	TEOT002S	\$41.30
Panhard Support T Bracket	TEOT002T	\$8.58

SUSPENSION BRACKETS

**Bicknell Adjustable Quadlock Birdcages**

Complete Universal Adjustable Quadlock Birdcage	BRP9310	\$316.56
Outer Adjustable Birdcage Plate	BRP9305	\$72.53
Inner Adjustable Birdcage Plate	BRP9306	\$72.53
Universal Shock Mount (Includes Mounting Bolts And Stud)	BRP9307	\$27.90
Main Center Hub (2 X 7/16" F X 1 1/2" Allen Bolts & Nuts)	BRP9308	\$94.85
Torsion Bar Roller	BRP9284	\$49.16
Replacement Radius Rod Spacer	BRP9284	\$49.16
Optional Left Rear Double Shear Heavy Duty Shock Mt	BRP9399L	\$55.75
Optional Right Rear Double Shear Heavy Duty Shock Mt	BRP9399R	\$55.75

**Bicknell Quadlock -5° Timing Birdcage**

Left Rear Quadlock -5° Timing Birdcage..Black.....Red			
Complete Left Rear Quadlock Birdcage Kit	BRP9032BK	\$228.10 BRP9032	\$228.10
2 1/4" Aluminum Birdcage Spacer	BRP698BK	\$5.01 BRP698	\$5.01
1/4" Steel Radius Rod Spacer	BRP724	\$2.34	
Outer Quadlock Birdcage Plate	BRP9030LBK	\$106.01 BRP9030L	\$106.01
Inner Quadlock Birdcage Plate	BRP9031LBK	\$106.01 BRP9031L	\$106.01
Shock Mount	BRP4278LBK	\$29.23 BRP4278L	\$29.23
Optional Double Shear Hd Shock Mount	BRP9079BK	\$55.75 BRP9079	\$55.75
Torsion Roller Assembly	BRP9284	\$49.16	
Slotted Washer For Roller Bolt (2 Required)	BRP4250W	\$4.93	

Right Rear Quadlock -5° Timing Birdcage..Black.....Red	
Complete Left Rear Quadlock Birdcage Kit	BRP9033BK \$228.10 BRP9033 \$228.10
2 1/4" Aluminum Birdcage Spacer	BRP698BK \$5.01 BRP698 \$5.01
1/4" Steel Radius Rod Spacer	BRP724 \$2.34
Outer Quadlock Birdcage Plate	BRP9030RBK \$106.01 BRP9030R \$106.01
Inner Quadlock Birdcage Plate	BRP9031RBK \$106.01 BRP9031R \$106.01
Shock Mount.....	BRP4278RBK \$27.83 BRP4278R \$27.83
Optional Double Shear Hd Shock Mount.....	BRP9080BK \$55.75 BRP9080 \$55.75
Torsion Roller Assembly	BRP9284 \$49.16
Slotted Washer For Roller Bolt (2 Required).....	BRP4250W \$4.93

**Bicknell Quadlock 0° Timing Birdcage**

Left Rear Quadlock 0° Timing Birdcage		
Complete Left Rear Quadlock Birdcage Kit.....	BRP9465.....	\$228.46
2 1/4" Aluminum Birdcage Spacer.....	BRP698BK.....	\$5.01
1/4" Steel Radius Rod Spacer.....	BRP724.....	\$2.34
Outer Quadlock Birdcage Plate.....	BRP9465R.....	\$106.01
Inner Quadlock Birdcage Plate.....	BRP9465L.....	\$106.01
Shock Mount.....	BRP4278LBK.....	\$29.23
Optional Double Shear Hd Shock Mount.....	BRP9079BK.....	\$55.75
Torsion Roller Assembly.....	BRP9284.....	\$49.16
Slotted Washer For Roller Bolt (2 Required).....	BRP4250W.....	\$4.93

Right Rear Quadlock 0° Timing Birdcage		
Complete Left Rear Quadlock Birdcage Kit.....	BRP9466	\$228.46
2 1/4" Aluminum Birdcage Spacer	BRP698BK	\$5.01
1/4" Steel Radius Rod Spacer	BRP724	\$2.34
Outer Quadlock Birdcage Plate	BRP9466R.....	\$106.01
Inner Quadlock Birdcage Plate.....	BRP9466L.....	\$106.01
Shock Mount	BRP4278RBK	\$27.83
Optional Double Shear Hd Shock Mount.....	BRP9080BK	\$55.75
Torsion Roller Assembly	BRP9284	\$49.16
Slotted Washer For Roller Bolt (2 Required)	BRP4250W	\$4.93

**Bicknell Birdcage Accessories**


Adjustable Birdcage Pill Kit	BRP9309	\$83.01
Adjustable Birdcage Bridge Mount	BRP9406	\$66.90
1 3/8" Deep 8 Bolt Birdcage Cup - 8 Holes, 22 1/2° Angle	BRP4308	\$61.48
1 3/8" Deep Birdcage Cup - No Holes	BRP4308B	\$61.48
1 3/4" Deep Zero Degree Birdcage Cup	BRP4312	\$61.48
1 3/4" Deep Birdcage Cup - No Holes	BRP4312B	\$61.48
1 3/4" Deep Birdcage Cup - 16 Holes - Zero & 22 1/2° Angle	BRP4312-1	\$61.48
1 3/4" Deep Birdcage Cup - 8 Holes Drilled, 22 1/2° Angle	BRP4313	\$61.48
4 Hole Steel Weld On Flange	BRP1602	\$17.26
Lower Control Arm Bracket	BRP1565	\$42.90
Half Moon Spacer	BRP1566	\$8.96
Lower Shock Mount	BRP1567	\$18.40

**Bicknell 8 Bolt Birdcage**


Left Rear 8 Bolt Birdcage.....	Black.....	Red		
Complete Left Rear 8 Bolt Birdcage Kit	BRP4292BK	\$234.30 ..BRP4292	\$246.02	
Brake Caliper Bracket				
for 12.16" Dia Rotor X .810" Thick.....	BRP1-2BK	\$19.67 ..BRP1-2.....	\$19.67	
1 7/8" Aluminum Birdcage Spacer.....	BRP697BK	\$2.34	BRP697	\$2.34
2 1/4" Aluminum Birdcage Spacer.....	BRP698BK	\$5.01	BRP698.....	\$5.01
3/8" Thick Aluminum Spacer For Caliper Bkt.....	BRP716BK	\$2.34	BRP716.....	\$2.34
1/4" Steel Radius Rod Spacer	BRP724	\$2.34		
Outer Birdcage Plate	BRP4270LBK	\$87.16	BRP4270L	\$87.16
Inner Birdcage Plate.....	BRP4274BK	\$46.95	BRP4274	\$49.31
Inner Birdcage Plate Strap.....	BRP4276BK	\$17.26	BRP4276	\$17.26
Shock Mount	BRP4278LBK	\$29.23	BRP4278L	\$29.23
Optional Double Shear Hd Shock Mount.....	BRP9079BK	\$55.75	BRP9079	\$55.75
Torsion Roller Assembly.....	BRP9284	\$49.16		
Slotted Washer For Roller Bolt (2 Required)	BRP4250W	\$4.93		
1 3/8" Deep 8 Bolt Cup	BRP4308BK	\$67.31	BRP4308	\$61.48

Right Rear 8 Bolt Birdcage

Complete Left Rear 8 Bolt Birdcage Kit	BRP4293BK	\$246.02
Brake Caliper Bracket		
for 12.16" Dia Rotor X .810" Thick	BRP1-2BK	\$19.67
1 7/8" Aluminum Birdcage Spacer	BRP697BK	\$2.34
2 1/4" Aluminum Birdcage Spacer	BRP698BK	\$5.01
3/8" Aluminum Caliper Bracket Spacer	BRP716BK	\$2.34
1/4" Steel Radius Rod Spacer	BRP724	\$2.34
Outer Birdcage Plate	BRP4270RBK	\$87.16
Inner Birdcage Plate	BRP4272BK	\$46.95
Inner Birdcage Plate Strap	BRP4276BK	\$17.26
Shock Mount	BRP4278BK	\$29.23
Optional Double Shear Hd Shock Mount	BRP9080BK	\$55.75
1 3/8" Deep 8 Bolt Cup	BRP4308BK	\$67.31
Torsion Roller Assembly	BRP9284	\$49.16
Slotted Washer For Roller Bolt (2 Required)	BRP4250W	\$4.93

**Bicknell Large Bearing Clamp On Birdcage**

Left Rear Large Bearing Clamp On Birdcage.Black.....		Red
Complete Left Rear Large Bearing		
Clamp On Birdcage Kit.....	BRP4255BK.....	\$246.02 BRP4255... \$246.02
Brake Caliper Bracket.....	BRP2BK.....	\$36.87 ...BRP2... \$36.87
2 1/4" Aluminum Birdcage Spacer.....	BRP698BK.....	\$5.01 ...BRP698... \$5.01
1/4" Steel Radius Rod Spacer.....	BRP724.....	\$2.34
1" Aluminum Birdcage Spacer.....	BRP726BK.....	\$2.34 ...BRP726... \$2.34
Outer Clamp On Birdcage Plate.....	BRP4250LBK.....	\$93.39 ...BRP4250L... \$93.39
Inner Clamp On Birdcage Plate.....	BRP4252LBK.....	\$93.39 ...BRP4252L... \$93.39
Shock Mount.....	BRP4278LBK.....	\$29.23 ...BRP4278L... \$29.23
Optional Double Shear Hd Shock Mount.....	BRP9079BK.....	\$55.75 ...BRP9079... \$55.75
Locator Bolt - Top Of Birdcage (2 Required).....	BRP4251.....	\$2.17
Torsion Roller Assembly.....	BRP9284.....	\$49.16
Slotted Washer For Roller Bolt (2 Required).....	BRP4250W.....	\$4.93

**Right Rear Large Bearing Clamp On Birdcage**

Complete Left Rear Large Bearing	Black.....Red	
Clamp On Birdcage Kit	BRP4257BK	\$246.02
Brake Caliper Bracket	BRP2BK	\$36.87
2 1/4" Aluminum Birdcage Spacer	BRP698BK	\$5.01
1/4" Steel Radius Rod Spacer	BRP724	\$2.34
1" Aluminum Birdcage Spacer	BRP726BK	\$2.34
Outer Clamp On Birdcage Plate	BRP4250RBK	\$93.39
Inner Clamp On Birdcage Plate	BRP4252RBK	\$93.39
Shock Mount	BRP4278RBK	\$27.83
Optional Double Shear Hd Shock Mount	BRP9080BK	\$55.75
Locator Bolt - Top Of Birdcage (2 Required)	BRP4251	\$2.17
Torsion Roller Assembly	BRP9284	\$49.16
Slotted Washer For Roller Bolt (2 Required)	BRP4250W	\$4.93

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Bert Smart Tube Birdcages

Left Side - Standard Roller Position.....	CTD-050-L.....	\$314.24
Left Side - Adjustable Roller Position.....	CTD-050-LBK.....	\$289.83
Right Side - Standard Roller Position.....	CTD-050-R.....	\$314.24
Right Side - Adjustable Roller Position.....	CTD-050-RBK.....	\$289.83
0° Offset Key Way.....	CTD-050-17-0.....	\$10.00
1° Offset Key Way.....	CTD-050-17-1.....	\$10.00
2° Offset Key Way.....	CTD-050-17-2.....	\$10.00
3° Offset Key Way.....	CTD-050-17-3.....	\$10.00

Teo Smart Tube Birdcages

Left Side - Standard Roller.....	TEOTP002L.....	\$254.15
Right Side - Standar Roller.....	TEOTP002R.....	\$254.15
Replacement Roller Shoulder Bolt.....	TEOH20.....	6.76
1/2 Smooth Suspension Clamp.....	TEOTR005AS.....	\$117.75
Replacement Shock Mount.....	TEOTP001C.....	\$34.84

Teo Splined Birdcages

Left Side - Standard Roller.....	TEOT029-L.....	\$375.38
Left Side - Wide Roller.....	TEOT029A-LW.....	\$427.93
Right Side - Standard Roller.....	TEOT029-R.....	\$375.38
Right Side - Wide Roller.....	TEOT029A-RW.....	\$427.93
1/2 Splined Suspension Clamp.....	TEOTR005A.....	\$117.75
Full Splined Suspension Clamp.....	TEOTR005.....	\$122.20
Replacement Shock Mount.....	TEOTP001CL.....	\$40.30

**REAR AXLES****Drive Axles
Gun Drilled****Bert Gun Drilled 24 X 31 Spline**

25-1/4".....	BER208-C.....	\$185.12
26-3/4".....	BER209.....	\$185.12
28-1/4".....	BER210.....	\$185.12
29-1/8".....	BER210-01.....	\$185.12
29-3/4".....	BER211.....	\$185.12
30-1/8".....	BER211-01.....	\$185.12
31-1/8".....	BER212.....	\$185.12
32-1/8".....	BER213.....	\$185.12
33-1/8".....	BER214.....	\$185.12
34-1/8".....	BER215.....	\$185.12
35-1/8".....	BER216.....	\$185.12
35-5/8".....	BER217.....	\$185.12
36-1/8".....	BER218.....	\$185.12
37".....	BER220.....	\$185.12
38-1/8".....	BER221.....	\$185.12

Winters Gun Drilled 24 X 31 Spline

25-1/2".....	WIN5067G-25.5.....	\$133.23
25-3/4".....	WIN5067G-253/4.....	\$146.93
26".....	WIN5067G-08.....	\$133.23
26-1/2".....	WIN5067G-26.5.....	\$133.23
27".....	WIN5067G-27.....	\$133.23
28-1/2".....	WIN5067G-28.5.....	\$133.23
28-1/4".....	WIN5067G-07.....	\$133.23
29-3/4".....	WIN5067G-06.....	\$146.93
31".....	WIN5067G-31.....	\$133.23
32".....	WIN5067G-04.....	\$133.23
32-1/2".....	WIN5067G-32.5.....	\$146.93
33".....	WIN5067G-33.....	\$133.23
33-1/2".....	WIN5067G-33 1/2.....	\$133.23
33-1/4".....	WIN5067G-33.25.....	\$133.23
33-3/4".....	WIN5067G-33.75.....	\$133.23
34".....	WIN5067G-02.....	\$133.23
34-1/2".....	WIN5067G-34.5.....	\$146.93
35-1/4".....	WIN5067G-351/4.....	\$133.23
36".....	WIN5067G-36.....	\$133.23
37".....	WIN5067G-37.....	\$133.23
38".....	WIN5067G-38.....	\$133.23

Dmi Gun Drilled 24 X 31 Spline

25-1/2".....	DMIRRC-2300-25.5.....	\$174.88
27-1/2".....	DMIRRC-2300-27.5.....	\$174.88
28-1/2".....	DMIRRC-2300-28.5.....	\$174.88
29-3/4".....	DMIRRC-2300-29.75.....	\$174.88
30-1/2".....	DMIRRC-2300-30.5.....	\$174.88
31-1/2".....	DMIRRC-2300-31.5.....	\$174.88
32-1/2".....	DMIRRC-2300-32.5.....	\$174.88
33-1/2".....	DMIRRC-2300-33.5.....	\$174.88
34-1/2".....	DMIRRC-2300-34.5.....	\$174.88
35-1/2".....	DMIRRC-2300-35.5.....	\$174.88
36-1/2".....	DMIRRC-2300-36.5.....	\$174.88
38".....	DMIRRC-2300-38.....	\$174.88
38-1/2".....	DMIRRC-2300-38.5.....	\$174.88

**Drive Axles Solid****Bert Solid 24 X 31 Spline**

28-1/4".....	BER210-S.....	\$136.18
30-1/8".....	BER211-S.....	\$136.18
31-1/8".....	BER212-S.....	\$136.18
32-1/8".....	BER213-S.....	\$122.95
33-1/8".....	BER214-S.....	\$136.18
34-1/8".....	BER215-S.....	\$136.18
35-1/8".....	BER216-S.....	\$136.18
35-5/8".....	BER217-S.....	\$136.18
36-1/8".....	BER218-S.....	\$136.18
36-5/8".....	BER219-S.....	\$136.18
37".....	BER220-S.....	\$136.18
38-1/8".....	BER221-S.....	\$136.18
39".....	BER221S39.....	\$91.40

Winters Solid 24 X 31 Spline

26".....	WIN5067-26.....	\$98.56
27-1/2".....	WIN5067-2750.....	\$98.56
28-1/2".....	WIN5067-28.5.....	\$98.56
28-1/4".....	WIN5067-07.....	\$98.56
29".....	WIN5067-29.....	\$98.56
29-3/4".....	WIN5067-06.....	\$98.56
31".....	WIN5067-05.....	\$98.56
31-1/2".....	WIN5067-31.5.....	\$98.56
32-1/2".....	WIN5067-03.....	\$98.56
33".....	WIN5067-33.....	\$98.56
33-1/2".....	WIN5067-33.5.....	\$98.56
34".....	WIN5067-34.....	\$98.56
35".....	WIN5067-35.....	\$98.56
36".....	WIN5067-36.....	\$98.56
37".....	WIN5067-37.....	\$98.56
38".....	WIN5067-38.....	\$98.56

Dmi Solid 24 X 31 Spline

25-1/2".....	DMIRRC-2350-25.5.....	\$138.18
28-1/2".....	DMIRRC-2350-28.5.....	\$138.18
29-3/4".....	DMIRRC-2350-29.75.....	\$138.18
30-1/2".....	DMIRRC-2350-30.5.....	\$138.18
31".....	DMIRRC-2350-31.....	\$138.18
31-1/2".....	DMIRRC-2350-31.5.....	\$138.18
32-1/2".....	DMIRRC-2350-32.5.....	\$138.18
33-1/2".....	DMIRRC-2350-33.5.....	\$138.18
35".....	DMIRRC-2350-35.....	\$138.18
35-1/2".....	DMIRRC-2350-35.5.....	\$138.18
36".....	DMIRRC-2350-36.....	\$138.18
36-1/2".....	DMIRRC-2350-36.5.....	\$138.18
38".....	DMIRRC-2350-38.....	\$138.18

QUAD LOCK TUBES**Bicknell Quad Lock Tubes**

Q/Lock Rear End Tube 20-1/16 Inch.....	BRP4000-05.....	\$310.51
Q/Lock Rear End Tube 22-1/16 Inch.....	BRP4000-10.....	\$310.51
Q/Lock Rear End Tube 28-1/16 Inch.....	BRP4000-60.....	\$310.51
Bicknell Quad Lock Tubes includes BRP4050-01 Seal Ring		
Q/Lock Rear End Tube 20-1/16 Inch.....	BRP4050-05.....	\$324.51
Q/Lock Rear End Tube 22-1/16 Inch.....	BRP4050-10.....	\$324.51
Q/Lock Rear End Tube 28-1/16 Inch.....	BRP4050-60.....	\$324.51
Aluminum Axle Tube Steel Seal Ring.....	BRP4050-01.....	\$14.00

**ROLLERS****Rollers**

	BSC40200	TEOPROROLLERW
2" Torsion Roller Assembly.....	BSC40200.....	\$37.21
3.25" Torsion Roller Assembly.....	BSC40325.....	\$45.97
Replacement Bearing Kit - 3 Per Pack.....	BSC40201.....	\$12.00
Replacement Bearing Kit - 4 Per Pack.....	BSC40201-4.....	\$12.00
Bicknell Roller Assembly 2-1/4".....	BRP9284.....	\$49.16
Teo Wide Roller Assembly.....	TEOPROROLLERW.....	\$53.90

**WIDE ROLLER KIT****Bicknell**

Wide Roller Only - Allows Increased Side To Side Movement Must Be Used On Left Side Panhard Or Left Side J-Bar.....BRP9578.....\$46.09

Wide Roller Kit - For Non Adjustable Birdcages Will Fit The Following: BRP9032, BRP9033, BRP9465, BRP9466, BRP4255, BRP4257, BRP4292, BRP4293.....BRP9582.....\$64.37

Wide Roller Kit For Adjustable Birdcages

Will Fit BRP9310 Only.....BRP9583.....\$74.70

Teo

Left Side Wide Roller Conversion Kit.....TEOPROCONKIT-L.....\$93.55

Right Side Wide Roller Conversion Kit.....TEOPROCONKIT-R.....\$119.08







BRP9578

SUSPENSION LIMITERS**Allstar**

Single Bushing Limiter.....	ALL64300.....	\$77.99
Dual Bushing Limiter.....	ALL64302.....	\$95.99
3/16" Diameter Chain W/ Shrink Wrap.....	ALL64312.....	\$7.49
5/16" Diameter Chain W/ Shrink Wrap.....	ALL64314.....	\$8.99
Tube Bracket.....	ALL68324.....	\$19.99
Tube Bracket 1/2" Wide Clamp.....	ALL68327.....	\$9.99
1/2" Standard Rh Male Rod End.....	ALL58008.....	\$6.39
Chrome Moly Stud With Jam Nut.....	ALL64304.....	\$5.99
Jack Bolt Steel 4" Coarse Thread.....	ALL56094.....	\$12.39
Jack Bolt Steel 6" Coarse Thread.....	ALL56095.....	\$12.99

ALL64300

ALL64312

**Bicknell**

Left Rear Adjustable Droop Limiter - Comes with 3" Rear End Tube Clamp, 1 1/2" Upper Saddle Clamp, And Shrink Vap For Chain.....BRP9540.....\$277.49

Replacement Clamp.....BRP9536.....\$52.58

**Dig Race Products**

Left Rear Speed Chain Assembly.....DIG54-000.....\$250.00

DIG54-000

Wehr's Machine

Quick Adj 1-1/2" Limit Chain W/ Spring.....WEHWM269150A.....\$85.00

Bolt In Steel Quick Adjust Mt W/ Spring.....WEHWM269BSW.....\$80.00

12" Limit Chain.....WEHWM314C.....\$11.20

12" Heat Shrink Sleeve For Chain.....WEHWM314S.....\$5.00

Limiter Chain Axle Clamp.....WEHWM293.....\$28.00

Limiter Holder W/ Bearing.....WEHWM210AK.....\$85.00

TORSION BARS**Bert Solid Torsion Bars - 29" X 1-1/8"**

850.....	BER161S.....	\$106.59
875.....	BER162S.....	\$106.59
900.....	BER163S.....	\$106.59
925.....	BER164S.....	\$106.59
950.....	BER165S.....	\$106.59
975.....	BER166S.....	\$106.59
1000.....	BER167S.....	\$106.59
1025.....	BER168S.....	\$106.59
1050.....	BER169S.....	\$106.59
1075.....	BER170S.....	\$106.59

Winters Solid Torsion Bars - 29"


875.....	WIN6362-0875.....	\$89.54
900.....	WIN6362-0900.....	\$91.99
925.....	WIN6362-0925.....	\$91.99
950.....	WIN6362-0950.....	\$91.99
975.....	WIN6362-0975.....	\$91.99
1000.....	WIN6362-1000.....	\$104.11
1025.....	WIN6362-1025.....	\$104.11
1050.....	WIN6362-1050.....	\$104.11

Dmi Solid Torsion Bars - 29"

900.....	DMISRC-900-29S.....	\$125.32
925.....	DMISRC-925-29S.....	\$125.32
950.....	DMISRC-950-29S.....	\$125.32
975.....	DMISRC-975-29S.....	\$125.32

Torsion Bar Tools

Torsion Roller Change Tool.....	BRP4399.....	\$55.29
Torsion Roller Unloader Tool.....	BRP9428.....	\$50.16
Torsion Bar Checker Tool.....	BRP9242.....	\$329.19



Schroeder

Solid Torsion Bars - 29" X 1-1/8"

875.....	SCHRT-B29SD-0875.....	\$109.50
900.....	SCHRT-B29SD-0900.....	\$109.50
912.....	SCHRT-B29SD-0912.....	\$109.50
925.....	SCHRT-B29SD-0925.....	\$109.50
937.....	SCHRT-B29SD-0937.....	\$109.50
950.....	SCHRT-B29SD-0950.....	\$109.50
962.....	SCHRT-B29SD-0962.....	\$109.50
975.....	SCHRT-B29SD-0975.....	\$109.50
1000.....	SCHRT-B29SD-1000.....	\$109.50
1025.....	SCHRT-B29SD-1025.....	\$109.50

Gun Drilled Torsion Bars - 29" X 1-1/8"

900.....	SCHRT-B29GD-0900.....	\$135.25
925.....	SCHRT-B29GD-0925.....	\$135.25
950.....	SCHRT-B29GD-0950.....	\$135.25
975.....	SCHRT-B29GD-0975.....	\$135.25
1000.....	SCHRT-B29GD-1000.....	\$135.25



Torsion Arms

Bicknell Standard Torsion Arms.....Red.....Black	
1" X 2" Blank Arm 24" Long	
(Plain Aluminum Only).....BRP231-24.....	\$99.12
Right Rear Roller Torsion Arm	
19" Long.....BRP4402.....	\$108.40
19" Long w/1" Offset.....BRP4400-1.....	\$115.76
19" Long w/2" Offset.....BRP4400-2.....	\$115.76
Left Rear Roller Torsion Arm	
20" Long.....BRP4400.....	\$108.40
20" Long w/1" Offset.....BRP4400-1R.....	\$118.73
20" Long w/2" Offset.....BRP4400-2R.....	\$124.66

Bicknell Ultra Heavy Duty Torsion Arms


Machined From Special Aircraft Material	
Ultra Hd Left Rear Torsion Arm.....BRP9360.....	\$110.48
Ultra Hd Right Rear Torsion Arm.....BRP9361.....	\$100.44

Bicknell Torsion Arm Accessories

Replacement Convex Roller Plate (w/Tapered Bolts) ..BRP9078.....	\$21.19
Safety Bolt (Keeps Torsion Arm In Place In Case Of Radius Rod Breakage).....BRP4403.....	\$9.33

Teo Heavy Duty Torsion Arms

18" Heavy Duty Billet Torsion Arm.....TEOPR00718B.....	\$141.52
19.5" Heavy Duty Billet Torsion Arm.....TEOPR00719.5B.....	\$141.52
20.5" Heavy Duty Billet Torsion Arm.....TEOPR00720.5B.....	\$141.52



Bert Torsion Arms

19.5" Torsion Arm - Gold.....CTDNYM-020-A.....	\$74.91
19.5" Torsion Arm - Black.....CTDNYM-020-A-BK.....	\$74.91
20" Torsion Arm - Gold.....CTDNYM-020-B.....	\$74.91
20" Torsion Arm - Black.....CTDNYM-020-B-BK.....	\$74.91

Torsion Stops

Bicknell Torsion Stops For 1-1/8" Bars

Aluminum Straight Torsion Stop.....BRP261.....	\$39.32
Aluminum Curved Torsion Stop - Red Anodized.....BRP263.....	\$39.32
Aluminum Curved Torsion Stop - Black Anodized.....BRP263BK.....	\$39.32
Steel Curved Torsion Stop.....BRP262.....	\$36.59
Replacement Adjuster Bolt For BRP261, BRP263, 260 & 262 (7/16" X 2 1/2" Long).....BRP259.....	\$7.93
Lightweight Sprint Car Torsion Stop.....BRP4508.....	\$42.20
Replacement Adjuster Bolt For BRP4508 (7/16" X 2" Long).....BRP259-2.....	\$9.63
RR Easy Adjust Torsion Stop.....BRP9525.....	\$89.14

LPS Steel Torsion Stops

2-1/2" Straight Stop.....LPS4.....	\$30.95
------------------------------------	----------------

Teo Torsion Stop

Teo Billet Aluminum Torsion Stop.....TEOPROSTOP.....	\$53.90
--	----------------

Torsion Bearing & Bushings

Bicknell

Nylon 1 1/8" I.D. For 1 1/2" X .120 Wall (1.260" Bore).....BRP264.....	\$8.98
Nylon 1 1/8" I.D. For 1 1/2" X .095" Wall (1.310" Bore).....BRP265.....	\$8.98
Nylon 1" I.D. For 1 3/8" X .095" Wall (1.185" Bore).....BRP278.....	\$8.98
Torsion Roller Bearing 1 1/8" I.D.....BRP1533.....	\$9.98
Torsion Bearing Snap Ring.....BRP1534.....	\$5.61
Torsion Bearing Spacer.....BRP1535.....	\$4.68
Spherical Non-Binding Torsion Bearing.....BRP9297.....	\$55.75
Rubber Torsion Bearing Boot Protector.....BRP9327.....	\$22.25
Torsion Bar Cover.....BRP9566.....	\$4.99

BSC

Brass Bushing - Bar Od: 1-1/8" Tube I.D.: 1.250.....BEA6000.....	\$4.25
Blue Hard Plastic Bushing	
Bar Od: 1-1/8" Tube I.D.: 1.200.....BEA6020.....	\$5.49
Torsion Roller Bearing For Bicknell.....BEA16522RS.....	\$10.36
Torsion Roller Bearing For Hig Fab.....BEASA206-18.....	\$12.00

Teo

Scalloped Torsion Bearing W/ Ball.....TEOPR008B.....	\$106.13
Large Torsion Ball Bearing Replacement.....TEOPR008RL.....	\$64.35



Rear Shock Mounts


Bicknell.....Black.....Red	
1 Piece Aluminum Slider For 1 1/2" Tubing.....BRP284BK.....	\$28.84
2 Piece Aluminum Slider For 1 1/4" Tubing.....BRP284BK.....	\$28.84
2 Piece Aluminum Slider For 1 1/4" Tubing w/Redesigned Stud (For Faster Disassembly).....BRP4289BK.....	\$36.87
1 1/4" Heavy Duty Slider.....BRP9060BK.....	\$50.20

Teo

Standard Clamp On Rear Shock Mount.....TEOPR027.....	\$53.90
Rear Shock Mount Heavy Duty.....TEOPR027-HD.....	\$64.94

COIL OVER CONVERSION

BRP9099L-1



Rear Radius Rod Shortening Kits

Bicknell

Left Rear Radius Rod Shortening Kit (Uses 2" Shorter Radius Rod).....BRP9099L.....	\$51.28
Right Rear Radius Rod Shortening Kit (Uses 2" Shorter Radius Rod).....BRP9099R.....	\$51.28
Shortens Left Rear Radius Rod 7.5".....BRP9099L-1.....	\$167.63
Shortens Left Rear Radius Rod 4".....BRP9099L-4.....	\$67.76
Shortens Right Rear Radius Rod 8".....BRP9099R-1.....	\$133.75
Support Bracket For BRP9099R-1.....BRP9099R-1B.....	\$71.15

Teo

Short Rod Mount- Left- 18" Std Car W/ Weld Insert.....TEOPB006L.....	\$172.64
Short Rod Mount-Right- 18" Std Car. W/ Support.....TEOPB006R.....	\$199.62
Short Rod Mount W/ Hardware - 21" Probot.....TEOPB005A.....	\$86.59
Short Rod Mount W/ Hardware 18" Probot.....TEOPB005B.....	\$86.59
Right Radius Rod Mount Support Kit.....TEOPB008-SK.....	\$35.07

Birdcages

Bicknell Clamp On Trailing Arms.....Black.....Red	
8 Bolt Aluminum Trailing Arm Bkt Only (Short For Tire Clearance).....BRP529.....	\$112.16
8 Bolt Aluminum Trailing Arm Bkt Only (Standard Length).....BRP540.....	\$112.16
Bolt On Trailing Arm Bkt For 3" Tube	
1/2" Radius Rod Holes.....BRP541BK.....	\$122.97
5/8" Radius Rod Holes.....BRP542BK.....	\$122.97
3/4" Radius Rod Holes.....BRP543.....	\$122.97
Quad Lock Trailing Arm Bracket	
5/8" Radius Rod Holes.....BRP9063BK.....	\$128.34



Bicknell Quadlock Brackets

Quadlock Trailing Arm Bracket (Required For Short Link Application).....BRP9469.....	\$167.03
Bolt On Radius Rod Shock Mount.....BRP9549.....	\$133.75

Teo Splined Coil Over Brackets

Coil Over Bird Cage - Left.....TEOPB-004L.....	\$430.52
Coil Over Bird Cage - Right.....TEOPB-004R.....	\$430.52
Coil Over Bird Cage- Plate Only.....TEOPB-004A.....	\$148.37

Birdcage Conversion Bracket

Bicknell	
Standard Birdcage Conversion Bracket (Bolts In Place Of Roller To Convert Standard Birdcage Into Coil Over).....BRP9485.....	\$102.52

Bert

Coil Over Adapter For Teo Birdcage.....CTDNYM-024.....	\$55.17
--	----------------

Teo

Teo Lower Coil Mount For Wide Birdcage.....TEOPB011.....	\$170.98
--	-----------------



Shock Mounts

Bicknell Coil Over Rear Shock Mounts

Adjustable Rear Coil Over Shock Bracket Assembly.....BRP9560.....	\$150.64
Rear Drop Down Shock Mount (Designed For Exhaust Clearance) (Designed For Use With Brp 9469 And Short Link Adaptor Brackets).....BRP9574.....	\$135.52
Double Shear Right Rear Shock Mount (Designed For Use With BRP9469 Without Short Link Adaptor Brackets).....BRP9595.....	\$95.00
Rear Drop Down Shock Mount For Fox Shocks.....BRP9637.....	\$135.52

Teo

Truck Arm W/ Steel Mounts.....TEOPB010.....	\$196.09
Upper Shock Wedge Bolt With Clevis.....TEOPB-003.....	\$83.03
Truck Arm Clevis.....TEOPB10C.....	\$44.20



Winters 8" Rear - Starting at \$3,500

Rear End Assy 10 Hd Wide Five Mag.....	WINK5270
Option Ring & Pinion 4.11 8 Short.....	WIN8111-8S
Option 3rd Gen 6 Bolt Cover.....	WIN8133-8S-6
Option Pinion Support.....	WIN9139
Option Tetrad.....	WIN9119
Option Ring & Pinion Rem.....	WIN8218-RP
Option Ring & Pinion Rem.....	WIN8218-BRG
Option Differential Spool Ultralight Alum.....	WIN8130
Option Seals Closed Tube Viton.....	WIN8298
Option Tube & Bell Locknut Assy 8 Rib.....	WIN8237-8
Option 8 Rib Hd Bell.....	WIN8155PMHD
Option Thermal Dispersant.....	WIN8208
Option Ring Gear Edm 4:12.....	WIN8202-V8
Option Pinion Posi-Lock Assembly.....	WIN8104

Winters 10" Rear - Starting at \$2,450

Rear End Assembly 10 Hd Wide Five Mag.....	WINK5270
Option Pinion Posi-Lock Assembly.....	WIN8104
Option, Differential Spool 31 Spline Alum.....	WIN8115
Option, Sprint Center.....	WIN8133
Option, Bell, 8 Rib w/Insp Plug, Mach Ribs.....	WIN8155PMD
Option, Bearing, Roller, Pinion Nose.....	WIN8143
Option, Thermal Dispersant, Rear End.....	WIN8208
Option, Ring & Pinion, REM.....	WIN8218-RP
Option, Bearing, REM.....	WIN8218-BRG
Option, Tubes, Splined.....	WIN8238
Option, Tubes, Aluminum, 2-7/8".....	WIN8239
Option, Ring Gear Bolts/Washers, ARP.....	WIN9147

Popular Add On Options

Shaft Lower Heat Treated.....	WIN8106.....\$29.48
Sprint Center.....	WIN8133.....\$0.00
6" Cover.....	WIN8133-10-6.....\$140.00
Gear Cover Heavy Duty Mag.....	WIN8137.....\$62.62
Thermal Dispersant.....	WIN8208.....\$228.38
Differential Spool Ultralight Alum.....	WIN8130.....\$45.68
Bell 6 Web with Inspection Plug.....	WIN8186P.....\$43.31
Tubes Wide Five Aluminum.....	WIN8140.....\$176.40
Tube Internal Seal Aluminum.....	WIN8201.....\$29.40
Pinion Support.....	WIN9139.....\$72.50
Race Flanged Pinion.....	WIN8191.....\$44.10
Pinion Posi-Lock Assembly.....	WIN8104.....\$28.96
Bearing Roller Pinion Nose.....	WIN8143.....\$18.38
Ring And Pinion 4.11 Short New.....	WIN8111-8S-6.....\$286.00
Thermal Dispersant.....	WIN8208.....\$228.38
8" Rear Cover.....	WIN8252B.....\$123.50
Seals Closed Tube Viton.....	WIN8298.....\$5.80
8 Rib HD Bell.....	WIN8155PMHD.....\$81.93

Low Drag Add On Options

Yoke Alum w/Stainless Sleeve.....	WIN8182B.....\$110.54
Shaft Lower Gun Drilled.....	WIN8184.....\$58.80
Seal Plate Viton Seal.....	WIN8199.....\$4.41
4:12 Ring Gear 10 Edm.....	WIN8202-(Ratio).....\$call
Ring & Pinion Rem.....	WIN8218-RP.....\$121.80
Ring & Pinion Rem.....	WIN8218-BRG.....\$3.63
Low Drag A/C Pinion Bearing.....	WIN8244S-P.....\$56.00
Seals Closed Tube Viton.....	WIN8298.....\$5.80
Gun Drilled Pinion.....	WIN8299.....\$101.25
Angular Bearing Steel Ball.....	WIN8244S-CT.....\$98.50
Ring & Pinion 4.11 8 Short.....	WIN8111-8S.....\$313.50
Sprint Center 8 4.11 R&P Short.....	WIN8133-8S.....\$104.00
3rd Gen 6 Bolt Cover.....	WIN8133-8S-6.....\$116.00
Yoke Alum w/Stainless Sleeve.....	WIN8182B.....\$110.54
Ring Gear Edm 4:12.....	WIN8202-V8.....\$471.25



Smart Tubes

2-7/8 Big Bearing Tube Black	
LH 20-3/16.....	WIN3246-20316.....\$139.20
LH 22-3/16.....	WIN3246-22316.....\$139.20
RH 28 1/16.....	WIN3246-28116.....\$139.20

Splined Tubes

Spline Axle Tube - Big Bearing	
20-3/16.....	WIN3246-20316-8238.....\$226.20
22-3/16.....	WIN3246-22316-8238.....\$226.20
28-1/16.....	WIN3246-28116-8238.....\$226.20

Quadlock Tubes

2-7/8" Tetrad Tube	
20-3/16" Quadlock.....	WIN3246T-20316.....\$242.38
22-3/16" Quadlock.....	WIN3246T-22316.....\$
28-1/16" Quadlock.....	WIN3246T-28116.....\$242.38



8 Aluminum Bolt Tube

15".....	WIN6603-07.....\$217.95
16-5/8".....	WIN6603-06.....\$217.31
32".....	WIN6603-04.....\$217.31
36".....	WIN6603-36.....\$217.95
25-3/16".....	WIN6603-38.....\$217.95

10" 8 Rib

8 Rib Bell (Left)

WINK5016-02



WINK5016-02M

Bells

8 Rib Left Side Bell.....	WIN12080M.....\$275.86
Rib Bell w/Inspection Plug Right.....	WIN12083M.....\$294.28
Bell 8 Rib Left Mag.....	WINK5016-02.....\$235.92
Bell 8 Rib L Mag	
w/ Thermal Coating.....	WINK5016-02-8208B.....\$289.20
LS 8-Rib Bell LW.....	WINK5016-02M.....\$253.03
LS 8-Rib Bell LW	
w/Thermal Coating.....	WINK5016-02M-8202B.....\$306.31
Bell 8 Rib Right Mag	
w/Inspection Plug.....	WINK5016-03.....\$258.75
Bell Rh 8 Rib Mag w/Inspection Plug Thermal	
Coated.....	WINK5016-03-8208B.....\$312.04
Bell 8 Rib Rh Mag LW	
w/Inspection Plug.....	WINK5016-05.....\$276.88
Bell 6 Rib Left Mag.....	276.88.....\$276.88

Bell Components

Side Bell Seals

Seal.....	WIN7205.....\$9.15
Seal Carrier Tube Low Drag.....	WIN7283V.....\$11.02
Seal Side Bell.....	BEA7205.....\$5.22
Seal Side Bell Teflon.....	BEA7205-TEFLON.....\$9.95

O-Rings

For 6 Rib Bells O-Ring Side Bell (Thin).....	WIN7403T.....\$8.71
For 8 Rib Bells O-Ring Side Bell.....	WIN7403.....\$8.71

Tube & Bell Thru-Bolts

For 4 & 6 Rib Bells	
Tube & Bell Locknut Assy 4/6 Rib Bell.....	WIN8341.....\$35.12
For 8 Rib Bells	
8 Rib Tube & Bell Locknut Assembly.....	WIN8341-8.....\$35.12

Ring Gear Adjustment Screw Kits

For 4 & 6 Rib Bells Adjusting Screw Ring Gear Assy Sprint	
4 6 Rib.....	WIN6236.....\$31.42
For 8 Rib Bells Adjusting Screw Ring Gear Assy	
10 - 8 Rib.....	WIN5157.....\$30.83


Inspection Plugs

Winters

Inspection Plug Drain Aluminum.....	WIN7111AL.....\$1.70
Inspection Plug Steel.....	WIN7874S.....\$2.29
Inspection Plug Fill.....	WIN8035.....\$3.12
Inspection Plug with O-Ring.....	WIN3261.....\$23.14
1" Hex Head Inspection O-Ring Plug.....	WIN3643.....\$17.98

Bicknell

AN12 Oil Level Plug.....	BRP908.....\$23.36
AN20 Rear End Inspection Plug (Red).....	BRP909.....\$23.95



WINK6508 WINK3736 WIN6746 WIN12070

Rear Gear Covers

Gear Cover Sprint with Bearings Mag.....	WINK6508.....\$172.12
Mag Ultra Hd Gear Cover.....	WINK3736.....\$200.39
Gear Cover Sprint Center Aluminum.....	WIN6746.....\$148.61
Sprint Center Gear Cover, 6 Bolt Short.....	WIN12070.....\$282.75
Replacement Gear Bearings	
For K6508 Bearing Ball Super Cover.....	WIN7332.....\$37.28
For K3736&12070 Bearing Ball Fits K3736.....	WIN8659.....\$40.18
For 6746 Bearing Gear Cover Single Row.....	WIN7524.....\$34.41
Replacement Cap for 6746	
Bearing Cap Gear Cover Sprint Alum.....	WIN1667.....\$15.15

Cover Hardware

Short Cover Nuts Black.....	WIN7794ASBK.....\$3.05
Joos Racing 3/8-16 Quick Change Gear Cover	
Fastener - 10 Pack.....	JOE34358.....\$59.95
Quick Change Cover Nuts Alum.....	ALL72060.....\$36.99
Winters Stud Gear Cover Sprint.....	WIN7802.....\$2.20

Lower Shafts & Bearings

Lower Shaft Heat Treated.....	WIN5003.....\$125.92
Lower Shaft.....	WIN5003-02.....\$110.49
Bearing Ball Lower Shaft.....	WIN7390.....\$17.82
Lower Shaft Shielded Bearing.....	WIN7339.....\$16.62



Spools

Spool 31 Spool Aluminum.....	WIN5034-11A.....\$266.44
Spool 31 Spline Ultralight Alum.....	WIN5034-11UL.....\$304.50
Side Bell Seal.....	BEA7205.....\$5.22
Teflon Side Bell Seal.....	BEA7205-TEFLON.....\$9.95
Bearing Cone Carrier Aluminum	
Spool/Differentials.....	WIN7340.....\$21.34
Winters Shim Kit For Aluminum Spools	
& Differentials.....	WIN5295.....\$6.89



Ring & Pinions

4:86 R&P Rem Treat Posi-Roller Bearing	
WIN5401/8218/8143/8104.....	\$526.32
4:86 R&P Rem-Edm Posi Roller Bearing	
WIN5401/8218/8143/8104/8202.....	\$780.07
4:86 R&P Roller Bearing-Posi Lock	
WIN5401W8104-8143.....	\$404.52
4:12 R&P Rem Edm Roller Bearing Posi	
WIN5715/8218/8143/8104/8202.....	\$825.14
4:12 R&P 10 w/Brgs w/Posi Lock-Roller Bearing	
WIN5715W8104-8143.....	\$449.34
4:12 R&P Polished Posi Lock Roller Bearing	
WIN5715W8104-8143-8218.....	\$571.14



Seal Plates

Seal Plate, .750 Seal, Alum.....	WIN5018-01-M.....\$43.25
LW Seal Plate Complete.....	WIN5018-01ML.....\$36.25
Seal w/Flange For Seal Plate.....	WIN7204T.....\$11.12
Seal Plate.....	WIN7204V.....\$15.23
Snap Ring Hawk Front Seal.....	WIN7652.....\$5.21
O-Ring Seal Plate Seal.....	WIN7474.....\$2.22



WIN6729	
FEL2303	

Gaskets

Gasket Gear Cover Sprint.....	WIN6729.....\$3.35
Gasket Gear Cover Sprint HD.....	WIN6729HD.....\$7.18
Rear Axle Gasket.....	FEL2303.....\$9.26



Misc Components

-10 Side Bell Vent.....	WIN12793-01.....\$29.48
Top Breather Assembly.....	WIN2966T.....\$22.23
Breather Assembly To Be Used	
With 6 Bolt Cover Option.....	WIN2966-02.....\$36.73
Seal Aluminum Tube.....	WIN2842.....\$28.93
Thrubolt Kit Steel.....	WIN5218.....\$35.35
Winters Oil Rear Lube w/Moly.....	WIN1730.....\$49.60



The CT-1

The CT-1 is the premier rear available for closed tube applications. The CT-1 is the latest product available from Bulldog Rears. Since 2004, Bulldog has become the "Choice of Champions" in the sprint car market.

What our competitors call options - we call standard equipment. From high quality castings, bearings and seals to the most user friendly rear available, Bulldog is your choice for reliability and performance. The CT-1 is available in 4.86 or 4.12 ratios and with six or eight rib side bells. Get a CT-1 today to see why they are "The Choice of Champions!"

Standard Features of The CT-1 Include:

- Breather Assembly • Correct length through bolts for your application
- 3 side bells studs per side allow side bell removal w/o complete disassembly
- Magnetic Drain Plug • 8 AN port for fill can applications
- Heat treated lower shaft • Billet Gear Cover with O-ring Seal
- Posi Lock • Pinion Nose Roller Bearing • Right Side Bell with Inspection Plug

Complete Closed Tube Rarends

Bulldog CT-1 4.86 Complete Magnesium Rear (less tubes)DMICT1-486.....**\$1612.88**

Bulldog CT-1 4.12 Complete Magnesium Rear (less tubes)DMICT1-412.....**\$1612.88**



Choose Options in the Blue Box to the right.

Comes with 5 FREE Quarts of Bulldog Blood Gear Oil when you buy a Complete Closed Tube Rarend!



The CT-1 EZ Series

DMIEZCT1-4.12...\$2073.04.EZCT1-4.12 Complete Rear w/ Tube Bases (less tubes)

DMIEZCT1-4.86...\$2073.04.EZCT1-4.86 Complete Rear w/ Tube Bases (less tubes)

DMIEZSS1-4.12...\$2183.60.EZSS1-4.12 Complete Rear w/ Tube Bases (less tubes)

DMI REAR RACE COMPONENTS PARTS



DMIRRC1102-01

DMIRRC1103-01

DMIRRC1104
DMIRRC1104T

DMIRRC-1105

DMIRRC-1102.....\$308.18...CT-1 Mag Left Side Bell - 6 Rib

DMIRRC-1102-01 ...\$366.48...CT-1 Mag Left Side Bell - 6 Rib -Black Thermal Coated

DMIRRC-1103.....\$291.52...CT-1 Mag Right Side Bell - 6 Rib

DMIRRC-1103-01 ...\$349.83...CT-1 Mag Right Side Bell - 6 Rib - Black Thermal Coat

DMIRRC-1104.....\$7.00...CT-1 Side Bell Axle Seal

DMIRRC-1104T\$24.92...CT-1 Side Bell Axle Seal - Teflon Lip

DMIRRC-1105.....\$8.25...Side Bell O-Ring

DMIRRC-5001\$426.98...EZ Series Billet Left Side Bell

DMIRRC-5000\$426.98...EZ Series Billet Right Side Bell

DMIRRC-5001

DMI1427

DMI1411

DMIRRC-1411.....\$18.26...CT-1 Lower Shaft Bearing

DMIRRC-1412\$43.51...CT-1 Lower Shaft Bearing - Severe Duty

DMIRRC-1427\$166.54...CT-1 Steel Lower Shaft

DMIRRC-1427HD...\$208.21...CT-1 Steel Lower Shaft Heavy Duty Ground Finish

DMIRRC-1620\$1.61...Lower Shaft Snap Ring



DMIRRC1479

DMI1482

DMIRRC-1479.....\$49.90...CT-1 Front Yoke

DMIRRC-1480A.....\$199.87...CT-1 Front Yoke - Aluminum

DMIRRC-1481.....\$6.58...CT-1 Front Yoke Washer

DMIRRC-1482.....\$2.51...CT-1 Front Yoke Bolt

DMIRRC-1483.....\$8.76...CT-1 U-Bolts w/ Nuts (2pk.)

DMIRRC-1485.....\$7.09...Aluminum Spacer for under CT-1 Front Yoke

DMI1485

DMI Rear Options

Closed Tube Rarend Options (Pick Your Options Below)

DMI1-A...\$152.81...Black Thermal Coating - 6 Rib

DMI1-B...\$152.81...Black Thermal Coating - 8 Rib

DMI1-E...\$61.13...Black Thermal Coating - Center Only

DMI2-A...\$152.81...EDM Ring Gear

DMI2-B...\$110.03...Polish Ring & Pinion

DMI2-C...\$262.83...EDM / Polish Ring and Pinion

DMI2-F...\$336.18...Super G Ring and Pinion

DMI3-C...\$97.80...Aluminum End Yoke

DMI3-D...\$24.45...Heavy Duty Lower Shaft

DMI4-A...\$67.18...Front Seal Plate - Standard

DMI4-B...\$67.18...Front Seal Plate - w/o 2 Counterbores

DMI4-C...\$67.18...Front Seal Plate - w/o Counterbores

DMI5-A...\$24.45...8-Rib Side Bells - Both Sides

DMI5-B...\$12.23...8-Rib Side Bells - Right Side Only

DMI5-C...\$12.23...8-Rib Side Bells - Left Side Only

DMI6-A...\$67.23...Low Drag w/Teflon Lip Seals & Severe Duty Bearings

DMI6-B...\$73.35...Low Drag w/Teflon Lip Seals & Severe Duty Bearings w/Seal Plate Seal

DMI6-L...\$427.87...Low Drag w/Teflon Lip Seals & PROglide Severe Duty Bearings

DMI6-M...\$433.98...Low Drag w/Teflon Lip Seals & PROglide Severe Duty Brgs w/Seal Plate Seal

DMI7-A.....DIRT Modified Thru Bolts

DMI7-B.....DIRT Modified Thru Bolts w/ 4B Seal Plate

DMI7-CDirt Late Model Thru Bolts

DMI7-DDirt Modified Thru Bolts for Left Side Panhard

DMI8-A...\$213.93...Include SmartTube Style Tubes - Specify Lengths

DMI8-B...\$366.74...Include Splined Teo Style Tubes - Specify Lengths

DMI8-C...\$385.08...Include Wide 5 Tubes - Specify Lengths

DMI8-D...\$391.19...Include Aluminum 8-Bolt Tubes - Specify Lengths

DMI8-E...\$488.99...Include HD Wide 5 - Specify Lengths

DMI8-F...\$482.88...Include BRP Quadlock - Specify Lengths

DMI9-A...\$30.56...Ultralight Aluminum Spool

DMI9-B...\$611.24...Locker Diff

DMI9-C...\$48.90...Steel Spool



DMIRRC-1107

DMIRRC1108

DMIRRC1107-01

DMIRRC1108-01



DMIRRC1171

DMIRRC1270

DMIRRC1271

DMIRRC-5100

DMIRRC-1107.....\$324.85...CT-1 Mag Left Side Bell - 8 Rib

DMIRRC-1107-01 ...\$383.15...CT-1 Mag Left Side Bell - 8 Rib Black Thermal Coated

DMIRRC-1108.....\$308.18...CT-1 Mag Right Side Bell - 8 Rib

DMIRRC-1108-01 ...\$366.48...CT-1 Mag Right Side Bell - 8 Rib Black Thermal Coated

DMIRRC-5101

DMIRRC-1171\$24.26...CT-1 Side Bell Bearing for Alum Spool

DMIRRC-1270\$333.16...CT-1 Alum Spool

DMIRRC-1271\$374.83...CT-1 Alum Spool - Ultralight

DMIRRC-1276\$28.26...CT-1 Spool Shim Kit 3 each .010,.012,.015,.020

DMIRRC-5100\$333.16...EZ Series CT-1 Aluminum Spool

DMIRRC-5101\$374.83...EZ Series CT-1 Aluminum Spool - Ultralight


Hollow Steel Driveshaft

32-32 Spline - 20...DMISRC-2467-32...\$240.42

U-Joint Yoke - Long

Steel Billet U-Joint Yoke - Long 32 Spline

DMISRC-2342-32...\$216.23



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

DMI REAR RACE COMPONENTS PARTS

NORTHEAST DIRT

845-651-7389 • www.behrents.com



DMIRRC2275



DMIRRC-2275-26.62B...\$287.68...CT-1 Spindle Style Alum Axle Tube - 26.625"
DMIRRC-2275-28.12B...\$287.68...CT-1 Spindle Style Alum Axle Tube - 28.125"
DMIRRC-2275-29.12B...\$287.68...CT-1 Spindle Style Alum Axle Tube - 29.125"
DMIRRC-2275-30.12B...\$287.68...CT-1 Spindle Style Alum Axle Tube - 30.125"
DMIRRC-2275-34B...\$287.68...CT-1 Spindle Style Alum Axle Tube - 34"

DMIRRC2280




DMIRRC-2280-15B...\$299.84...CT-1 Aluminum 8-Bolt Tube - 15"
DMIRRC-2280-16.5B...\$299.84...CT-1 Aluminum 8-Bolt Tube - 16.5"
DMIRRC-2280-22.62B...\$299.84...CT-1 Aluminum 8-Bolt Tube - 22.625"
DMIRRC-2280-24.75B...\$299.84...CT-1 Aluminum 8-Bolt Tube - 24.75"

DMIRRC2200



DMIRRC-2200-20.18B...\$160.80...CT-1 SmartTube Style Axle Tube - 20.188"
DMIRRC-2200-22.18B...\$160.80...CT-1 SmartTube Style Axle Tube - 22.188"
DMIRRC-2200-24.12B...\$160.80...CT-1 SmartTube Style Axle Tube - 24.125"
DMIRRC-2200-24.62B...\$160.80...CT-1 SmartTube Style Axle Tube - 24.625"
DMIRRC-2200-28.06B...\$160.80...CT-1 SmartTube Style Axle Tube - 28.060"
DMIRRC-2200-30.12B...\$160.80...CT-1 SmartTube Style Axle Tube - 30.125"
DMIRRC-2200-34B...\$160.80...CT-1 SmartTube Style Axle Tube - 34"
DMIRRC-2205-2206...\$18.07...Steel Sleeve for SmartTube Style Tube

DMIRRC2250



DMIRRC-2250-20.18B...\$258.19...CT-1 Splined SmartTube Style Axle Tube 20.188"
DMIRRC-2250-22.18B...\$258.19...CT-1 Splined SmartTube Style Axle Tube 22.188"
DMIRRC-2250-24.12B...\$258.19...CT-1 Splined SmartTube Style Axle Tube 24.125"
DMIRRC-2250-24.62B...\$258.19...CT-1 Splined SmartTube Style Axle Tube 24.625"
DMIRRC-2250-28.06B...\$258.19...CT-1 Splined SmartTube Style Axle Tube 28.060"
DMIRRC-2250-30.12B...\$258.19...CT-1 Splined SmartTube Style Axle Tube 30.125"



DMIRRC-5400...\$164.18EZ Series Tube Base



DMIRRC-5400-1117-2225-20.188...\$570.95...EZct-1 Base & 20.188 Quadlock Tube Assembled
DMIRRC-5400-1117-2225-22.188...\$570.95...EZct-1 Base & 22.188 Quadlock Tube Assembled
DMIRRC-5400-1117-2225-28.060...\$570.95...EZct-1 Base & 28.060 Quadlock Tube Assembled
DMIRRC-5400-1117-2250-22.18B...\$481.50...EZct-1 Base & Splined Tube Assembled 22.18
DMIRRC-5400-1117-2250-28.06B...\$481.50...EZct-1 Base & Splined Tube Assembled 28.18



Bulldog Blood 75w-90 Gear Oil

Bulldog Blood 75w90 Synthetic Racing Gear Oil is track tested to meet the high demands placed on today's ring and pinions. Bulldog Blood from DMI is a proprietary formula that features extreme pressure additives that aid in the prevention of micro-pitting and excess wear. Bulldog Bloods non-foaming formula lowers operating temperature and is the only choice when it comes to high performance gear oil. The special additives in Bulldog Blood treat the metal and dramatically increases gear life.

1 Gallon.....DMIBULLDOG1.....\$69.95
5 Gallon Pail.....DMIBULLDOG5.....\$344.98
1 Quart.....DMIBULLDOGQT.....\$17.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



DMI1350



DMIRRC1361B



DMIRRC1386B



DMI1390



DMI1390

DMIRRC-1350...\$28.30...Rear Cover Bearing
DMIRRC-1355...\$1.61...Rear Cover Stud
DMIRRC-1361...\$8.25...Rear Cover High Nut - Black
DMIRRC-1361B...\$8.25...Rear Cover High Nut - Blue
DMIRRC-1361G...\$8.25...Rear Cover High Nut - Gold
DMIRRC-1386G...\$244.87...Billet Alum Rear Cover w/ Bearings - Gold
DMIRRC-1386B...\$244.87...Billet Alum Rear Cover w/ Bearings - Black
DMIRRC-1390...\$9.45...Gear Cover Bearing Retainer
DMIRRC-1391...\$1.61...Bolts for Gear Cover Bearing Retainer

DMIRRC-1001...\$83.23...Front Seal Plate for CT-1
DMIRRC-1001B...\$83.23...Front Seal Plate for CT-1 w/o Counterbores
DMIRRC-1001C...\$83.23...Front Seal Plate for CT-1 w/o Counterbores

DMIRRC-1002...\$16.58...Front Seal for CT-1 Seal Plate
DMIRRC-1002T...\$29.91...Front Seal for CT-1 Seal Plate - Teflon Lip
DMIRRC-1003...\$3.34...Seal O-Ring for CT-1 Seal Plate
DMIRRC-1004...\$3.34...O-Ring for CT-1 Seal Plate Flange
DMIRRC-1007...\$4.18...Spirallock for Seal Plate
DMIRRC-1010...\$23.25...Large Inspection Plug
DMIRRC-1015...\$1.61...Large Inspection Plug O-Ring
DMIRRC-1016...\$14.93...Fill Level Plug
DMIRRC-1017...\$1.61...Fill Level Plug O-Ring
DMIRRC-1034...\$23.25...Breather Assembly



DMI1001



DMI1007
DMI1003



DMI1002



DMIRRC1002T



DMIRRC1010



DMIRRC-1034

Seal for DMI for SmartTube with O-Ring

DMIRRC-1003...\$34.57



Hollow 31 Spline Axle

DMIRRC-2300-25.5...\$174.88...25.5"
DMIRRC-2300-28.5...\$174.88...28.25"
DMIRRC-2300-29.75...\$174.88...29.75"
DMIRRC-2300-32.5...\$174.88...32.5"
DMIRRC-2300-33.5...\$174.88...33.5"
DMIRRC-2300-35.5...\$174.88...35.5"
DMIRRC-2300-36.5...\$174.88...36.5"
DMIRRC-2300-38.5...\$174.88...38.5"




Solid 31 Spline Axle

DMIRRC-2350-25.5...\$138.18...25.5"
DMIRRC-2350-28.5...\$138.18...28.5"
DMIRRC-2350-29.75...\$138.18...29.75"
DMIRRC-2350-30.5...\$138.18...30.5"
DMIRRC-2350-31...\$138.18...31"
DMIRRC-2350-31.5...\$138.18...31.5"
DMIRRC-2350-32.5...\$138.18...32.5"
DMIRRC-2350-33.5...\$138.18...33.5"
DMIRRC-2350-35...\$138.18...35"
DMIRRC-2350-35.5...\$138.18...35.5"
DMIRRC-2350-36...\$138.18...36"
DMIRRC-2350-36.5...\$138.18...36.5"
DMIRRC-2350-38...\$138.18...38"



Ring and Pinion

DMIRRC-1300...\$449.09...4.12 R & P
DMIRRC-1300-02...\$652.28...4.12 R & P - EDM
DMIRRC-1300-02-05...\$798.58...4.12 R & P - EDM / Polish
DMIRRC-1300-05...\$595.39...4.12 R & P - Polish
DMIRRC-1305...\$449.09...4.86 R & P
DMIRRC-1305-02...\$652.28...4.86 R & P - EDM
DMIRRC-1305-02-05...\$798.58...4.86 R & P - EDM / Polish
DMIRRC-1305-05...\$595.39...4.86 R & P - Polish
DMIRRC-1306...\$199.87...Bearing & Posi Lock Kit



QUICK CHANGE GEARS



Quick Change Gears

Winters 10-spline quick-change gears are machined from top-quality SAE 8620 steel and heat-treated for strength. Winters offers a wide selection of these quick-change gears to meet the ratios that you want.

• SAE 8620 • 10 spline • All Ratios in Stock!

WIN8500.....\$71.99

10 Spline

Gear Set #	Low Spur Ratio		# of Teeth	4.12 R&P (8-33 Tenths)		4.57 R&P (7-32 Tenths)		4.86 R&P (7-34 Tenths)	
	Low	High		Low	High	Low	High	Low	High
WIN8501	1.000	1.000	21/21	4.12 - 4.12	4.57 - 4.57	4.86 - 4.86			
WIN8502	0.964	1.037	27/28	3.97 - 4.27	4.41 - 4.74	4.69 - 5.04			
WIN8505	0.960	1.042	24/25	3.96 - 4.29	4.39 - 4.76	4.67 - 5.06			
WIN8515A	0.955	1.048	21/22	3.93 - 4.32	4.36 - 4.79	4.64 - 5.09			
WIN8515	0.950	1.053	19/20	3.91 - 4.34	4.34 - 4.81	4.62 - 5.11			
WIN8526	0.931	1.074	27/29	3.84 - 4.43	4.26 - 4.91	4.53 - 5.22			
WIN8506	0.920	1.087	23/25	3.79 - 4.48	4.20 - 4.97	4.47 - 5.28			
WIN8525	0.909	1.100	20/22	3.75 - 4.53	4.16 - 5.03	4.42 - 5.34			
WIN8512	0.897	1.115	26/29	3.69 - 4.60	4.10 - 5.10	4.36 - 5.42			
WIN8507	0.885	1.130	23/26	3.65 - 4.66	4.04 - 5.17	4.30 - 5.49			
WIN8507A	0.875	1.143	21/24	3.61 - 4.71	4.00 - 5.22	4.25 - 5.55			
WIN8517	0.867	1.154	26/30	3.57 - 4.75	3.96 - 5.27	4.21 - 5.60			
WIN8517A	0.857	1.167	24/28	3.53 - 4.81	3.92 - 5.33	4.17 - 5.67			
WIN8508A	0.852	1.174	23/27	3.51 - 4.84	3.89 - 5.37	4.14 - 5.70			
WIN8508	0.846	1.182	22/26	3.49 - 4.87	3.87 - 5.40	4.11 - 5.74			
WIN8519	0.840	1.190	21/25	3.46 - 4.91	3.84 - 5.44	4.08 - 5.78			
WIN8509A	0.833	1.200	25/30	3.43 - 4.94	3.81 - 5.48	4.05 - 5.83			
WIN8509	0.826	1.211	19/23	3.40 - 4.99	3.78 - 5.53	4.02 - 5.88			
WIN8511	0.815	1.227	22/27	3.36 - 5.06	3.72 - 5.61	3.96 - 5.96			
WIN8503	0.806	1.240	25/31	3.32 - 5.11	3.69 - 5.67	3.92 - 6.02			
WIN8513	0.800	1.250	20/25	3.30 - 5.15	3.66 - 5.71	3.89 - 6.07			
WIN8518	0.793	1.261	23/29	3.27 - 5.20	3.62 - 5.76	3.85 - 6.12			
WIN8518A	0.786	1.273	22/28	3.24 - 5.24	3.59 - 5.82	3.82 - 6.18			
WIN8504A	0.783	1.278	18/23	3.22 - 5.26	3.58 - 5.84	3.80 - 6.21			
WIN8520A	0.778	1.286	21/27	3.20 - 5.30	3.55 - 5.88	3.78 - 6.25			
WIN8504	0.774	1.292	24/31	3.19 - 5.32	3.54 - 5.90	3.76 - 6.27			
WIN8520	0.769	1.300	20/26	3.17 - 5.36	3.52 - 5.94	3.74 - 6.31			
WIN8522	0.760	1.316	19/25	3.13 - 5.42	3.47 - 6.01	3.69 - 6.39			
WIN8516	0.750	1.333	18/24	3.09 - 5.49	3.43 - 6.09	3.65 - 6.48			
WIN8510	0.739	1.353	17/23	3.05 - 5.57	3.38 - 6.18	3.59 - 6.57			
WIN8510A	0.733	1.364	22/30	3.02 - 5.62	3.35 - 6.23	3.56 - 6.62			
WIN8534A	0.727	1.375	16/22	3.00 - 5.67	3.32 - 6.28	3.54 - 6.68			
WIN8534	0.724	1.381	21/29	2.97 - 5.69	3.31 - 6.31	3.52 - 6.71			
WIN8514	0.719	1.391	23/32	2.96 - 5.73	3.29 - 6.36	3.49 - 6.76			
WIN8514A	0.714	1.400	20/28	2.94 - 5.77	3.26 - 6.40	3.47 - 6.80			
WIN8535	0.708	1.412	17/24	2.92 - 5.82	3.24 - 6.45	3.44 - 6.86			
WIN8532	0.704	1.421	19/27	2.90 - 5.86	3.22 - 6.49	3.42 - 6.90			
WIN8532A	0.697	1.435	23/33	2.87 - 5.91	3.19 - 6.55	3.39 - 6.97			
WIN8524	0.690	1.450	20/29	2.84 - 5.97	3.15 - 6.63	3.35 - 7.04			
WIN8536	0.680	1.471	17/25	2.80 - 6.06	3.11 - 6.72	3.31 - 7.14			
WIN8537	0.677	1.476	21/31	2.79 - 6.08	3.10 - 6.75	3.29 - 7.17			
WIN8523	0.667	1.500	22/33	2.75 - 6.18	3.05 - 6.86	3.24 - 7.29			
WIN8521	0.655	1.526	19/29	2.70 - 6.29	2.99 - 6.98	3.18 - 7.41			
WIN8521A	0.652	1.533	15/23	2.69 - 6.32	2.98 - 7.01	3.17 - 7.45			
WIN8527	0.647	1.545	22/34	2.67 - 6.37	2.96 - 7.06	3.15 - 7.51			
WIN8543	0.640	1.563	16/25	2.64 - 6.44	2.93 - 7.14	3.11 - 7.59			
WIN8528	0.633	1.579	19/30	2.61 - 6.51	2.89 - 7.22	3.08 - 7.67			
WIN8528A	0.630	1.588	17/27	2.59 - 6.54	2.88 - 7.26	3.06 - 7.71			
WIN8529	0.625	1.600	15/24	2.58 - 6.59	2.86 - 7.31	3.04 - 7.77			
WIN8539	0.621	1.611	18/29	2.56 - 6.64	2.84 - 7.36	3.02 - 7.83			
WIN8530	0.615	1.625	16/26	2.54 - 6.70	2.81 - 7.43	2.99 - 7.89			
WIN8540	0.613	1.632	19/31	2.53 - 6.72	2.80 - 7.46	2.98 - 7.93			
WIN8541	0.607	1.647	17/28	2.50 - 6.81	2.76 - 7.53	2.95 - 8.00			
WIN8531	0.600	1.667	21/35	2.47 - 6.87	2.74 - 7.62	2.92 - 8.10			
WIN8533A	0.593	1.688	16/27	2.44 - 6.95	2.71 - 7.71	2.88 - 8.20			
WIN8533	0.588	1.700	20/34	2.42 - 7.00	2.69 - 7.77	2.86 - 8.26			
WIN8531A	0.583	1.714	21/36	2.40 - 7.06	2.67 - 7.83	2.84 - 8.33			
WIN8530A	0.577	1.733	15/26	2.38 - 7.14	2.64 - 7.92	2.80 - 8.42			
WIN8550	0.571	1.750	20/35	2.35 - 7.21	2.61 - 8.00	2.78 - 8.50			
WIN8551	0.567	1.765	17/30	2.34 - 7.27	2.59 - 8.07	2.75 - 8.57			
WIN8552	0.563	1.778	18/32	2.32 - 7.32	2.57 - 8.12	2.73 - 8.64			
WIN8553	0.559	1.789	19/34	2.30 - 7.37	2.55 - 8.18	2.72 - 8.69			
WIN8554	0.556	1.800	15/27	2.29 - 7.42	2.54 - 8.23	2.70 - 8.74			
WIN8555	0.552	1.813	16/29	2.27 - 7.47	2.52 - 8.28	2.68 - 8.80			
WIN8556	0.548	1.824	17/31	2.26 - 7.51	2.51 - 8.33	2.67 - 8.86			
WIN8557	0.533	1.875	16/30	2.20 - 7.73	2.44 - 8.57	2.59 - 9.11			
WIN8558	0.531	1.882	17/32	2.19 - 7.76	2.43 - 8.60	2.58 - 9.14			



10-Spline Professional Series Gears

SCS 10-Spline Quick Change Gears, Sets #1 thru #28 are Max Lightened, where possible, without sacrificing the strength! SCS Gears are made of 9310 Aircraft Alloy for max strength. Each gear is Crown Shaved (Ground before Heat Treat) to minimize backlash and run out, broached for proper 10-spline shaft fit and Black Oxide finished.

SCS(Gear Set #)\$176.99

10-Spline Sportsman Series Gears

The Sportsman Series gears are CNC Crown Hobbed to produce a quality that meets the exacting std. accepted by SCS. The gears are not lightened and are made of 8620 material. They are Heat Treated as are the Professional Series, but will have a REM finish rather than the Black Oxide.

SCS10(Gear Set #)\$79.95

SCS 10 Spline Quick Change Gear Chart

Professional		4.11 R&P Sportsman (9-27 Teeth)	4.86 R&P No. of	4.57 R&P (7-34 Teeth)
#	#	Low - High	Teeth	Low - High
SCS01	SCS1001	4.11 - 4.11	28/28	4.86 - 4.86
SCS02	SCS1002	3.96 - 4.26	27/28	4.68 - 5.04
SCS05	SCS1005	3.94 - 4.28	24/25	4.66 - 5.07
SCS15	SCS1015	3.90 - 4.33	19/20	4.61 - 5.12
SCS15K	SCS1015K	3.85 - 4.38	15/16	4.56 - 5.18
SCS26	SCS1026	3.83 - 4.41	27/29	4.52 - 5.22
SCS06	SCS1006	3.78 - 4.46	23/25	4.47 - 5.28
SCS25	SCS1025	3.74 - 4.52	20/22	4.42 - 5.35
SCS12	SCS1012	3.68 - 4.58	26/29	4.36 - 5.42
SCS07	SCS1007	3.63 - 4.64	23/26	4.30 - 5.49
SCS07K	SCS1007K	3.58 - 4.69	21/24	4.23 - 5.54
SCS17	SCS1017	3.55 - 4.76	19/22	4.19 - 5.63
SCS08K	SCS1008K	3.49 - 4.83	17/20	4.13 - 5.71
SCS08	SCS1008	3.48 - 4.85	22/26	4.11 - 5.75
SCS19	SCS1019	3.45 - 4.89	21/25	4.08 - 5.78
SCS09K	SCS1009K	3.42 - 4.93	25/30	4.05 - 5.83
SCS09	SCS1009	3.39 - 4.97	19/23	4.01 - 5.88
SCS11	SCS1011	3.35 - 5.04	22/27	3.96 - 5.97
SCS03	SCS1003	3.31 - 5.10	25/31	3.92 - 6.03
SCS13	SCS1013	3.29 - 5.14	20/25	3.89 - 6.08
SCS18	SCS1018	3.25 - 5.19	19/24	3.85 - 6.13
SCS04K	SCS1004K	3.21 - 5.26	18/23	3.80 - 6.21
SCS04	SCS1004	3.18 - 5.31	24/31	3.76 - 6.28
SCS20	SCS1020	3.16 - 5.34	20/26	3.74 - 6.32
SCS22	SCS1022	3.12 - 5.41	19/25	3.69 - 6.39
SCS16	SCS1016	3.08 - 5.48	24/32	3.65 - 6.48
SCS10	SCS1010	3.04 - 5.55	20/27	3.60 - 6.56
SCS34	SCS1034	3.00 - 5.63	19/26	3.55 - 6.65
SCS14	SCS1014	2.95 - 5.72	23/32	3.50 - 6.76
SCS14K	SCS1014K	2.93 - 5.76	20/28	3.47 - 6.81
SCS35	SCS1035	2.91 - 5.80	17/24	3.44 - 6.86
SCS32K	SCS1032K	2.87 - 5.89	23/33	3.39 - 6.97
SCS24	SCS1024	2.83 - 5.96	20/29	3.35 - 7.04
SCS36	SCS1036	2.80 - 6.04	17/25	3.30 - 7.15
SCS37	SCS1037	2.78 - 6.07	23/34	3.29 - 7.18
SCS23	SCS1023	2.74 - 6.16	18/27	3.24 - 7.29
SCS21	SCS1021	2.69 - 6.28	17/26	3.18 - 7.43
SCS27	SCS1027	2.66 - 6.35	22/34	3.15 - 7.51
SCS43	SCS1043	2.63 - 6.42	16/25	3.11 - 7.59
SCS28	SCS1028	2.60 - 6.49	19/30	3.08 - 7.67
SCS29	SCS1029	2.57 - 6.58	15/24	3.04 - 7.77
SCS30	SCS1030	2.53 - 6.67	16/26	2.99 - 7.89
SCS41	SCS1041	2.49 - 6.77	17/28	2.95 - 8.00
SCS31	SCS1031	2.46 - 6.85	21/35	2.91 - 8.10
SCS33K	SCS1033K	2.43 - 6.94	16/27	2.88 - 8.20
SCS33	SCS1033	2.41 - 7.00	17/29	2.85 - 8.28
SCS31K	SCS1031K	2.39 - 7.05	14/24	2.83 - 8.33
SCS30K	SCS1030K	2.37 - 7.12	15/26	2.80 - 8.42



PEM Premium Quick Change Gears

REM finished to run cooler. They are manufactured from high strength alloy steel. They are heat treated for strength and longevity. These lightened gears are specially designed to run smoother and last longer than std gears.
PEM650(Gear Set)\$135.95

PEM Standard Quick Change Gears

They are manufactured from high grade steel, and hobbled to a full finish. These gears are heat treated to ensure strength and longevity.
PEM610(Gear Set)\$59.95



Premium 9310 Material

Standard 8620 Material

Premium \$135.95	Standard \$59.95	No. Teeth	4.11 High - Low	4.86 High - Low
PEM65001	PEM61001	23/23	4.11 - 4.11	4.86 - 4.86
PEM65001A	NA	35/36	4.23 - 4.00	5.00 - 4.72
PEM65002	PEM61002	27/28	4.26 - 3.96	5.04 - 4.68
PEM65015	PEM61015	19/20	4.33 - 3.90	5.12 - 4.62
NA	PEM61015Q	15/16	4.38 - 3.85	5.18 - 4.56
PEM65026	PEM61026	27/29	4.41 - 3.83	5.22 - 4.52
PEM65006	PEM61006	23/25	4.47 - 3.78	5.28 - 4.47
PEM65025	PEM61025	20/22	4.52 - 3.74	5.34 - 4.42
PEM65012	PEM61012	26/29	4.58 - 3.68	5.42 - 4.36
PEM65007	PEM61007	23/26	4.65 - 3.63	5.49 - 4.30
PEM65007A	PEM61007Q	21/24	4.70 - 3.60	5.55 - 4.25
PEM65017	PEM61017	25/29	4.77 - 3.54	5.63 - 4.19
PEM65008	PEM61008	22/26	4.86 - 3.48	5.74 - 4.11
PEM65019	PEM61019	21/25	4.89 - 3.45	5.78 - 4.08
PEM65009A	PEM61009Q	20/24	4.93 - 3.42	5.83 - 4.05
PEM65009	PEM61009	19/23	4.98 - 3.39	5.88 - 4.01
PEM65011	PEM61011	22/27	5.04 - 3.35	5.96 - 3.96
PEM65003	PEM61003	25/31	5.10 - 3.31	6.02 - 3.92
PEM65013	PEM61013	20/25	5.14 - 3.29	6.07 - 3.89
PEM65018	PEM61018	23/29	5.18 - 3.26	6.12 - 3.85
PEM65018A	PEM61018Q	22/28	5.23 - 3.23	6.18 - 3.82
PEM65004A	PEM61004Q	18/23	5.25 - 3.22	6.21 - 3.80
PEM65004	PEM61004	24/31	5.31 - 3.18	6.27 - 3.76
PEM65020	PEM61020	20/26	5.34 - 3.16	6.31 - 3.74
PEM65022	PEM61022	19/25	5.41 - 3.12	6.39 - 3.69
PEM65016	PEM61016	18/24	5.48 - 3.08	6.48 - 3.64
PEM65010	PEM61010	17/23	5.56 - 3.04	6.57 - 3.59
PEM65034	PEM61034	16/22	5.65 - 2.99	6.68 - 3.53
PEM65014	PEM61014	23/32	5.72 - 2.95	6.76 - 3.49
PEM65014A	NA	20/28	5.75 - 2.94	6.80 - 3.47
PEM65035	PEM61035	17/24	5.80 - 2.91	6.86 - 3.44
PEM65032	PEM61032	19/27	5.84 - 2.89	6.90 - 3.42
PEM65032A	PEM61032Q	23/33	5.90 - 2.86	6.97 - 3.39
PEM65024	PEM61024	20/29	5.96 - 2.83	7.04 - 3.35
PEM65036	PEM61036	17/25	6.05 - 2.79	7.14 - 3.30
PEM65023	PEM61023	18/27	6.16 - 2.74	7.29 - 3.24
PEM65021	PEM61021	17/26	6.28 - 2.69	7.43 - 3.18
PEM65027	PEM61027	22/34	6.35 - 2.66	7.51 - 3.15
PEM65043	PEM61043	16/25	6.42 - 2.63	7.59 - 3.11
PEM65028	PEM61028	19/30	6.49 - 2.60	7.67 - 3.08
PEM65029	PEM61029	15/24	6.58 - 2.57	7.77 - 3.04
PEM65030	PEM61030	16/26	6.68 - 2.53	7.91 - 2.91
PEM65041	PEM61041	17/28	6.77 - 2.50	8.00 - 2.95
PEM65031	PEM61031	21/35	6.85 - 2.47	8.10 - 2.92
PEM65033A	PEM61033Q	16/27	6.94 - 2.44	8.20 - 2.88
PEM65031A	PEM61031Q	14/24	7.05 - 2.39	8.33 - 2.83
PEM65050	PEM61050	20/35	7.19 - 2.35	8.50 - 2.77

QUICK CHANGE GEAR CASE



Quick Change Gear Tote

BSC Components make this extra durable hard plastic case for your Quick Change Gears.
BSC90900...\$6.50



Quick Change Gear Case

Sturdy composite storage case protects and holds up to 8 sets of quick change gears. Case has molded in carrying handles and metal hinges. 5" x 8" x 15-1/2" overall when closed.
ALL14355...\$49.99

QC Gear Tote Plastic Black

Durable plastic quick change gear tote organizes extra gear sets and keeps them clean. Lid snaps shut to hold gears in place. 8"L x 5"W x 2"H.
ALL14351...\$6.99



Quick Change Gear Tray

All aluminum construction. Easy to pour hot oil with built in corner spout. Comfortable ergonomic handle.
KIR99100...\$49.00



Quick Change Drain Pan

Alum Drain Pan is a must when changing quick change gears. Built-in perforated shelf holds gears and allows lube to drain into pan. Pan is 10-1/4" wide, 12" long and 3-3/4" deep.
ALL14166...\$49.99

Drain Pan

Plastic drain pan has molded in handles and pour spout. 13-1/2" x 11" x 4", 7 qt cap
ALL40112...\$6.99

Aluminum Ford 9" Gear Tote

Keep Ford 9" third member in a neat and clean environment. Built-in handles for easy carrying.
ALL14168...\$79.99

GEAR OILS

BORN FROM JOE GIBBS RACING

DRIVEN
DRIVEN TO WIN RACING OIL

Gear Oils

Synthetic Gear Oil

1 QtJGR00630...\$17.99

5 Gal. PailJGR00617...\$350.02

Used by top race teams in rear ends, differentials and transmissions, this unique synthetic gear oil reduces operating temperatures by up to 15°F compared to other brand gear oils. Proven durability on short tracks and road courses. Viscosity typical of 75W-110. Formerly referred to as Synthetic Gear Oil.

Super Spdy Gear Oil1 Qt...JGR00830...\$17.99

This 75W-85 synthetic gear oil provides race proven durability and dyno proven power gains from reduced friction and parasitic drag. It can be used in quick change style rear ends and drag race applications. Viscosity typical of 75W-85. Formerly referred to as Super Speedway Gear Oil.

Pro Gear

Regenerative, synthetic polymers resist shearing, mech breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and perform over a greater operating temp range. Tech advanced formula increases hp and delivers superior anti-wear and extreme pressure protection from peak loads and elevated temps. Surface active chemistry delivers ultra-high film adhesion on gear faces. It is recommended for use in front and rear differentials, manual transmissions and lower gear units of marine engines or anywhere an API GL-5 gear oil is specified.

75W-90 - 32 oz Quarts.....MAX49-44901...\$15.95


75W-140 - 32 oz QuartsMAX49-45901...\$17.95

75W-90 - 128 oz Gallons...MAX49-449128...\$60.95

75W-140 - 128 oz Gallons...MAX49-459128...\$68.95

75W-190 - 128 oz Gallons...MAX49-469128...\$68.95

250 WT - 128 oz Gallons...MAX49-479128...\$79.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Crate Motor Section

DRIVE LINE

Crate Motor Flywheel

With many tracks mandating crate motors, Bert is there to work with those racers. Here Bert presents the first externally balanced flywheel to couple your crate motor to a Bert transmission. With horsepower limited, the efficiency of the Bert transmission is more important than ever!

Crate Motor Flywheel...BER311-NC-EXT...\$161.56
Shims N.S. Chevy.....WIN62321.....\$2.90

Racing Flexplates

Chevy Flexplates are .035" thicker than stock and the ring gear is welded to both sides for added strength. Dual GM bolt patterns are sized for stock 3/8" bolts but can easily be drilled to 7/16" for added strength. SFI 29.1 approved.

Chevy

External Dual Bolt Pattern, 168T
Only for 1 Piece Rear Side Engines
TCI399773.....\$124.63

**Crate Flywheel**

WIN63844-18.....\$143.55

**Drive Flange Modified**

New Chevy 3 Inches
BER007-NC.....\$91.59

Flywheel Shim

New Chevy
BER324-NC.....\$1.37

**Crank Couplers Short**

WIN62350-18...Late SBC 18 Spline....\$75.30

Flywheel Shim

WIN62321.....\$2.90

**Bellhousing Dowel Pins**

Steel dowel pins are approximately 1/2" longer than stock pins and are required when running an engine mid-plate, rear motor mounts or an aftermarket bellhousing. These extended length pins also help with alignment when installing an engine. Pins fit most GM blocks and are sold in pairs.

Solid.....ALL38150.....\$9.99
Hollow.....ALL38152.....\$10.79

**Bert Flywheel Bolts**

6 pcs 12 pt 1" x 7/16-20
BSC80624.....\$12.00
1" works w/most 1 Pc Flywheels.



EXHAUST

**602 Crate Dirt Modified Headers**

DIRT Approved
Straight Tube 4-1 Header 1-5/8" x 3" Up Swept
BEYNEDMUS602-DL.....\$280.00

**Northeast 602 Sportsman Kit**

Dirt Modified Upswept Tail Pipe Kit for Beyea 602
Upswept Headers
BEYNEDMTPKUS602-BEY.....\$135.30

**Crate Mufflers**

Dirt Modified Muffler
3" In, 3" Out; 8" Body
BEYMUF3DM.....\$85.00

Dirt Modified Muffler - Dirt Legal 3" In, 3" Out; 8" Body
BEYMUF3DL.....\$100.00

Dirt Mod Upswept

602 Sportsman Kit for 2019 Assembled & Painted 2-Adaptors 2-3"-15 Tailpipes 2-MUF3DL
BEYNEDMTPKUS602-19A.....\$400.00

North East Dirt Modified Upswept

602 Sportsman Kit for '19 Unassembled 2-Adaptors 2-13" Tailpipes
BEYNEDMTPKUS602-19.....\$135.00

**Dirt Modified Headers**

Forward design for muffler clearance. Fits Behrent, Bicknell, Olsen, TEO, Troyer & other chassis.

Crate Motor	Up Swept
Tube Dia.	Collector
1 5/8"	3x8"

SCH1122BUCM2.....\$249.95

For Tail Pipes for SCH1122BUCM2
Use BEYNEDMTEUS-3 and SCH240030.
• Need (2) of each.

**Exhaust Elbows**

Used as lower and upper elbow.
3" 13".....SCH3013..\$23.95

**Universal Exhaust Mount**

Universal Mount fits 5" or 6" muffler cans. Mounts to BRP 7100 rear nerf bar post. Clamp flips up or down and cradle spins front to back for infinite adjustment. Laser cut steel and powder coated. 2 springs included in kit to retain muffler to cradle. Replacement parts also sold separately. Cradle is BRP 9265 and clamp is BRP 9264. Bolts and seals for rear end are not included***
BRP9263.....\$72.53

**Crate Motor Gaskets**

For a tight seal, don't forget the gaskets for your Schoenfeld headers. They offer header gaskets made with steel & stainless steel core laminate to provide stability, max torque retention, & excellent heat resistance.
Tube Dia.: 1-5/8" or 1-3/4".....SCH01560.....\$9.00

**Header Gaskets**

These gaskets can even seal slightly warped surfaces and resist blowout/burnout from high-temp exhaust gas. Nonstick coating allows motion without damage, which simplifies gasket removal for servicing.
SBC D-port.....FEL1406.....\$22.47

**Header Gaskets**

Fast Burn 604
BEYHG604.....\$20.00



Complete V8 stud kit with washers and hex or 12-point nuts. In chrome moly or stainless. Priced per set.

Header Bolts

3/8" diameter	12-Point
Small Block Chevy	
Black Oxide Hex	
3/8" wrench ARP100-1101.....\$20.05	ARP100-1201.....\$15.85
drilled 3/8" wr ARP100-1103.....\$23.62	ARP100-1203.....\$24.82

**Header Bolts**

Uses 7/16" hex head for quick installation and removal of headers. Header Bolts. 3/8"-16 x 3/4" hex head bolts for Small, Big Block and 90° V6 Chevy engines, Small Block Ford and other engines where a 3/8"-16 bolt is used. 16 per package
MOR38710.....\$10.84

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Crate Motor Section

PULLEY SYSTEMS



Lightweight Low Drag Complete 602/604 Crate Engine Kit.

Includes DIRT Legal Steel Water Pump, Lightweight Aluminum Power Steering Pump and Bracket, Pulleys, Mounting Hardware, Belt, and Spare Belt.
JON1004-AL-DRT.....\$718.13



SBC Radius Tooth Alternator Kit..2041-RA

45 amp, 1-Wire Alt.....JONAL-9101-B-NS ..\$249.90
24 Tooth Alt. Pulley.....JONAL-9105-24-A ..\$62.90
32 Tooth Drive Pulley.....JONWP-9104-32.....\$59.22
Belt Guide.....JONBG-9108-W.....\$14.60
Radius Tooth Belt.....JON672-10HD.....\$16.78
Alternator Bracket.....JONAL-9100-CL-B.....\$68.15
Rear Alternator Support.....JONAL-9100-CL-HM ..\$47.15
Mounting Kit.....JONAL-9100-CL-BK ..\$15.65
Switch.....JONSW-9100-A.....\$12.48
Use kit JON2040 for V-Belt Setup



SBC Crate Engine WP, Power Steering & Alt Drive

JON2441-AR-CE.....\$1799.00

Includes:

SBC Drive Mandrel.....JONDH-8101-NE-B-2.5 ..\$58.82
Crank Pulley Spacer.....JONSP-6103-B-A-3/8 ..\$6.53
Belt Guide.....JONBG-6108-C.....\$7.99
Radius Tooth CS Pulley.....JONCS-6102-AS-25 ..\$58.50
Belt Guide.....JONBG-6108-A.....\$7.00
Bolt & End Cap Kit.....JONBEC-2109-K.....\$13.14
Radius Tooth WP Pulley.....JONWP-6104-37S ..\$87.80
Pulley Mounting Kit.....JONWP-6104-MK.....\$9.81
Fan Shield.....JONBG-9108-E.....\$13.14
PS Pump w/Alum. Tank.....JONPS-9008-AL-AR ..\$359.90
Radius Tooth PS Pulley.....JONPS-6106-B-40 ..\$70.79
Belt Guides.....JONBG-6108-40S ..\$35.40
PS Bracket w/Hardware.....JONPS-8001-SB-R.....\$85.95
Radius Tooth Belt.....JON640-20HD.....\$32.46



Crate 7mm Pulley Kit

Kit includes alternator belt, mount, and pulley. They do not include the alternator. 35% Reduction.

BRP9274.....\$597.04

Kit Includes:

7mm Lower Crank Pulley .. BRP9270\$83.70
Water Pump Pulley with built in fan spacer
BRP9271\$156.17
Alternator pulley..... BRP9273\$52.45
Steel Power Steering Pump w/9272 pulley installed
BRP9288\$209.49
Block Mount Power Steering Pump Bracket
BRP268BK\$45.46
Alternator Mount..... BRP9068BK ..\$83.70
Belt for Crank/Water Pump and Crank/Steering Pump
(3 required)..... BRP9286\$31.44
730mm Belt for Water Pump/Alternator (1 required)
BRP9287\$32.86
Hex Drive Adaptor (allows turning motor over w/socket)
BRP9296\$22.25
17" Nylon LW Fan ALL30094\$19.99



Crate SBC Serpentine Pulley Kit

SBC Serpentine Pulley Kit Complete with Alternator and Power Steering Pump and Red Brackets, 17% Reduction.

All Pulleys and BeltsBRP1442\$694.84
All Pulleys and Belts (Black).....BRP1442BK ..\$694.84

Kit Includes:

Serpentine Pulley
BRP952-2\$73.74

Pulley Spacer

BRP953\$20.54

Serpentine Belt

BRP949-3.....\$35.05

Power Steering Mount Assembly

BRP268\$45.46

Pump and Serpentine Pulley

BRP581\$209.49

SBC Alternator Mount

BRP9068\$83.70

Serpentine Pulley Water Pump/ 3 Rib Alternator

BRP946\$72.90

3 Rib Serpentine Belt

BRP947\$18.52

Alternator with Serpentine Pulley

BRPPOW8172-172.....\$230.76

COOLING

Low Profile

Northeast Dirt Mod, Late Model, & IMCA.
Total Height 4.5". Fits under low hood design. Each tank comes with an o-ring & mounting hardware.

Fits 602 Crate and all Big Blocks has 1-3/8" NPT Fitting for rear cooling line
ART58037C...\$385.00

602 Crate Motor Expansion Tank

ART58602C...\$285.99



Stage 1 Water Pump

Stock appearing cast iron design, but with improved bearings and impeller.

Short SBC 71-82 Corvette Only,
5.795" Length.....STEW13103.....\$96.98

Stant Racing Radiator Caps

21-25 psi w/EarsSTAN 10372.....\$17.95
28-32 psi w/EarsSTAN 10373.....\$17.95



Molded Hoses

- 4 Ply construction strongest on the market.
- Wire reinforced.
- Part # for easy identification.
- Black and Red in color.

Upper Molded Hose

SBC Black..BRP9345.....\$77.43
SBC Red....BRP9345RD ..\$77.43

Lower Molded Hose

SBC Black..BRP9344.....\$93.53
SBC Red....BRP9344RD ..\$93.53



Radiator Hoses

2-ply coolant hose is flexible & adapts to a variety of apps. Abrasion resistant cover will not crack or harden.
1-1/2" Dia, 20" Upper Hose...ALL30208...\$12.99
1-3/4" Dia, 19" Lower Hose...ALL30226...\$21.99

Aluminum Oil Inlet Fittings

Aluminum fittings are offered in
-10AN to ease oil line installation.
-10AN x 1/2" NPT, 3.00" Long
ALL90043\$23.99

6 Blade Fans

Heavy-duty, 6-blade fans can move the volume of air needed to keep expensive race engines cool. Universal bolt pattern with a 5/8" pilot hole.

Diam. Steel Blades

17"ALL30103 ...\$32.99

Composite Race Fans

It features a universal center hub made from 6061-T6 Alum and composite blades for a significant decrease in weight over traditional steel fans.

6 Blade.....RFN64-1700-006 ...\$324.00
4 Blade.....RFN64-1700-004 ...\$238.50
3 Blade.....RFN64-1700-003 ...\$195.75
2 Blade.....RFN64-1700-002 ...\$153.00
Blade OnlyRFN62-1700-000 ...\$40.00

Fan Spacer Kits

Alum spacers include reducer bushing, four Allen bolts to secure spacer to water pump and four hex bolts with washers to secure fan to spacer.
2" Fan Spacer Kit....ALL30186...\$27.99

Fan Spacers

2" Spacer - Red....BRP1012.....\$31.91
2" Spacer - Black..BRP1012BK ..\$30.38

Crate Motor Section

FUEL DELIVERY

Holley**Mechanical Fuel Pump**

170+ GPH pumps
3/4"-16 Inlet & outlet
Needs -8 Port Fitting.
SBC...HOL12-327-20 ...\$150.95

**PRO/CAM****Mechanical Fuel Pumps**

SBC 7 1/2" PSI, 6 Valve
PRC9351.....\$156.41

PRC9351

**CV****SBC Cast Fuel Pump - 7 PSI**

SBC Steel -10 AN In/Out...CVSPIN-MP-504...\$192.90
Replaces CATM4891-503D

SBC Steel -8 AN In/Out...CVSPIN-MP-5048...\$183.95
Replaces CATM4891-502D

**Steel Fuel Pump Fittings**

-8CVSPIN-MP-386\$15.86
-10CVSPIN-MP-385\$15.86

MOROSO**LW Fuel Pump Push Rods**

Lightweight design with hardened ends reduces reciprocating mass to prevent pump arm float and subsequent fuel starvation.

Lightweight Fuel Pump Push Rod. SBC and BBC
MOR65750.....\$23.65

**Pipe Thread to AN Adapters****EARL'S****Pipe Thread to AN Adapters Straight**

size	NPT	aluminum straight
-8	3/8	EARAT981608\$5.76
-8	1/2	EARAT981688\$6.73
-10	3/8	EARAT981611\$6.77
-10	1/2	EARAT981610\$7.74



Inner liner of hi-temp synthetic rubber tube, clean and fast flowing, partial coverage textile inner braid reinforcing. Outer layer of braided nylon provides 350psi pressure capabilities while maintaining durability and flexibility.

Pro-Lite 350 Braided Hose

size	3'
-8	EAR350308 ...\$32.71
-10	EAR350310 ...\$35.98

**Ano-Tuff Swivel-Seal Hose Ends**


size	straight
-8	EARAT800108 ...\$11.97
-10	EARAT800110 ...\$14.15
size	45°
-8	EARAT804608 ...\$27.51
-10	EARAT804610 ...\$32.72
size	90°
-8	EARAT809108 ...\$30.53
-10	EARAT809110 ...\$32.72

**Ultra HP Carbs**

Making these carbs 38% lighter, increase the fuel capacity by 20% and add 30 other new features! They're available in our all-new Hard Core Gray hard coat anodized finish with Black billet for superior corrosion protection. 97% alum construction

- (For superior corrosion protection)
- 10 fuel bowl & base plate features
- 6 new metering block features
- 5 new main body features

Alum. Ultra HP - Hard Core Gray
650 cfm...HOL0-80802HBX...\$852.95

Holley**ULTRA XP****Single Inlet Ano-Tuff Pro-Lite 350 Hose**


-6 AN EARAT104195\$102.95
-8 AN EARAT104295\$118.95

Carburetor, Power Steering, Fuel Pumps, Fuel Injection

-8 AN Male to 3/4"-16 Male
EARAT991958.....\$10.85

Holley HP SERIES**4150 HP Carb**

Contoured Venturi Inlet. High Flow Metering Blocks. 4 Corner Idle System. Center Hung Dominator Style Fuel Bowls. Spun-in Down Leg Boosters. Power Valve Blow-out Protection. 100% Wet Flow Tested and Calibrated....650 cfm...HOL0-80541-1....\$696.95

**Single Inlet Ano-Tuff Pro-Lite 350 Hose**

-8 AN EARAT101295\$120.95

500 CFM**Ultra XP 2BBL**

All aluminum construction for nearly 50% weight savings over zinc version. Tumble polished alum w/Black billet alum metering block and base plate. No choke tower for unobstructed airflow. Air bleeds moved outward to allow a smoother transition of airflow....HOL0-4412BKX...\$561.95

ULTRA XP**Phenolic Carburetor Spacer**

Advanced plastic and phenolic compounds are specially formulated to reduce heat conductivity 10 times greater than alum. Reducing fuel temp inside the carburetor results in a denser, more powerful fuel charge to the manifold. 1" Spacer. Fits Holley 4150/4160 bolt pattern, open plenum design
MOR64940....\$40.68

**Cast Aluminum Carburetor Spacers**

Open plenum alum carb spacers increase plenum volume for high RPM power. 4 hole carb spacers increase mixture velocity for more midrange torque. 1" Spacer. Fits Holley 4150/4160 bolt pattern, open plenum design....MOR64980....\$55.04

**Open Plenum 4150 Spacers**

These spacers are machined to a minimum material not only to reduce weight, but also to reduce conductivity of heat from manifold to carb.
WM0000101".....\$104.40

**Carb Spacer 1/4" Thick, Billet Alum.**

BRP9092...\$27.84

**ARP****Carburetor Stud Kits**

The best way to make carbs stay perfectly sealed to the intake manifold is through the use of ARP's carb studs, which feature J-form threads to resist loosening from vibration.

Quantity: 4 • Size: 5/16

Applications.....O.A.L.....Black Oxide
1" spacer.....2.700.....ARP200-2402...\$17.75

**K&N****Air Filters - Chrome**

Raises element 9/16" above carb flange. 5-1/8" flange fits all popular 4 brl carb. 4 elements heights to fit a wide variety of apps. Will clear HEI dists.

Neck Flange 5-1/8" • Element Height 5"

ElementComplete Assy

K&NE-3760...\$75.99 ...K&N60-1270...\$145.99..11"
K&NE-3680...\$75.99 ...K&N60-1190...\$122.99..14"

**Air Filter Gaskets**

Designed to fit under the air cleaner for most carbs. They will help prevent unfiltered air from entering your engine.
Holley, Carter, Q-Jet...FEL2104...\$9.45

**Alum Air Cleaner Stud Kit**

LW alum. Includes alum stud, thumb screw and air cleaner lid mount. Built-in rubber seal keeps dust out of your engine.
5/16" Carb Thread...LON32750...\$38.82

**Air Cleaner Stud Kit**

It features a stainless steel threaded rod and is strong enough to handle the vibrations and the weight of the air cleaner. Air Cleaner Stud Kit, 5/16"-18

JOE34306\$36.95

**MOROSO****Carbureted Mounted 2300/4100 Series**

The answer to your throttle return spring linkage problems if you're running a 2300/2305 series two-barrel or 4150/4160 series four-brl Holley carb. Designed & built rugged enough for competition, yet it's polished chrome finish is suitable for the finest show car. Includes 1 set of heavy and 1 set of light springs.
MOR64927.....\$27.76

**Bullet Nose****Carb Stud Kits**

Fits carbs with 1/2" thick flange base with a 1" spacer or w/ 1 or 2, 1/2" spacers, 5/16"-18 and 24 x 2-1/2" long.

MOR37960.....\$8.92

**Carb Spacer 4150 Open 1"**

Isolate carb from manifold, spacers prevent horsepower-robbing heat transfer and increase the distance from the bottom of the carb to the manifold plenum for better air flow.
ALL25981....\$29.99

**Carb Base****Gaskets for Holleys**

4150/4777 Open Plenum
FEL1900.....\$5.16

**Fuel Pump Gasket**

FELP70573\$0.42

**Fuel Pump****Plate Gasket**

FELP70576\$0.56

**SBC Fuel Pump Plate (Aluminum)**

BRP356...\$13.18



Crate Motor Section

OIL SYSTEMS



SBC Oil Filter Adapter

Stock replacement adapter bolts to the engine block and accepts oil filter.

Oil Filter Adapter.....ALL92000...\$12.39
2 Fasteners for Oil Filter AdapterALL92001...\$5.99



Oil Bypass Eliminator Chevy

Designed to eliminate the oil bypass found on Chevy engines. A stock type spin-on oil filter can be used with this part installed.
MOR23775...\$38.22



Oil Filter Adapters

Sandwich Adapter allows use with external plumbing, (coolers, dry sump pump or accumulator) while keeping filter in stock location.



For use w/remote coolers....MOR23692...\$97.17

Pipe Thread to AN Adapters



Pipe Thread to AN Adapters Straight

size NPT aluminum straight
-12 1/2 EARAT981613\$11.33



#4 Straight to 1/8 NPT Oil Pressure Fitting

EAR968804...\$10.35



Oil Pressure Gauge Fittings

They get the oil pressure gauge line connection up where it is more accessible. Fitting is 1/8" NPT on engine side and -4 AN for gauge connection.



Straight FittingPET15-1041\$15.40



Synthetic Oils

XP3 Viscosity typical of SAE 10W-30

Provides outstanding high temp and high shear protection. Utilizes select synthetic base oils for increased durability at high temps. Formulated with proprietary anti-wear and friction reducing additives to fight valve train wear and increase horsepower. Ideal for crate, spec and custom built engines with clearances under .0027. Compatible with methanol and high octane race fuels.
JGR00306.....1 Quart.....\$14.99



XP9 Viscosity typical of SAE 10W-40

Increased high temp and high shear protection for wet sump and high compression applications. Utilizes select synthetic base oils for increased durability at high temps. Compatible with methanol and high octane race fuels. Ideal for high output steel block engines.
JGR03206.....1 Quart.....\$14.99



BR Break-In Oil

Used to break-in and dyno all their engines, this petroleum oil provides the highest levels of Zinc and Phosphorus for flat-tappet engines. The additive package promotes ring seal and provides maximum protection available for cams and lifters during initial break-in. Good for 2 hours dyno time and requires no additional additives.



15w50 (Quart).....JGR00106...\$7.99

RS Series Engine Oils

RS is a 100% synthetic triple ester based race-grade engine oil. Industry leading additive system offers the ultimate in engine performance and protection. Technologically advanced formula contains special anti-wear/extreme pressure additives to protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. 10W-30 - 32 oz Quarts
MAX39-01901\$13.95



Oil Filters



Chevy, 13/16" -16 UNF thread, long design (5-1/4" high), burst strength: 350 psi (max.)
MOR22460.....\$15.02



Oil Filters

They are just for performance and racing use. The spin-on filters can trap very small micron-sized particles that cause most engine wear. All filters have an anti-drainback valve with a maximum flow rate.



1 quart Chevy....FRAHP-4....\$12.95

Oil Filters

WIX has the low down on dirt and their Racing oil filters are ready to trap more dirt--45% more! Your engine needs lots of clean oil to get you across the finish line first and WIX has spent years of researching the effects of racing on filters and decades of manufacturing the best to gain the distinction of being the only filters officially licensed by NASCAR.



Flow Rate GPM....28

Thread...Filter...Filter...Bypass.....Anti-Drain
Size.....Height OD.....Valve Setting...Back Valve
13/16-16 5.17.....3.6.....None.....Yes
1 Quart.....WIX51061R....\$9.73

Oil Filters



K&N's premium wrench-off line of auto and marine canister oil filters were developed to meet the high perf. demands of race applications. These canister style oil filters are designed to handle higher oil pressures than a standard oil filter and can be used with the latest synthetic motor oils. Most of these premium auto & marine canister oil filters come with a 1 inch welded nut on the top that makes removal easy. Premium canister oil filters for car, truck, and SUV applications. Exposed nut designed for easy removal (where applicable). on, high flow rates, & outstanding oil filtration. Traps 99% of harmful contaminants. Can be used with the latest synthetic motor oils.



1 quart Chevy...K&NHP-3002...\$12.57

IGNITION



Ultra 40 Spark Plug Wires

Highest spark energy transfer! Highest EMI/RFI suppression! Highest horsepower gain! Nickel copper conductor surrounds layers of ferrite impregnated core and Kevlar, protected by an extra thick EPDM layer and an 8.65 mm silicone jacket. No more powerful wire made.

Sleeved under header

SBC 90° HEI
MOR73607.....\$155.88 ea

8.5mm Super Conductor Wire Sets

The MSD Race Tailored Helicore and 8.5mm Super Conductor Wire Sets are designed specifically to fit race engines equipped with headers or an MSD Distributor.



8 cyl All SBC w/HEI style Dist Cap
MSD35599\$97.62

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

Circle Track HEI



MSD engineers have worked tirelessly to perfect the new circle track HEI. "Stock appearing" to meet sanctioning body HEI distributor rules. Bulletproof "stock appearing" ignition module provides ultimate reliability. High output ignition coil for peak spark energy at any RPM. High quality, QPQ coated distributor gear. QPQ coated chromoly advance cam and weights provide smooth operation and precision timing. Works perfectly with MSD 8727CT HEI Circle Track RPM Control.



MSD8362CT....\$318.95

Cap & Rotor Kit:
MSD5501

Circle Track RPM Control Digital Soft-Touch HEI Rev Limiter

Fully digital operation allows for accurate rev limiting. Rotary dials eliminate the need for plug-in RPM modules. Easy installation to any HEI distributor with plug-in wiring and connectors. Epoxy filled for endure extreme racing conditions and eliminate potential tampering with circuitry.



MSD8727CT....\$182.95

Racing Spark Plugs

HOT
↕
COLD

14mm
3/4" Reach
5/8" Hex
Taper Seat

- Projected Tip
- Fits Many SBC
- Crate Engines



V-Power Resistor Spark Plug
14mm x .708" Reach

5/8" Hex
Projected
Tapered seat

Plug Type
NGKTR5\$2.95

Plug Type
NGKTR6\$2.95



Blue Max Spiral Core Pre-Made Sets

8mm silicone. Insulated sleeve runs full length. Shrink tube sealed boots, and numbered ID tags. Race wire kits do not include coil wires.




SBC - HEI Type Terminals


Under Headers
MOR72407\$137.05

**Northeast Modified
Chevy/Ford Bellhousings****Chevy/Ford NE Modified**

No Flywheel and Coupler
Aluminum..BER300-NFC..\$467.42
Magnesium..BER300-NFC-MAG..\$583.84

**Late Model Chevy
Bellhousings****Chevy Late Model**

No Flywheel and Coupler
Aluminum..BER301-NFC..\$495.00
Magnesium..BER301-NFC-MAG..\$605.92

**Late Model Ford
Bellhousings****Ford Late Model**

No Flywheel and Coupler
Aluminum..BER301F-NFC..\$502.22
Magnesium..BER301F-NFC-MAG..\$623.00

Note: Please call for other Make & Model Bellhousings.

Two Piece Flywheels & Couplers**Drive Flange Modified**

Chevy.....BER007.....\$88.54
Chevy Aluminum.....BER007-A.....\$91.59
New Chevy 3 Inches.....BER007-NC.....\$91.59
LS1 Chevy.....BER007-LS1.....\$91.59
Dodge 340/360.....BER007-D.....\$91.59
Ford 302/351.....BER007-F.....\$91.59
Ford 429/460.....BER007-F429.....\$91.59

**Drive Flange
Late Model - Chevy**

Steel Gilmer Hub.....BER371-G.....\$100.39
Steel HTD Hub.....BER371-H.....\$97.99
Aluminum Gilmer Hub.....BER371-L-G.....\$116.51
Aluminum HTD Hub.....BER371-L-H.....\$116.51

**Two-Piece
Flywheel**

Flywheel Ring Chevy.....BER370.....\$67.95
Flywheel Ring Offset .080 more..BER370-M.....\$67.95
Uses less shims.

Bert Flywheel Bolts

6 pcs 12 pt 1-1/4" x 7/16-20
BSC80625.....\$12.00
6 pcs 12 pt 1" x 7/16-20 **NEW**
BSC80624.....\$12.00
1" works w/most 1 Pc Flywheels.

Chevy Flywheel Shim

BER324-NC.....\$1.37

**One Piece Flywheels****1 Piece Modified
Flywheel**

Dodge Modified.....BER311-D.....\$123.78
Dodge 360 Ext. Bal.....BER311-D360-EXT.B.....\$170.06
Dodge Hemi.....BER311-DH.....\$123.78
Dodge 429/460 Modified..BER311-F429.....\$123.78
Modified LS1.....BER311-LS1.....\$123.78
New Chevy 3".....BER311-NC.....\$123.78
New Chevy 3" Ext Bal..BER311-NC-EXT.....\$161.56
Oldsmobile Modified.....BER311-O.....\$123.78
Pontiac Modified.....BER311-P.....\$123.78
Pontiac 2000 Modified..BER311-P2000.....\$
Pinto 1600&2000 Mod..BER311-PIN.....\$123.78
Pinto 2300.....BER311-PIN2300.....\$123.78
Flywheel Modified 454..BER312.....\$170.06

**1 Piece Late Model
Gilmore Flywheel**

400 SB Ext Bal Gilmore..BER318-400.....\$209.75
Belt Guide Washer.....BER318-BG.....\$3.71
Dodge Gilmore.....BER318-D.....\$159.68
Dodge R5 Gilmore.....BER318-D-R5.....\$159.67
Dodge Hemi Gilmore.....BER318-DH.....\$159.68
Ford R5 Gilmore.....BER318-F-R5.....\$159.67
Ford 429/460 Gilmore.....BER318-F429.....\$159.68
New Chevy 3" Gilmore..BER318-NC.....\$159.68
Oldsmobile Gilmore.....BER318-O.....\$159.68
Pontiac Gilmore.....BER318-P.....\$159.68
Pontiac 2000 Gilmore.....BER318-P2000.....\$159.68
Pinto Gilmore.....BER318-PIN.....\$159.68
Pinto 2300 Gilmore.....BER318-PIN2300.....\$159.68

BER318-400
Gilmore
(Square Tooth)

**1 Pc Late Model
HTD Flywheel**

HTD Ext. Bal. for 400C..BER320-400.....\$209.75
Dodge HTD.....BER320-D.....\$159.68
Dodge R5 HTD.....BER320-D-R5.....\$159.67
Dodge Hemi HTD.....BER320-DH.....\$159.68
Ford 429/460 HTD.....BER320-F429.....\$159.68
HTD LS1.....BER320-LS1.....\$159.68
New Chevy 3" HTD.....BER320-NC.....\$159.68
New Chevy 3" Ext. Bal..BER320-NC-EXT.....\$199.26

**CRATE**

Oldsmobile HTD.....BER320-O.....\$159.68
Pontiac HTD.....BER320-P.....\$159.68
Pontiac 2000 HTD.....BER320-P2000.....\$159.68
Pinto 1600 & 2000 HTD..BER320-PIN.....\$159.68
Pinto 2300 HTD.....BER320-PIN2300.....\$159.68

Ford Flywheel Adapters

BER370-F

**Ford Flywheel
Adapter**

Ford Flywheel Ring
BER370-F.....\$119.59

**Bellhousing Pieces****Idler Gear**

BER303.....\$158.28

Idler Gear Bushing

BER304.....\$7.89

Idler Gear Shaft

BER306.....\$14.59

**Bellhousing
Plate Modified**

BER307-M.....\$29.13

**Bellhousing
Plate Late Model**

BER307.....\$29.14

Idler Gear Spring

BER308.....\$6.25

Idler Gear Washer

BER309.....\$1.80

**Idler Gear
Shaft Grease Fitting**

BER310.....\$1.74

**Starters****Inboard
Starters****Late Model and Modified Starters**

Inboard mount for use on Bert style bellhousings on either Northeast Modifieds or Late Models.

Northeast Modified.....BER323M2KW.....\$229.90
Late Model.....BER323L2KW.....\$229.90

**Late Model
1.4kw
Bert Starter**

BSC20020.....\$195.75

**Modified
1.4kw
Bert Starter**

BSC20021.....\$195.75



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Dirt Modified Transmission 2nd Generation

BER1200...\$1815.00(Shifter **NOT** Included)



Optional Remote Side Shifter Kit

For BER1200 Transmission

Now you can shift your race car just as easy as shifting a street car. Bert has designed a remote shifter for the east coast modified second generation trans (SG-1200), because of the single shifting rod design the use of a heavy duty cable and adapter bracket has create a great system. This shifter is handy and brings comfort to driver specially when going in and out of the cockpit. BER078-SG...\$280.88

2nd Generation Transmission



Regular Shifter Kit
For BER1200 Transmission
BER078-S...\$85.97



Late Model Trans 2nd Generation

BER1300.....\$1819.99

Late Model Trans 2nd Generation Muncie Length

BER1400.....\$1819.99

Late Model Transmission Ball Spline 2nd Generation


BER1500....\$2419.99

Regular Shifter

For 2nd Generation Transmission
BER1310...\$90.00

Bloomquist Shifter

For 2nd Generation Transmission
BER1311...\$90.00



We Rebuild All Bert Transmissions in house!



Dirt Modified Transmission Original Style

Open Drive Trans.....BERMOZ.....\$1789.53
Closed Drive Trans.....BERMCZ.....\$1889.13



Replacement Parts

Modified Basic Kit..BER090..\$110.35

- (6) Radius Tooth Clutch Disk...BER026
- (1) Front Oil Seal.....BER029
- (1) Rear Oil Seal.....BER052
- (2) Shifter Seal.....BER049
- (1) O-ring.....BER015
- (2) Fork Retaining Pin.....BER071
- (2) Frost Plug 3/4" Cup.....BER076

Modified Full Rebuild Kit..BER092..\$301.26

- (6) Radius Tooth Clutch Disk...BER026
- (1) Front Oil Seal.....BER029
- (1) Rear Oil Seal.....BER052
- (2) Shifter Seal.....BER049
- (1) O-ring.....BER015
- (2) Fork Retaining Pin.....BER071
- (2) Frost Plug 3/4" Cup.....BER076
- (1) Front Input Bearing.....BER032
- (1) Output Bearing (modified)...BER051
- (2) Radial Needle Roller.....BER020
- (2) Cage Needle Bearing.....BER045
- (2) Cage Needle Bearing.....BER074
- (3) Thrust Needle Roller.....BER018
- (2) Thrust Washer 90.....BER019.090
- (4) Thrust Washer 60.....BER019.060
- (1) Thrust Washer 30.....BER019.030

Piston Kit with O-Ring

Replaces BER061 & BER062.
BER61-K...\$11.85



Bert Transmission Fluid

We highly recommend this stuff for use in Bert trans because of the internal clutch.
1 Quart..SPECRACETF..\$9.95



1st Generation Transmission

Shown with
optional shifter

Dirt Late Model Transmission

It feature an internal clutch assembly for reduced rotating weight, & new "dog teeth" gears. Trans available with optional coupler & shifter for an additional amount per item. Bellhousing includes Gilmer or HTD flywheel.
Late Model Trans Alum....BERLMZ.....\$1669.99



Replacement Modified Shifter Kit

The first thing to go when you lose a driveshaft is your shift linkage. Replace the whole thing with this complete kit.
Does Not include rod ends.
BER078-M.....\$130.84



Bert and Winters Hand Clutch Master

ENG18875.....\$99.50

Rebuild Kit

ENG151EP.....\$14.95



New Style Clutch Handle

BER066-1C.....\$17.93

Bert Clutch Handle Knob

BER078-C.....\$17.11



Bert Transmission Gaskets

Front Cover/Main Case Gasket .015 Thick

BSCBER001.....\$3.50

Bert Side Cover Gasket .030 Thick

BSCBER002.....\$3.75

Bert Rear Cover Gasket .030 Thick

BSCBER003.....\$3.95

Note: All transmission rebuild parts available.

Complete Late Model Trans w/Ball Spline

Reduces drivetrain bind. Available in aluminum or mag. Order the coupler of your choice separately.
BERLMZ-BS.....\$2369.73



Tailshaft only upgrade your late model transmission

BER003-BS.....\$1216.85
BER003-BS-MAG.....\$1275.89



Late Model Basic Kit..BER091..\$114.12

- (6) Radius Tooth Clutch Disk.....BER026
- (1) Front Oil Seal.....BER029
- (1) Late Model Rear Oil Seal.....BER065
- (1) Extension Bushing.....BER060
- (2) Shifter Seal.....BER049
- (1) O-ring.....BER015
- (2) Fork Retaining Pin.....BER071
- (2) Frost Plug 3/4" Cup.....BER076

Late Model Full Rebuild Kit..BER093..\$274.00

- (6) Radius Tooth Clutch Disk.....BER026
- (1) Front Oil Seal.....BER029
- (1) Late Model Rear Oil.....BER065
- (1) Extension Bushing.....BER060
- (2) Shifter Seal.....BER049
- (1) O-ring.....BER015
- (2) Fork Retaining Pin.....BER071
- (2) Frost Plug 3/4" Cup.....BER076
- (1) Front Input Bearing.....BER032
- (1) Output Bearing (L/M).....BER056
- (2) Radial Needle Roller.....BER020
- (2) Cage Needle Bearing.....BER045
- (2) Cage Needle Bearing.....BER074
- (3) Thrust Needle Roller.....BER018
- (2) Thrust Washer 90.....BER019.090
- (4) Thrust Washer 60.....BER019.060
- (1) Thrust Washer 30.....BER019.030

Common Replacement Parts

- Radius Tooth Clutch Disk....BER026.....\$9.95
- Steel Clutch.....BER027.....\$4.94
- Input Modified Dog Teeth....BER008-Z.....\$183.68
- Input Late Model Dog TeethBER009Z.....\$208.08
- Direct Slider Dog Teeth.....BER011Z.....\$152.41
- Reverse Idler Gear.....BER044.....\$47.05
- Shifter Fork.....BER041.....\$53.29
- Reverse Fork.....BER075.....\$42.40




2nd Generation Transmission Rebuild Parts



Item Description (Quantity)	Part #	
1.) Reverse Gear (1)	BERSG-1029	\$111.04
2.) Reverse Bearing - Seal Together w/SG-1061 (1)	BERSG-1031-K	\$46.43
3.) Selector Fork (1)	BERSG-1017	\$14.48
4.) Bert Band - Together w/SG-1030-01 (1)	BERSG-1030-02	\$call
5.) Double Raw Chain (1)	BERSG-1076	\$47.70
6M.) Input Shaft (For SG-1200) (1)	BERSG-1002	\$376.40
6L.) Input Shaft Late (For SG-1300, SG-1400, & SG-1500) (1)	BERSG-1003	\$440.56
7.) Hex Nylon Lock 1/2-20 UNF (1)	BERSG-1056	\$0.53
8.) O-Ring OD 3/4 ID 5/8 with 1/16 (1)	BERSG-1079	\$0.16
9.) Carrier Truste Support Bearing (1)	BERSG-1032-K	\$53.68
9b.) Steel Ball 5/16 (1)	BERSG-1060	\$1.00
10.) Reverse Gear Shaft (1) Sell Together w/SG-1034	BERSG-1027	\$40.68
11.) Case Gasket (1)	BERSG-1001-G	\$2.89
12.) Reverse Idler Gear (1)	BERSG-1028	\$145.28
13.) Main Casting (1)	BERSG-1001	\$652.63
14.) Front Fork System Sub Assembly (1)	BERSG-1000-20	\$68.24
15.) Needle Bearing 20 x 24 x 17 (2)	BERSG-1057	\$4.83
16.) Trust Washer (4)	BERSG-1021	\$0.51
17.) Breather (1)	BERSG-1068	\$4.41
18.) Carrier Sub Assembly (1)	BERSG-1000-10-10	\$298.12
19.) O-Ring OD 9/16 Wall 1/16 (1)	BERSG-1054	\$0.05
20.) Front Fork Support Screw (1)	BERSG-1022	\$8.38
21.) External Retaining Rings, 5160-137 (2)	BERSG-1080	\$2.08
22.) Input Shaft Bearing (1)	BERSG-1053	\$30.89
23.) Front Cover Stud (4)	BERSG-1037	\$8.59
24.) Flat Washer 5/16 (4)	BERSG-1156	\$0.21
25.) Shaft Seal CRWA1-R (1)	BERSG-1052	\$7.06
26.) Hex Nylon Lock 5/16-24 UNF (4)	BERSG-1258	\$0.72
27.) Sun Gear Selector (1)	BERSG-1006	\$126.94
28.) Band Anchor Stud (1)	BERSG-1033	\$10.11
29.) Servo AN Adapter (1)	BERSG-1064	\$1.83


30.) Magnetic Drain Plug 1/4 NPT (2)	BERSG-1063	\$2.54
31.) Band Anchor Shaft (1)	BERSG-1019	\$8.89
32.) Piston Return Spring (1) OD 5/8 x 1-1/4 x w (.069 x .109)	BERSG-1078	\$5.49
33.) Servo Cover (1)	BERSG-1020	\$36.83
34.) Flat Head 82 Degree #10-24 UNC x .750 (4)	BERSG-1066	\$0.13
35.) Servo Bleed Adapter (1) Sell Together w/SG-1067	BERSG-1065	\$6.78
36.) O-Ring 1/16 x 1.000 (A.P.D.N.) (1)	BERSG-1081	\$0.16
37.) Servo Piston (1)	BERSG-1018	\$12.60
38.) O-Ring 3/32 (2)	BERSG-1077	\$1.38
39.) Stud O-Ring (4)	BERSG-1082	\$0.11
40.) Gasket (1)	BERSG-1039	\$4.11
41.) Front Cover (1)	BERSG-1004	\$48.26
42.) Sun Gear (1)	BERSG-1012	\$125.62
43.) Needle Bearing 40 x 45 x 27 (1)	BERSG-1069	\$11.89
44.) L and R Carrier (1)	BERSG-1009	\$243.22
45.) Carrier Crown (1)	BERSG-1007	\$175.29
46.) Needle Bearing WJ 12 x 16 x 16 (1)	BERSG-1058	\$4.82
47.) Servo Bleed Adapter Plug (1)	BERSG-1067	\$6.65
48.) Sun Gear Trust Ring (1)	BERSG-1016	\$4.71
49.) Carrier Support (1)	BERSG-1011	\$1.16



2nd Generation Dirt Modified Transmission Rebuild Parts

Item Description (Quantity)	Part #	
1.) Shaft Seal (1)	BERSG-1150	\$1.98
2.) Shifting Rod (1)	BERSG-1102	\$28.79
3.) Selector Fork (1)	BERSG-1017	\$14.48
4.) Set Screw 7/16 (2)	BERSG-1157	\$4.23
5.) Hex Nylock 1/2-20 UNF (1)	BERSG-1056	\$0.53
6.) Hex Nylock 5/16-18 UNC x 1.500 (4)	BERSG-1155	\$0.46
7.) Hex Nylock 5/16-18 UNC x 2.000 (1)	BERSG-1154	\$0.71
8.) Lock Washer .313 (5)	BERSG-1051	\$0.05
9.) Flat Washer 5/16 (5)	BERSG-1156	\$0.21
10.) Tail Casting Modified (1)	BERSG-1201	\$264.55
11.) Plongeur Small (2)	BERSG-1035-01	\$12.75
Plongeur Big (2)	BERSG-1035-02	\$12.75
12.) Detent Spring (2)	BERSG-1158	\$1.36
13.) Output Shaft Modified (1)	BERSG-1202	\$161.44
14.) Deep Groove Ball Bearing 80mm x 40mm x 23mm (1)	BERSG-1250	\$55.88
15.) Shaft Seal CRWA1-R, Same as Bert 052 (1)	BERSG-1251	\$16.20


16.) Trust Washer (3)	BERSG-1021	\$0.51
17.) Internal Retaining Ring, Bore Dia 3 5/32 (1)	BERSG-1160	\$1.82
18.) Gears Selector (1)	BERSG-1101	\$199.42
19.) Hex Cap Screw 3/8-24 x 1.500 (1)	BERSG-1252	\$0.71
20.) Lock Washer 3/8 (1)	BERSG-1253	\$0.05
21.) Yoke Washer (1)	BERSG-1213	\$7.21
22.) Yoke Modified (1)	BERSG-1212	\$114.14
23.) Output Shaft Spacer (1)	BERSG-1203	\$9.40



2nd Generation Late Model Transmission Rebuild Parts

SG-1300-01 (Tail Casting 2nd Generation)

1 Rod End 3/8-24 UNF (1)	QA1CMR6	\$3.07
2 Hex Jam Nut 3/8-24 UNC (1)	JAM006	\$0.21
3 Shaft Seal (1)	BERSG-1150	\$1.98
4 Shifting Rod Extension (1)	BERSG-1102	\$28.79
5 Selector Fork (1)	BERSG-1017	\$14.48
6 Set Screw 3/8-16 UNC x .375 (2)	BERSG-1157	\$4.23
7 Hex Nylon Lock 1 2-20 UNF (1)	BERSG-1056	\$0.53
8 Hex Head Screw 5/16-18 UNC x 1.500 (4)	BERSG-1155	\$0.46
9 Hex Head Screw 5/16-18 UNC x 2.000 (1)	BERSG-1154	\$0.71
10 Lock Washer .313 (5)	BERSG-1051	\$0.05
11 Flat Washer 5/16 (5)	BERSG-1156	\$0.21
12 Tail Casting Late Model Sub Assy (1)	BERSG-1400-05	\$574.46
13 Plongeur Small (2)	BERSG-1035-01	\$12.75
Plongeur Big (2)	BERSG-1035-02	\$12.75
14 Spring 5/16 (2)	BERSG-1158	\$1.36
15 Output Shaft (1)	BERSG-1302	\$381.57
16 Deep Groove Ball Bearing, Snap Ring, Contact Seal on Outer Side, 60mm x 40mm x 18mm (1)	BERSG-1350	\$23.67
17 Bert Part # 031 (2)	BERSG-1083	\$1.73
18 Crown Trust Washer (3)	BERSG-1021	\$0.51
19 Internal retaining ring, Bore diameter 3 5/32 (1)	BERSG-1160	\$1.82
20 Hi Selector (1)	BERSG-1101	\$199.42




SG-1300-05 (2nd Generation Sub Assy)

1 Shaft Seal BHH1010-AD, Same as Bert Part # 065 (1)	BERSG-1354	\$15.91
2 Bert Part # 60 (1)	BERSG-1356	\$11.43
3 (1)	BERSG-1304	\$14.27
4 Hexagon Socket Button Head Cap Screw (1)	BERSG-1357	\$0.25
5 Output Tube (1)	BERSG-1303	\$61.65
6 Tail Casting (Late Model) (1)	BERSG-1301	\$440.31
7 Hexagon Socket Button Head Cap Screw (2)	BERSG-1352	\$0.76

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





1st Generation Transmission Rebuild Parts




Tail Casting Muncie Length)

1 Rod End 3/8-24 UNF (1).....	BERSG-1151	\$12.25
2 Hex Jam Nut 3/8-24 UNC (1).....	BERSG-1152	Scall
3 Shaft Seal (1)	BERSG-1150	\$1.98
4 Shifting Rod Extension (1).....	BERSG-1102	\$28.79
5 Selector Fork (1)	BERSG-1017	\$14.48
6 Set Screw 3/8-16 UNC x .375 (2)	BERSG-1157	\$4.23
7 Hex Nylon Lock 1 2-20 UNF (1).....	BERSG-1056	\$0.53
8 Hex Head Screw 5/16-18 UNC x 1.500 (4).....	BERSG-1155	\$0.46
9 Hex Head Screw 5/16-18 UNC x 2.000 (1).....	BERSG-1154	\$0.71
10 Lock Washer .313 (5)	BERSG-1051	\$0.05
11 Flat Washer 5/16 (5)	BERSG-1156	\$0.21
12 Tail Casting Late Model Sub Assembly) (Sale Together) (1).....	BERSG-1400-05	\$574.46
13 Plongeur Small (2).....	BERSG-1035-01	\$12.75
Plongeur Big (2)	BERSG-1035-02	\$12.75
14 Spring 5/16 (2)	BERSG-1158	\$1.36
15 Output Shaft (1)	BERSG-1402	\$365.89
16 Deep Groove Ball Bearing, Snap Ring, Contact Seal on Outer Side, 60mm x 40mm x 18mm (1).....	BERSG-1350	\$23.67
17 Bert Part # 031 (2)	BERSG-1083	\$1.73
18 Crown Trust Washer (3)	BERSG-1021	\$0.51
19 Internal retaining ring, Bore diameter 3 5/32 (1)	BERSG-1160	\$1.82
20 Hi Selector (1)	BERSG-1101	\$199.42

SG-1500-01 (Tail Casting Late Model Ball Spline Assembly)

1 Rod End 3/8-24 UNF (1).....	BERSG-1151	\$12.25
2 Hex Jam Nut 3/8-24 UNC (1).....	BERSG-1152	Scall
3 Shaft Seal (1)	BERSG-1150	\$1.98
4 Shifting Rod Extension (1).....	BERSG-1102	\$28.79
5 Selector Fork (1)	BERSG-1017	\$14.48
6 Set Screw 3/8-16 UNC x .375 (2)	BERSG-1157	\$4.23
7 Hex Nylon Lock 1 2-20 UNF (1).....	BERSG-1056	\$0.53
8 Output Shaft (4)	BERSG-1502	\$323.98
9 Bert Part # 031 (1)	BERSG-1053	\$30.89
10 Hex Head Screw 5/16-18 UNC x 1.500 (4).....	BERSG-1155	\$0.46
11 Hex Head Screw 5/16-18 UNC x 2.000 (1).....	BERSG-1154	\$0.71
12 Lock Washer .313 (5)	BERSG-1051	\$0.05
13 Flat Washer 5/16 (5)	BERSG-1156	\$0.21
14 Tail Casting Late Model Sub Assembly) (Sale Together) (1).....	BERSG-1500-05	\$552.50
15 Plongeur Small (2).....	BERSG-1035-01	\$12.75
Plongeur Big (2)	BERSG-1035-02	\$12.75
16 Spring 5/16 (2)	BERSG-1158	\$1.36
17 Deep Groove Ball Bearing, Snap Ring, Contact Seal on Outer Side, 60mm x 40mm x 18mm (1).....	BERSG-1350	\$23.67
18 Crown Trust Washer (3)	BERSG-1021	\$0.51
19 Internal retaining ring, Bore diameter 3 5/32 (1)	BERSG-1160	\$1.82
20 Hi Selector (1)	BERSG-1101	\$199.42

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Sub Assembly

1 Shaft Seal BHH1010-AD, Same as BER	BERSG-1356	\$11.43
2 Bert Part # 60 (1).....	BERSG-1304	\$14.27
3 Tube Bushing (1)	BERSG-1357	\$0.25
4 Hexagon Socket Button Head Cap Screw (1).....	BERSG-1403	\$101.89
5 Output Tube (1)	BERSG-1301	\$440.31
6 Tail Casting (Late Model) (1).....	BERSG-1352	\$0.76
7 Hexagon Socket Button Head Cap Screw (2).....	BERSG-1352	\$0.76



SG-1500-05 (Tail Casting Late Model Ball Spline Sub Assembly)

1 Hexagon Socket Button Head Cap Screw (2) ..	BERSG-1352	\$0.76
2 Tail Casting (Late Model) (1).....	BERSG-1301	\$440.31
3 (1)	BERSG-1503	\$45.97
4 Needle Bearing HJ324120 (1).....	BERSG-1504	\$31.44
5 Snap Ring (1).....	BERSG-1505	\$5.08
6 CR Seal 19762 (1).....	BERSG-1506	\$9.60

Strange Oval**Complete Driveshaft Assembly****19.375 Long Driveshaft**

Steel Gun-Drilled Driveshaft w/1310 re-greasable U-Joint. Now available with a re-greasable 1310 U-joint. Strange Oval's driveshaft, for the Northeast modified's, has been running on cars for over 3 years and eliminates all vibration. Bulletproof construction offering years of serviceable life. Added yoke clearance allows for 22° of misalignment (compared to 14° with others). Fits TEO, Bicknell or Troyer.

STRDKM203.....**\$1061.63**

Slip Yokes

Forged Driveshaft 32 Spline 1310

STRDYM235.....**\$188.50**

Billet DS 32 Spline 1310 for Bert Trans

STRDYM205.....**\$144.93**

Billet U-Joint Strap Kit

1310 for Bert Trans Yoke

STRDYM205-1.....**\$79.75**

Slip Yoke Spring

STRDYMSPRING.....**\$3.00**

Billet Quick Change Yoke

STRDYM225.....**\$144.93**

19-3/8" 32 Spline**Driveshaft**

STRDM103-19-3/8.....**\$268.25**

Hollow Steel**Driveshaft**

32-32 Spline 22".....DMISRC-2468-32.....**\$212.70**

32-32 Spline 20".....DMISRC-2467-32.....**\$240.42**

32-32 Spline 19-5/8".....DMISRC-2467-32-19.625.....**\$240.42**

32-32 Spline 19-1/2".....DMISRC-2467-32-19.5.....**\$240.42**

32-32 Spline 18".....DMISRC-2466-32.....**\$240.42**

U-Joint Yoke Long

Steel Billet U-Joint Yoke - Long 32 Spline

DMISRC-2342-32.....**\$216.23**

Neapco U-Joints

1310 1-1/16 x 3 1/4.....NEA1-0153.....**\$12.52**

1310 9/16" hole in center.....NEA1-0153X-SP.....**\$20.67**

Spicer U-Joints 1310 1-1/16 x 3 1/4

Greaseable.....SPI5-53X.....**\$11.95**

Non-Greaseable.....SPI5-1310X.....**\$17.95**

U-Bolts (Pair)

U-Bolts (pair).....BSC5855.....**\$6.25**

**Slip Yoke**

5.5" Yoke 16 Spline

FAS6133.....**\$34.95**

8" Bert Late Model Slip Yoke 27 Spline

FASXLT-8.....**\$51.95**

8" Winters Late Model Slip Yoke

Heat Treated

FASXLT-8HD.....**\$71.78**

8" Bert Wide Angle Slip Yoke 27 Spline

FASXLT-8WA.....**\$103.68**

Drive Shafts

19" LW Driveshaft Length 22.5 CTC

FAS2-083M-DM-19.....**\$359.60**

20" LW Tubular Driveshaft Std Length 22.5 CTC

FAS2-083M-DM-20.....**\$359.60**

Billet U-Bolt Kits

FASBBSK.....**\$39.95**

Slip Yoke

High Angle Extra Clearance

PEMYSYL8F.....**\$62.70**

Modified Transmission**Falcon Shorty Transmission**

It features 2 forward speeds and a reverse with an integral hydraulic applied clutch which operates low and reverse gears. High gear is a 1 to 1 direct drive ratio, while low gear is a 2.4 to 1 ratio. The Falcon was designed with durability as a requirement, with internal clutches being the only degrading internal parts. 2 types of input drives are available. Conventional 18 splines on the main drive that engages splines in the crank coupler is standard. It measures 9 7/8" from front of case to center of rear yoke, and comes complete with a crank coupler, lightweight shifter and hand operates master cylinder. The Falcon Shorty is only available in open drive.

WIN60150.....**\$1558.75**

**Falcon Shorty**

Basic Rebuild Kits.....WIN62824-2.....**\$129.67**

Complete Rebuild Kits WIN62825-2.....**\$232.36**

Late Model Transmission**Falcon****Late Model****Transmission**

It weighs in at 43 pounds with an aluminum case and extension housing and an even lighter 38 pounds 2 ounces in magnesium.

WIN60100.....**\$1558.75**

**Falcon Late Model Rebuild Kit**

Basic Rebuild Kits.....WIN62822-2.....**\$99.33**

Complete Rebuild Kits.....WIN62823-2.....**\$215.22**

Modified Bellhousings**2 5/8" Deep Flywheel Housing Assy**


With reverse starter mt. Accepts popular internal clutch transmissions with short input shafts including the Falcon Trans. Mounts included for small block and big block camshaft driven pumps. Includes idler gear, starter ring gear and spacer shims.

Chevy.....WIN62844.....**\$434.09**

Ford.....WIN62904.....**\$561.51**

Shifter Kit Modified

WIN60115-S.....**\$**

**Late Model Bellhousings****6 1/4" Deep****Flywheel Housing Assy**

Chevy Aluminum.....WIN62843.....**\$446.53**

Chevy Magnesium.....WIN62843M.....**\$571.62**

Ford Magnesium.....WIN62843M-2.....**\$586.12**

Driveshaft

18".....WIN5991-18.....**\$181.25**

20".....WIN5991-20.....**\$181.25**

Billet Alum 32 Spline Slip Yoke

WIN4865-32.....**\$145.00**

U-Bolt Assembly

Std.....WIN3655M.....**\$26.83**

Long.....WIN3655-01M.....**\$26.83**

Flywheels & Couplers**Starter Ring****Gear & Shims**

Application.....Starter Ring Gear.....Shim

SBC & BBC.....WIN62479-A.....WIN62320

.....**\$2.90**.....**\$2.90**

SBF.....WIN62479-C.....WIN62322

.....**\$2.90**.....**\$2.90**

Late SBC.....WIN62479-D.....WIN62321

.....**\$2.90**.....**\$2.90**

Flywheel for**Crate Motor CRATE**

Flywheel, Late Chevy, Ext Bal-

ance, 18 Spline

WIN63844-18.....**\$143.55**

Flywheel Shim

WIN62321.....**\$2.90**

Couplers Short

WIN62348-18.....SBC & BBC 18 Spline.....**\$68.05**

WIN62348-18A.....SBC & BBC 18 Spline, Alum.....**\$75.30**

WIN62349-18.....SBF 18 Spline.....**\$75.30**

WIN62349-18A.....SBF 18 Spline, Alum.....**\$98.60**

WIN62350-18.....Late SBC 18 Spline.....**\$75.30**

WIN62350-18A.....Late SBC 18 Spline, Alum.....**\$75.30**

Crank Couplers w/HTD**Chevy 18 Spline**

w/HTD Pulley.....WIN62446.....**\$106.49**

w/HTD Pulley, Alum.....WIN62446A.....**\$118.28**

Ford 18 Spline

w/HTD Pulley.....WIN62887.....**\$106.49**

w/HTD Pulley, Alum.....WIN62887A.....**\$118.28**

Chevy Late 18 Spline

w/HTD Pulley.....WIN62890.....**\$106.49**

w/HTD, Alum.....WIN62890A.....**\$118.28**

Ball Spline Driveshafts

19" (Troyer).....BER240-19.....**\$840.88**

23" (TEO).....BER240-23.....**\$840.88**

Driveshafts

Gun drilled & internally polished for lightweight & added strength. Fully floating at both ends allows freer suspension movement. Small diameter takes up less room.

16 x 16 Spline for open drive.

Overall Length

14".....BER250.....**\$164.09**

16".....BER251.....**\$164.09**

18".....BER252.....**\$164.09**

20".....BER253.....**\$164.09**

22".....BER254.....**\$164.09**

24".....BER255.....**\$164.09**

26".....BER256.....**\$164.09**

28".....BER257.....**\$164.09**

30".....BER258.....**\$164.09**

**16 x 10 Spline for closed drive.**

Overall Length

14".....BER259.....**\$164.09**

16".....BER260.....**\$164.09**

18".....BER261.....**\$164.09**

20".....BER262.....**\$164.09**

22".....BER263.....**\$164.09**

24".....BER264.....**\$164.09**

Starters

3.73:1 Gear Reduction, 2.4 kw

Reverse Mt, 6-1/2 in Ring Gear

Shorty Starter.....WIN62910.....**\$246.50**

Late Model Starter.....WIN62911.....**\$261.00**

Shifter

The shifters feature a lightweight aluminum dual handle designed for rough tracks. Levers can be locked in with simple detent so it can't jump out of gear. Bert shifter with rods, clevis kit & mounting plate. (BK or R)

KLUKRC-7400R.....**\$133.58**

CIRCLE TRACK CLUTCHES

Stock Clutch Rule Systems

The 10.5" diaphragm for GM or Ford applications features a billet aluminum pressure ring with steel face to provide a durable mating surface for the clutch disc. When used with a 6 point RAMetallic disc, the clutch weighs just over 15 pounds. If a full face disc is required, the RAM 200 series organic disc will provide great holding power. RAM also offers several lightweight billet steel flywheels to match these components. If all steel components are required for the clutch system, RAM makes a similar diaphragm plate with a steel ring. All street stock components are factory rebuildable.



Complete System

Chevy pre-86 10.5" 10 spline 25.5 lbs.	RAM900100	\$799.00
Chevy pre-86 10.5" 10 spline 23.5 lbs.	RAM910100	\$815.00
Chevy 86-up 10.5" 10 spline 25.5 lbs.	RAM900300	\$799.00
Chevy 86-up 10.5" 10 spline 23.5 lbs.	RAM910300	\$815.00

Pressure Plates

GM steel lw diaphragm pressure plate, 11.7 lbs.	RAM851	\$375.00
GM lw diaphragm pressure plate, 13.5 lbs.	RAM801	\$379.00
GM std weight diaphragm plate, 18.5 lbs.	RAM401	\$179.00
Ford lw diaphragm pressure plate, 13 lbs.	RAM834	\$355.00
Ford std weight diaphragm plate, 18 lbs.	RAM434	\$198.65
Ford 2000/2300 steel ring pressure pl 8.5" 10 lbs.	RAM40315	\$149.00

Clutch Discs

GM 10.5 x 1 1/8-10 6 point solid hub disc, 2.5 lbs.	RAM1021	\$189.00
GM 10.5 x 1 1/8-26 6 point solid hub disc, 2.5 lbs.	RAM1029	\$189.00
Ford 10.5 x 1 1/16-10 6 pt solid hub disc, 2.5 lbs.	RAM1025	\$189.00
GM 10.5 x 1 1/8-10 solid hub organic disc, 2 lbs.	RAM251	\$105.00
GM 10.5 x 1 1/8-26 solid hub organic disc, 2 lbs.	RAM259	\$105.00
Ford 10.5 x 1 1/16-10 solid hub organic disc, 2 lbs	RAM255	\$105.00

Flywheels

Chevy lw steel flywheel pre-86 '0' bal 15 lb.	RAM1510	\$274.00
Chevy lw steel flywheel pre-86 '0' bal 11.7 lb.	RAM1510-12	\$279.00
Chevy lw steel flywheel pre-86 '0' bal 9.7 lb.	RAM1510-10	\$275.00
Chevy lw steel flywheel 86-up 'ext' bal. 15 lb.	RAM1512	\$274.00
Chevy lw steel flywheel 86-up 'ext' bal. 11.7 lb.	RAM1512-12	\$279.00
Chevy lw steel flywheel 86-up 'ext' bal. 9.7 lb.	RAM1512-10	\$275.00
Chevy lw steel flywheel 86-up '0' bal. 15 lb.	RAM1514	\$274.00
Ford 2000/2300 lw steel flywheel 9.5 lbs. 15 lb.	RAM1535	\$267.00

Street Hydraulic Release Bearings

They are perfect for custom builds, kit cars, or other applications where the standard release mechanism may not fit. Bearings feature .700 inch travel, and are designed to work with up to a 3/4 inch master cylinder. Kits include the release bearing, bleed kit, and mounting hardware.



GM for Muncie, Saginaw, T-10 1.375" collar dia.	RAM78125	\$135.00
Ford T-5 transmission 1.435" collar	RAM78130	\$248.00
Ford Tremec transmission 1.435" collar	RAM78132	\$259.00


Replacement Parts

O-ring set	RAM78505	\$12.25
Remote bleeder kit	RAM78510	\$30.00
Replacement bearing only	RAM78015	\$40.00




SFI Spec 29.1 True Billet Flexplates

Our line of True Billet flexplates is second to none. No other manufacturer can claim to have stronger gear teeth, less runout or more consistent quality. They are now available for a wide variety of domestic engine and transmission applications. We also offer manufacturing of special flexplates, which are made to your specifications, and hardware to complete the installation well.



A ..14.14
B ..0.450
C ..0.170
D ..2.49



Total Weight6.3 lbs.
Counter Bal Wt.....Neutral
Converter Pat.....3 on 10.75 and 3 on 11.5


Tooth Count 168 • Pitch 12	MEZFP300	\$397.71
Tooth Count 139 • Pitch 10	MEZFPT300	\$397.71
Bolt Kit	MEZFPH437625.....	\$17.75

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



7.25 Multi-Disc Systems

The RAM 7.25 series clutch system utilizes our extensive knowledge to provide a more durable 7 1/4 inch clutch system. A new internal drive mechanism provides smooth driveable engagement. The four pad disc design has twice the friction material of other 7 1/4 inch clutches and is out own proprietary mix known for its outstanding durability. The clutch discs feature 8 rivet hubs for added torque capacity. Works with mechanical or RAM hydraulic release bearings shown below.



Chevy pre-86	3 disc	1 1/8-10	12.8	RAM8351	\$762.05
Chevy pre-86	3 disc	1 1/8-26	12.8	RAM8353	\$762.05
Chevy 86-up	3 disc	1 1/8-10	12.8	RAM8371	\$762.05
Chevy 86-up	3 disc	1 1/8-26	12.8	RAM8373	\$762.05
Ford SB	3 disc	1 1/16-10	12.8	RAM8355	\$762.05

7.25 Single Disc - up to 500 ft/lbs. capacity

Chevy pre-86	1 disc	1 1/8-10	9.7	RAM8751	\$664.85
Chevy pre-86	1 disc	1 1/8-26	9.7	RAM8753	\$664.85
Chevy 86-up	1 disc	1 1/8-10	9.7	RAM8771	\$664.85
Chevy 86-up	1 disc	1 1/8-26	9.7	RAM8773	\$664.85
Ford SB	1 disc	1 1/16-10	9.7	RAM8755	\$664.85

90 Series 6 1/4" Assault Weapon Clutches

RAM Assault Weapon button style clutches are among the lightest and most affordable metallic clutches available. Each unit utilizes a CNC machined steel button flywheel and open design to eliminate heat and dirt buildup inside the unit. Patented RAMetallic friction discs stand up to occasional slippage that often puts multi-disc clutches out of commission, and the absence of internal splines eliminates the possibility of floater plate hang up. Button units are for use with a flexplate. Release bearing must be purchased separately.

Chevy pre-86 1 1/8-10 spline, 3 disc	RAM9351S	\$599.00
Chevy pre-86 1 1/8-26 spline, 3 disc	RAM9353S	\$599.00
Ford SB 1 1/16-10 spline, 3 disc	RAM9355S	\$599.00
Chevy 86-up 1 1/8-10 spline, 3 disc	RAM9371S	\$599.00
Chevy 86-up 1 1/8-26 spline, 3 disc	RAM9373S	\$599.00
Chevy pre-86 1 1/8-10 spline, 2 disc	RAM9651S	\$525.00

RAM Multi-Disc Hydraulic Release Bearing

RAM's new hydraulic release bearing is easier to install than the previous version and much more competitively priced. Total travel is .500" and the bearing has a rounded face for use with multi disc clutches. This bearing is not for use with stock style clutches.



Hydraulic bearing for GM	RAM78100	\$114.00
Hydraulic bearing for GM stock clutch	RAM78125	\$135.00
Remote bleeder kit	RAM78510	\$30.00
Replacement bearing (round)	RAM78010	\$40.00
Replacement bearing (flat)	RAM78015	\$40.00
Replacement 'o' ring set	RAM78500	\$19.24



Rear Gears

These high performance gear sets are manufactured to exact tolerances of superior heat treated materials. The right gears for oval track, drag racing, road racing, and high performance street.

GM 7.5" & 7.625"

Part #	Ratio
MOTG875342	3.42 \$230.77
MOTG875373	3.73 \$223.26
MOTG875410	4.10 \$221.11
MOTG875456	4.56 \$221.11

GM 8.5" 10 Bolt

Part #	Ratio
MOTG885273	2.73 \$243.47
MOTG885308	3.08 \$218.97
MOTG885342	3.42 \$221.11
MOTG885373	3.73 \$214.67
MOTG885390	3.90 \$192.95
MOTG885410	4.10 \$210.38
MOTG885456	4.56 \$214.67
MOTG885488	4.88 \$214.67
MOTG885513	5.13 \$225.41

GM 8.875" 12 Bolt

Part #	Ratio
MOTG888342	3.42 \$241.10
MOTG888373	3.73 \$199.64
MOTG888411	4.10 \$193.20

FORD 9"

Part #	Ratio
MOTF890300	3.00 \$262.40
MOTF890325	3.25 \$262.40
MOTF890350	3.50 \$203.94
MOTF890370	3.70 \$241.51
MOTF890389	3.89 \$237.74
MOTF890411	4.11 \$237.74
MOTF890430	4.30 \$246.62
MOTF890457	4.57 \$214.67
MOTF890471	4.71 \$267.54
MOTF890486	4.86 \$231.85
MOTF890500	5.00 \$241.51
MOTF890514	5.14 \$225.41
MOTF890529	5.29 \$241.51
MOTF890543	5.43 \$225.41
MOTF890567	5.67 \$225.41
MOTF890583	5.83 \$241.51
MOTF890600	6.00 \$241.51
MOTF890620	6.20 \$241.51
MOTF890633	6.33 \$241.51
MOTF890650	6.50 \$241.51

MotiveGear Performance®

Mini Spools

Mini Spools are recommended for oval track cars only!

Highest quality heat treated steel.

Ford 9" 28 splineMOTMS9-28.....**\$25.95**
 Ford 9" 31 splineMOTMS9-31.....**\$25.95**

GM 7.5" 26 splineMOTMS7.5-26.....**\$73.95**
 (uses stock cross pin)
 GM 8.5" 28 splineMOTMS10-28.....**\$73.95**
 GM 8.2" 28 splineMOTMS10C-28.....**\$73.95**
 GM Cross PinAFC60215**\$24.99**

MotiveGear Performance®

Full Spools

Ford 28 Spline - LightweightMOTFS9-28LW.....**\$124.95**
 Ford 31 Spline - LightweightMOTFS9-31LW.....**\$124.95**
 Ford 35 Spline - SteelMOTFS9-35**.....**\$142.95**
 *Use 3.062 Bore Housing **Use 3.250 Bore Housing

GM 28 Spline - SteelMOTFS10-28.....**\$142.95**
 GM 30 Spline - SteelMOTFS10-30.....**\$142.95**
 GM 30 Spline - SteelMOTFS12-30.....**\$142.95**

MotiveGear Performance®

Ring and Pinion Installation Kit

All MKT kits include all ring gear bolts, pinion nut, Timken bearings, seals, and gaskets to make installing new gears easy and professional.

MKT Installation Kits

Ford 8.8"MOTR8.8RMKT**\$83.95**
 GM 12 bolt 8.875"MOTR12CRMKT**\$88.95**
 GM 10 bolt 7.5 & 7.625MOTR7.5GRMKT**\$90.95**
 GM 10 bolt 8.5"MOTR10RMKT**\$92.95**

Bearing Kits

Ford 9" Bearing Kit.....MOTR9R.....**\$77.95**
 Ford 9" Solid Spacer w/shims.....MOT4105.....**\$18.95**



REAR END



MotiveGear Performance®

9" AX Production

Lightened Ring and Pinion

This set is the most innovative incarnation of the Ford 9" Gear Set to ever be designed and built. The Motive Gear Performance AX Ring & Pinion is on Average 1.8 to 2 pounds lighter than a standard Ford 9". This is due to the cut away on the underside of the ring gear. The big news doesn't end there! The Motive Gear Performance AX Ring & Pinion boasts an exclusive on these new low ratios: 7.33, 7.16, 7.00, 6.83, and 6.66. Note*** You need a Daytona Style Pinion Support for installation of the Motive Gear Performance AX Series Gear Set.

FORD 9" AX SERIES

Part #	Ratio	Part #	Ratio
MOTF890422AX	4.22 \$275.95	MOTF890557AX	5.57 \$347.88
MOTF890430AX	4.30 \$275.95	MOTF890567AX	5.67 \$351.26
MOTF890471AX	4.71 \$275.95	MOTF890583AX	5.83 \$351.26
MOTF890478AX	4.78 \$351.26	MOTF890600AX	6.00 \$347.88
MOTF890500AX	5.00 \$351.26	MOTF890614AX	6.14 \$341.51
MOTF890514AX	5.14 \$275.95	MOTF890620AX	6.20 \$347.88
MOTF890525AX	5.25 \$275.95	MOTF890633AX	6.33 \$347.88
MOTF890529AX	5.29 \$351.26	MOTF890650AX	6.50 \$341.57
MOTF890537AX	5.37 \$351.26	MOTF890666AX	6.66 \$344.51
MOTF890543AX	5.43 \$351.26	MOTF890683AX	6.83 \$337.45
MOTF890550AX	5.50 \$351.26	MOTF890700AX	7.00 \$310.00
		MOTF890716AX	7.16 \$313.17
		MOTF890733AX	7.33 \$313.17

9 Inch Ford Ring and Pinions Std and Lightweight

9" Ford Ring and Pinions

Recommended for Circle Track Use.

Ratios Available: 3:50, 3:70, 3:89, 4:11, 4:30, 4:56, 4:71, 4:86, 5:00, 5:14, 5:29, 5:37, 5:43, 5:67, 5:83, 6:00, 6:20, 6:33, 6:50, (8620 Material)

PEMF9(ratio).....**\$163.35**

Lightened

9" Ford Ring and Pinions

• Saves approximately 3.4 lbs.
 • Lighten your rotating weight for faster acceleration!

Ratios Available: 4.11, 4.50, 4.57, 4.63, 4.74, 4.86, 5.00, 5:29, 5:43, 5:67, 5:83, 6:00, 6:20, 6:33, 6:50 and 7:00. 7:00.

(8620 Material)
 PEMF9(ratio)LW.....**\$189.44**



9" Ford & GM Mini Spools

9" Ford Mini Spool

28 Spline weighs 2.95 lbs.

PEMMS928.....**\$17.69**

31 Spline weighs 2.75 lbs.

PEMMS931.....**\$17.69**

GM 7.5" Mini Spool

26 Spline Mini Spool for 7.5" GM Rear

PEMMS7526.....**\$62.70**

GM 12 Bolt Mini Spool

30 Spline Mini Spool for 12 Bolt GM Rear

PEMMS1230.....**\$62.70**

Ford and GM Full Steel Spools

9" Ford Lite Spool our biggest seller!

28 spline 6.25 lbs.

PEMFS28.....**\$81.68**

31 spline 6.05 lbs.

PEMFS31.....**\$81.68**

9" Ford Drag Spool

28 Spline - 8.55 lbs.

PEMFS28DS.....**\$89.10**

31 Spline - 8.3 lbs.

PEMFS31DS.....**\$89.10**

9" Ford LW Scalloped Spools

31 Spline 5.8 lbs.

PEMFS31LW.....**\$113.85**

28 Spline 6 lbs.

PEMFS28LW.....**\$113.85**

9" Ford 33 Spline Spool

8.3 lbs. Will fit stock case.

PEMFS933LW.....**\$130.24**



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



9" FORD GEAR INSTALLATION KITS

9" Ford Install Kit

Kit w/crush sleeve; includes pinion nut, o-ring, support shims, housing gasket and ring gear bolts.

PEMF9IK...\$28.88



Ford 9" Solid Pinion Spacer Kit w/Shims

PEMF9SPSK...\$12.36



Deluxe 9" Ford Install Kit

Kit w/crush sleeve; includes pinion nut, o-ring, support shims, housing gasket, ring gear bolts, pilot bearing and pinion bearings.

PEMF9DIK...\$60.68



9" Ford Ring and Pinion Kit

Kit with solid spacer and shims; includes pinion nut, o-ring, support shims and housing gasket.

PEMF9RPKSS...\$33.00



9" Daytona Pinion Bearing, Spacer and Seal Kit

Small Daytona Aluminum Pinion Support bearing kit with Timken pinion bearings, pinion seal and solid pinion spacer with shims. (for 28 spline pinion and aluminum pinion support)

PEMF9PSSBRK\$56.45

9" Large Pinion Bearing Spacer and Seal Kit

Large Aluminum Pinion Support bearing kit with Timken pinion bearings, pinion seal and solid pinion spacer with shims. (for 35 spline pinion and aluminum pinion support)

PEMF9PSLBRK.....\$102.24



9" Ford Yokes (All 28 Spline)

Cast Iron

1-1/16" Cap x 3-7/32" long Short Narrow
PEMYF91310-2\$60.97

1-1/8" Cap x 3-5/8" long
Short Wide
PEMYF91330.....\$59.20

Truck - 1-1/8" Cap x 3-5/8" long
Long Wide.
PEMYF91330TRUCK...\$69.00



Forged Chrome-Moly Steel 1350 Pinion Yokes

28 Spline - 1-3/16" x 3-5/8" U-Joint
dust shield easily removed from 28
spline yoke
PEMYF9135028..\$79.20

35 Spline - 1-3/16" x 3-5/8" U-Joint
PEMYF9135035..\$85.80

Machined from 4140 Chrome-Moly
forging. Gold Oxide Coated.



Forged Chrome-Moly Steel 1310 Yoke

This 4140 chrome-moly forging is stronger than either Billet or cast. It will solve problems from a bent yoke or egg-shaped cap holders. This yoke also uses u-bolts instead of the troublesome retainer straps. Black oxide coated and machined for a quality appearance. This yoke uses u-bolts for solid fastening of the u joint to the yoke.

1-1/16" Cap x 3-7/32" long - Short Narrow
PEMYF91310S.....\$65.12



ARP Ring Gear Bolt Kits

Specially hardened, precision-ground washers are included where required. The tremendous shock loads generated at launch by most any drag racing vehicle equipped with today's sticky tire compounds or the acceleration and deceleration of oval track cars put considerable strain on the ring gear. For this reason, the fastener experts at ARP have developed the Pro Series ring gear bolts. They are forged from premium grade 8740 chrome moly steel and are heat-treated to a nominal rating of 200,000 psi tensile strength.


Ford

9" Ford uses 5/8" socket • Thread: 7/16-20 • UHL: 0.940
ARP250-3002.....\$28.19

8.8" & 9" uses 3/4" socket • Thread: 7/16-20 • UHL: 0.750
ARP250-3003.....\$28.19

GM

10 and 12-bolt GM • Thread 3/8-24 • UHL: 0.800
ARP230-3001\$30.39



Replacement Quick Change Rear Parts

Fit Winters, DMI & Tiger Rear Ends

PEMQCC0090\$47.85...Forged yoke, 1310 10 spline

PEMQCC0103\$41.17...Posi nut for pinion, RH

PEMQCC0105\$3.18...Back cover gasket, sprint

PEMQCC0118\$7.01...Thin side bell o-ring


PEMQCC0119K\$41.25...Aluminum High Nuts for back cover - 10 pieces

PEMQCFSA31\$211.58...QC alum. spool, 2.031" journals

PEMQCFSA31L.....\$239.98...QC alum. spool drilled

PEMQCC0133\$6.2910 piece carrier shim kit

PEMQCC0131/0132K..\$30.53...QC ring & pinion bolt and washer kit (12 pcs. each)



9" Ford Bearing Kit

Includes carrier bearings, pinion bearings, pilot bearing and pinion seal.


Bearing: 1.781" ID x 2.891" OD
PEMF9BK1781ID2891OD...\$72.60



9" Ford Ring and Pinion Kit

Ring and pinion kit with crush sleeve includes: pinion nut, o-ring, support shims and housing gasket.

PEMF9RPKCS...\$20.72



Housing Gaskets for 9" Ford, 5 pack

PEMF9HGK...\$9.94



Ring Gear Bolts for 9" Ford, 10 pack

PEMH7162034G8K.....\$11.47



Ford 9" Solid Pinion Spacer Kit with Shims for 35 spline pinion

PEMF9SPSK35...\$47.85



9" Ford Pinion Crush Sleeve

PEMF9CSLV...\$3.30



9" Ford Pinion Nut

PEMF9PN...\$3.71



Large Pinion Nut for 35 spline

PEMF9PN35...\$11.77



Quick Change Ring and Pinions

4.11 and 4.86 ratios available.
8620 Alloy Steel. Our ring and pinions were tested in sprint car and late models during the 2012 racing season.

Bare 4.11 QC ring & pinion

4.11PEMQC411R&P\$196.35

4.86PEMQC486R&P\$196.35

Lightened Bare 4.11 QC ring & pinion

4.11PEMQC411R&PLW\$284.16

4.86PEMQC486R&PLW\$284.16

Loaded 4.11 QC ring & pinion

4.11PEMQC411R&PLOADED.....\$338.92

4.86PEMQC486R&PLOADED\$338.92

LW Loaded QC ring & pinion

4.11PEMQC411R&PLWLOADED..\$412.92

4.86PEMQC486R&PLWLOADED..\$396.18



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



SPRINT SECTION / CHASSIS



WIN2688

WIN2689

WIN2691

Torsion Arms

WINSRC-2688 ...\$58.55 Torison Arm L/R
WINSRC-2689 ...\$58.55 Torison Arm L/R L/W
WINSRC-2691 ...\$61.63 Torison Arm



Torsion Arm Front

WINSRC-2120 \$38.02 Torsion Arm L/F 18-1/2"
WINSRC-2125 \$41.05 Torsion Arm 17"
WINSRC-2130 \$44.37 Torsion Arm R/F 16-1/2"



WIN2230



WIN2240



WIN2250



WIN2260



WIN2270



WIN2280



WIN2290



WIN2290



WIN2300



Pitman Arms

WINSRC-2230 ...\$41.25 Short, 11", Lightweight
WINSRC-2240 ...\$41.25 Long, 11" or 12" Lightweight
WINSRC-2250 ...\$43.43 Short, 10", Broach, 11", L/W
WINSRC-2260 ...\$41.25 Long, 10", Broach, 11" or 12", L/W
WINSRC-2270 ...\$43.43 Short, 11", Heavy Duty
WINSRC-2280 ...\$43.43 Long, 11" or 12", Heavy Duty
WINSRC-2290 ...\$43.43 Short, 10", Broach, 11", HD
WINSRC-2300 ...\$43.43 Long, 10", Broach, 11" or 12", HD

Billet Non-Wing
Bird Cages

Manufactured from Certified Billet Alum material, these Non-Wing Bird Cages are machined to perfection and are truly the nicest and strongest on the market.

- Adjustable Lower Flag
- Black Anodized
- Uses 28mm Bearing

Billet Non-Wing

Bird Cage (Pair)KRP-1745.....\$525.00

Right Bird Cage.....KRP-1750.....\$349.93

Left Bird Cage.....KRP-1755.....\$363.93

Bird Cage Lower Flag....KRP-1760.....\$50.00



Front Axles

2-1/2" Lightweight Chrome Plated.

WINSRC-1712-C-8291-J&J.....\$273.98
WINSRC-1712-C-8291-MAXIM.....\$339.23



Front Axles

Lightweight Front Axles are constructed using 2.5" 4130 material. All fabricated components are heli-arc welded.

2-1/2" J&J StyleDMISRC-1900...\$304.93
2-1/2" Eagle/Maxim Style...DMISRC-1910...\$304.93
52" Offset Camber SplitDMISRC-1920...\$304.93
53" Offset Camber SplitDMISRC-1930...\$304.93

Billet Alum

Straight Pitman Arms

It is designed to with stand today's toughest tracks. Machined from 2024 Alum and Precisionally Machined for optimum strength and Atomically Broached for an exact fit. 11" & 12" Adjustment Holes. Available Anodized Black. 3D Cad Designed.

SilverKRP-1400\$50.00

Anodized BlackKRP-1405\$69.15

Billet Alum

Angle Broached Pitman Arms

It is made to get the extra offset that's needed for today's Short Steering Boxes. With the 3D Cad Deigned Lightening Pockets and sweet Radiused Edges, this Pitman Arm is strong enough to withstand the roughest tracks out there and not sacrifice driver safety or feel. Atomically Broached on an angle for a precision fit.

- 11" & 12" Adjustment Holes • Available Anodized Black
- Machined From 2024 Aluminum

Anodized BlackKRP-1415\$69.15

Jacobs Ladder

Available in titanium and steel.

4130 Steel w/Straps 13-5/8".....DMISRC-2505...\$81.15
4130 Steel w/Straps 14".....DMISRC-2510...\$81.15
4130 Steel w/Straps 13-1/4".....DMISRC-2515...\$81.15
Titanium w/Straps 13-1/4".....DMISRC-2525...\$228.48
Titanium w/Straps 13-5/8".....DMISRC-2530...\$228.48
Titanium w/Straps 14".....DMISRC-2540...\$228.48
Alum. Jacobs Ladder Strap...DMISRC-2545...\$4.13



'W' - Links

'W'-Link 13 1/4" w/straps . WINSRC2515 ..\$47.78

'W'-Link 13 5/8" w/straps . WINSRC2505 ..\$47.78

'W'-Link 14" w/straps WINSRC2510 ..\$47.78

Birdcages

Integral Level

Angular Contact

Caged Bearings

This state-of-the-art Sprint Birdcage is designed with strength in mind but still emphasizes weight savings.

Set...WINSRC2575...\$363.95



Birdcages

Small Double Bearing BirdCage Set

DMISRC-2575\$469.56



Aluminum Front Torsion Arms

Manufactured out of the finest American Made 2024 Alum Material & precisionally machined to perfection. These are the Strongest & Lightest Arms available.

Aluminum Short Front Torsion Arm

Anodized BlackKRP-1105\$69.51

Aluminum Long Front Torsion Arm

Anodized BlackKRP-1115.....\$77.46

Angle
Broached

Right Front Torsion Arm

Designed to let you run a softer. Right Front Torsion Bar and let the car transfer weight back over the left rear faster. The rule of the angle is that it adds 25lbs. to your Front Torsion Bar on compression. Atomically Broached. 10° Degree Angle Broached.

SilverKRP-1130\$

Anodized Black...KRP-1135\$77.46

'S' Style Front
Torsion Arm

When you get your Car to sideways in the corner the left front tire will hit the Torsion Arm and act like a brake, thus making the car want to spin out. Well this is the fix for the problem; this "S" Style Front Torsion Arm will give you optimal clearance and help keep your Driver from spinning out. Machined from 2024 Billet Aluminum and Precisionally Machined. A Must For Non-Wing Cars. Atomically Broached.

Anodized BlackKRP-1125\$85.00

Aluminum

Front Torsion Arms

The Fully Radiused Design gives it the trick VMAC racing look and comes just like all VMAC racings other items either Anodized Black or just Std Silver.

Both Arms and the Stop come complete with Grade 8 Hardware. Made From 2024 Billet Alum. Comes Anodized Black. Universal Kit Works On Any Car.

Sway Bar Stop

Anodized BlackKRP-1165\$47.53

Right Front Sway Bar Arm Splined

Anodized BlackKRP-1175\$70.00

Left Front Sway Bar Arm No Splines

Anodized BlackKRP-1185\$69.93

Short & Tall
Adjustable

Magnetic Set-Up Blocks

Machined to perfection and will work on any Std or Raised Rail Car. 3 Magnets are installed in the bottom of each Set Up Block to keep them held into place on the Chassis Frame Rail. The Short Block Set is adj from 1 3/4" to 3" in 1/4 inch increments and also goes to 4". The Tall Block Set is adj from 3" to 5" in 1/4 inch increments and also goes to 6" for squaring the Rear End. Magnetic Base. Fully Adj. Anodized For Protection.

ShortKRP-2585\$97.93

Tall.....KRP-2590\$111.93

Wing Tree Quick Pin Kit


Designed to move your Wing up or down without using any wrenches.

Two 1/4" Quick Pins are installed through the Wing Tree Slider Ends and Encapsulated with Aircraft Spiral Locking Rings. We have even included a 3/8" Quick Pin for the Wing Ram with a Spiral Lock Ring. Aircraft Grade Material...KRP-2310....\$12.95

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



XR-1 Exploded View



1 XR-1 Mag Rear Center Section (1)	DMIRRC-1005...\$723.06	39 I.D. Shifter Bearing (1)	DMIRRC-1510...\$9.92
2 XR-1 Mag Side Bell w/Brake Mt (1)	DMIRRC-1100...\$304.63	40 Male Splined Shifter Coupler (1)	DMIRRC-1600...\$124.89
3 Rear Axle Shim Kit 2-.075		41 Housing Bore Snap Ring (2)	DMIRRC-1520...\$1.61
3 Each -.010, .012, .015, .020 (1)		42 Stub Shaft Snap Ring (2)	DMIRRC-1620...\$1.61
4 Axle Bearing (2)	DMIRRC-1229...\$39.91	43 Stub Shaft Bearing (1)	DMIRRC-1625...\$18.26
5 Axle Bearing Race (2)	DMIRRC-1210...\$60.05	44 Lower Stub Shaft (1)	DMIRRC-1615...\$106.55
6 Side Bell O'Ring (1)	DMIRRC-1215...\$31.58	45 Detent Ball (2)	DMIRRC-1610...\$1.61
7 Axle O'Ring (2)	DMIRRC-1105...\$8.25	46 Detent Spring (1)	DMIRRC-1605...\$2.10
8 Axle Seal (2)	DMIRRC-1220...\$3.34	47 Back Stop Aluminum Nut (1)	DMIRRC-1150...\$1.61
9 Axle Seal Spiral Lock (2)	DMIRRC-1105...\$8.25	48 Back Stop Washer (1)	DMIRRC-1145...\$1.61
10* Alum Axle 1.875" I.D. Long Splines w/Spool (1)	DMIRRC-1225...\$3.76	49 Back Stop Set Screw (1)	DMIRRC-1140...\$6.78
14 4.12 Ring & Pinion (1)	DMIRRC-1205...\$991.42	50 Ring Gear Back Stop (1)	DMIRRC-1135...\$16.58
15 Side Bell Stud (9)	DMIRRC-1300...\$449.09	51 Ring Gear Bolt (12)	DMIRRC-1301...\$1.61
15 Short Sided Bell Stud (2)	DMIRRC-1110...\$4.93	52 Ring Bolt Washer (12)	DMIRRC-1302...\$1.61
16 Bolts for Gear Cover Bearing Retainer (2)	DMIRRC-1109...\$10.94	54 Large Inspection Plug (1)	DMIRRC-1010...\$23.25
17 Gear Cover Bearing Retainer (1)	DMIRRC-1391...\$1.61	54A Large Inspection Plug O'Ring (1)	DMIRRC-1015...\$1.61
18 Side Bell Washer (11)	DMIRRC-1390...\$9.45	55 Fill Level Plug (1)	DMIRRC-1016...\$14.93
19 Side Bell Locknut (11)	DMIRRC-1130...\$1.61	55A Fill Level Plug O'Ring (1)	DMIRRC-1017...\$1.61
20 Billet Alum Rear Cover No Bearing Gold (1)	DMIRRC-1120...\$1.61	56 Lower Shaft Snap Ring (1)	DMIRRC-1440...\$1.61
21 Silicone Sealing Ring for Gear Cover (1)	DMIRRC-1387G...\$199.87	57 Internal 10-10 Lower Shaft (1)	DMIRRC-1430...\$128.30
22 Rear Cover Bearing (2)	DMIRRC-1345...\$6.66	58 Snout Bearing Spacer (1)	DMIRRC-1420...\$9.92
23 Rear Cover High Nut - Black (6)	DMIRRC-1350...\$28.30	59 Internal 10-10 Seal (1)	DMIRRC-1415...\$16.58
24 Pinion Retainer Bolt (6)	DMIRRC-1361...\$8.25	60 Lower Shaft O'Ring (3)	DMIRRC-1435...\$1.61
25 Pinion Retainer Flange (1)	DMIRRC-1335...\$1.61	61 10-10 Internal Snap Ring (1)	DMIRRC-1425...\$1.61
26 Stub Shaft Bearing Retainer (1)	DMIRRC-1320...\$33.25	62 Internal 10-10 Coupler (1)	DMIRRC-1400...\$66.57
27 Pinion Bearing Spacer (1)	DMIRRC-1325...\$33.25	63 Internal 10-10 Front Bearing (1)	DMIRRC-1410...\$57.04
28 Posi-Lock Retainer (1)	DMIRRC-1315...\$23.25	64 10-10 External Snap Ring (1)	DMIRRC-1405...\$1.61
29 Posi-Lock O'Ring (1)	DMIRRC-1366...\$31.58	65 Threaded Shifter Housing (1)	DMIRRC-1701...\$66.57
30 Posi-Lock Nut RH	DMIRRC-1367...\$1.61	66 O'Ring for Threaded Shifter Housing (1)	DMIRRC-1707...\$1.61
31 Pinion Washer (1)	DMIRRC-1369...\$39.91	67 Shifter Shaft (1)	DMIRRC-1710...\$66.57
32 Big Pinion Bearing - Timken (2)	DMIRRC-1368...\$4.93	68 Shifter Shaft O'Ring (2)	DMIRRC-1715...\$1.61
33* Big Pinion Bearing Race (1)	DMIRRC-1311...\$75.08	69 Shifter Shaft Snap Ring (1)	DMIRRC-1720...\$1.61
34 Small Pinion Bearing (1)	DMIRRC-1312...\$36.57	70 Shifter Arm (1)	DMIRRC-1725...\$16.58
35 Rear Cover Stud (6)	DMIRRC-1310...\$36.57	71 Bolt for Shifter Arm (1)	DMIRRC-1730...\$1.61
36 O.D. Shifter Bearing (1)	DMIRRC-1355...\$1.61	72 Washer for Shifter Arm (1)	DMIRRC-1735...\$1.61
37 O.D. Shifter Coupler Snap Ring (1)	DMIRRC-1505...\$26.57	75 2 Bolt Locking Tab (3)	DMIRRC-1330...\$5.04
38 Female Splined Shifter Coupler (1)	DMIRRC-1515...\$1.61		
	DMIRRC-1500...\$124.89		

Stainless Bumpers and Nerfs

RS Shorty Nerf Bar	DMISRC-3500	\$79.05
LS Shorty Nerf Bar	DMISRC-3501	\$79.05
LS Shorty Nerf Bar Raised Rail	DMISRC-3502	\$79.05
RS Long Nerf Bar	DMISRC-3503	\$101.91
LS Long Nerf Bar	DMISRC-3504	\$101.91
LS Long Nerf Bar Raised Rail	DMISRC-3505	\$101.91

RS Hoop Nerf Bar	DMISRC-3506	\$62.41
LS Hoop Nerf Bar	DMISRC-3507	\$62.41
LS Hoop Nerf Bar Raised Rail	DMISRC-3508	\$62.41
Front Bumper	DMISRC-3509	\$29.13
Rear Bumper	DMISRC-3511	\$135.19

DMISRC-3500

DMISRC-3509

DMISRC-3511

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

SPRINT SECTION / CHASSIS



AM Series - Male

Aluminum Over 10% Lighter

Right Hand.....Left Hand.....Bore.....Thread
QA1AMR8-10...QA1AML8-10...0.5000...5/8-18...\$13.40

Chrome Moly Steel Best for Racing

XM Series - Male

Right Hand.....Left Hand.....Bore.....Thread
QA1XMR8-10...QA1XML8-10...0.5000...5/8-18...\$18.49



Forged Aluminum Direct Mt Front Hub Kit

WIN3980.....\$275.49



Forged Splined Rear Hub

WIN3784.....\$115.93



Direct Mount Front Hubs

DMI's GoldStar Front Hubs were the first hubs produced with a threaded dust cap. Unmatched quality and performance continue to make the GoldStar a popular choice.

Direct Mount Front Hubs Pr.

Black.....DMISRC-1971.....\$473.76

Front Direct Mount Hub

Left (Black).....DMISRC-1969.....\$257.76

Right (Black).....DMISRC-1968.....\$253.81



Direct Mount Hubs and Parts

13"/15" Lt. Wt. (Aluminum)

Hub-Step Shaft

With Rotor Mount..WELC8088-LC.....\$265.68

No Rotor Mount....WELC8088-RC.....\$265.68

Hub-Straight Shaft

With Rotor Mount..WELC8088-LT.....\$265.68

No Rotor Mount....WELC8088-RT.....\$265.68



Weld Ultra Hub

13"/15" 3-Spoke Lightweight Hub Straight Shaft w/3 Lug Rotor Mount Aluminum
WELC8088-LT3...\$296.84

13"/15" 3-Spoke Lightweight Hub Straight Shaft No Rotor Mount Aluminum
WELC8088-RT3...\$296.84



Front Hub Replacement Bearing & Races

• Aircraft Material • Precision Ground • Tight Tolerances
• Works In Either Oil Filled Or Grease Packed Hub App
Front Hub Bearing...KRP-1230.....\$13.93
Front Hub Race.....KRP-1235.....\$13.93



Hub Replacement Parts

VMAC Front Hubs utilize only the best Seals and O-Rings to ensure proper sealing. Replacement Hub Caps are 6061 T-6 Material and Anodized for added protection. • Double Wall Seals. • Buna O-Ring.

Front Hub Dust Cap.....KRP-1240.....\$25.13

Front Hub Spiral Lock.....KRP-1245.....\$5.00

Front Hub Cap O-Ring...KRP-1250.....\$3.00

Front Hub Seal.....KRP-1255.....\$10.00



Billet Aluminum

Combo Steering Arm

The fully radiused design gives optimal weight savings without sacrificing strength. The 1" Forward Drag Link Hole Design gives you added clearance and a better turning radius.

• 3D CAD Designed • Fits 3 1/4 Spindle Bolt Spacing

Silver.....KRP-1300.....\$60.00

Anodized Black...KRP-1305.....\$65.00

Billet Aluminum Right

Front Steering Arm

It is a direct match for the VMAC Racing Combo Arm. Made and designed exactly the same as all VMAC Racing Products are, with one thing in mind, Optimal Weight Savings, and Ultra Strong.

• 3D CAD Designed • Fits 3 1/4 Spindle Bolt Spacing

Silver.....KRP-1310.....\$35.00


Anodized Black...KRP-1315.....\$43.33



Direct Mount

Front Hub Nuts

Manufactured with a large flange to distribute even pressure that ensures your Wheels stay tight. 3/8-16 National Coarse Threads. 6-Point 9/16 Hex Head. Zinc Plated.... KRP-1260.....\$1.50



Aluminum Front Spindles

Front Spindle Kit

WIN3622...\$159.43

Front Spindle Kit w/Titanium Shaft

WIN3622T.....\$189.88




Spindles

Spindles are forged for increased strength. All Spindles now include DMI's trick locknut. New design eliminates snout spinning.

Steel Snout.....DMISRC-2010...\$225.39

Titanium Snout...DMISRC-2030...\$300.54



Sprint Steering Arms

- 1 - Dimension from tie rod center - line to king pin
- 2 - Dimension from tie rod center - line to spindle
- 3 - Dimension from drag link center - line to spindle
- 4 - Dimension from drag link center - line to center - line of king pin

Part #.....Price	1	2	3	4
WIN3452.....\$43.43	5.737"	.981"	6.000"	.598"
WIN3451.....\$23.19	5.737"	.981"	N/A	N/A
WIN3651.....\$23.19	5-1/2"	5/8"	N/A	N/A
WIN3652.....\$43.43	5-1/2"	5/8"	6 3/8"	1/2"

Thermal Hood Blanket

It will help keep your Motor up to racing temp & protect that expensive engine. Easily installs in seconds. Comes in black only. Fits any sprint car. Side flap snaps up so your headers. Don't burn your engine blanket.

KRP-2610.....\$244.93



Tail Tank Cooler

Made from Reflective Aerospace Material to block out the heat and keep your Methanol cool. Tight Contoured Fit. Velcro Front Strap Helps Keep The Tail Tank Cooler In Place. Fits 25, 28, 30, and 33 Gallon Tanks.

KRP-2615.....\$90.93




4130 Chromoly Tubular Rear Wing Tree

It features 3/4" O.D. Material and it's Heli-Arc Welded in a Jig Fixture to insure each one is exactly the same. Its Telescoping Inserts make this Wing Tree fully adjustable making height changes simple. The Wing Ram Tab is welded into place and the Welded Center gives it Optimal Strength. Fully Adjustable from 18" To 24" • 26" Wide.

KRP-2300.....\$111.93

Replacement Tubular Insert (Ea.)...KRP-2305...\$20.93



Chromoly Tubular

Rear Nose Wing Mounts Pair

Made from 4130 Chromoly Material and Heli-Arc Jig Designed to bolt from the Shock Tower to your Nose Wing Side Board. These help clean up the air under the Nose Wing. Sold as a pair.

KRP-2350.....\$45.00



Chromoly Twist In Top Wing Post Pair

They are made to let your Wing slide back and forth with ease. Heli-Arc Jig Welded and Zinc Plated for added protection. 12" Long • Bright Cad Plated.... KRP-2345.....\$62.93



Direct Mount Front Hub Studs

They are made from only the best Grade 8 Material. 3/8"-16 NC Precision Cut Threads and Black Oxide Coated for added protection. These are a direct replacement for your VMAC Hubs. Low Profile Button Style Head. 3/8-16 National Coarse Threads. Precision Ground.... KRP-1265.....\$2.00



Left Front Rotor Bolts

Made to attach your Left Front Brake Rotor to your Front Hubs. Manufactured using Grade 8 Material. 82° Tapered Allen Head Cap Screw with 1/2-20 National Fine Threads. • Black Oxide Coated

• Machined Threads

• Precision Ground

KRP-1270.....\$2.00



Steel King Pin .859

DMISRC-2039.....\$25.91

King Pin Cap Short

DMISRC-2045B...\$8.04

King Pin Cap Long

DMISRC-2055.....\$5.05



King Pin Bearing and Race Kit

DMISRC-2003.....\$27.52

Front Spindle Wrench

Made to fit sprint front spindle bearing retaining nut.

WIN3621.....\$21.74



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Bert Sprint Transmission

The new Bert Sprint Transmission assembly weighs less than 36 lbs, including 6-1/2" flywheels, bellhousing, starter, transmission, torque ball coupler, hydraulic clutch master.

- All new clutch and gear system • A true neutral
- A direct drive that give you the same power response.
- One lever does it all. First, Neutral, and Direct.
- Now Sprint Cars can use the same dependable set-up that cranks up countless Late Models, Modifieds, and other race cars.
- Over all length of 9.625" from fire wall to center of U-joint.



Sprint Transmission..BERSPZ\$3226.66

12 Volt Racing Battery

Voltage: 12 volts

- Pulse Cranking Amps (PCA) 904
- 360 Cold Cranking Amps

Size: 5.8" L x 3.4" W x 5.8" H. Min Weight: 11.5 lbs.

Warranty: 2 yr pro-rated, 1st year Free replacement for street and competition purposes.

StandardBRLB14115\$169.99



Swedged Aluminum Radius Rods

Lightweight Rods for Sprint Cars

- 1" O.D. x 5/8" 18.5"RBBRRP-0100-18.5\$12.95
- 1" O.D. x 5/8" 19"RBBRRP-0100-19\$12.95
- 1" O.D. x 5/8" 21"RBBRRP-0100-21\$12.95
- 1" O.D. x 5/8" 21.5"RBBRRP-0100-21.5\$12.95
- 1" O.D. x 5/8" 22.5"RBBRRP-0100-22.5\$12.95
- 1" O.D. x 5/8" 23.5"RBBRRP-0100-23.5\$12.95
- 1" O.D. x 5/8" 24"RBBRRP-0100-24\$12.95



30" Hollow Torsion Bar

- 1-1/8-30" 950 RateSCHRT-B30HW-0950\$115.00
- 1-1/8-30" 975 RateSCHRT-B30HW-0975\$115.00
- 1-1/8-30" 1000 RateSCHRT-B30HW-1000\$115.00
- 1-1/8-30" 1025 RateSCHRT-B30HW-1025\$115.00
- 1-1/8-30" 1050 RateSCHRT-B30HW-1050\$115.00
- 1-1/8-30" 1065 RateSCHRT-B30HW-1065\$115.00



Torque Tube & Drive Shaft Checker

We have all rolled our Drive Shaft or Torque Tube on the ground trying to see if it was bent and couldn't tell. Well here is the answer, with Precision Ground Bearings and a Sturdy Aluminum Base this Checker will eliminate any questions whether your Drive Shaft, Radius Rod, Torsion Bar, or Torque Tube is bent.

KRP-2560\$85.95



Forged Torsion Stops

- A.) 1-3/4" 7075-T6 Alum. Stop 1-3/4".....WINSC2140
- B.) 2" 7075-T6 Alum. Stop 2"WINSC2150
- C.) 1-3/4" Steel Stop 1-3/4"WINSC2160
- D.) 1-3/4" Titanium Stop 1-3/4".....WINSC2160T
- E.) 2" Steel Stop 2"WINSC2170
- F.) 2" Titanium Stop 2"WINSC2170T



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Solid Torsion Bar 23"

- 23" x 3/4 .600...SCHRT-B23SD0600.....\$84.75
- 23" x 3/4 .610...SCHRT-B23SD0610.....\$84.75
- 23" x 3/4 .620...SCHRT-B23SD0620.....\$84.75
- 23" x 3/4 .630...SCHRT-B23SD0630.....\$84.75
- 23" x 3/4 .640...SCHRT-B23SD0640.....\$84.75
- 23" x 3/4 .650...SCHRT-B23SD0650.....\$84.75
- 23" x 3/4 .660...SCHRT-B23SD0660.....\$84.75
- 23" x 3/4 .670...SCHRT-B23SD0670.....\$84.75
- 23" x 3/4 .680...SCHRT-B23SD0680.....\$84.75
- 23" x 3/4 .690...SCHRT-B23SD0690.....\$84.75
- 23" x 3/4 .700...SCHRT-B23SD0700.....\$84.75
- 23" x 3/4 .710...SCHRT-B23SD0710.....\$84.75
- 23" x 3/4 .720...SCHRT-B23SD0720.....\$84.75
- 23" x 3/4 .730...SCHRT-B23SD0730.....\$84.75
- 23" x 3/4 .740...SCHRT-B23SD0740.....\$84.75
- 23" x 3/4 .750...SCHRT-B23SD0750.....\$84.75
- 23" x 3/4 .765...SCHRT-B23SD0765.....\$84.75
- 23" x 3/4 .775...SCHRT-B23SD0775.....\$84.75



Hollow Torsion Bar 26"

- 26" x 7/8 .700...SCHRT-B26HW0700\$112.75



Torsion Bars Hollow Titanium

There is a difference when you combine the best material, superior machining and the finest heat treating in the world. Winters hollow torsion bars out perform and out last all others! All torsion bars are available in various sizes.

- 18".....WIN2594T-18...\$435.74
- 16".....WIN2594T-16...\$435.74

Sprint Lightweight Torsion Stop

- BRP4508.....\$42.20



Billet Front Torsion Bar Stops

It are truly a piece of machining art. Made from 2024 Aircraft Aluminum Material & Precisionally Machined to perfection. Comes Complete with Grade 8 Hardware.

- Billet 1 3/4" Split Front Torsion Bar Stop (Anodized Bk) KRP-1145\$51.73

- Billet 2" Split Front Torsion Bar Stop (Anodized Black) KRP-1155\$40.00



LPS Steel Torsion Stops

- 2 1/2" straight...LPS4.....\$30.95
- 2 1/2" curved...LPS6.....\$30.95
- 2" curved...LPS11.....\$30.95
- 1 3/4" curved...LPS14.....\$30.95

Axle Hex Nuts

- DescriptionLeft
- SprintWIN6121L.....\$17.89
- Sprint (For Ultralight Axle)WIN6121L-UL.....\$56.33
- Sprint, Mag. (For Ultralight Axle)WINK6121L-UL.....\$77.95
- Right
- SprintWIN6121R.....\$17.89
- Sprint (For Ultralight Axle)WIN6121R-UL.....\$56.33
- Sprint, Mag. (For Ultralight Axle)WINK6121R-UL.....\$77.95



Super Bird Cages

VMAC Super Bird Cages are made from A-206 Aluminum Alloy. The 1-piece design makes these Bird Cages stronger & lighter than anything else on the market. VMAC's Very Own 28mm Angular Bearing. Black Powder Coated. Tight Ratio Pickups. Grade 8 Aircraft Hardware. Machined Flat On Top Of Both Bird Cages For Easy Timing. Right And Left Side Bkt Mts.

- Pair.....KRP-1700\$433.93
- Left SideKRP-1705\$237.93
- Right SideKRP-1710\$237.93



28mm Angular Bird Cage Bearings

It is the only manufacturer with its own truly Angular Bearing. Manufactured to withstand the day to day abuse any Sprint Car Team has to offer. The 54 Precision Ground Ball Bearings are encased in a Hardened Steel Shell that makes these the best bearings on the market!

- Split Inner Races For Easy Maintenance
- Precision Ground Ball Bearings
- Super Seal Outer Seals
- 100mm OD • 28mm Wide
- KRP-1725.....\$55.00



Torsion Bar Reamer

It is manufactured for accuracy. The heart of the Reamer is its 4340 Tool Steel Industrial Cutter. Each Flute is precision ground for perfect cutting and accuracy. The Stem is made to come apart so it's easy to store. Machined at the Handle End is a 3/4 Hex so you can easily cut through your Bushings. Don't get caught in the Pits or the Shop without one. Billet Aluminum Construction. 2-Piece Take Apart Design Makes For Easy Storage. Anodized Black For Added Protection. Sprint Car TB Reamer 1-1/8"KRP-2500\$246.33



Aluminum Wing Rams

It has a Stainless 3/8 Hardened Shaft. The Inner Piston is Double O-Ring sealed so there is no blow by and the 1/8 Pipe Side Port makes plumbing easy.

- Available In 10" Or 12" Lengths • 1/8 Pipe Side Ports
- 10" Alum Wing RamKRP-2315\$84.00
- 12" Alum Wing RamKRP-2320\$84.00

Sprint Axle Spacer Kit

- 10 Piece Axle Spacer Kit
- WIN3558.....\$57.99



Sprint Axle Spacers & Kits

- Description7075-T6 Aluminum
- 3/8" SpacerStraight ..WIN6683*\$12.95
- 7/8" Splined SpacerStraight ..WIN6686*\$17.95
- 1-1/2" Splined Spacer..Tapered..WIN6684*\$17.95
- 1-7/8" Splined Spacer..Straight ..WIN6687*\$20.95
- 2" Splined SpacerTapered..WIN6685*\$30.95
- 2-3/8" Splined Spacer..Straight ..WIN6688*\$23.95
- *Sprint spacers are available in magnesium.
- Add prefix 'K' to part # example: WINK6683.

Torsion Bar Bushings

Oil lite bronze can also be used as a sway bar bushing.

- Bar OD.....Tube ID.....Material ..Part #
- 1 1/8"1.250"Brass.....BEA6000.....\$4.25
- 1 1/8"1.250"Nylon.....BRP264.....\$8.98



SPRINT SECTION / DRIVELINE

Torque Tubes

Aluminum Torque Tube w/ H.D. Base - 28"
DMISRC-2390.....\$176.69

Aluminum Torque Tube w/ L.W. Base - 28"
DMISRC-2393.....\$176.69

3" Torque Tube Strap Platinum

SIM31024.....\$69.95

New Style Torque Ball Housing & Collar w/Insert

It is the Ultimate Torque Ball Housing available today. If you are tired of replacing magnesium housings - Get the Ultimate Torque Ball Housing!
DMISRC-2308..\$216.23



Torque Ball Safety Blanket

NEW

Fire resistant safety blanket designed by Jason Meyers Racing protects drivers legs & feet in the event of a U-joint failure. Ballistic nylon covered blanket weighs just 1-1/2 lbs. & has quick release adjustable straps which allow blanket to be removed easily for servicing torque ball and u-joint. Blanket includes 2 mounting brackets, mounting studs, nuts, & instructions.
ALL55220...\$334.99

Aluminum Rear End Cover Nuts

Manufactured from 9/16 Billet Alum Hex & Precisionally Machined. One of the added features is that the Rear Cover Nut is completely drilled all the way through and then Radius Machined in the Head of Optimal Weight Savings and gives it that trick VMAC Racing Finish.
KRP-2220.....\$4.13

Splined Rear Wheel Centers

Black Widow Alum. Splined Rear Ctr for Weld/Sanders.
Black DMISRC-1979A.....\$201.10
Gold DMISRC-1979AG.....\$201.10

Torque Ball Housing Stud and Hognut Kit for DMI SRC-2305

DMISRC-2307.....\$41.53

Rear End Saver

Made From 6061 T-6 Alum. Anodized Black For Added Protection. Comes complete with all hardware.
KRP-1630.....\$60.00

Torque Tube Nut Kit (6)

These Special 6-Point Aircraft Jet Nuts have a built-in Washer and work perfect with King Racing's Torque Tube Stud. Comes in a set of (6).
KRP-1625.....\$11.13

Torque Tube Stud Kit

DMIRRC-2006.....\$23.25

Splined Rear Wheel Centers

Every Alum Splined Rear Axle needs these. These Chromoly Axle Spacers are a must to install before you slide on your Bird Cages. Precision machined inner diameter for exact fit on any Axle. Comes In 3/16 or 9/16 Thickness. Zinc Plated For Added Protection. Works On Winters, DMI, & Frankland Axles.
3/16 Spacer.....KRP-2210.....\$12.53
9/16 Spacer.....KRP-2215.....\$13.93

Driveshaft

20", 22", 24", 26", 28", 30", and 31-1/2".

Steel, Solid 10-16 Spline, 1.125 OD. WIN5988...\$89.93
Titanium, 10-16 Spline, 1.125 OD.....WIN5988T...\$471.25

Lower Shaft

Standard Shaft, Open DriveWIN5003-02..\$110.49
Heat Treated Shaft, Open Drive.....WIN5003.....\$125.92
Standard Shaft.....WIN6249.....\$112.22
Heat Treated Shaft.....WIN6249HT...\$133.53

Std Shaft, Sprint Int. Coupler.....WIN6678-01...\$104.95
Heat Treated Shaft,
Sprint Int. CouplerWIN6678-03...\$127.95
Titanium Shaft, Sprint Int. Coupler WIN6678T...\$299.95

Axle Sprint Alum 52-1

Aluminum Live Axle (Specify Offset)
WIN5778A-52-1.....\$645.25

King Pin Caps

WIN1109-02A.....\$3.18

King Pins

*Fits Sprint or Midget
Hollow King Pin.....WIN6476.....\$18.69
Steel King Pin cap.....WIN1109*.....\$3.65
Hollow King Pin.....WIN6476-02...\$17.11
Aluminum King Pin Cap.....WIN1109-02A\$3.18
10" Spindle Bushing (.859 ID).....WIN7515*.....\$2.20
Thrust Race .030, Use w/WIN7511 WIN7512*.....\$1.90
Roller Thrust Bearing.....WIN7511*.....\$3.70
.005" Thick Shim, Thrust Bearing.....WIN7514*.....\$0.90

10" Ring Gear 12 Bolt Magnesium Shifter

The Sprint Rear is available with hubs, in-out shifter, and with magnesium castings.
4.86 R&P Standard...WINK637S...\$1873.95

"Pro Eliminator" 10" Ring Gear 12-Bolt Quick Change Rear End Assemblies

Magnesium, open tube assemblies have 10" ring gears with internal right side bell, shifter, Posi-Lock assembly (WIN8104), aluminum axle (WIN8122), sealed front bearing (WIN8141), pinion nose roller bearing (WIN8143), gear cover (WIN8185), and lightweight side bells (WIN8185) unless otherwise specified.

WINK837S.....\$1401.86

Additional Options (Extra)

8104, 8106, 8141, 8143, 8153, 8185, 8216

8104, 8122, 8141, 8143, 8185, 8216

8104, 8106, 8116, 8122, 8137, 8141, 8143, 8163

8104, 8116, 8122, 8137, 8141, 8143, 8163, 8208, 8153

R&P Ratio

4.11

4.86

4.86

4.11



Aluminum Slip Yoke Assembly

WIN3700.....\$173.93

Assembly Part #s

Sprint Outside Ball Aluminum Assy
WIN3714.....\$144.99

Sprint Outside Ball L/W Assy
WIN3475.....\$174.00

Closed Drive Line

Alum Collar, 3" Alum Torque Tube 28"
WIN6661-02.....\$113.95

Mag Collar, 3" Alum Torque Tube 28"
WINK6661-02A...\$178.95

Mag Collar, 3" Mag Torque Tube 28"
WINK6661-02.....\$293.95

Aluminum Torque Ball
WIN6654.....\$106.95

Mag Torque Ball
WINK6654.....\$148.95

Breather Can

Weighs .70 lbs. Breather element can be cleaned and reused. Fully welded lightweight aluminum. #6 an breather line. #8 an return line. Small, compact design that will not detract. From the appearance of your car. 360° mounting bracket included to allow.
WIN4763.....\$159.43

Inspection Plugs

Quick change side oil level plug
BRP908.....\$23.36

1" hex head makes it easy to remove plug from center section to inspect.
BRP909.....\$23.95

Rear Cover Nuts

Black AluminumWIN7794ASBK...\$3.05
3/8-16 x 1 3/4" Stud ...WIN7802.....\$2.20

Breather Assembly

Pro Eliminator Breather Assy (Side Mount)
WIN2966.....\$22.23

Pro Eliminator Breather Assy (Top Mount)
WIN2966T.....\$22.23

Rear End Shifter Cables

Super Shifter Lever, Assembly (Sprint or Midget)
WIN3232.....\$114.55

Coupler 10-10 Coupler Sprint/Midget

Steel.....WIN5987.....\$43.31
Aluminum...WIN5987A...\$48.05

Stub Shafts

Standard Stub Shaft.....WIN6250.....\$100.09
Heat Treated Stub Shaft..WIN6250HT...\$128.64

Options for "Pro Eliminator" Quick Change

Posi-Lock AssemblyWIN8104.....\$28.96

Heat Treated Lower ShaftWIN8106.....\$29.48

Bushing In Lower ShaftWIN8116.....\$36.75

Double Row Bearing CarriersWIN8118.....\$95.55

Titanium Thru-Bolts.....WIN8127.....\$147.00

Titanium Lower Shaft.....WIN8128.....\$213.80

Heavy Duty Gear CoverWIN8137.....\$62.62

Special Front BearingWIN8141.....\$23.45

Roller Bearing on Pinion Nose.....WIN8143.....\$18.38

Lightweight Side Bells.....WIN8147.....\$84.53

Titanium Shifter ShaftWIN8150.....\$84.53

Lightweight Aluminum AxleWIN8153.....\$44.10

Splined for Brake Mount.....WIN8158.....\$44.10

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

SPRINT SECTION / COCKPIT



Ultimate Bell Crank Throttle Linkage Kit

The Trick Swaged Radius Rod links have right and left hand threads for optimum adjustment. Completely Anodized Black. Universal Kit Fits All Chassis.

Crank Throttle Linkage Kit W/Steel Heims
KRP-2005.....\$111.93
Crank Throttle Linkage Kit W/Aluminum Heims
KRP-2010.....\$120.33

Steering Gear Locators

All VMAC Racing's Steering Gear Locators are manufactured from 6061 Billet Aluminum. All four styles have been Completely Radius Machined and the Mounting Holes Chamfered for easy installation.


A. Standard Steering Gear Locator.....KRP-1425 ...\$20.00
B. Bottom Fuel Shut Off Steering Gear LocatorKRP-1430 ...\$25.00
C. Right Side Fuel Shut Off Steering Gear Locator ..KRP-1440 ...\$25.00
D. Left Side Fuel Shut Off Steering Gear LocatorKRP-1435 ...\$25.00



Billet Throttle Arms

Available For 5/16 & 3/8 Throttle Shafts.
Works On Hilborn, Kinsler, & Engler Injectors. Stainless Steel Hardware. Anodized Finish.

5/16 Billet Throttle Arm (Black) KRP-2065...\$18.13
3/8 Billet Throttle Arm (Red)KRP-2070 ...\$18.13



1/2 Steering Box Mount

Designed to make installing and removing your box easier and faster. Fully Machine Radiused from 6061 T-6 Billet Aluminum. Black Anodized Finish. 3-D Cad Designed. Ultra Lite Weight...KRP-1420...\$40.00

Cross Shaft Throttle Linkage Kit

This kit includes 2 Pillow Blocks that are installed on the bridge of your Injector, 2 Center Throttle Arms, 2 Fully Adjustable Turnbuckles with Aluminum Heims, 3/8 Stainless Cross Shaft, 3/8 Throttle Arm, and an Idle Adjustment Stop.
KRP-2000.....\$246.33

Tubular Throttle

The 10/32 Bolt that is welded at the end of the Toe Return that is perfectly located to make the Throttle Linkage Assembly easy and fast. The Toe Return is welded down close to the top of your foot so your Driver will have optimum throttle control.
KRP-2075.....\$55.00



Panel Mount Ball Valves

Great for dash mounted fuel shutoff. Complete with offset handle.

-6 AN Male Fittings.....PET09-0910 ..\$123.42
-6 AN Push-On Fittings ..PET09-0912 ..\$123.42
-8 AN Male Fittings.....PET09-0930 ..\$123.42
-8 AN Push-On Fittings ..PET09-0932 ..\$123.42

Inline Ball Valves

Made from aircraft alum, valves utilize hard-coated alum balls & bodies along with Teflon seals. Make fuel or oil shutoff easy, while allowing full flow when opened.

-8 AN x -8 AN Sm Body.....PET09-0920 ..\$123.42
-8 push-on x -8 push-on Sm Body.....PET09-0922 ..\$123.42
-8 AN x -8 AN Large Body.....PET09-0940 ..\$129.94
-8 push-on x -8 push-on Large Body.....PET09-0942 ..\$129.94

15" Steering Wheels Longacre

Ultra LW Uncoated Alum

Half the weight of std wheels Shot peened rim for good grip w/o wrist strain
w/bumps- Dished ...LON56822...\$68.16
Drilled- Flat - Sprint ..LON56866...\$90.10

Steering Wheel Spacers

3/4" ...LON56703...\$12.75

Steering Quick Disconnect

High quality disconnect features multi spline design for a more accurate fit. Bolts to Sweet, Profile or GME steering box.
SWE801-70005.....\$90.45

Multi Splined Quick Release

Steering Disconnect

Complete assembly fits Nields/Profile/Lee Boxes
BRP2129\$68.28

2 Bolt Pump Adapter

It uses a 2-bolt pattern and is used on sprint car mid-plates with a raised camshaft or normal camshaft geometry.
KRCKRC19552000.....\$74.96

3 Bolt Pump Adapter

It uses a 3-bolt Hilborn pattern and will bolt directly to the rear of the current Peterson, Johnson, Wulff, Nutter, and several other manufacturers that have a Power Take-Off built into the rear of their dry sump pumps. This is also our most popular sprint car mid plate adapter.
KRCKRC19551000.....\$74.96

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



DMI's Race Kits

DMI's Race Kits are a handy way to purchase the necessary parts to build your racecar. All your favorite DMI components at a great package price - another way DMI has raised the bar in convenience and service.

Complete Race Kit.....DMI SRC-6000

- | | | |
|---|---------------------|----------|
| (1) 2-1/2" Front Axle - Eagle/Maxim Style | DMISRC-1910 | \$304.93 |
| (2) Aluminum Spindle with Straight Steel Snout | DMISRC-2000 | \$182.96 |
| (2) Steel King Pin - .859 | DMISRC-2039 | \$25.91 |
| (1) King Pin Bearing and Race Kit..... | DMISRC-2003 | \$27.52 |
| (1) Combo Steering Arm - 5.5" x 1" Forward | DMISRC-2085 | \$69.05 |
| (1) Single Steering Arm for SRC-2080 & SRC-2085 | DMISRC-2100 | \$41.61 |
| (1) Front 3 - Lug Rotor 10-7/8" w/Holes | DMISRC-2710 | \$54.22 |
| (1) Brake Line Rock Guard | DMISRC-2820 | \$9.66 |
| (1) LF Caliper Mount for 10-7/8" Rotor w/Allen Bolts | DMISRC-2810 | \$16.56 |
| (1) Steel Tie Rod or Drag Link | DMIRR-45.5-ST | \$64.18 |
| (4) 5/8" Steel RH Jam Nut | JAM010 | \$0.60 |
| (2) 5/8" Steel LH Jam Nut..... | JAM010L | \$0.85 |
| (1) New Style Torque Ball Housing & Collar w/Insert | DMISRC-2308 | \$216.23 |
| (1) Aluminum Torque Ball | DMISRC-2370 | \$126.98 |
| (1) Aluminum Torque Tube with HD Base 28" | DMISRC-2390 | \$176.69 |
| (1) Steel/Alum U-Joint Assembly Chevy & Mopar Gladiator Cross | DMISRC-2345 | \$263.84 |
| (1) 4340 Steel Tubular Driveshaft - 30" | DMISRC-2430 | \$146.91 |
| (1) Small Double Bearing Birdcage Set | DMISRC-2575 | \$469.56 |
| (1) Front Torsion Arm - Long | DMISRC-2120 | \$61.66 |
| (1) Front Torsion Arm - Short | DMISRC-2130 | \$58.89 |
| (2) Aluminum Torsion Stop - 1-3/4" Split | DMISRC-2140 | \$38.82 |
| (1) LW Right Rear Torsion Arm - LW Eagle/Maxim | DMISRC-2687 | \$72.67 |
| (1) LW Left Rear Torsion Arm - LW Eagle/Maxim | DMISRC-2689 | \$73.55 |
| (2) Steel Torsion Stop - 1-3/4" Split..... | DMISRC-2160 | \$63.51 |
| (1) 4130 Steel Jacobs Ladder w/Straps - 13-5/8" | DMISRC-2505 | \$81.15 |
| (8) Plastic Torsion Bushing for .095 Tubes | DMISRC-2220 | \$5.70 |
| (2) 10 pc. Aluminum Spacer Kit | DMISRC-2590 | \$83.12 |
| (1) Long Lightweight Pitman Arm - Angle Broach..... | DMISRC-2260 | \$53.19 |
| (3) 1/2" x 1/2" Aluminum Tapered Spacers | DMISRC-2095 | \$1.86 |



A.) Reservoir Tank

Econo Round w/Roll Bar Mounting Bkt
KRCKRC91500000.....\$83.39

B.) Mounting Bkt, Replacement for Round Tanks
KRCKRC91510000.....\$108.80

C.) Reservoir Tank, Flat Surface Mt, -6 Fitting on RH Side Facing Tank..KRCKRC91515000...\$106.67



Battery Pack Complete Kit

Includes holder for lightweight 9V battery, low oil pressure switch (20 psi), warning light, heavy duty mag kill switch with weatherproof switch cover, wire and terminals.
LON45620...\$39.07



SPRINT SECTION / ENGINE

Billet Alum Front Motorplate

Made from 6061 Plate and Completely Machine Radiused. Anodized Black. Ultra Lite Weight. Fits All SBCs.
KRP-1500.....\$65.73



Rear Motorplate

Made from 6061 Aluminum, with machined Lightening Pockets. All mounting holes are drilled with the Torque Tube Ball Housing and Pump Holes being tapped. Fits all major chassis.
KRP-1510.....\$160.00



Honeycomb

Radiator Mounts

It's always hard to mount your Honeycomb Rad Protector until now. VMAC Racing has come up with these slick Plastic Bolts, Washers, and Nuts to get the job done. Easily installs in seconds. Heavy Duty Polyurethane Material. Extra Long To Mount Through The Thickest Rads.
KRP-2625.....\$10.00



Radiator Honeycomb

Honeycomb screen mounts to front of radiator to protect from rocks and debris. Secure directly to radiator using ALL30085 mounting kit, sold separately. 19" x 26" x 1/2" thick.
ALL30158.....\$23.99



Aluminum Front Motor Plates

One Piece FrontWINSRC-2830 ...\$69.53
Two Piece Front.....WINSRC-2825 ...\$72.43

Oil Tank Mounts

Upper Oil Tank Mount
WIN3981.....\$50.75



Lower Oil Tank Mount
WIN3982.....\$50.75

Timing

Gear Covers

6061-T6 Heavy duty billet alum Std & raised cam (.391) configuration. 1000% machined. Cover available for MSD trigger ignition. Designed for SBC.
Standard offsetWIN4182 ...\$289.99
Raised cam styleWIN4182R...\$289.99
For crank triggerWIN4183 ...\$304.49
Raised cam style, crank trigger.WIN4183R...\$304.49



Sprint Car

Front Magneto Drive Assy

Front Magneto Drive Assembly has been designed to work with: Standard Shaver - Wesmar gear drive assemblies. Moroso cam driven dry sump pumps, as well as other commonly used oil pumps. Commonly used crank driven water pumps. MSD 12 LT Generator. Benefits Include: Increased timing accuracy. The ability to eliminate costly crank trigger systems. Improved access to Magneto for timing adjustments. Increased area at the rear of engine allows for induction system improvements SBC, Non-Raised Cam ...MOR60205\$2554.45
SBC, .390 Raised Cam ...MOR60206\$2554.45



Sprint Car

Billet Alum Timing Cover

Designed to work with all gear and chain cam drive systems, including Standard Shaver and Wesmar gear drive assemblies. Timing Cover's bolt pattern is designed to accept Moroso cam driven dry sump pumps as well as others. Is included in the Moroso Sprint Car Front Magneto Drive Assembly. Cover accommodates commonly used Sprint Car crank driven water pumps. Has a top timing port.
SBC, Non-Raised Cam ...MOR60200\$304.69
SBC, .390 Raised Cam ...MOR60201\$304.69



Center Vent LW Tank w/Filter

It incorporates a center vent system which vents air from the oil out through the bottom of the tank. This tank has been proven in competition and includes the same filter package as our other popular sprint car tank. Total tank weight including filter is 4.7 lbs.

2.5 Gallon Male -12 AN fittings. Center Vent. Single return line. 1 Piece.

PET08-0867\$845.49

Dual return line. 1 Piece

PET08-0868\$883.91

LW Non Take Apart

Peterson's 2.5 gallon lw tanks weigh 3.2 lbs and includes inside baffles and de-aeration assembly. Used by Karl Kinser and Sammy Swindell.

2.5 Gallon LW tank, Male -12 AN fittings.

Single return line PET08-0037...\$379.44

Dual return line...PET08-0038...\$404.60

Lightweight - Take Apart

Peterson's new lightweight take a part tanks use the same internal baffling as our race proven 1 piece tanks. Tanks are built with -12 AN male fitting. These tanks weigh only 3 ounces more than the one piece tank!

2.5 Gallon lightweight tank, Male -12 AN fittings.


Single return line...PET08-0027...\$508.54

Dual return line...PET08-0028...\$536.94

Super Flow


High Speed Checker

Made for today's High Pressure Fuel Systems. The Extra Large 4" Gauge goes up to 160 lbs.
KRP-1900.....\$225.33



Outlaw Leakdown Tester

This unit comes complete with Barrel Valve and Engine Leakdown Tester Hoses. Anodized Black 14mm Spark Plug Adaptor. Industrial Grade Hardware. Easy To Read Large Liquid Filled Gauge.
KRP-1910.....\$176.33



Billet Down Nozzle

Filter Kit

Machined from 6061 T-6 Billet. Comes Complete In A Set Of 8. Fit's Hilborn, Kinsler, And Engler Nozzles. Hard Anodized For Added Protection.
KRP-1990.....\$59.95



Dual Gauge

Leakdown Tester

Manufactured from only the best alloys and utilizing American Made Hardware.
KRP-1915.....\$153.93



Sprint Car Tank Bkt

This bracket is fabricated from aircraft quality aluminum and uses stainless straps for durability. Designed to mount any 6" dia tank to the front of SBC engine.
PET08-0105.....\$76.88



Sprint Car Air Box

Sprint box w/filter top 6 3/4" center spread**K&N100-8562*\$672.99
Sprint box w/carbon top 6 3/4" center spread**K&N100-8563*\$673.99
Side filter w/filter top only**K&N100-8564.....\$478.99
Base Plate Only, holes are not pre cutK&N100-8565.....\$212.99
Side filter w/carbon top only**K&N100-8566.....\$525.99
Side filter w/filter top, no holes in base**K&N100-8567*\$623.99
Side filter w/filter top, 7" center spread**K&N100-8568*\$735.99
Small Sprint box w/filter top, no holes in base, fits two injectors**K&N100-8569*\$312.99
Medium Sprint box w/filter top, no holes in base, fits four injectors**K&N100-8570*\$369.99

*These are complete units base plate, side filter & top
**Side filter is glued to top on all units



Straight Tube Design Headers

(Collector Dia/Length 3-1/2" x 13")

Tube Diameter	Std Chevy	Spread Port/DN
1-3/4"-1-7/8"	SCH1054LV	SCH1054LVSP...\$299.95
1-7/8"	SCH1055L	SCH1055LDN...\$249.95
1-7/8"-2"	SCH1055LV	SCH1055LVDN...\$299.95
2"	N/A	SCH1056LDN...\$249.95



Swept Forward Design Headers

(Collector Dia/Length 3-1/2" x 13")

Tube Diameter	Std Chevy	Spread Port/DN
1-3/4"	SCH1024L	SCH1024LSP...\$249.95
1-7/8"	SCH1025L	SCH1025LDN...\$249.95
1-7/8"-2"	SCH1025LV	SCH1025LVDN...\$299.95
2"	N/A	SCH1026LDN...\$249.95



23° Chevy

1-5/8" - 3"BEYDS231\$300.00
1-3/4" - 3"BEYDS233\$300.00



Spread Port 360-410 Sprints

1-7/8" - 3 -1/2"BEYDSSP360-S2\$350.00
1-7/8" - 3 -1/2"BEYDSSP410-1\$300.00



Tri-Y Sprint

1-3/4" - 1-7/8" - 3"BEYDSTY23S2\$720.00
1-3/4" - 2" - 3"BEYDSTYSP360D2\$760.00



Quick Release Muffler Clamps

The Exhaust Rings are easily welded to any 3 1/2" Collector. The Stainless Exhaust Clamp has a low profile design. Weld On Friendly. Fits Any 3 1/2" Collector. Exhaust Clamp.KRP-2110 ..\$27.93
Exhaust Ring...KRP-2115 ..\$23.73



Fuel Block


This unique design has three #6 Male Fittings out the top with one #8 out the end for your Return Line. What makes this better than the competition is at the opposite end of the #8 Return Fitting is another #6 Port for a Double High Speed System.
KRP-1930.....\$97.93



Replacement

Flush Mount Down Nozzle Filter

This filter is a direct replacement for any Down Nozzle Filter Biscuit. Installs in seconds and has a 1/8 NPT Male Thread.....KRP-1995.....\$5.00



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



SPRINT SECTION / BRAKES



Billet NDL Radial Mt

It is a compact, lightweight, and rugged caliper that provides strong clamping force from four 1.75" stainless cup pistons. The bodies are fully CNC machined from billet with internal fluid ports that eliminate external fluid tubes.

Bore Size.....Rotor Width
1.75"0.81"WIL120-13406-N\$189.52

Forged Narrow Mount Dynalite

It represent the next generation of calipers available as an upgrade or direct replacement for the popular Narrow Mount Dynalite models series with 3.50" mounting. NDP calipers combine superior strength with several new performance enhancements to make these the best "Dyna" series calipers ever built.

Bore...Rotor Width
1.75"0.81"WIL120-11572 ..\$115.52
1.75"0.38"WIL120-11571 ..\$115.52

DynaPro Single Billet

It's combine superior strength with several new perf enhancements to make these the best "Dyna" series calipers ever built. The DPS is perfect for compact high perf braking as required in Open Wheel, Drag, Modified, Kart & Off Road apps.

Bore...Rotor Width
1.75"0.38"WIL120-9689 ..\$92.22
1.75"0.38"WIL120-9687 ..\$92.22

Billet Narrow Dynalite Radial Mt Nickel Plated

Bore Size.Rotor W.4 Piston Radial Mt Side Inlet
1.75/1.75 ..0.81WIL120-13406-N.....\$189.52
1.75/1.75 ..0.38WIL120-13405-N.....\$189.52
Radial Mt Bkt Kit - 3.50" Mt Center, 12.19" Rotor Dia
WIL250-13365.....\$67.86

DynaPro Single Nickel Plated

Bore Size.Rotor Width
1.75/1.75 ..0.38..2 Piston 3.25" Lug Mt
WIL120-10188-N.....\$101.31

Clamp On Magnesium Inboard Rotor Mount

Use with all 8 on 7" bolt circle rotors.
WINK6986-03\$188.99

Sprint Rotor Mount

Magnesium floating 46 splined inboard rotor mount. 1 piece rotor mount, use with all 8 on 7.00 bolt circle rotors.
WINK6396S-1\$162.46

Caliper Mount

Left Front Caliper Mount for 10 7/8" Rotor. Fits Spindle WIN3622 & WIN3622T.

A: 3-1/4" • B: 3-1/4" • C: 1-9/16"
WINSC2810\$11.53



Nylon Brake Line Kit

Quickly plumb any race car using an Allstar Nylon Brake Line Kit. Kit extends from the master cylinder to the caliper and includes 35 feet of 3/16" line, compression ends, unions, tees and 1/8" NPT fittings. Race proven for years. Not for street use.
ALL48030\$75.99

Dynapro Radial Sprint Inboard Brake Kit

A fully engineered bolt-on brake system for sprint car quick change rears with 3.00 x 46 splined axles. With Super Alloy .810 vented discs and a newly designed dynamic mount rotor axle clamp, are the lowest rotating weights available for Sprint racing. The LW advantages of the Super Alloy rotor are combined with high durability & long wear. Forged billet DynaPro radial mount calipers with Composition Metallic pads, produce superior stopping power and consistent fade-free response. Kit includes Axle Clamp with Dynamic Mt Rotor Adapter assembly with T-nuts & Radial Mt Bracket & mounting hardware.
WIL140-11206.....\$650.41



Remote Master Cylinder Kits

Allows you to place reservoirs in an easy to reach location. Great for race cars.

5/8" bore.....WIL260-3372\$71.59
3/4" bore.....WIL260-3374\$71.59
7/8" bore.....WIL260-3376\$71.59
1" bore.....WIL260-3378\$71.59
1-1/8" bore ...WIL260-3380\$71.59

Rebuild Kits

5/8"WIL260-3880\$22.71
3/4"WIL260-3881\$22.71
7/8"WIL260-3882\$22.71
1"WIL260-3883\$22.71
1-1/8"WIL260-3884\$22.71

Master Cyl Return Spring Kit

It is made to keep the driver from burning the brakes off the car. A high strength zinc coil spring with an anodized black billet retainer make this the nicest master cyl return spring kit on the market.
KRP-2400\$23.95

Splined Right Rear Rotor Mt

Tired of always having trouble getting that right rear rotor on and off, well here is a fix. This will let you use any left front rotor on it. No matter if the rotor is bent or wrapped this mount will slide on and off with no problems. Made from Aircraft 6061 T-6 Alum.
KRP-2230\$57.33

Steel Convo Left Front Brake Rotors

They are designed for optimum stopping power. The Convolute 3/8 Thick Design saves weight but doesn't sacrifice stopping power. The 3 Bolt Design bolts directly to your Front Hub & is direct replacement for either Alum or Titanium Rotors.

10-1/4" diameter.....KRP-2465.....\$97.93
10-3/4" diameter.....KRP-2470.....\$97.93

Aluminum Left Front Brake Caliper Mts

The Aircraft 2024 Material is precisionally machined with an Arched Bridge to help keep the Caliper true and straight giving optimal braking power. Available for either 10" or 11" Rotors. 3 1/4 Bolt Spacing. Anodized Black. Comes With 2 Flush Head Allen Bolts.

Left Front Brake Caliper Mount
(10" Rotor)KRP-2410 ..\$18.13
(11" Rotor)KRP-2415 ..\$18.13

Right Rear or Left Rear Brake Caliper Mts

Machined from 6061 T-6 Alum. These are the Brake Mts you will need to go with either style of VMAC Racings Birdcages. Made to work on the left or right birdcages.

StandardKRP-1735\$20.93
Red DevilKRP-1740\$20.93

Left Front Caliper Mount

Use with 10-7/8" Rotor. Fits Spindle WIN3622 & WIN3622T.
WINSC2810...\$11.53

Aluminum Birdcage Caliper Mount

WINSC2574...\$17.40

Aluminum 3 Hole Mount Rotors

Wilwood's 3 hole mt rotors are precision CNC machined from high strength billet plate. These rotors fit the popular 3 x 5.00" mt circle found on most sprint and midget front hubs.

Diameter.....Width.....Bolt Circle.Hole Type...Weight LBS Rotor Type
10.95"0.31"3 x 5.00"0.516"1.8DRILLEDWIL160-3327\$62.97
10.20"0.31"3 x 5.00"0.516"1.6DRILLEDWIL160-3411\$62.97

Splined Axle Mount Aluminum Rotors

Wilwood's 3.00" x 42 splined axle mount rotors are manufactured from the same high strength billets with the same precision as our 3 hole mount front rotors.

Diameter...Width...Bolt Circle.....Weight LBS.....Rotor Type
10.95"0.31"3 X 42 SPLINE.....2.3DRILLEDWIL160-3275 ..\$49.90
10.20"0.31"3 X 42 SPLINE.....1.9DRILLEDWIL160-3270\$75.18

Dynamic Mount Drilled Steel Rotors

Dynamic mounting is the most effective method of eliminating all types of thermal stress and distortion in steel rotor applications. These rotors are machined with mounting slots that are used with special t-nuts and bolt kits.

Diameter.....Width...Bolt Circle...Hole Type...Lug I.D...Weight LBS...Rotor Type
12.19"0.35"8 x 7.00"SLOT6.56"4.8SCALLOPWIL160-5538\$135.76
11.75"0.35"8 x 7.00"SLOT6.56"4.5SCALLOPWIL160-5855\$142.60

Sprint - Open Wheel Live Axle Clamp-On Rotor Mount

Lightweight and strong, these clamps provides sturdy fixed position mounting for rear inboard brake systems on live axle sprints and modifieds.

Rotor Bolt Cir.....Axle Spline.....Rotor Mt Hole.....Axle Clamp
6 x 5.50"3.00 x 46 Spline ..5/16"(3)WIL270-9761\$295.00
Dynamic Mount Bolt Kit Included

Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

IMPACT Nitro

A self contained air filtration system that functions solo to purify inhaled air, or in conjunction with onboard bottle air systems. SNELL & SFI/FIA approved. Sizes: S-XL. Std colors are Silver. Flat/Gloss Black, white, and carbon fiber are available. SA2015.

IMP18015.....\$1,219.00

Carbon Fiber..\$1,899.00



Tear-Offs
ULT1215C
RAC10231C

SFI 15 & SFI-20

Team Drag 2-Piece Firesuit

SFI Foundation's 3.2A/15 Specification. Fire-retardant outer layer with cool, comfortable proprietary multi-layer inner. 360 degree full-floating arm gussets. Comfortable ribbed arm and ankle cuffs (will tuck into your race shoes/boots) for a tight seal and fit. Front patch pants pockets. Available in Black with silver piping.

IMP29300(size) SFI-15 Jacket ..\$629.50	SFI 15
IMP29400(size) SFI-15 Pants...\$599.00	
IMP29600(size) SFI-20 Jacket ..\$678.00	SFI-20
IMP29700(size) SFI-20 Pants...\$651.00	



Redlined Drag Glove SFI 3.3/20 Certified

Innovation, technology and design have come together to create Impact's newest drag glove offering both comfort and performance. Designed specifically for the drag-strip and featuring superior fire protection with its SFI rating of 3.3/20 and a TPP of over 100, the Impact Redline glove offers an anatomically correct pre-formed shape and suede insert panels on the palm and fingers allow maximum comfort and grip. The zig-zag elastic gauntlet ensures the gloves stay comfortably in place over the fire suit. Adult Sizes S-XXL. Colors: Black Only.

IMP37500.....\$249.95



Drag/Nitro Over-Boot

Our Impact Top Fuel/Top Alcohol Over-Boot, which fits securely over Impact race shoes, is made with Nomex inner and outer and overlock hook and loop extra-length cover. Black only.

IMP4900.....\$249.00



5-Point Camlock Seat Belts

Drag Racing "V" type (covered in Nomex)

SIM29116.....\$279.95



10' Sky Jacker Drag Chute

Handmade Crossform design delivers reliable and durable performance for cars up to 200 mph. Complete with nylon pack and pilot chute. Colors: Black, Red, or Blue.

SIM40202(color)\$489.95



TH400 Cast Alum Deep Pans

Designed with cooling fins to dissipate heat faster, these pans also provide additional strength and rigidity to the transmission case. No modifications are necessary to the stock dipstick and the pan includes magnetic drain plug, fluid pickup extension, filter, pan gasket and new rail bolts and washers.

Holds 2 extra quarts.....TCI228000.....\$164.09



TH350 Cast Alum Deep Pan

One of the best investments you can make to assure longevity of your auto trans is a cast alum deep pan. Designed with cooling fins to dissipate heat faster, these pans also provide additional strength and rigidity to the transmission case. No modifications are necessary to the stock dipstick and the pan includes magnetic drain plug, fluid pickup extension, filter, pan gasket and new rail bolts and washers. Holds 2 extra quarts

TCI328000\$176.29



Powerglide Flame Die Cast Aluminum Deep Pan

The engineers at TCI have created a transmission fluid pan unlike any other. Inside, the pan incorporates heat dissipating "inverted-dimples" that increase the surface area inside the pan. These unique "heat suckers" pull heat toward the exterior of the pan - ultimately lowering the temperature of the fluid. On the outside of the pan, exterior fins are slightly angled to create a funnel effect which increases the air speed across the surface. Finally, the pans' exterior is black powder coated to absorb heat from the interior to further lower operating temps.....TCI528220.....\$165.92

Dipsticks

Each dipstick features a locking stick that satisfies sanctioning bodies' racing rules.

TH350 Chevy Dipstick

Full Length, Locking-Style TH350 Chevy Stick Race or Street Use (Gold Dichromate)

TCI743861.....\$57.75

TH400 Chevy Dipstick

Full Length, Locking-Style TH400 Chevy Stick Race or Street Use (Gold Dichromate)

TCI743802.....\$61.13

Powerglide Dipstick

Full Length, Locking-Style Race or Street Use (Clear Zinc)

TCI743800.....\$50.47



Engine Oil Dipstick

SBC 55-79 Block Mounted Steel Chrome

SBC (block mounted) 1955-79 - Drivers Side Mounted. Dress up your engine with a chrome plated dipstick and tube. Similar to OEM units, only simple hand tools are required for installation.

MRG6235.....\$12.60

Auto Trans Dipstick & Tube - GM TH350

Steel - Chrome Plated
GM TH-350 w/tube 27" long. Includes Dipstick, Dipstick Tube, and Mounting Tab.

MRG9764.....\$22.90

Braided Stainless Steel

Transmission fluid dipstick for GM TH350 made from braided stainless steel with Billet Aluminum Handle. 29-3/4" Long - Firewall Mount. Includes Oil Fill Tube.

MRG9703G.....\$57.32



Outlaw Shifter

It features rugged construction and is perfectly suited for competition use including compliance with NHRA/HRA legal reverse lock out regulations. In addition, TCI's Outlaw Shifter features a Park/Neutral safety switch along with provisions for a reverse light system. TCI Outlaw Shifter includes 5-feet of heavy-duty shift cable and all the hardware required for installation. Optional 3-speed reverse pattern and 4-speed forward pattern gate plates are also available. Note: Ford AOD requires a 618016 installation kit.

w/cover PowerglideTCI611323 ..\$373.43

w/cover 3 Speed Forward ..TCI616331 ..\$388.04



Transmission Safety Shield

Made from 6061-t6 aluminum, TCI's transmission shield is lightweight and offers excellent protection in the event of a drum explosion. Certified SFI 4.1.

Powerglide.....TCI970000\$137.83

TH400TCI980000\$198.19



Floor Shifter

3/4 Speed - Automatic

Features an 11" chrome plated solid steel stick with black knob, (3/8-24 thread). Includes shifter boot with bezel. Linkage and mounting hardware are Zinc plated.

MRG7668.....\$113.95




MOROSO

Universal Anti Roll Kits

Brake line locks are used in Drag Racing to lock the front wheels and hold the car in the water box for the burnout, or to prevent creeping in the lights. Has a check valve which allows you to pump up the brakes while actuated. Will work in applications with ABS.

Univ Anti Roll KitMOR44050\$129.80

Univ Anti Roll Kit EnhancedMOR44052\$193.78



Racing Flexplates

Chevy Flexplates are .035" thicker than stock and the ring gear is welded to both sides for added strength. Dual GM bolt patterns are sized for stock 3/8" bolts but can easily drilled to 7/16" for added strength. SFI 29.1 approved.



Chevy - Forged Flexplate (Stock to mild performance)

Internal Dual Bolt Pattern 168TTCI399273..\$101.74

Ext 400, Dual Bolt Pattern 168T ..TCI399373..\$101.74

External Dual Bolt Pattern, 168T ..TCI399473..\$101.74

Internal Small Bolt Pattern 153T ..TCI399573..\$116.11

External Dual Bolt Pattern, 168T

Only for 1 Pc Rear Side Engines..TCI399773..\$124.63

Chevy - Machined Flexplate (Moderate to serious performance)

LS1 Chevy Flexplate.....TCI399753..\$310.85

LS1 to 4L80e Trans Flexplate.....TCI399754..\$310.85

Ford - Machined Flexplate (Moderate to serious performance)

289-351C, 351M-400M, Internal balanced, for racing applications only.....TCI529632..\$299.79

MEZIERE

SFI Spec 29.1 True Billet Flexplates

Total Weight.....6.3 lbs.

Counter Bal Wt ..Neutral

Converter Pat3 on 10.75 & 3 on 11.5

Tooth Count 168 - Pitch 12..MEZFP300\$397.71

Tooth Count 139 - Pitch 10..MEZFPT300\$397.71

Bolt KitMEZFPH437625 \$17.75

A	...14.14
B	...0.450
C	...0.170
D	...2.49



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

BORN FROM JOE GIBBS RACING

DRIVEN RACING OIL

Synthetic Oils

XP0 Viscosity typical of SAE 0W
JGR004061 Quart\$17.99

Utilizes ultra-low viscosity synthetic base oils for maximum horsepower during qualifying. Formulated with proprietary anti-wear and friction reducing additives to fight valve train wear and increase horsepower. Ideal for low temperature drag race applications.

XP1 Viscosity typical of SAE 5W-20

JGR000061 Quart\$17.99

Proven to handle 500 miles of competition at over 9500 RPM, XP1 utilizes multiple synthetic base oils for increased durability under higher loads. Formulated with proprietary anti-wear and friction reducing additives to fight valve train wear and increase horsepower. Ideal for high RPM and high output engines with tight clearances. Compatible with methanol and high octane race fuels.

XP2 Viscosity typical of SAE 0W-20

JGR002061 Quart\$17.99

Utilizes low viscosity synthetic base oils for increased horsepower without decreased durability. Formulated with proprietary anti-wear and friction reducing additives to fight valve train wear and increase horsepower. Ideal for restricted airflow applications and engines with tight clearances. Compatible with methanol and high octane race fuels.

XP3 Viscosity typical of SAE 10W-30

JGR003061 Quart\$14.99

Provides outstanding high temp and high shear protection. Utilizes select synthetic base oils for increased durability at high temps. Formulated with proprietary anti-wear and friction reducing additives to fight valve train wear and increase horsepower. Ideal for crate, spec and custom built engines with clearances under .0027. Compatible with methanol and high octane race fuels.

XP6 Viscosity typical of SAE 15W-50

JGR010061 Quart\$14.99

Provides excellent bearing oil film thickness for aluminum blocks and looser clearance engines. Utilizes select synthetic base oils for increased durability at high operating temp. Recommended for methanol fueled engines. Formulated with proprietary anti-wear and friction reducing additives to fight valve train wear and increase horsepower. Compatible with high octane race fuels.

XP9 Viscosity typical of SAE 10W-40

JGR032061 Quart\$14.99

Provides increased high temp and high shear protection for wet sump and high compression applications. Utilizes select synthetic base oils for increased durability at high temps. Compatible with methanol and high octane race fuels. Formulated with proprietary anti-wear and friction reducing additives to fight valve train wear and increase hp. Ideal for high output steel block engines.

XP10 Viscosity typical of SAE 0W-10

JGR033061 Quart\$17.99

Utilizes multiple low viscosity synthetic base oils to fine tune for increased hp and improved ring seal. Ideal for wet sump drag race engines and restricted airflow engines with tight clearances. Formulated w/proprietary anti-wear and friction reducing additives to fight valve train wear & increase hp.

Semi Synthetic Racing Oils

XP5 Viscosity typical of SAE 20W-50.

A semi-synthetic based on our original formula race oil, XP5 provides excellent roller lifter and roller rocker arm protection. XP5 delivers improved high temperature shear and oxidation stability compared to mineral oil without the higher cost of a full synthetic. For use in high compression engines.

JGR009061 Quart\$9.71

XP7 Viscosity typical of SAE 10W-40.

A semi-synthetic 10W-40 racing oil based on our proven XP5 racing oil. Ideal for desert and off-road engines, IMCA modified engines, spec engines, flat tappet camshafts and hydraulic lifter engines. Designed for clearances under .0030.

JGR017061 Quart\$9.71



Petroleum Oils

XP4 Viscosity typical of SAE 15W-50.

High Zinc, Petroleum formula racing oil, XP4 offers low cost protection for racers who want to use non-synthetic oil. Excellent protection for dirt and nitrous racers who need to change their oil frequently. Recommended applications: big block, flat tappet camshaft, nitrous and alcohol fueled drag engines.

JGR005061 Quart\$7.99

XP8 Viscosity typical of SAE 5W-30.

Excellent low cost drag racing oil. A high Zinc, Petroleum formula racing oil, XP8 offers low cost protection for racers who want to use non-synthetic oil. Recommended apps: small block, flat tappet camshaft engines & tight clearance nitrous engines (under .0027).

JGR019061 Quart\$7.99



BORN FROM JOE GIBBS RACING

DRIVEN RACING OIL

Gear Oils

Synthetic Gear Oil

1 QtJGR00630\$17.99

5 Gal. PailJGR00617\$350.02

Used by top race teams in rear ends, differentials and transmissions, this unique synthetic gear oil reduces operating temperatures by up to 15°F compared to other brand gear oils. Proven durability on short tracks and road courses. Viscosity typical of 75W-110. Formerly referred to as Synthetic Gear Oil.

Super Spdy Gear Oil1 Qt.....JGR00830 ..\$17.99

This 75W-85 synthetic gear oil provides race proven durability and dyno proven power gains from reduced friction and parasitic drag. It can be used in quick change style rear ends and drag race applications. Viscosity typical of 75W-85. Formerly referred to as Super Speedway Gear Oil.



Coolant System Protector

Impurities in well water can cause rust and corrosion inside the radiator, water pump and cylinder heads, and this can lead to a loss of cooling efficiency. It stops the adverse effect of hard water better than the leading brand of coolant additives.

1 Quart.....JGR50030 ..\$8.99



SR50 Conventional Race Oil

Ideal for race engines requiring a 20W50 weight motor oil, SR50 provides consistent protection for flat tappet engines and prevents lifter skidding in aggressive roller cam valve trains using both needle and bushing lifters. It is not recommended in engines with stamped steel rockers; instead, use Driven Racing Oil's XP9 or XP6 for optimal durability.

20w50 (Quart).....JGR05206.....\$7.99



Power Steering Fluid

A fully synthetic formula power steering fluid. Offers high temp foam resistance.

1 Quart.....JGR01306.....\$11.49



Manual Trans Fluid

A fully synthetic fluid specially designed to meet the specific needs of an oval track/drag racing manual trans.

1 Quart.....JGR01206.....\$8.99



High Viscosity Lubricant

It provides a tenacious yet fluid film to protect reciprocating and rotating components during assembly and initial break-in. This non-foaming product mixes with the break-in oil and extends film thickness during the critical break-in process.

JGR500508 oz. Bottle.....\$8.99



MR50 High Zinc 15W-50

Marine Synthetic Motor Oil

Excellent protection for high performance marine engines. Ideal for flat tappet cams, big blocks & blown marine engines. MR50 contains rust inhibitors for winter storage & defense against ethanol blended fuel. Viscosity typical of 15W-50.

JGR026061 Quart\$9.99



BR Break-In Oil

Used to break-in and dyno all their engines, this petroleum oil provides the highest levels of Zinc and Phosphorus for flat-tappet engines. The additive package promotes ring seal & provides max protection available for cams and lifters during initial break-in. Good for 2 hours dyno time & requires no additional additives.

15w50 (Quart).....JGR00106.....\$7.99

5w30 (Quart).....JGR01806.....\$7.99



GP-1 Synthetic Blend High Perf.

They are formulated using Pennsylvania petroleum combined with a high zinc (ZDDP) content that has been engineered and tested to deliver increased horsepower and better engine wear protection under high load. The perfect performance oil for competition cars, custom cars, hot rods, classic cars, imports, and racing apps. 1 Quart.

GP-1 5W-20JGR19206.....\$8.29

GP-1 10W-30JGR19306.....\$8.29

GP-1 15W-40JGR19406.....\$8.29

GP-1 20W-50JGR19506.....\$8.29

GP-1 30 Grade Break-In Specialty Motor Oil

JGR19336\$8.29

GP-1 Nitro 70 High Performance Racing Oil

JGR19706\$5.49



Hot Rod HR High Perf. Oils

HR-1: Perfect for BB muscle cars, blown street rods, & high temp protection. Loose bearing clearances.

Conventional 15W-50 JGR02106.....\$7.99

HR-2: For SB engines & "crate" motors. 10W Multi-Grade formula provides great start-up protection.

Conventional 10W-30 JGR02006.....\$7.99

SYNTHETIC FORMULA: They provides improved cold-start protection compared to mineral oils.

HR-3: Great protection for blown marine engines and air cooled engines.

Synthetic 15W-50JGR01606.....\$9.99

HR-4: The ultimate in street/strip protection - Excellent start-up protection and high temp stability of a synthetic.

Synthetic 10W-30JGR01506.....\$9.99




FR20 High Zinc

5W-20 Synthetic Motor Oil

FR20 reduces oil consumption by limiting oil vaporization and foaming. FR20 utilizes advanced mPAO synthetic base oils to provide high temperature and high shear protection for Ford Modular and Chrysler 5.7L Hemi based engines with and without variable valve timing. FR20 delivers industry leading shear stability and HTHS bearing oil film thickness. Ideal for naturally aspirated, supercharged and turbocharged engines that call for a 5W-20 viscosity. Viscosity typical of 5W-20.

JGR030061 Quart.....\$11.49



Speed Shield

Protectant that sheds dirt, dust, and mud, while providing a glossy, protective film. After pressure washing the vehicle, spraying it down with Speed Shield will rinse away the smaller remaining dirt particles and leave a shine that isn't wet or oily. Ideal for off-road, powersports, and dirt racing vehicles, this fast-drying, water-resistant product works great on plastic, paint, decals, and fiberglass.

JGR50070.....\$8.26



Speed Lube

It is a spray lubricant for chains, linkages, Heim joints, and bearings. It features a variety of adhesion and anti-wear properties and is designed for extended intervals between applications. Speed Lube comes in a convenient aerosol spray can and is specially formulated to provide lubrication and protection from corrosion in hostile environments to bike chains and other parts.

JGR50090.....\$6.99



Extreme Pressure Chassis Grease

This grease with excellent load carrying ability. Designed for High Temps & High Loads, JGR EPC provides exceptional mech stability in an NLGI #2 grease.

400 grams Cartridge.JGR70030.....\$15.99



Spline Grease

Engineered for race apps with sliding spline teeth operating at high temps & RPM's. It utilizes a high viscosity synthetic base, proprietary anti-wear additives & a Polyurea thickener that is specifically developed to extend durability.

JGR700701/2 lb Tub\$49.99



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





RS Series Engine Oils

It is a 100% synthetic triple ester based race-grade engine oil. Technologically advanced formula contains special anti-wear/extreme pressure additives to protect critical engine components from extreme loads & peak temps generated by high-perf engines. Delivers increased hp & torque, superior engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet & roller element engines.

0W-10 - 32 oz Quarts.....	MAX39-13901.....	\$13.95
0W-20 - 32 oz Quarts.....	MAX39-14901.....	\$13.95
5W-20 - 32 oz Quarts.....	MAX39-04901.....	\$13.95
5W-30 - 32 oz Quarts.....	MAX39-91901.....	\$13.95
10W-30 - 32 oz Quarts.....	MAX39-01901.....	\$13.95
10W-40 - 32 oz Quarts.....	MAX39-16901.....	\$13.95
10W-50 - 32 oz Quarts.....	MAX39-32901.....	\$13.95
5W-30 - 128 oz Gallons.....	MAX39-919128.....	\$53.95
10W-30 - 128 oz Gallons.....	MAX39-019128.....	\$53.95
10W-40 - 128 oz Gallons.....	MAX39-169128.....	\$53.95
15W-50 - 128 oz Gallons.....	MAX39-329128.....	\$53.95



Performance Engine Oils

Special anti-wear/extreme pressure additives protect critical engine components from extreme loads and peak temps generated by high-performance engines. Advanced, shear-stable polymers resist mechanical break-down & viscosity loss of the oil. Performance delivers increased horsepower, optimum engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

10W-30 - 32 oz Quarts.....	MAX39-33901.....	\$7.95
10W-40 - 32 oz Quarts.....	MAX39-34901.....	\$7.95
20W-50 - 32 oz Quarts.....	MAX39-35901.....	\$7.95
20W-50 - 128 oz Gallons.....	MAX39-359128.....	\$28.95



Performance Straight-Weight Engine Oils

Designed to enable max power while providing ultimate protection under the most severe race conditions. The extensively developed formulation utilizes a 2X Zinc system combined with unique "stay-in-place" chemistry for protection during every run. High quality base oils combine with an advanced, proprietary additive system to provide world-class durability through effective ring seal, optimum engine cleanliness & resistance to separation caused by fuel dilution.

50WT - 128 oz Gallons.....	MAX39-36128	\$8.99
60WT - 128 oz Gallons.....	MAX39-37128	\$8.99
70WT - 128 oz Gallons.....	MAX39-38128	\$8.99



Semi-Syn Engine Oils

It is a complex blend of synthetic esters & highly refined petroleum base stocks offering protection beyond conventional oils. Tech advanced additives containing special anti-wear/extreme pressure additives protect critical engine components from extreme loads and peak temps generated by high-perf engines. Advanced, shear-stable polymers resist mech break-down and viscosity loss of the oil. It delivers increased hp, optimum engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.


10W-40 - 32 oz Quarts.....	MAX39-34901B	\$9.95
20W-50 - 32 oz Quarts.....	MAX39-35901B	\$9.95
10W-40 - 128 oz Gallons.....	MAX39-349128B	\$35.95
20W-50 - 128 oz Gallons.....	MAX39-359128B	\$35.95



Performance Break-In Engine Oils

Designed for breaking in engines with flat tappet camshafts, roller elements or where elevated levels of anti-wear additives are needed. Complex 2X Zinc structure protects for an extended temp range, outperforming conventional break-in oils. By combining 2 different zinc compounds, activates at lower temps and offers more protection at elevated temps. Promotes ring seal and provides max protection for cams and all critical valve train components during initial break-in of flat tappet and roller cam engines. Compatible with petroleum, semi-synthetic and fully synthetic motor oils. **NOT RECOMMENDED FOR STREET USE.**

5W-16 - 32 oz Quarts	MAX39-09901	\$7.95
10W-30 - 32 oz Quarts	MAX39-10901	\$7.95
15W-50 - 32 oz Quarts	MAX39-11901	\$7.95
10W-30 - 128 oz Gallons.....	MAX39-109128.....	\$28.95
15W-50 - 128 oz Gallons.....	MAX39-119128.....	\$28.95



Pro Gear

Regenerative, synthetic polymers resist shearing, mech breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and perform over a greater operating temp range. Tech advanced formula increases hp and delivers superior anti-wear and extreme pressure protection from peak loads and elevated temps. Surface active chemistry delivers ultra-high film adhesion on gear faces. It is recommended for use in front and rear differentials, manual transmissions and lower gear units of marine engines or anywhere an API GL-5 gear oil is specified.

75W-90 - 32 oz Quarts.....	MAX49-44901	\$15.95
75W-140 - 32 oz Quarts	MAX49-45901	\$17.95
75W-90 - 128 oz Gallons.....	MAX49-449128	\$60.95
75W-140 - 128 oz Gallons.....	MAX49-459128	\$68.95
75W-190 - 128 oz Gallons.....	MAX49-469128	\$68.95
250 WT - 128 oz Gallons.....	MAX49-479128	\$79.95



Performance Gear Oil

Ultra-pure, high quality base oils and thickeners resist shearing, mech breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and performance over a greater operating temp range. Tech advanced formula delivers superior anti-wear and extreme pressure protection from peak loads and elevated temps. Surface active chemistry delivers ultra-high film adhesion on gear faces, enabling higher load carrying capability and protecting critical gear interface areas and contact points. Fully formulated additive system contains anti-foam, rust, corrosion and oxidation protection for high-stress conditions.

85W-140 - 128 oz Gallons.....	MAX49-429128	\$49.95
250 WT - 128 oz Gallons.....	MAX49-439128	\$59.95



SYN ATF Auto Trans Fluid

Advanced anti-foam agents minimize air entrapment in the oil and protect critical trans components at higher speeds seen in racing conditions. Exhibits excellent wetting properties enabling increased heat transfer & lowering overall operating temps. Superior additive package is oxidative and thermally stable inhibiting the formation of lacquer, varnish & harmful deposits ensuring clean, trouble-free operation. No slip formula offers positive shift engagement & reduces clutch drag.

10 WT - 32 oz Quarts.....	MAX49-00901	\$10.95
20 WT - 32 oz Quarts.....	MAX49-01901	\$10.95
30 WT - 32 oz Quarts.....	MAX49-02901	\$10.95
30 WT - 128 oz Gallons.....	MAX49-029128	\$38.95



Cool-Aide

Ready-to-use mix of powerful additive & deionized water. Formulated to reduce engine temps & provide significantly better contact on heated surfaces allowing for greater & more efficient heat transfer. Glycol, Nitrate, Amine, Borax free. Add to any cooling system (water or antifreeze). Non-slippery if spilled on paved surfaces.

Concentrate - 16 oz Bottle	MAX84916.....	\$9.95
Ready-to-use - 64 oz Bottle	MAX84964.....	\$9.95



PSO Race Oils

PSO is a 100% ester-based synthetic engine oil. Advanced formula contains surface active chemistry, drastically reducing friction and offering unsurpassed anti-wear/extreme pressure protection from extreme loads generated by high-perf engines. Ester synthetics resist mechanical break-down & viscosity loss of the oil and special additives offer consistently high vacuum. PSO delivers increased hp & torque, superior engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts.

0WT - 32 oz Quarts.....	MAX39-03901	\$18.95
-------------------------	-------------------	----------------



HD Diesel Engine Oil

Advanced chemistry blended with high-quality petroleum base stocks offer excellent protection from the stresses of heat, soot and acids preventing wear from deposits and corrosion. Elevated levels of detergent/dispersant help to eliminate the formation of larger combustion particles minimizing soot-related viscosity increase allowing for improved drain intervals. Highly refined petroleum base stocks provide outstanding lubricity and resist oil loss due to oil volatilization.

15W-40 - 128 oz Gallons.....	MAX39-029128	\$28.95
------------------------------	--------------------	----------------



SYN Power Steering Fluid

Racing power steering systems operate under increased loads and elevated temps when compared to on-highway systems. SYN PSF uses tech advanced additives to prevent wear, thermal break-down and oxidation - offering unsurpassed protection to pumps, cylinders, valves and gears. Special conditioners keep seals & O-rings pliable under extreme conditions. Full synthetic formula delivers consistent steering response and exhibits excellent flow at low temps. LW formula reduces initial drag on pump avoiding power losses.

32 oz Quarts.....	MAX89-01901.....	\$12.95
-------------------	------------------	----------------



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Castor 927

Designed to ensure max perform while providing max protection under the most severe conditions. Carbonization and vaporization resistant formulation combines surface-active esters with a highly-refined castor oil to provide excellent film thickness and surface tenacity, protecting cylinder walls, journals and other critical areas. Proprietary ash-free additive system keeps your engine running clean and free of gum formation, corrosion and deposits.



16 oz Bottle.....MAX22916.....\$10.95
Liter Bottle.....MAX22901.....\$19.95
64 oz Bottle.....MAX22964.....\$36.95

Hi Test Octane Booster

Designed to increase power by increasing octane number and combustion efficiency. The advanced formulation eliminates knocking by increasing the auto-ignition temp of the air/fuel mixture and readily mixes with all fuels, including nitro and alcohol mixtures. The all organic blend contains no metal or phosphorus compounds and effectively increases power at dosages as low as 1 oz. HI-TEST per gallon of fuel.



16 oz. Bottle.....MAX83916.....\$6.50

MTL Trans Lube

Mineral based transmission lubricant formulated for use in both 2-stroke and 4-stroke transmissions and wet clutch trans applications. Provides excellent film thickness and viscosity stability across all operating temperatures for maximum clutch and gear protection. Exceeds the requirements of JASO MA2. Safe for use with all OEM and aftermarket clutch plates. Shear-stable formula provides superior protection from wear, pitting and spalling.



Liter Bottle.....MAX41901.....\$9.95

Shock Synthetic Fluid

Designed to ensure max perf and provide max protection under the most severe conditions. Shear stable, ultra-high viscosity index (>350) formulation maintains film strength & reduces wear under extreme temps. Ultra clean formulation eliminates corrosion, conditions seals and extends equipment life.



3 WT - 32 oz Quarts.....MAX50-57901 ..\$19.95

Shock Racing Fluid

Designed for use in high performance shocks. Shear stable, high (300+) viscosity index formulation maintains viscosity and film strength while reducing wear. Advanced additive system minimizes stiction and reduces running friction while minimizing foaming and air entrainment. Ultra clean formulation eliminates corrosion, conditions seals and extends equipment life.



3WT Light - 32 oz Qts.....MAX59-58932L \$15.95
7WT Medium - 32 oz Qts.....MAX58901M\$15.95
10WT Heavy - 32 oz Qts.....MAX58901H.....\$15.95

Formula K2

Full synthetic, triple ester 2-stroke engine oil designed to ensure optimum protection and performance under extreme race conditions. Clean burning, ring stick resistant formulation utilizes high molecular weight, surfaceactive esters to ensure optimal ring seal and maximum power. Advanced, low-ash additive system minimizes carbon build up while preventing rust, corrosion and wear.



16 oz Bottle.....MAX22916.....\$10.95
Liter Bottle.....MAX22901.....\$19.95
64 oz Bottle.....MAX22964.....\$36.95

Formula K2 Injector Engine Oils

Full synthetic, triple ester 2-stroke engine oil designed to ensure optimum protection and performance under extreme race conditions. Clean burning, ring stick resistant formulation utilizes high molecular weight, surface-active esters to ensure optimal ring seal and maximum power. Advanced, low-ash additive system minimizes carbon build up while preventing rust, corrosion and wear. Designed for direct-injected systems, but robust enough to be used as a premix at any OEM-recommended fuel: oil ratio.



Liter Bottle.....MAX20-22901 ..\$19.95
64 oz Bottle.....MAX20-22964 ..\$36.95

Matte Finish Cleaner

Fast-acting, all-purpose cleaner. Non-toxic, non-flammable and eco-friendly formulation contains no VOCs, harmful acids, CFC's or solvents and is 50 state VOC compliant. For use as a professional strength cleaner for matte finishes. Safe for use on all matte surfaces, from equipment to accessories.



16 oz.....MAX80-90916.....\$10.95

Fuel Enhancer

Designed to prevent and cure all problems caused by ethanol due to ethanol's corrosivity and high affinity for water. Fuel Enhancer prevents water and ethanol from reaching critical components and can help prevent corrosion where water has previously been introduced.



1 oz. Pillow Pouch.....MAX80-89930 ..\$1.95
32 oz. Bottle.....MAX80-89901 ..\$19.95



Lucas Synthetic Oil Stabilizer

Light enough for an import - Tough enough for a semi. Use in new equipment which requires synthetic oils or any equipment that needs enhanced performance. It can also be used to protect new and used Heavy Duty and High Performance transmissions, gear boxes and engines. Controls heat and wear in motorcycles, air-cooled engines and all drive train components. Reduces friction for increased power and MPG. In Ford Powerstrokes we suggest one quart of Pure Synthetic Oil Stabilizer per oil change.




- Increase oil life by at least 50% • Reduces oil consumption
- Eliminates dry starts • Raises oil pressure
- Increases power and MPG

LUC10130\$13.50



Suspension Clean

Designed to clean suspension internally and externally. Unique and proprietary formulation combines industrial strength cleaners with a powerful spray to ensure maximum cleanliness while leaving a dry and residue free surface. It is strong enough to eliminate tough-to-clean grime and debris, but safe enough for incidental contact with Nitrile (buna-n), Viton and most seal materials.



18.1 oz. Aerosol Can.....MAX71920.....\$8.95

Contact Cleaner

Designed to remove grease, oil and other contaminants from electrical components. Unique and proprietary formulation displaces moisture and is completely non-corrosive & non-staining. CFC-free & VOC compliant cleaner safely cleans electrical components, dries quickly & leaves behind no moisture, residue or film.



17.5 oz. Aerosol.....MAX72920.....\$6.95

Chain Wax

It is a parafilm bike chain lube that goes on wet. It penetrates rollers and side plates, then sets up to a soft, pliable wax. The chain will be encased in a protective layer and shielded from the harsh elements of dirt, grime & water. Special low melt point wax replenishes drive train by drip-feeding clean lube from the inside layers outward, significantly reducing abrasive wear and eliminating corrosion. Smooth, quiet, trouble-free operation in all conditions. Waterproof. Long lasting protection for all cyclists.



7.4 oz. Aerosol.....MAX74908.....\$7.50
18.1 oz. Aerosol.....MAX74920.....\$11.50

Clean Up Chain Cleaner

It is a heavy duty, emulsion type cleaner designed to thoroughly clean chains without harming rubber o-rings or metal surfaces. Quickly dissolves and removes left on chain lube, dirt, sand, mud and other grime. Doesn't harm the finish on gold chains, standard chains, aluminum or steel. Safe for O, X and Z-ring chains.



17.1 oz. Aerosol.....MAX75920.....\$9.95

Synthetic Chain Guard


It is an exclusive 100% synthetic bike chain lube. Special surface active formula reduces rolling resistance of drivetrain and improves shifting performance. Deep chain penetration ensures quiet operation, protects drivetrain under load and extends chain life by shielding it from the elements dirt, grime & water. Waterproof. Ideal for use on both short and long rides.



7.4 oz. Aerosol.....MAX77908.....\$7.50
17.3 oz. Aerosol.....MAX77920.....\$11.50



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



Hot Lap

Absolutely Undetectable!

Tires run cool. Aerosol works from the inside out. For races lasting 200 laps (based on 1/2 mile tracks) Tire Prep controls heat in racing tires, helps them last 30-50% longer, stay consistent during the race, improves cornering speeds, decreases lap times, can soften tires (which in some cases is desirable), oftentimes not allowed to be used at tracks. The guy pitted next to you is using it.

16 ozPROB7016TS\$26.96
Gallon.....PROB7000TS\$120.95



Hot Lap II

Absolutely Undetectable!

Tires run cooler, last longer, grip more. Quicker application than the original, lasts 25 or so laps per application. Tire Prep - controls heat in racing tires, helps them last 30-50% longer, stay consistent during the race, improves cornering speeds, decreases lap times, can soften tires (which in some cases is desirable), oftentimes not allowed to be used at tracks.

Gallon.....PROB6000TS2W.....\$57.95



Hot Lap

Victory Lane

Super quick for 50 laps. Works on asphalt or dirt. Excellent on short tracks. One gallon treats tires for about 4 racing weekends. Tire Prep - controls heat in racing tires, helps them last 30-50% longer, stay consistent during the race, improves cornering speeds, decreases lap times, can soften tires (which in some cases is desirable), oftentimes not allowed to be used at tracks **Detectable**. Gallon


PROB5000.....\$77.95



Hot Lap 3

Inside Tire Prep. Works on asphalt or dirt. Traction Treatment. Reduces Lap-time 2-5 tenths. Tire Prep - Used to soften tires, is not suitable for application on the outside. **Detectable**.

30 fl. oz....PROB3030...\$30.00



Hot Lap Pro Bite

Dramatically Increases Tire Grip. It is for slick tracks. It can be applied during the week. Hand wiped or rolled. Apply 6 coats (total) Tuesday thru Thursday or roll for 30 minutes on Wednesday. Tire Prep - Used as a topcoat over other Hot Lap tire treatment products. Increases forward and side "bite".


30 fl. ozPROB8000\$19.95
GallonPROB8000GL...\$71.95



Drag Racing Tire Treatment

Drag racing tire treatments improves 60 foot times. Reduces E.T.'s by up to 2 tenths, requiring up to 50 percent less burnout time. Helps tires to run much cooler and last up to 40 percent longer.

1 Gallon....PROB6070\$71.43



DRIVEN

Carb Defender-Ethanol Fuel Additive

Designed for carbureted classic and perf vehicles, this concentrated additive prevents costly repairs and poor perf resulting from the use of corrosive ethanol-blended pump gas or flex fuels.

JGR700404.5 oz. bottle.....\$9.49

Carb Defender Concentrate Fuel Additive

For carb race engines that use Methanol, E85 or Oxygenated race fuel, Driven's Carb Defender Race Concentrate prevents corrosion and deposits in the fuel system and intake tract. Concentrate Treats 55 Gallons

JGR70044.....6 oz. bottle.....\$14.99



Racing Tire Cleaner

Cleans surface. Opens pores. Prepares tires for Hot Lap treatment. It removes the mold release from new tires + cleans any foreign material off used tires + opens the pores of the tire to better accept tire prep. Also if used right before a race, helps tires "fire off" faster (meaning, get up to ideal temp)

1 Quart

PROB7050...\$23.25



40 Below Coolant

Reduces water temperature up to 40 degrees. Creates instant water cool down between rounds in drag cars. Add to radiator. 2 cans provide better results.

PROB4032\$19.95



Undetectable Fuel Additive

Add up to 40 confidential horsepower. Add 1 gallon of CTX-2 to 4 gallons of gas.

1 Gallon Can.

PROB1650...\$122.99



Pro-Tuff

Gear Lube Treatment

For Severe Duty applications in rear ends, std transmissions, transaxles, and gear boxes. Its added to rear ends, manual trans, outdrives (although we have a marine version, just cleverly relabeled Marine Gear Lube) reduces heat by up to 50 degrees, eliminates wear, eliminates dry starts, absorbs shock and loading (as in pulling a trailer or a hard start)

PROB8398...\$29.74



Lubricates Entire Fuel System

Blends with alcohol or nitro methane to lubricate the entire fuel system. Add 16 oz. to 50 gallons. 16 oz. containers.

Alcohol Fuel Lube (16 oz.)
PROB8400...\$24.33



AP Racing PRF Racing Brake Fluid

Developed for extreme, high temp racing conditions (dry boiling point of 608 degrees F). Exceeds DOT 4 spec. Sold in 16.9 oz. bottle.

ALL78116\$29.99



AP 600 Hi-Temp Racing Brake Fluid

Designed for extreme, high temp racing conditions with a dry boiling point in excess of 572 degs Fahrenheit. Exceeds DOT 3 stds. 1 pint container.

ALL78108\$23.99



Castrol SRF Brake Fluid

Castrol SRF brake fluid has a wet boiling point of 518 deg. F (270 deg. C) which exceeds DOT 3 and 4 standards. Do not mix Castrol SRF and other brake fluids, as this will reduce the benefits of Castrol SRF. Sold in 1 liter containers (33.8 ozs.)

ALL78115\$79.99



Compressor Cool

Especially effective in high heat, high stress environments. Solves water and moisture problems. Immediate, significant noise reduction. Reduces condensation up to 85%. Cools compressor oil up to 52 degrees. Reduces oil foaming up to 80%. Increases lubricity and film strength. Reduces friction, heat and metal wear. Inhibits rust and corrosion. Add 2% to 10% by volume to compressor oil initially. Add an additional 2% to 7% every 700 hours of operation. Will not drain out during oil changes. 6 per case.

PROB1730\$32.36



Oil Treatment

Add to severe duty, high stress and performance engines. Cools oil up to 57 degrees. Eliminates oil starvation, bearing failure, piston scuffing, galling, blueing, metal transfer, valve train drag and foaming. Eliminates condensation in gas and alcohol engines. A must for all Circle, Drag, Blown, Turbo, Nitrous, Pro Street and Marine applications.

PROB1600\$26.78



Performance

Engine Assembly Lube

Blended for all automotive and industrial applications. Eliminates galling, blueing, metal transfer and oil starvation during break-in. Consistency of warm honey. Dramatic cam and valve train life guaranteed. Not a moly paste.

4 oz....PROB4040\$8.05



Transmission Fuel Additive

Firm up shifts and stops excessive wear. Great for towing or performance use. Blended for all automotive and industrial apps. Eliminates galling, blueing, metal transfer and oil starvation during break-in. Consistency of warm honey. Dramatic cam and valve train life guaranteed. Not a moly paste. Trans Fluid Additive - cools transmission fluid by 50 degrees, eliminates wear and friction, doubles the life of lubricated parts, eliminates hard shifts.

PROB4012\$17.76



Last Minute Treatment

Designed for racers that get their tires at the last minute. Works on asphalt or dirt. Undetectable.

1 Quart...PROB7032QL...\$31.38



570 Hi-Temp Brake Fluid



Wilwood's specially formulated Hi-Temp® 570 Racing Brake Fluid has a minimum 570° F. dry boiling point of to withstand the severe heat requirements of automotive racing. Hi-Temp® 570's low viscosity allows easy bleeding of your brake system, eliminating aeration of the brake fluid caused by foaming due to excessive pumping of the pedal.

PintWIL290-0632 ..\$9.25

Case of 24WIL290-0633 ..\$135.95




Super Hi-Temp EXP600 Plus Brake Fluid

It has been specially formulated for racing apps where brake systems consistently operate at very high temps. In addition to guarding against vapor lock, it maintains its viscosity and lubricity under extreme temps for maintaining brake system reliability and performance.

Pint.....WIL290-6209 ..\$17.50

Case of 20WIL290-6210 ..\$319.95



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov





Oil Rear Lube w/Moly

Semi-Synthetic 80-90-140 with moly 1 gallon WIN1730.....\$49.60



Competitive Edge Tire Treatment

Chemically treats & softens race tires to increase traction without making tires greasy. Apply race day or night before on new or old tires, can be used on the inside or outside. 1 gallon container treats 4 to 6 tires.

ALL78105.....\$51.99



Track Claw Tire Strengtheners

Strengthens the rubber and will work on all tires. Undetectable. Reduces lap times 2-3 tenths. One gallon container

180°-220° F Tire Temps ALL78110\$69.99

Up to 150° F Tire Temps ALL78111\$69.99



Mud-X Concentrate

Mix concentrate with up to 10 qts of water to produce a coating that prevents mud, dirt, oil, rubber and exhaust residue from sticking to body panels. Safe for metal, plastic, rubber, and painted surfaces. 1 quart.

ALL78230\$8.99



DOT 4 Brake Fluid

Designed to lubricate and protect critical brake system componentry while providing reliable stopping power. Anti-vapor lock formulation maintains responsiveness and performance by fighting both water contamination and vaporization. Advanced chemistry resists corrosion, oxidation and is compatible with SBR, EPDM and natural rubbers.

Exceeds the requirements of US FMVSS 116 DOT 3 & DOT 4, SAE J1703, SAE J1704 and ISO 4925 (Classes 3 & 4).

DOT-4 - 16.9 oz BottleMAX80-86916 ..\$6.95

Exceeds the requirements of US FMVSS 116 DOT 3 & DOT 4, SAE J1703 and SAE J1704. 16.9oz Bottle.....MAX80-87916 ..\$16.95

DOT 5 and DOT 5.1 Brake Fluid Silicone Base

Designed to lubricate and protect critical brake system componentry while providing reliable stopping power. Advanced chemistry resists corrosion, oxidation and is compatible with SBR, EPDM and natural rubbers. Ideal for use in vehicles where incidental contact of brake fluid can damage finishes.

Exceeds US FMVSS 116 DOT 5 spec.

DOT-5 - 16.9 oz BottleMAX80-86916 ..\$6.95

Exceeds US FMVSS 116 DOT 5.1, DOT 3 & DOT 4, SAE J1703, SAE J1704 and ISO 4925 (Classes 3, 4 and 5.1).

DOT-5.1 - 16.9 oz BottleMAX80-82916 ..\$9.95



Mud-X Cleaner

Cleans and shines plastic, polycarbonate, chrome, fiberglass, paint, vinyl and leather. Leaves an invisible coating that protects surfaces and repels dirt, dust, fingerprints, smudges and bugs. Excellent for helmet shields.

ALL78232\$12.99



Ceramic Engine Seal

The best Chemical Sealer you can buy to stop cooling system leaks. Works equally well in aluminum or cast iron blocks. Cooling system must be thoroughly clean before use. Does not work with antifreeze. If this doesn't stop the leaks, find yourself a welder!

1 Pint Plastic Bottle. **Don't use w/antifreeze** MOR35500.....\$16.34



All Weather Seal

Specially formulated to stop cooling system leaks when antifreeze is present. Ideal for stopping radiator leaks and sealing cracked blocks in sub-freezing conditions. Works best when cooling system has been thoroughly cleaned and flushed.

1 Pint Plastic Bottle. Can be used w/antifreeze MOR35520.....\$16.34



Upper Lube

Upper Lube is a high temp cylinder lube that protects and extends engine life. Added directly to the fuel, Upper Lube reduces fuel wash down, chalky residue and corrosion, while lubricating cylinders, valves, guides, and fuel system components. It mixes completely, won't separate from fuel, leaves no varnish residue and does not contain a flame agent. One 16 oz. bottle treats 55 gallons of alcohol, 150 gallons of gasoline, or 110 gallons of ethanol.

Upper Lube.....ALL78100\$13.99

Upper Lube With Cherry Fragrance ALL78120\$13.99



Race Wax

It leaves a smooth, glossy finish..... that helps shed tire rubber and dirt. Perfect product for race cars w/full decal wraps and fiberglass body cars. This makes clean up quick and easy without damaging the decals, paint, or windows.


JGR5006024 oz. Bottle\$8.26



Speed Wax

Specialized all-in-one detailer that conditions, shines and protects painted surfaces, chrome, anodizing, windscreens and plastic. Advanced formula blends conditioners with color enhancers to produce a brilliant shine. Designed to minimize effort & max shine and is the quickest way to detail your ride. Soothing wax sets up quickly and easily wipes from smooth surfaces. Easy app & removal.

17.8 oz. Aerosol.....MAX70-76920.....\$10.50



Bio Wash Biodegradable Formula

It is a unique, 100% biodegradable all-purpose cleaner. Fast-acting cleaning agents lift away dirt while scrubbing grime and oil based deposits. Specially engineered surfactants, lower surface tension allowing better penetration and wetting of soils. Tough on dirt, yet gentle enough to use on delicate surfaces including paint, plastic, chrome, anodizing, rubber, carbon fiber. Advanced micro chemistry protects alum, magnesium and other alloys. Contains no harmful acids, CFC's or solvents. 50 State VOC compliant.

32 oz. Bottle.....MAX85932.....\$8.99



SC1 High Gloss Coating

Specifically formulated to protect and beautify multiple surfaces such as plastic, vinyl and carbon fiber. Safe for use on plastic, gloss or matte finishes. Excellent for use on plastic fenders, wheel wells and components. Outstanding mud and rubber deflector. Makes the cleaning-up process easier. Can be applied to the surface and left untouched or allowed to setup and buffed to a dry sheen leaving a long-lasting luster without attracting dirt and road debris. Water resistant.

17.2 oz. Aerosol Can.....MAX78920.....\$10.50



Cleaner and Degreaser

It works to dissolve the dirt build up and old filter oil, and can be washed away with water. Complete instructions on bottle. Do not use on polished or anodized aluminum.

32-fluid oz. squirt bottle...K&N99-0621...\$9.40
1-gallon refill bottle.....K&N99-0635...\$23.20



Filtercharger Oil

It is the only oil specially formulated to work in combination with the cotton fabric in K&N Filtercharger elements providing a superior air filtration system. When used as directed, it quickly penetrates the filter pleats, where it remains suspended in the cotton fabric. Saturation is maintained until the element is cleaned with K&N Air Filter Cleaner.

12-oz. aerosol canK&N99-0516.....\$6.67

8-oz. squeeze bottle.....K&N99-0533.....\$4.70

1-gallon refill bottleK&N99-0551...\$28.99



Recharger Filter Care Service Kit (Aerosol)

A 6-step maintenance system designed to clean any K&N Filtercharger Air Filter. Restores air flow efficiency so your Filtercharger performs like new! Includes: 6.5 oz. Spray Oil and 12 oz. Filter Cleaner

Aerosol...K&N99-5000...\$10.31



(Squeeze Oil)

Same as K&N99-5000 but includes: 8 oz. Squeeze Oil and 12 oz. Filter Cleaner #99-5050


K&N99-5050...\$10.31



Synthetic Air Filter Cleaner

It will bring your K&N synthetic air filter to like new condition. It works to dissolve grime and dirt build up, then it can be washed away with water. It is a great cleaner for K&N Hybrid air filters, K&N Blackhawk air filters, Dryflow air filters and other synthetic air filters.

32-fluid oz....K&N99-0624.....\$9.76



Air Filter Cleaner

Designed to remove grease, heavy filter oils and other contaminants from foam and fabric air filters. Unique and proprietary formulation contains no caustic chemicals, will not damage foam cells, paper or glue and easily washes out with water. Maxima Air Filter Cleaner is consistently ranked as best in class and contains no harmful CFCs.

64 oz. Bottle.....MAX70-79964 ..\$19.95

17.1 oz. Aerosol.....MAX79920.....\$9.95



FFT Foam Filter Treatment

Providing unequalled protection against the elements. Unlike other foam filter oils, FFT's time proven formula will not plug foam cells or migrate off of filters. Protective coating catches dirt and fine dust without restricting airflow. Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging. Water-resistant. The ultimate air filter oil.

16 oz. BottleMAX60916\$7.95

32 oz. BottleMAX60901\$12.95



FAB-1 Spray-On Air Filter Oil

A highly advanced synthetic based formula for all oil type fabric and foam air filter elements. A superior oil for stopping the passage of dirt, fine dust, water and other harmful elements into the apps intake system. Super tacky polymer and co-polymer additives attract and hold onto virtually all fine dust particles. The water-proof base resists moisture from passing through the filter. Prevents oil "wash out" of the filter from carb fogging and offers the best protection for your engine, spark plugs, carb and air filter.

18.8 oz. Aerosol.....MAX61920.....\$9.50



Proposition 65 Warning: These products contains chemicals known to the State of CA to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov

A

4 Blade Fans	63
6 Blade Fans	189
6 Blade Fans	63
602 Crate Motor Section	188-191
Accelerator Pump Kits	90
Access Doors	57
Access Panel Kits	119
Accumulator Mounts	54
Adapter Bushing	120
Adapter Plates	100
Additive	212
Adhesive Wrap	102
Adjustable Ring Compressor	155
Adjusting Rods	106
Advance Curve Kits	81
Aeromotive	92-93
A-Frames	121
Air Box	206
Air Brackets	152
Air Cleaners	83-84, 167
Air Cleaner Housing Seals	113
Air Cleaner Spacers	84
Air Cleaner Stud Kits	84
Air Filter Cleaner	213
Air Filter Gaskets	84, 110
Air Filter Pre Filters	84
Air Filter Sealing Grease	83
Air Filter Stud Kits	84
Air Filters	82-83, 190
Air Filters Gaskets	91
Air Filters Plates	82
Air Hose Coupler	164
Air Jackets	165
Air Mover Fan	151
Air Pans	88, 90
Air Pressure Gauge	160, 165
Air Tanks	164
Air/Oil Separator Tanks	56
All Weather Seal	213
Allen Buttons	122
Alternator Brackets	38, 106
Alternator Mounts	38, 189
Alternators	106-107, 189
Aluminum Caps	157
Aluminum Fans	63
Aluminum Plugs	157
AN Block Plates	59
AN Caps	50, 95
AN Fittings	44-53
AN Plugs	50, 95
AN Reducers	49
AN Union Fittings	50
Angle Gauge	160
Antennas	27
Anti Bind Radius Rod System	115
Anti Roll Kits	136
Apparel	4
Aprons	151
Arm Restraints	8, 17, 28
Arms	182
Asphalt Seats	32
Assembly Grease	157
Assembly Lube	157, 212
ATL Fuel Cells	96-97
Auto Fit Hose Ends	44
Auto Trans Pan Bolt Kits	104
Autolite Spark Plugs	79
Autometer	34-35
Axle Hex Nuts	203
Axle Spacer Kits	203
Axle Spline Tool	166
Axle Tube Bracket	150
Axle Tubes	185
Axles	181, 185, 200
Back Up Washers	128
Backpacks	30
Bags	30, 155
Bail Handle Caps	95
Bail Threaded Caps	95
Balance Bar Replacement	138
Balance Bars	171
Balance Pedal Assembly	138
Balancer Bolts	103
Balancer Crank Trigger Kits	75
Balancers	103
Ball Joint Adapter Sleeve	120
Ball Joint Holders	121
Ball Joint Sleeves	120
Ball Joint Sockets	121
Ball Joint Spread Tool	120
Ball Joints	120
Ball Spine Drive Shafts	196
Ball Spline Transmission	193
Ball Valves	98, 205
Ballast	119
Ballast Brackets	116
Ballast Mounts	116
Banjo Fittings	49, 51, 142

B

Barrier Blanket	99
Bars	181
Bat Wing Pickups	95
Batteries	42-43, 172, 203
Battery Boxes	41-42
Battery Brackets	41
Battery Cable Kits	39
Battery Cables	38, 41, 172
Battery Chargers	41-43
Battery Connectors	38, 41
Battery Disconnect Switch	172
Battery Disconnects	36-37, 41
Battery Extender	41
Battery Hold Downs	172
Battery Jumper Terminals	38-39, 41
Battery Kill Switch	38
Battery Packs	42
Battery Terminals	39, 41
Battery Wrap Heat Barrier	102
Bead Breaker	162
Bead Loc Bolts	168
Bead Loc Covers	168
Bead Loc Rings	168
Bead Loc Zerk	168
Bearing Kits	199
Bearing Packers	175
Bearing Sliders	178
Bearing Spacers	175
Bearings	136, 175, 182
Bells	18-19
Bell Crank Tabs	116
Bellhousing Dowel Pins	188
Bellhousing Plates	192
Bellhousings	173, 192
Bells	183-184
Belt Clips	27
Belts	12-13, 54, 107
Bert Transmission	192-195
Bert Transmission Fluid	193
Beyea Gaskets	113
Big Head Buttons	122
Billet Dynapro Caliper	131
Billet Go-Kart Caliper	132
Billet Narrow Dynalite Caliper	130
Billet Spot Caliper	132
Bilstein Shocks	146-147
Birdcage Cups	180
Birdcages	180-181, 182, 200, 203
Bits	166
Blastor Single Tower Coils	71
Bleeders	132
Block Plates	59
Blocks	200
Bloomquist Shifters	193
Blow Gun	164
Blowers	118
Body Bolt Kits	119, 127
Body Brace Kits	119
Body Cap Bulb	148
Body Radius Tool	119
Body Studs	126
Body Washers	128
Bolt Extractor	166
Bolt Kits	137
Bolt Tubes	183
Boost Timing Masters	70
Boots	17, 208
Bottle Racks	152
Braided Hose	45, 53
Braille Batteries	43
Brake Balance Bar Assembly	140
Brake Balance Panels	36
Brake Bias Gauges	140
Brake Bottle Bleeder Kit	141
Brake Brackets	177
Brake Caliper Bracket Bolts	176
Brake Caliper Brackets	176-177
Brake Caliper Mounts	207
Brake Caliper Pistons	132
Brake Calipers	130-132, 140-141
Brake Cleaner	157
Brake Deflectors	142, 176
Brake Duct Hose	136
Brake Ducts	136
Brake Fittings	51, 142
Brake Fluids	136, 141, 212-213
Brake Hubs	136
Brake Kits	137
Brake Line Adapter Tabs	116
Brake Line Kits	171, 207
Brake Lines	51, 142, 171
Brake Master Cylinders	139
Brake Pads	130-132, 140-141
Brake Pedal Assembly	138
Brake Pressure Tester Kit	140
Brake Rotor Adapter	137
Brake Rotors	133-135
Brake Shut Off	139, 141

C

Brake Bias Cables	136
Brake Rotors	134-135, 141, 177
Bras	9
Brass Freeze Plug Kits	158
Break In Oil	157, 191, 209-210
Breath Deflector	14, 18
Breather Assembly	204
Breather Baffle	55
Breather Cans	54, 204
Breather Tanks	54, 56
Breather Valve	95
Breathers	83, 55, 167
Bridge Bolt Kits	132
Bulbs	37
Bulk Gaskets	113
Bulkhead Fittings	46
Bulldog Gear Oils	185
Bulldog Winch	153
Bump Spring Caps	145
Bump Steer Gauge	151, 161
Bump Stop	148
Bump Stop Pucks	146
Bumper Tabs	116
Bumpers	170, 201
Bushings	128, 178
Buttons	122-123, 126, 128-129
Cabinets	152
Cable Wires	39
Cage Nets	8
Caliper Adapter Fittings	142
Caliper Bracket Bolts	176
Caliper Brackets	176-177
Caliper Mounts	207
Calipers	130-132, 140-141, 176
Cam Bearing Install Kit	155
Cam Bearing Installation Tool	158
Cam Bolt Kits	105
Cam Lock Shifters	118
Camlock Belts	12-13, 17, 29
Camshaft Degree Wheel	155
Camshaft Install Handle	155
Camshafts	109
Caps	50, 95, 127, 157
Car Covers	153
Carbon X Underwear	9
Carburetor Adapter Fittings	49, 53
Carburetor Adapters	89
Carburetor Air Pan Kits	90
Carburetor Case	88
Carburetor Covers	91
Carburetor Drain Cups	154
Carburetor Fittings	89
Carburetor Float Bowl Kits	91
Carburetor Gaskets 90-91, 111	91
Carburetor Hats	91
Carburetor Jet Tool	154
Carburetor Jets	90
Carburetor Kits	90
Carburetor Linkage Bushing	98
Carburetor Nuts	89
Carburetor Rebuild Kits	90
Carburetor Regulators	87
Carburetor Spacers	91, 190
Carburetor Stands	91
Carburetor Studs	91, 190
Carburetor Throttle Ball	90
Carburetor Throttle Cable Bracket	90
Carburetor Throttle Secondary Lever	90
Carburetor Throttle Stud	90
Carburetor Tool Trays	91
Carburetor Work Stands	91, 154
Carburetors	87-89, 190
Carrier	166
Carrier Fasteners	105
Caster Camber	Gauge 151, 161
Catch Cans	94
C-Clips	132
Center Steering Mounts	172
Centerlinks	121
Ceramic Engine Seal	213
Chain Cleaner	211
Chain Guard	211
Chain Wax	211
Champion Spark Plugs	79
Chassis Brackets	116
Chassis Components	170
Chassis Line Clamps	142
Chassis Mount Threaded Adapters	142
Chassis Ride Height Tool	163
Check Valve Flappers	95
Check Valves	50, 136
Cheek Pads	14, 20
Child Head Supports	31
Child Seats	31
Chutes	17
Circuit Tester	156
Clamp On Caliper Brackets	177
Clamp On Lower Spring Pads	117

Clamp On Rings.....	118
Clamps.....	45
Cleaners.....	83, 211, 213
Cleaning Brushes.....	155
Cleco Fasteners.....	118
Cleco Pins.....	127
Cleco Pliers.....	127
Clevises.....	117
Clipboard.....	153
Closed Drive Line.....	204
Clutches.....	197
Clutch Cover Bolt Kits.....	104
Clutch Handle Knobs.....	193
Clutch Handles.....	193
Clutch Master.....	193
Clutch Slave Cylinder.....	138
Cog Pulleys.....	57
Coil Bracket Bolt Kits.....	104
Coil Interface Module.....	71
Coil Mounts.....	166
Coil Over Brackets.....	182
Coil Over Hat.....	148
Coil Over Kits.....	147-148, 150
Coil Over Load Bolt Assembly.....	117
Coil Over Protectors.....	146
Coil Over Shock Adjusting Tool.....	150
Coil Over Shock Mounts.....	150
Coil Over Spring Rater.....	160
Coil Over Spring Rubbers.....	143-145
Coil Over Take up Spring Divider.....	144
Coil Over Wrench.....	167
Coil Selectors.....	68
Coil Spring Adapters.....	143
Coil Spring Savers.....	117
Coil Spring Shims.....	117
Coil Springs.....	143-145, 150
Coils.....	68, 173
Collector Gaskets.....	111
Compact Combination Master Cyl Kits.....	139
Compact Remote Master Cylinder.....	139
Composite Fans.....	63, 189
Compression Sleeves.....	50
Compression Tester.....	158, 160
Connecting Rods.....	104
Contact Cleaner.....	211
Containment Seats.....	31-32
Control Arm Bushings.....	121
Coolant Check Valves.....	59
Coolants.....	209-210, 212
Cotton Pins.....	132
Couplers.....	188, 196, 204
Cowls.....	170
Cradle Wheels.....	157
Cradles.....	157
Crank Couplers.....	196
Crank Gear Install Tool.....	155
Crank Pulley Spacers.....	57
Crank Sockets.....	155
Crank Throttle Linkage.....	205
Crank Trigger Kits.....	75
Crankcase Evacuation Systems.....	99
Crankshaft.....	105
Crankshaft Socket Tools.....	57, 155
Crankshaft Wipers.....	54
Crate Motor Flywheels.....	188
Crate Motor Section.....	188-191
Crimp Dies.....	77
Crimp Tool.....	158
Crimper.....	77
Cross Shaft Linkage.....	205
Crush Sleeves.....	199
Crush Washers.....	51, 89
Cups.....	180
Curved Vane Rotors.....	133
Cylinder Head Bolts.....	108
Cylinder Head Work Stand.....	154
Cylinder Leak Down Gauges.....	156
Cylinder Leak Down Tester.....	156
Dash Cowls.....	170
Daytona Sensors.....	78
Deburring Tool.....	126
Deep Pans.....	208
Deflators.....	169
Deflectors.....	176
Degreaser.....	83, 213
Degree Wheels.....	155
Depth Gauge.....	160
Deutsch Connectors.....	68
Dial Durometer.....	160
Dial In Marker Holder.....	152
Diaphragm.....	87, 90
Digital Caliper.....	164
Digital Level.....	151, 160
Digital Multi Retard.....	77
Digressive Valving Kits.....	147
Dipsticks.....	54, 97, 208
Dirt Modified Seats.....	31
Dirt Modified Transmission.....	193

E

Dirt Tire Soap.....	168
Dirt Wings.....	165
Disconnect Switch.....	172
Disconnects.....	36-37, 41
Distributor Housing Shim Kits.....	81
Distribution Hold Down Clamps.....	75
Distributor Clamps.....	81
Distributor Gaskets.....	113
Distributor Gear Shim Kits.....	81
Distributor Gears.....	75
Distributor Stud Kits.....	103
Distributors.....	72-75, 81, 191
Door Mounts.....	170
Dowty Seals.....	51
Draco Springs.....	143
Drag Boots.....	17
Drag Gloves.....	17
Drag Racing Seats.....	32
Drag Racing Section.....	208
Drag Shoes.....	17
Drag Suits.....	17
Dragster Fillers.....	95
Drain Pans.....	153, 187
Drain Plug Washers.....	54
Drain Plugs.....	54, 167
Drave Shafts.....	176
Degreaser.....	157
Drill Bits.....	38, 126, 166
Drill Jig.....	151
D-Ring Buttons.....	123
Drip Cup.....	150
Drip Trays.....	157
Drive Axles.....	181
Drive Flanges.....	173, 177, 188, 192
Drive Mandrels.....	57
Drive Shaft Safety Loops.....	178
Drive Shafts.....	184, 196, 204
Drive Train.....	198-199
Driven Oil.....	209
Driving Gloves.....	11, 16-17, 22-23, 29
Driving Shoes.....	11, 16-17, 22-23, 29
Driving Suits.....	5, 10, 16, 22-23, 28
Drum Wrenches.....	152
Dry Break.....	97
Dry Sump Oil Tanks.....	54
Dry Sump Pumps.....	55
Dry Sump Return Manifolds.....	57
Dry Sump Tank Brackets.....	54
Dryair System.....	169
Dual Feeler Gauge Handle.....	154
Dual Gauge Leak Down Tester.....	156
Duct Blowers.....	118
Ducts.....	136
Dump Cans.....	94, 97
Durometer.....	160, 164
Dust Caps.....	175
Dynalite Single Floater Caliper.....	131
Dynapro 4 Piston Caliper.....	131
Dynapro Calipers.....	176
Dynapro Single Caliper.....	131
D-Zus.....	122-126 128-129
Earls Plumbing.....	44-52
Earpieces.....	26-27
Earplugs.....	166
Eibach Springs.....	145
Elbows.....	100, 188
Electric Fuel Pumps.....	86
Electric Water Pumps.....	58-59
Engine Assembly Lube.....	157, 212
Engine Cleaning Brushes.....	155
Engine Cradles.....	151, 157
Engine Fastener Kits.....	103
Engine Heater.....	159
Engine Leak Down Tester.....	156
Engine Lift Plate.....	157
Engine Oil Dipsticks.....	54, 208
Engine Oils.....	191, 209-211
Engine Seal.....	213
Engine Storage Bags.....	155
Exhaust Adapter Plates.....	100
Exhaust Elbows.....	100, 188
Exhaust Header Bolt Lock Washers.....	101
Exhaust Header Bolts.....	101, 188
Exhaust Header Gaskets.....	100, 112-113, 188
Exhaust Header Hardware.....	101
Exhaust Header Studs.....	101
Exhaust Headers.....	100-101, 188, 206
Exhaust Insulating Mat.....	102
Exhaust Insulating Wraps.....	102
Exhaust Jackets.....	102
Exhaust Mounts.....	99, 188
Exhaust Mufflers.....	100-101, 188
Exhaust Port Covers.....	100
Exhaust Reducers.....	100
Exhaust Tubing.....	100
Exhaust Turnouts.....	100
Exhaust Washers.....	101
Expansion Ring.....	168

F

Expansion Tanks.....	61-62, 189
Falcon Shorty Transmission.....	196
Fan Freewheeler.....	59
Fan Hubs.....	63
Fan Relays.....	40
Fan Shrouds.....	61-62
Fan Spacer Kits.....	189
Fan Spacers.....	63
Fans.....	107, 189
Fast Fill Valves.....	95
Fastener Sinking Tool.....	126
Fastener Wrenches.....	126
Fasteners.....	122-126, 128-129
Feeler Gauges.....	154
Fel Pro Gaskets.....	110-113
Fender Filler Kits.....	95
Fender Support.....	167
Filler Necks.....	62
Fillers.....	95
Filter Charger.....	213
Filter Screens.....	57
Filtercharger Oil.....	83
Fine Thread Taps.....	166
Fire Bottle Mounts.....	152
Fire Bottles.....	152
Fire Extinguishers.....	152
Fire Suit Cleaner.....	11
Fire Suits.....	5, 10, 16-17, 22-23, 28, 208
Fire Systems.....	152
Fittings.....	44-53
Flame Guards.....	45
Flame Proof Paint.....	99
Flap Valve.....	97
Flare Reducers.....	49
Flare Tool.....	151, 166
Flashlight.....	154
Flat Tabs.....	116
Flexplate Bolts.....	104
Flexplates.....	188, 197, 208
Flip Switches.....	37, 39
Float Adjusting Tool.....	154
Float Bowl Washer Kits.....	90
Floor Insulating Mat.....	102
Flush Head Buttons.....	122
Flywheel Bolts.....	105, 188, 192
Flywheel Housing Assembly.....	196
Flywheel Shims.....	173, 188, 192
Flywheels.....	173, 188, 192
Flywheels Bolts.....	173
Foam Filter Shield.....	84
Foam Filter Treatment.....	213
Foam Seat.....	33
Foam Sheets.....	33
Ford Bearing Kits.....	199
Ford Gears.....	198
Ford Washers.....	174
Forged Dynalite Caliper.....	131
Forged Narrow Dynalite Caliper.....	130
Forged Superlite 4 Calipers.....	177
Forged Superlite 6/ST Caliper.....	131
Forged Superlite Caliper.....	130
Forged Superlite Internal Caliper.....	131
Fram Oil Filters.....	57
Freeze Plug Adapters.....	57
Freeze Plug Driver Set.....	158
Fresh Air Kits.....	18, 20
Front Axle Brackets.....	173
Front Axles.....	200
Front Bearing Spacers.....	175
Front Bumper.....	201
Front Clip.....	170
Front Hubs.....	175
Front Hubs.....	202
Front Loops.....	178
Front Panhard Mounts.....	173
Front Slider Shafts.....	178
Front Spindles.....	174, 202
Front Spoilers.....	170
Front Spring.....	143-145
Front Suspension Parts.....	174
Front Yokes.....	184
Fuel Additive.....	212
Fuel Block Kits.....	90
Fuel Blocks.....	206
Fuel Bowl Screw Gaskets.....	90
Fuel Cell Fast Flow Fittings.....	95
Fuel Cell Foam.....	95, 97
Fuel Cell Mounting Brackets.....	119
Fuel Cell Tip Over Valve.....	95
Fuel Cells.....	94-97
Fuel Directors.....	89
Fuel Enhancer.....	211
Fuel Filters.....	50, 91, 93, 98
Fuel Injection Fittings.....	49
Fuel Jets.....	90
Fuel Jug Covers.....	102
Fuel Jugs.....	152
Fuel Level Sending Units.....	95

G

Fuel Lines	51-52, 86, 88
Fuel Logs	87-88
Fuel Pickups	97
Fuel Pressure Gauges	50, 93
Fuel Pressure Kits	39
Fuel Pressure Regulators	87
Fuel Pressure Senders	39
Fuel Pump Block Off Plates	85-86
Fuel Pump Bolt Kits	85
Fuel Pump Brackets	93
Fuel Pump Check Valve Kits	87
Fuel Pump Gaskets	113, 190
Fuel Pump Plates	190
Fuel Pump Push Rods	109, 190
Fuel Pump Push Rod Kits	109
Fuel Pump Seal	85
Fuel Pump Voltage Boosters	77
Fuel Pumps	86-87, 92, 190
Fuel Rails	93
Fuel Regulators	87, 92-93
Fuel Sample Valves	86
Fuel Shut Off Valves	50
Fuel Sticks	97
Fueler Aprons	151
Full Containment Seats	31-32, 171
Full Gasket Sets	112
Full Spools	198
Funnel Filters	152
Funnels	152
Fuse Blocks	40
Gas Fill Tool	147
Gas Pedals	119, 171
Gaskets	110-113, 183
Gauge Adapter Fittings	50
Gauge Lights	37
Gauge Panels	36-37, 172
Gauge Wires	39
Gauges	34-37
Gear Bags	30
Gear Cover Gaskets	183
Gear Lube Treatment	212
Gear Oils	185, 187, 209-210
Gear Totes	153, 187
Gear Trays	187
Gears	75, 186
G-Force	23
Gilmer Belts	54
Girdles	108
Glasses	166
Gloves	11, 16-17, 22-23, 29, 208
Go Pro Mount	160
Go-Kart Caliper	132
Goodridge	53
GP320 Caliper	131
GPS Hot Lap Timer	153
Grease	157, 175, 209
Grease Jars	175
Grease Tubes	175
Grommet Seals	36
Grooving Heads	162
Grooving Iron Holder	163
Guide Plates	109
Gun Drilled Axles	181, 185
Gun Drilled Drive Axles	181
Gun Drilled Torsion Bars	181, 203
Gusset Tabs	116
Gussets	127
H Beam Rods	104
Hand Clutch Master	193
Handle Knobs	193
Hans	25
Harmonic Balancer Bolts	103
Harmonic Balancer Install Tools	155
Harmonic Balancers	103
Harness Pads	8
Harnesses	40
Hats	4
Hawk Brakes	140
Head and Neck Restraints	24-25
Head Bolt Washer Kit	108
Head Bolts	108
Head Gaskets	110, 113
Head Restraints	24-25
Head Skirts	9
Head Socks	9, 22, 29
Head Stud Kits	104
Head Supports	17, 31-32
Header Bolt Lock Washers	101
Header Bolts	101, 188
Header Gaskets	100, 112, 188
Header Hardware	101
Header Manifold Blanket	102
Header Studs	101
Header Tab Kits	99
Header Washers	101
Header Wrap	99
Headers	100-101, 188, 206
Header Gaskets	113

I

Heads	108
Heat Barrier	102
Heat Barrier Blanket	99
Heat Barrier Wrap	102
Heat Shields	39, 102
Heat Sleeves	81, 102
Heating Pads	54
Heel Riser	118
HEI Module	72
HEI Vacuum Advance Stop Plate	74
Heims	114, 174, 202
Helmet Bags	20, 30
Helmet Blowers	7
Helmet Dryer	6
Helmet Fans	7, 171
Helmet Hooks	167
Helmet Hose	7
Helmet Restraints	9
Helmet Shelf	152
Helmet Shields	7, 15, 19-20, 23
Helmet Skirts	9, 17
Helmet Speakers	20, 26
Helmet Supports	8
Helmets	6-7, 14-15, 18-21, 23, 28, 208
Hex Nuts	203
Hex Suspension Tubes	115
High Torque Needle Assembly	159
Hinge Kits	119
Hold Down Tabs	55
Hold Downs	81
Hole Saws	166
Hollow Axles	185
Hood Pin Mounts	119
Hood Pins	119
Hood Scoops	83, 170
Hose	7, 45, 53, 189
Hose Barbs	48
Hose Clamps	45, 62
Hose Ends	44-46, 53
Hose Separators	51
Hot Lap	212
Housing Gaskets	199
HTD Belts	54, 107
HTD Pulleys	57
Hub Bearings	136
Hub Seals	175
Hubs	136, 175, 202
Humidity Gauge	169
HVC Coils	68, 70
Hybrid	24
Hydraulic Release Bearings	197
Hypercoil Springs	144
I Beam Rods	104
Idle Gear Bushings	192
Idle Gear Shaft Grease Fittings	192
Idle Gear Shafts	192
Idle Gear Springs	192
Idle Gear Washers	192
Idle Gears	192
Ignition Box Mount	70
Ignition Boxes	70-71, 173
Ignition Caps	74, 76-77
Ignition Coils	68, 173
Ignition Rotors	74, 76
Ignition Switch Panels	37
Ignition Tester	161
Ignition Wires	74, 79-80, 191
Impact	14-17
Impact Gun	162
Impact Sockets	162
Indicator Lights	39
Inflation Tool	164
Inlet Needles	90
Inline Ball Valves	98, 205
Inline Duct Blowers	118
Inline Filter Mounts	98
Inline Filters	50, 93, 98
Inline Oil Coolers	56
Inner Bearings	175
Inner Bushings	117
Inner Panhard Mounts	179
Inner Side Bar Mounts	170
Inner Sleeves	178
Inner Support Springss	45
Inspection Plugs	183, 204
Insulating Blanket	99
Insulating Header Wrap	99
Insulating Kits	102
Insulating Mats	99, 102
Insulating Wrap	102
Intake Gaskets	85, 110
Intake Manifold Bolts	85
Intake Manifold Gaskets	85, 110
Intake Manifolds	85
Integra Shocks	147
Intercomp Scales	159
Internal Thread Chaser	158
Jack Stands	164

J

K

Jackets	4
Jacks	165
Jacobs Ladder	200
Jam Nuts	114
Jaz Fuel Cells	94-95
Jaz Seats	32
J-Bars	179
Jet Extensions	90
Jet Nut Kits	127
Jets	90
Jig	166
Joe Gibbs Oil	209
Jones Racing	106-107
Jr Dragster Master Cylinder	139
Jug Caps	152
Jug Racks	152
Jugs	152
Jump Starters	42
Jumper Cables	42
K&N Air Filters	82-83
K&N Oil Filters	57
K1 Race Products	22
Kart Jackets	11
Kart Master Cylinders	139
King Pin Caps	174, 202, 204
King Pins	174, 202, 204
Kingpin Shims	174
Kirkey Seats	31-32, 171
Knee Guards	33
Knobs	193
Laces	11
Ladder Pin Kits	127
Large Bearing Hubs	177
Laser Pyrometer	164
Laser Scale Pad Leveler	158
Launch Control Module Selectors	69
Launch Drag Racing Tree	158
Launch Rev Limiter Switch Box	69
Layback Seats	31-32
Lead Ballast	119
Lead Weight	119
Leaf Spring Perch	117
Leaf Spring Slider Box	117
Leak Down Gauges	156
Leak Down Tests	156, 160, 206
LED Lights	37
Leg Protectors	33
Leg Supports	32
Legend Car Adapter	158
Level	160
Lift Plate	157
Lifters	109
Limiter Chain	150
Limiter Chain Kits	146
Line Clamps	51, 171
Linear Bearing Sliders	178
Linear Valving Kits	147
Linkage	90, 205
Lock Nuts	175
Lock Ring Tools	175
Lock Shifters	118
Locknuts	127
Locks Rings	175
Longacre Steering Wheels	65
Looms	81
Loops	178
Low Drag Seals	175
Low Friction Ball Joints	120
Low Profile Valve Seat Pressure Tester	156
Lower Ball Joints	120
Lower Control Arm Kits	121
Lower Nose Supports	127
Lower Pulley Hex Drive	108
Lower Shafts	183-184, 204
Lower Spring Pads	117
Lowering Blocks	117
LS Steam Vent Adapters	46
Lubes	157, 167, 183, 209, 212-213
Lug Nuts	162
Lug Wrench	162-163
Lumbar Supports	33
Magnet	158
Magnetic Pickup	74
Magneto Signal Converter	37
Magnifying Flashlight	154
Main Bolt Kits	104
Main Cap Removal Tool	158
Main Studs	105
Mandrel Bolts	57
Mandrels	57
Manifold Blanket	102
Manifold Bolts	85
Manifold Filler Necks	62
Manifold Gaskets	85
Manifolds	85
Manual Compressor	156
Manual Piston Ring Filer	104
Manual Transmission Fluid	209, 211

M

Maradyne Fans	63
Markers	162
Master Cylinder Rebuild Kits	132, 139
Master Cylinder Return Spring Kits	207
Master Cylinders	139, 171
Mats	153
Max Papis	64-65
Maxima Oils	210-211
Mechanical Fuel Pumps	86-87, 190
Mechanical Gauges	34-37
Mechanical Lockout	72
Mechanical Water Pumps	58-59
Metric Iron Caliper	130
Metric Spindle Savers	117
Metric Thread to AN Adapters	47
Meziere Water Pumps	59
Micrometers	154
Mid Plates	118
Mini Breather	54
Mini Spools	198
Mini Sprint Seats	31
Mini Stripper Crimper	77
Mini Valve Spring Tester	156
Mirror Brackets	167
Mirrors	167
Modified Shifter Kit	193
Module Holders	69, 77
Module Kits	77
Molecule	11
Monotube Hyperscrew Fill Tool	150
Moose Blocks	151
Moroso Oil Filters	57
Motive Gear Performance	198
Motor Mount Adapter Plates	116
Motor Mount Bolts	108
Motor Mount Pads	118
Motor Mounts	116, 118, 171
Motor Plates	206
Mounting Cups	34
MPI Steering Wheels	64-65
Mr Gasket	110-113
MSD Ignition	68-77, 80-81
Mud Cleaner	14
Mud Plugs	169
Mud Scraper	152
Mud X	213
Muffler Clamps	206
Muffler Cover	99
Muffler Heat Shields	102
Muffler Mounts	99
Mufflers	100-101, 188
Muncie	195
Nanoceramic Grease	175
Narrow Dynalite Calipers	177
Neck Collar	17
Neck Restraints	24-25
Neck Supports	8, 17
Necksgen	24
Nerfs	201
NGK Spark Plugs	79
Nitro Helmet	208
Nitrogen Fill Tools	151
Nitrogen Filler Gauge	148
Noco	42
Normex Bras	9
Normex Laces	11
Normex Underwear	9, 22, 29
Northeast Dirt Section	170-187
Nose Mounts	170
Notchers	166
Nozzle Filter	206
NPT Female Tee	47
NPT Plug Hex Heads	50
NPT Plugs	50
NPT Reducer Bushings	47
NPT to NPT Adapters	47
Nylon Fans	63
Nylon Washers	122
Oil Accumulators	54
Oil Bypass Adapters	55
Oil Bypass Eliminator	191
Oil Check Valves	54
Oil Cooler Adapter Fittings	51
Oil Cooler Mounts	56
Oil Cooler Ram	170
Oil Coolers	56, 61
Oil Dipsticks	208
Oil Filter Adapters	55, 191
Oil Filter Cutter	158
Oil Filter Mounts	55, 57
Oil Filters	54, 57, 191
Oil Level Plugs	183
Oil Line Kits	54
Oil Pan Bolts	55
Oil Pan Drain Plugs	54
Oil Pan Gaskets	54, 111, 113
Oil Pan Inspect Plug Kits	54
Oil Pan Studs	55

P

Oil Pans	55
Oil Preheaters	54
Oil Pressure Fittings	50, 57
Oil Pressure Kits	39
Oil Pressure Senders	39
Oil Pump Bolts	105
Oil Pump Drive Shafts	55, 105
Oil Pump Primer Kits	155
Oil Pump Pulleys	57
Oil Pump Studs	105
Oil Pumps	55
Oil Rear Lubes	183, 213
Oil Separators	55
Oil Stabilizer	211
Oil Storage Cabinets	152
Oil Tank Heaters	54
Oil Tank Mounts	206
Oil Tanks	54
Oil Temperature Kits	39
Oil Treatment	212
Olives	44
O'Rings	51, 132, 183
Outer Bearings	175
Outer Panhard Mounts	179
Outer Support Rods	179
Outerwear Pre Filters	84
Outerwear Shockwears	146
Outlaw Shifters	208
Oval Head Buttons	122
Overflow Catch Cans	94
Overflow Check Valves	94
Overflow Tanks	58, 63
Paddle Valve	97
Painless Products	40
Paint	99
Panel Spring Adjuster	126
Panel Springs	123
Panelfast	122-126, 128-129
Panelfast Tools	126
Panhard Axle Brackets	173
Panhard Bar Brackets	121
Panhard Mounts	179
Panhard Rods	179
Pans	208
Parachutes	17, 208
Parts Cleaner	157
PCV Grommets	55
Pedal Assembly	138
Pedal Rods	171
Pedals	171
PEM Gears	187
Perfect Launch Drag Racing Tree	158
Performance Friction Brakes	141
Perform-O-Flex Hose	45
Perma-Loc	108
Pickup Assembly	75
Pin Crimp Dies	77
Pin Extraction Tools	68
Pinion Centering Jig	166
Pinion Crush Sleeves	199
Pinion Mounts	179
Pipe Plugs	51
Pipe Thread Fittings	46-47
Pipe Thread to AN Adapters	47
Piston Ring Filer	104
Pit Guns	162
Pit Jacks	165
Pit Sockets	162
Pitman Arms	172, 200
Pivot Kits	7, 14, 23
Plastic	127
Plastic Caps	157
Plastic Plugs	157, 168
Plates with Self Eject Buttons	129
Plug Wire Sleeves	102
Plugs	95, 119, 127, 157, 168, 183
Plumb Bob Kit	151
Plumbing	44-53
Plunge Slot Buttons	126
Poly Washers	95
Posts	7
Power Grid Ignition Systems	71
Power Steering Adapter Fittings	49
Power Steering Fluids	106, 209-210
Power Steering Hose Ends	46
Power Steering Hoses	46
Power Steering Mounts	189
Power Steering Pumps	107
Power Steering Pumps	66
Power Steering Reservoirs	61, 67
Power Steering Tanks	66-67
Power Valve Tester	154
Power Valves	90
Powerlite Radial Mount Caliper	131, 176
Pre Cleaners	83
Pre Filters	84
Pressure Gauge Adapters	50
Pressure Plate Bolt Kits	104

Q

Problend	212
Profile Steering Boxes	67
Pro-Lit Hose	45
Proportioning Valves	139, 171
PS-1 Caliper	132
Pull Bar Cover	121
Pulley Hex Drive	108
Pulley Installer Tool	107
Pulley Kits	59
Pulley Shim Kits	58, 158
Pulley Spacers	189
Pulleys	56-57, 107-108, 189
Pump Adapter	205
Punch Tool	166
Punches	166
Push Rod Length Checkers	154
Push Rods	190
Pushrod Length Checker	109
Pushrods	109
Pyrometer	164
QA1 Rod Ends	114
QA1 Springs	150
Quad Lock Birdcages	180
Quad Lock Brackets	182
Quad Lock Caliper Brackets	177
Quad Lock Tubes	183, 185
Quarter Mounts	170
Quick Change Case	187
Quick Change Drain Pans	153
Quick Change Gear Trays	153, 187
Quick Change Gears	186
Quick Change Pinion Mounts	179
Quick Change Rear End Gaskets	113
Quick Change Rear Parts	199
Quick Change Ring and Pinions	199
Quick Change Totes	187
Quick Check Pressure Gauge	140
Quick Disconnects	66
Quick Fill Cans	94
Quick Fill Dump Cans	94
Quick Fill Fuel Components	94
Quick Kits	90
Quick Pin Kits	200
Quick Pins	118
Quick Release Hubs	66
Quick Release Muffler Clamps	206
Quick Spin Lug Wrench	163
Quick Toe Setting Tool	161
Race Fan Fans	63
Race Oil	209-211
Race Quip	28-29
Race Wax	213
Raceceiver	26
Racer Tape	153
Racing Electronics	27
Racing Grease	175
Rack and Pinions	67
Racks	152
Radial Mount Caliper Brackets	177
Radiator Air Comb	61
Radiator Caps	62, 189
Radiator Fin Tool Kits	61
Radiator Fittings	60
Radiator Honeycomb	62, 206
Radiator Hoses	62, 189
Radiator Mounts	61-63, 206
Radiator Recovery Tanks	61
Radiator Shaker Screen	62
Radiator Supports	63
Radiator Water Restrictors	58
Radiators	60-61
Radio Boxes	26
Radios	26-27
Radius Plates	151
Radius Rod Shortening Kits	182
Radius Rods	115, 174, 179, 203
Radius Tabs	116
Raised Motor Mounts	118
Ram Clutches	197
Radiator Hose Fillers	62
Reamers	166
Rear Axle Spring Perch	117
Rear Brake Brackets	177
Rear Brakes	177
Rear Bumper	201
Rear Clip	170
Rear Cover Nuts	204
Rear Covers	185
Rear End Cover Nuts	204
Rear End Savers	204
Rear End Shifter Cables	204
Rear Gear Covers	183
Rear Gears	198
Rear Hubs	177, 202
Rear Loops	178
Rear Lower Spring Plates	117
Rear Lubes	183, 213
Rear Main Seals	111

R

S

Rear Rotors.....	177
Rear Shock Mounts.....	182
Rear Speed Chain Assembly.....	181
Rear Springs.....	143-145
Rear Wheel Centers.....	204
Rear Yokes.....	176
Rears.....	183-184, 201, 204
Recovery Tanks.....	62
Reducer Bushings.....	47
Reducers.....	100
Regulators.....	87, 92-93
Reinforcing Plate with Zerk.....	128
Reinforcing Plates.....	128
Reinforcing Washers.....	128
Remote Fill Tanks.....	56
Remote Master Cylinder Kits.....	139
Remote Oil Filter Mounts.....	57
Remote Pedal Master Cylinder Mount.....	138
Remote Starter Switch.....	156
Reservoir Tanks.....	205
Reservoirs.....	172
Residual Pressure Valves.....	136
Residual Valves.....	171
Rev.....	24
Rev Limiter.....	191
Ride Height Tool.....	163
Ring and Pinions.....	183, 185, 198
Ring Compressors.....	105, 155
Ring Gear Adjustment Screws.....	183
Ring Gear Bolt Kits.....	199
Rivet Back Up Plates.....	126, 128
Rivet Gun.....	127
Rivet Pliers.....	127
Rivets.....	127
Road Racing Seats.....	32
Robic Stop Watch.....	153
Rock Screens.....	61
Rock Shields.....	39
Rocker Arm Stud Kits.....	108
Rocker Arms.....	108
Rod Bolt Extensions.....	155
Rod End Seals.....	121
Rod Ends.....	114, 174, 202
Rod Guide Tool.....	158
Roll Bar Padding.....	30
Roll Out Fixture.....	163
Roll Stop.....	136
Rolled Plastic.....	127
Roller Lifters.....	109
Roller Rockers.....	108
Rollers.....	181
Roofs.....	170
Roof Mounts.....	170
Rotor Adapter.....	135, 137
Rotor Bolts.....	137, 176, 202
Rotor Hats.....	135
Rotor Mounts.....	207
Rotor Spacer.....	169
Rotors.....	133-135, 141, 176-177
Round Tubing Notchers.....	166
RPM Activation Switch.....	69
RPM Module.....	69, 71
Rub Rail Flange Tab.....	116
Rub Rails.....	170
Rubber Bushings.....	178
Safety Blanket.....	204
Safety Glasses.....	166
Safety Loops.....	178
Safety Shields.....	208
Safety Wire.....	151
Safety Wire Drill Jig.....	151
Safety Wire Pliers.....	151
Saprk Plug Indexer.....	81
Saws.....	166
Scale Cart.....	159
Scale Pad Leveler.....	158-159
Scales.....	159
Scalloped Rotors.....	133-134
Schoenfeld Headers.....	100
Schrader Valve.....	147-148
Scraper.....	152
Screens.....	171
Scrub Bags.....	84
SCS Gears.....	186
Seal.....	213
Seal Plates.....	183
Seals.....	175
Seat Accessories.....	31-33
Seat Belt Plates.....	116
Seat Belts.....	12-13, 29, 171, 208
Seat Brackets.....	33, 171
Seat Mounts.....	33
Seat Spacers.....	33
Seat Tabs.....	116
Seats.....	31-32, 171
Selector Switch.....	77
Self Eject Buttons.....	123
Serpentine Belts.....	107, 189

Serpentine Pulley Idler Kits.....	108
Serpentine Pulley Kits.....	189
Serrated Washers.....	174
Set Up Blocks.....	200
Set Up Carrier.....	166
Set Up Plates.....	166
Set Up Stand.....	166
Setting Tool.....	163
Shaft Clamp.....	148
Shaft Collars.....	67
Shaft Tubing.....	67
Shafts.....	176, 204
Shield Bags.....	14, 30
Shield Cleaner.....	7, 20
Shield Foam.....	14
Shields.....	7, 15, 19, 20, 23
Shift Boots.....	8
Shift Lights.....	69
Shifter.....	167
Shifter Assemblies.....	118
Shifter Cable.....	119
Shifter Knobs.....	167
Shifter Stick.....	167
Shifters.....	196, 208
Shim Spacers.....	168
Shims.....	188, 192
Shock Body Base.....	149
Shock Brackets.....	118
Shock Covers.....	146
Shock Dynamometer.....	158
Shock Extensions.....	150
Shock Fluid.....	211
Shock Inflation.....	160
Shock Inflation Tool.....	164
Shock Inflation Unit.....	150
Shock Inflator.....	164
Shock Mounts.....	150, 180-182
Shock Oil.....	147-148
Shock Pressure Gauge.....	150
Shock Protector.....	150
Shock Replacement Parts.....	147-148
Shock Sliders.....	150, 174, 182
Shock Tower Locks.....	150
Shock Towers.....	174
Shock Travel Indicator Kits.....	150
Shock Workstation.....	150
Shocks.....	146-149
Shockwears.....	146
Shoes.....	11, 16-17, 22-23, 29
Shop Towels.....	166
Shorty Transmission.....	196
Shoulder Supports.....	32
Shrouds.....	61
Shut Down Relay.....	40
Shutoff Valve Fuel Filters.....	93
Shutoffs.....	171
Shuttle Gauges.....	151
Side Bar Mounts.....	170
Side Bell Vents.....	183
Side Bells.....	183-184
Side Shifters.....	193
Signal Stabilizer.....	38
Simpson.....	5, 6-13
Single Piston Floater Caliper.....	130
Slave Cylinder.....	138
Slave Cylinder Rebuild Kit.....	138
Slider Biscuits.....	178
Slider Rods.....	178
Sliders.....	178
Slip Yoke Springs.....	176
Slip Yokes.....	176, 196, 204
Slotted Buttons.....	122, 126
Smart Tool.....	160
Smart Tubes.....	183, 185
Snap Strap Kits.....	102
Soap.....	168
Sockets.....	37, 44, 162-163
Socks.....	9, 22, 29
Soft Touch Rev Control.....	69
Solenoids.....	38-39
Solid Axles.....	181, 185
Solid Drive Axles.....	181
Solid Torsion Bars.....	181, 203
Spacer Reducers.....	128
Spacers.....	128
Spacers Kits.....	117
Spal Fans.....	63
Spark Plug Gap Tool.....	158
Spark Plug Indexer.....	154
Spark Plug Indexing Tool.....	158
Spark Plug Shields.....	81, 102
Spark Plug Wire Sync Kits.....	69
Spark Plug Wires.....	79-80
Spark Plugs.....	79, 191
Special Purpose Fittings.....	48
Spectro Fluid.....	193
Speed Chain Assembly.....	150, 181
Speed Lube.....	209

Speed Screens.....	62
Speed Seal Hose Ends.....	45
Speed Shield.....	209
Speed Wax.....	213
Spindle Checker Tools.....	119
Spindle Combo Arms.....	174
Spindle Nut Socket.....	163
Spindle Savers.....	117
Spindle Wrench.....	202
Spindles.....	174, 202
Spline Grease.....	209
Spined Axles.....	185
Spined Rear Wheel Centers.....	204
Spined Tubes.....	183
Spoiler Brackets.....	127
Spoilers.....	170
Spools.....	183
Sports Bras.....	9
Spray Adhesive.....	99
Spring Adapters.....	143
Spring Cups.....	117
Spring Helper.....	144-145
Spring Pads.....	117
Spring Plates.....	117
Spring Rater.....	160
Spring Rubbers.....	143-145
Spring Savers.....	117
Spring Seat Coil Over Hat.....	148
Spring Spacers.....	145
Spring Steel.....	119
Spring Steel Punches.....	166
Springs.....	143-145
Sprint Car Air Box.....	206
Sprint Cars Section.....	200-207
Sprint Steering Arms.....	202
Sprint Transmission.....	203
Stagger Gauge.....	151, 164
Stagger Tape.....	162
Stand Rock Screens.....	61
Starter Buttons.....	38
Starter Heat Shields.....	39, 102
Starter Ring Gear.....	196
Starter Savers.....	77
Starter Solenoids.....	38
Starter Switch.....	156
Starters.....	38, 173, 192, 196
Stat-O-Seals.....	51
Steel Fans.....	63
Steel Line.....	51
Steering Arms.....	202
Steering Box Mounts.....	172, 205
Steering Boxes.....	67, 172
Steering Column Brackets.....	67
Steering Gear Locators.....	205
Steering Joints.....	67
Steering Mounts.....	172
Steering Quick Disconnects.....	66
Steering Quick Release.....	66
Steering Shafts.....	67
Steering Wheel Centers.....	65
Steering Wheel Extension.....	66
Steering Wheel Hooks.....	66
Steering Wheel Pads.....	65
Steering Wheel Spacers.....	66
Steering Wheels.....	64-65
Step Drill Set.....	126
Stewart Water Pumps.....	58
Stilo.....	20-21
Stop Watch.....	153
Storage Bags.....	155
Storage Containers.....	104
Street Racing Seats.....	32
Street Stock Seats.....	31
Strip Crimper.....	77
Stud Gridles.....	108
Stud Mount Valve Spring Compressors.....	156
Stud Shafts.....	204
Suit Cleaner.....	11
Suits.....	5, 10, 16-17, 22-23, 28, 208
Super Stock Hose.....	45
Superlite Radial Mount.....	130
Surge Tanks.....	97
Suspension Cleaner.....	211
Suspension Limiters.....	150, 181
Sway Bar Nut Wrench.....	167
Sweatshirts.....	4
Sweet Steering Boxes.....	67
Sweet Steering Wheels.....	65
Switch Fused Panel.....	40
Switch Panels.....	36-37
Switches.....	36-37, 39
Swivel Seal Hose Ends.....	44
Syphon Pump.....	152
T Brake Adapters.....	51
T Handle Axle Puller.....	166
Tab Kits.....	99
Tachometers.....	34
Tail Shaft Bushing.....	166

T

Tail Shaft Seal	166
Tail Tank Cooler	202
Tailpipe Mounts	99
Tandem Master Cylinders	139
Tank Brackets	206
Tape	153
Tape Measure	162
Tapered Reamers	166
Tapered Ring Compressors	105, 155
Tapered Spacers	128
Taps	166
Tear Off Posts	7, 18
Tear Off Shield Mounts	8
Tear Offs	8
Tee Pipe Fittings	47
Teflon Hose	46, 142
Tel Tac	34
Telescoping Magnet	158
Telescoping Mirror	158
Temp Adapters	37
Terminal Blocks	37
Terminal Connectors	42
Tethers	25, 151
T-Handle Shifter Cable	119
T-Handles	154
Thermal Hood Blanket	202
Thermo Flex	102
Thermo Tec	99, 102
Thermocap	36
Thermostat Gaskets	111
Thermostat Housing Blanks	62
Thermostat Housing Bolts	104
Thermostat Tanks	61
Thermostatic Water Pump Switch	58
Thread Chaser	158
Throttle Arms	205
Throttle Bell Cranks	119
Throttle Body Gaskets	90
Throttle Cable Bracket	90
Throttle Cable Kits	119
Throttle Cables	119
Throttle Cross Shaft	171
Throttle Linkage	98
Throttle Linkage Brackets	90
Throttle Pedal Assembly	119
Throttle Return Springs	98
Throttle Rod	171
Throttle Secondary Lever	90
Throttle Sponge	119
Throttle Stops	90
Throttle Stud	90
Thrust Bearing Kits	143
Tie Down Hangers	152
Tie Downs	153, 166
Tie Rod Ends	121
Tie Rod Socket	163
Tie Rods	174
Tie Wraps	30
Timing Chains	103
Timing Clipboard	153
Timing Control	77
Timing Cover Gaskets	113
Timing Covers	103, 206
Timing Gear Drive	103
Timing Kits	103
Timing Light	78, 81, 154, 161
Timing Pointers	104
Timing Tapes	76, 103
Tin Snips	127
Tire Bead Breaker	162
Tire Claw Traction Tools	163
Tire Deflator	169
Tire Durometer	160
Tire Gauge	160
Tire Gauge Pouch	165
Tire Groovers	162
Tire Holders	152
Tire Inflator	165
Tire Marker	162
Tire Prep Cart	159
Tire Prep Machine	159
Tire Prep Mount	163
Tire Prep Stand	163
Tire Pressure Gauge	165
Tire Pressure Reliefs	163
Tire Purge Tool	162
Tire Pyrometer	164
Tire Rack	152
Tire Roll Out Fixture	163
Tire Roller	160
Tire Sander Holder	163
Tire Sanders	162
Tire Scribe	151
Tire Siper Attachment	159
Tire Sipers	162
Tire Soap	168
Tire Spoons	162
Tire Tape	162

Tire Thread Depth Gauge	160
Tire Tool	162
Tire Tools	163
Tire Treatment	212-213
Tirelifts	163
Toe Gauges	151, 166
Toe Plates	151, 161, 166
Toggle Extensions	36
Tool Tray	152
Toprque Ball Safety Blanket	204
Torque Arm Plates	178
Torque Arms	178
Torque Ball Housing	204
Torque Ball Housing Studs	204
Torque Converter Bolts	104
Torque Tube Checker	203
Torque Tube Nuts	204
Torque Tube Studs	204
Torque Tubes	204
Torsion Arms	182, 200
Torsion Bar Bushings	203
Torsion Bar Checker Tools	181
Torsion Bar Plug Kits	119
Torsion Bar Reamer	203
Torsion Bar Tools	181
Torsion Bars	181, 203
Torsion Bearings	182
Torsion Bolts	127
Torsion Bushings	182
Torsion Release Bearing	145
Torsion Rollers	181
Torsion Stops	182, 203
Towels	166
Track Mats	153
Trailer Cabinets	152
Trailer Door Cabinets	152
Trailing Arm Nut Wrench	167
Transmission Fluid	209-210
Transmission	173, 193-195, 203
Transmission Coolers	56, 173
Transmission Fluid	193
Transmission Fuel Additive	212
Transmission Mounts	116, 118
Transmission Pans	208
Transmission Rebuild Kits	193
Transmission Rebuild Parts	193-195
Transmission Safety Shield	208
Transmission Shifters	193
Transmission Supports	118
Transmission Yokes	176
Transponders	9
Tread Depth Gauge	164
Trick Race Parts	170
T-Shirts	4
Tube Bender Pliers	151
Tube Cutters	151
Tube Heat Shield	102
Tube Nuts	50
Tube Sleeves	50
Tubes	100, 183, 185
Tubing Adapter Fittings	50
Tubing Bender	151
Tubing Hose Clamps	45
Tubing Notchers	166
Tubing Separators	51
Tubular Throttle	205
Turbo Insulating Kits	102
Turn Plates	161
Turnouts	100
Two Step Module Selectors	69
U-Bolt Pads	117
U-Bolt Straps	176
U-Bolts	176, 196
U-Joint Yokes	184
U-Joints	176, 196
Undercut Buttons	122
Underwear	9, 22, 29
Union Reducers	49
Upper A-Arm Brackets	117
Upper A-Arm Mounts	117, 119
Upper Ball Joints	120
Upper Ball Wrench	120
Upper Control Arm Shims	117
Upper Link Brackets	121
Upper Lube	213
Upper Spring Plates	117
Utility Jugs	152
Vacuum Pressure Gauge	156
Vacuum Pump Brackets	56
Vacuum Pumps	56
Vacuum Regulators	54
Vacuum Relief Valves	56
Valve Core Stem Tools	162
Valve Core Tool	162
Valve Cover Breathers	55, 83, 167
Valve Cover Gaskets	55, 110, 113
Valve Cover Stud Kits	55
Valve Covers	55

W

Valve Lash Adjusting Tool	154
Valve Lash Wrenches	154
Valve Seal Installer	154
Valve Seat Pressure Testers	156
Valve Shim Kit	148
Valve Spanner Wrench	148
Valve Spring Compressors	156, 158
Valve Spring Height Micrometers	154
Valve Spring Pressure Tester	156
Valve Spring Removal Tools	156
Valve Spring Tester	156
Valve Springs	109
Valve Stems	168
Valve Train Trays	154
Valves	90, 108
Vane Rotors	133-134
V-Belts	63
V-Bowls	90
Vent Adapters	46
Vents Kits	55
Vibration Mounts	70
Vintage Seats	32
Viton Inlet Needles	90
W Links	200
Wash Plug Set	119
Washers	122, 127, 169, 174
Watch	153
Water Filler Neck	62
Water Necks	58-59
Water Outlet Gaskets	111
Water Pump Bolt Kits	104
Water Pump Drive Kits	107
Water Pump Fittings	59
Water Pump Gaskets	113
Water Pump Relay	40
Water Pump Spacers	58, 107
Water Pumps	58-59, 189
Water Temperature Kits	39
Wax	211, 213
Weather Seal	213
Weight	119
Weight Jack Bolt Sleeves	117
Weight Jack Bolts	117
Weight Jack Plates	117
Weld Fittings	52
Weld Plates	124-125
Weld Plates with Flush Head	129
Weld Plates with Spring	129
Weld Wheels	168-169
Wheel Adapter	163
Wheel Bearings	175, 177
Wheel Centers	204
Wheel Covers	169
Wheel Dollies	164
Wheel Dust Shield	169
Wheel Spacers	163, 168
Wheel Stud Drill Bits	166
Wheel Studs	163
Wheel Well	170
Wheels	168-169
Wide 5 Bearings	175
Wide 5 Hub Seals	175
Wide 5 Hubs	136, 175, 177
Wide 5 Wheel Spacers	168
Wide 5 Wheels	168
Wide Rollers	181
Wilwood Brakes	130-139
Winch	153
Windage Screens	54
Windage Trays	54
Window Net Mounts	33
Window Nets	8, 30
Window Screens	171
Wing Nuts	55
Wing Rams	203
Wing Tree Quick Pin Kit	200
Winged Buttons	123
Winged Self Eject Buttons	123
Winters Quick Change Gears	186
Wire Connectors	39
Wire Looms	81
Wire Screens	62
Wire Sleeves	81, 102
Wires	79-80, 191
Wiring Harness	40, 70-71, 173
Wix Oil Filters	57
Wrap Around Gussets	119
Wrenches	52, 163, 167
Washers	128
XS Batteries	42
Y-Blocks	93
Yoke Springs	176
Yokes	176, 184, 196, 199
Zerks	128, 168-169

XYZ

U

V



Mailing: P.O. Box 550 • Florida, NY 10921
Shipping: 38 Meadow Rd • Florida, NY 10921
Order #: 877-372-2348 • Tech #: 845-651-7389
Fax #: 845-651-1200 • www.behrents.com

PRSRT STD
U.S. POSTAGE
PAID
BEHRENT'S
SPEED
CENTER

Scan here to Shop
our Mobile Website



Be sure to "LIKE" us on Facebook and "FOLLOW" us on Twitter & Instagram.



BEHRENT'S CATALOG 2020



Photo by Bob Armbruster

CALL TOLL FREE 877.372.2348 • BEHRENTS.COM